respiration, decomposition and in the form of heat. Hence, the law is called **ten percent law.**




Figure 7.3: Ten percent law

Example: It is shown that of the 1000 Joules of Solar energy trapped by producers. 100 Joules of energy is stored as chemical energy through photosynthesis. The remaining 900 Joules would be lost in the environment. In the next trophic level herbivores, which feed on producers get only 10 Joules of energy and the remaining 90 Joules is lost in the environment. Likewise, in the next trophic level, carnivores, which eat herbivores store only 1 Joule of energy and the remaining 9 Joules is dissipated. Finally, the carnivores are eaten by tertiary consumers which store only 0.1 Joule of energy and the remaining 0.9 Joule is lost in the environment. Thus, at the successive trophic level, only ten percent energy is stored.

7.2.5 Food chain

The movement of energy from producers upto top carnivores is known as **food chain**, i.e., in any food chain, energy flows from producers to primary consumers, then from primary consumers to secondary consumers, and finally secondary consumers to tertiary consumers. Hence, it shows linear network links. Generally, there are two types of food chain, (1) Grazing food chain and (2) Detritus food chain.

1. Grazing food chain

Main source of energy for the grazing food chain is the **Sun**. It begins with the first link, producers (plants). The second link in the food chain is primary consumers (mouse) which get their food from producers. The third link in the food chain is secondary consumers (snake) which get their food from primary consumers. Fourth link in the food chain is tertiary consumers (eagle) which get their food from secondary consumers.




Figure 7.4: Diagrammatic representation of Grazing food chain

2. Detritus food chain:

This type of food chain begins with **dead organic matter** which is an important source of energy. A large amount of organic matter is derived from the dead plants, animals and their excreta. This type of food chain is present in all ecosystems.

The transfer of energy from the dead organic matter, is transferred through a series of organisms called detritus consumers (detritivores)- small carnivores - large (top) carnivores with repeated eating and being eaten respectively. This is called the detritus food chain.




Figure 7.5: Diagrammatic representation of Detritus food chain.

7.2.6 Food Web

The inter-locking pattern of a number of food chain form a web like arrangement called **food web**. It is the basic unit of an ecosystem, to maintain its stability in nature. Which its also called homeostasis.

Example: In a grazing food chain of a grass

TN_GOVT_BOTANY_XII_PAGES_149-177 CH 07.indd 153 23-12-2022 11:01:40