Conservation movement

A community level participation can help in preservation and conservation of our environment. Our environment is a common treasure for all the living organisms on earth. Every individual should be aware of this and participate actively in the programs meant for the conservation of the local environment. Indian history has witnessed many people movements for the protection of environment.

Chipko Movement

The tribal women of Himalayas protested against the exploitation of forests in 1972. Later on it transformed into **Chipko Movement** by **Sundarlal Bahuguna** in Mandal village of Chamoli district in 1974. People protested by hugging trees together which were felled by a sports goods company. Main features of Chipko movement were,

- This movement remained non political
- It was a voluntary movement based on Gandhian thought.
- It was concerned with the ecological balance of nature
- Main aim of Chipko movement was to give a slogan of five F's – Food, Fodder, Fuel, Fibre and Fertilizer, to make the communities self sufficient in all their basic needs.

Appiko Movement

The famous Chipko Andolen of Uttarakhand in the Himalayas inspired the villagers of Uttara Karnataka to launch a similar movement to save their forests. This movement started in Gubbi Gadde a small village near Sirsi in Karnataka by Panduranga Hegde. This movement started to protest against felling of trees, monoculture, forest policy and deforestation.

persuading governments to protect threatened species and for most of the plant and animal species world-wide. IUCN has developed protected areas and developed criteria for threatened species. The criteria are as follows .

A - Population reduction
B - Geographic range
C - Small population size and decline
D - Very small or restricted population
E - Quantitative analysis




Figure 8.10: IUCN Red List categories

IUCN Red List categories

Extint (EX)

A taxon is Extinct when there is no reasonable doubt on the death of the last individual. A taxon is presumed Extinct when exhaustive surveys in known and/or expected habitat, at appropriate times (diurnal, seasonal, annual), throughout its historic range have failed to record an individual. Example: *Neuracanthus neesianus*.

Extinct in the wild (EW)

A taxon is Extinct in the Wild when it is known only to survive in cultivation, in captivity or as a naturalised population (or populations) well outside the past range. Example: *Ginkgo biloba*

Critically endangered (CR)

A taxon is Critically Endangered when the best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinctions in the wild. Example: *Euphorbia santapaui, Piper barberi, Syzygium gambelianum.*

TN_GOVT_BOTANY_XII_PAGES_178-198 CH 08.indd 188 23-12-2022 11:03:55