
group a.cetyl CoA. with pyruvic acid to yield citric acid

d. there are three points in the cycle where NAD^+ is reduced to $NADH+H^+$

43. The three boxes in this diagram represents the three major biosynthetic pathways in aerobic respiration and arrows represent net reacts or products. (NEET 2013)



Arrows numbered 4, 8 and 12 can be

a. ATP b. H_2O

c. FAD or $FADH_2$ d. NADH

44. The energy released metabolic process in which substrate is oxidised without an external electron acceptor is called (AIPMT 2010)

a. glycolysis **b. fermentation**

c. aerobic respiration d. photorespiration

45. Krebs cycle starts with the formation of six carbon compound by a reaction between (C P M T 1980)

a. malic acid and acetyl coenzyme

b. oxaloacetic acid and acetyl coenzyme

c. succinic acid and pyruvic acid

d. fumaric acid and pyruvic acid

46. Respiration is a process in which (CPMT 1980)

a. energy is used up

b. energy is stored in the form of ADP

c. energy is released and stored in the form of ATP

d. energy is not released at all

47. The common phase between aerobic and anaerobic respiration is called (CPMT 1984)

a. glycolysis

b. krebs cycle

c. tricarboxylic acid cycle

d. oxidative phosphorylation

48. ATP synthesis occurs on/in the (AIIMS 1984)

a. matrix

b. outer membrane of mitochondrion

c. innermembrane of mitochondrion

d. none of the above

49. Which 5-carbon organic acid of the Krebs cycle is a key compound in the N2 metabolism of a cell (AIIMS 1989)

a. citric acid

b. fumaric acid

c. oxalosuccinic acid

d. α-Ketoglutaric acid

50. Which one of the following acts as a hormone involved in ripening of fruits (CBSE PMT 2000)

a. naphthalene acetic acid

b. ethylene

c. indole acetic acid

d. zeatin

51. Coconut milk factor is (PMT 2003)

a. auxin b. gibberellin

c. abscisic acid **d. cytokinin**

52. Banana is seedless because (JIPMER 2004)

a. it produces asexually

b. auxin is sprayed

c. both A and B

d. none of the above

53. Pruning of plants promotes branching due to sensation of axillary buds by (AIIMS 2004)

a. Ethylene b. Gibberellin

c. IAA d. Cytokinin

54 Avena curvature test is bioassay for activity of (AIIMS 2006) (NEET 2016)

a. Auxin b. Ethylene

c. Cytokinin d. Gibberellin

55. One of the synthetic auxin is (AIPMT 2009)

a. IBA **b. NAA** c. IAA d. GA

56 Which one of the following acids is derivative of carotenoids (AIPMT 2009)

a. Abscisic acid

b. Indole butyric acid

c. Indole – 3 acetic

d. Gibberellic acid

57. Photoperiodism was first characterized in (AIPMT 2010)

a. Cotton **b. Tobacco** c. Potato d. Tomato

58. One of the commonly used plant growth hormone in tea plantations is (AIPMT 2010)

a. Abscisic acid b. Zeatin

c. Indole – 3 – acetic acid d. Ethylene

59. Root development is promoted by (AIPMT 2010)

a. Auxin b. Gibberellin

c. Ethylene d. Abscisic acid

60. Senscence as an active developmental cellular process in the growth and functioning of a flowering plant is indicated in (AIPMT 2008)

a. Annual plants

b. Floral plants

c. Vessels and Tracheid differentiation

d. Leaf abscission

61. You are given a tissue with its potential for differentiation in an artificial culture. Which of the following pairs of hormones would you add to the medium to secure shoots as well as roots? (NEET 2016)

a. Gibberellin and abscissic acid

b. IAA and gibberellins

c. Auxin and cytokinin

d. Auxin and abscisic acid

62. Phytochrome is a (NEET 2016)

a. Chromo protein b.Flavo protein

c. Glyco protein d. Lipo protein

63. Typical growth curve in plants is (NEET 2016)

a. Linear b.Stair – steps shaped

c. Parabolic **d. Sigmoid**

TN_GOVT_BOTANY_XII_PAGES_216-279 CH 10.indd 262 28-12-2022 15:39:23