
2024

EANA HAN PORTFOLIO

BASc in Mechatronics Engineering
with Computing Option

Content

My portfolio includes projects from internship experiences and undergrad course work

01




Apple Crisp

02



EV Battery
Automation Cell

03




TurtleBot
Course Project

04




Automotive
Manufacturing

05




Sensor Fusion Lab

06



Controls Project

07



Line Following
Robot

08




CAD Art Project




Apple Crisp: Prototype Development

Capstone Project



3D CAD Model & Thermal Simulation - SolidWorks





Initial CAD Model

Thermoplastic Outer

Melamine Foam
InsulationStainless Steel
CompartmentsNichrome Wire Outside
Input Bucket

- External temperature is within 27 °C through simulation which meets user safety constraints.


Electrical Drawings - KiCad





Apple Crisp: Final Product

Capstone Project



Problem Statement

- Across multi-residential buildings, there is limited access to organics collections.
- Apple Crisp is a kitchen companion that dehydrates organic waste to reduce the volume of waste that end up in landfills.

Testing



- Various food scraps are inputted to Apple Crisp including celery, peels (apple, potato, carrot) and leafy greens.
- After every ~1 hour of heating time, the scraps are taken out to be weighed.



Results

50% minimum volume reduction

70% minimum weight reduction in 6-8 hour heating cycles

Apple Crisp was nominated for the **Sustainability Award**

EV Battery Automation Cell


SolidWorks

PLM

Ladder Logic

Internships: Worked on designing and automating manufacturing cells for General Motor's EV battery modules.

Mechanical Designer – SolidWorks, Upchain PLM




Controls Engineering – Rockwell Studio 5000, FactoryTalk View



- Created and modified 3D CAD models and 2D mechanical drawings for automation cells.
- Verified specifications with vision engineers to modify assembly for optimal camera scanning.
- Used Upchain PLM to update CAD design revisions, BOMs, and track tasks.

- Integrated control systems by verifying PLC Ladder Logic code and doing I/O checks.
- Assisted in dry cycles to check motion paths and calibrate the mechanical systems.




TurtleBot

Autonomous Mobile Robots Course Project



Sensor Data Processing

IMU, Odometry, LiDAR sensors



Laser scan of maze

Closed Loop Control - PID


Analyzing agility y, accuracy, and overshoot to fine tune PID values

Localization

- Kalman Filter and EKF
- Fine tuning Q & R values

Path Planning & Navigation

A*, RRT, RRT* path planning algorithms



RViz - Select destination point




A* path planning




Lab room environment - execute path


Simulation for Path Planning and Execution



Implementing RRT* algorithm



Path generated while avoiding obstacles








Simulated TurtleBot following the path in Gazebo

Automotive Manufacturing

Manufacturing Engineering Intern

Honda Fuel Door Cycle Time Reduction – Welding Robot Adjustment



- Conducted cycle time studies to figure out the bottleneck.
- Adjusted robot path and weld parameters to reduce MIG weld work time.
- Verified weld quality is preserved.

$$\text{Annual Production Time Saving} = \frac{\text{Annual Volume}}{\text{Original Rate}} - \frac{\text{Annual Volume}}{\text{New Rate}}$$

$$\text{Annual Production Time Saving} = \frac{305,061 \text{ parts}}{113 \text{ parts/hr}} - \frac{305,061 \text{ parts}}{125 \frac{\text{parts}}{\text{hr}}} = 259.17 \text{ hours}$$

$$\text{Annual Cost Savings} = 259.17 \text{ hr} \times \frac{\$33}{\text{operator} \cdot \text{hr}} \times 3 \text{ operators} = \$25,657.52$$

Ford Spacer Scrap Reduction – Weld Rework



- Noticed excess of scrap parts for Ford spacers from defective welds.
- Worked with maintenance team to fix welding fixtures.
- Created rework instructions to eliminate scraps, resulting in cost savings.

$$\text{ROI} = \frac{\text{Total Annual Rework Cost}}{\text{Total Annual Scrap Cost}} \times 12 \text{ months}$$

$$\text{ROI} = \frac{\$1343}{\$9,109} \times 12 \text{ months} = 1.8 \text{ month}$$

Multi-Sensor Data Fusion Lab



MATLAB

Wiring


Algorithms

Coursework


Sensors Setup - 4 IR Sensors, 4 Thermocouples




Test Points




Data Fusion Results for Test Point 1



Fused IR sensor data



Fused thermocouple data




Fused data of all sensors shows the most probable location of the block, which is very close to the actual point (shown above)

Problem Statement

Combine the data collected from IR sensors and thermocouples to find the location of the orange block.

- Train model with 9 positions of block.
- Filter data and curve fit for distance and temperature, then fuse data.
- Evaluate the model with test points.





Ball and Beam Controller



Digital Control Applications Course Project



Simulation – Pole placement, MATLAB, Simulink



Implementation – C++ Programming, NI LabView



Problem Statement

- Create a ball and beam apparatus to move the ball that resembles a square wave.
- The beam tilts its angle according to the potentiometer voltage that was fed to vary the gear angle.
- The ball position wave must be within overshoot, steady state error, settling time, and saturation specifications


Process

- Ball and beam set up with CompactRIO PLC.
- Calculations for pole placement for the initial controller.
- Code C++ in NI LabView to test physical system.
- Import data to MATLAB to design controller and use. Simulink to verify if output from controller is within specs.
- Update LabView code and test actual ball position to verify discrete controller.

Aiming System Control Design

Multivariable Control Systems Course Project

One & Two Rod Aiming Systems




- Derived and calculated requirements for the controller based on model specifications.
- Used MATLAB to design control systems and analyze system responses.
- Refined the design by applying different control techniques.

Problem Statement

Design and implement control systems for SISO and MIMO aiming systems using MATLAB, applying control system theory.

Simulation and Analysis





Line Following Robot

Sensors and Instrumentation Coursework

Test Track



Final track (no photos were allowed to be taken) had multiple sections with dashed track lines, steep curves, and ramps. Our robot successfully finished the final track.



Robot stops when magnet detected

Problem Statement

Create a robot that follows the track made of black tape and only stop when a magnet is detected or at the end of track.



- Soldered hardware onto PCB.
- Used photodiodes to detect the track.
- Used Hall effect sensor to detect the presence of the magnet.
- Wrote C code to feed inputs through op-amps and into the PIC microcontroller to run the robot.

CAD Art Project

Fine Arts Coursework





Project Description


As a mechatronics engineering student, I embarked on a project that delves into the heart of contemporary art, exploring the interdisciplinary nature of my field and its connection to everyday life. The focal point of this exploration is a kinetic art sculpture titled "It was a most excellent ride..."

Inspiration


Jean Tinguely, a Swiss artist's kinetic sculptures that use concepts from bikes.



CAD Modeling - SolidWorks



3D Printing



Assembly



Demo - Arduino

