

**Building the custos
repository means
designing it...**

The Custos Architecture Blueprint

This structure ensures that code, infrastructure, and narrative never trip over each other, while still being universally accessible to the Seneschal's scanners.

#created by Navigo one and three 202606231715. Blackjack_marrowing_pandora

Plaintext

None

```
custos/
├── .github/
│   └── workflows/                # The Seneschal's heartbeat (PR/Push
Action .yaml files)
├── blueprints/                  # Schema-first templates for project
generation
├── environments/                # Isolated dotfiles and configs
│   ├── sauron-ubuntu/          # Ubuntu laptop environment
│   ├── mulberry-win/           # Windows environment
│   └── termux-android/         # Pixel 8a mobile environment
├── fleet/                       # The fleet-commander operational hub
│   ├── aliases/                # Centralized alias scripts
│   ├── system_backlog.md       # Routed }system{ notes
│   └── commander.sh            # Core execution scripts
├── seneschal/                  # The Steward's Brain
│   ├── scanner/                # harvester.sh and router.sh logic
│   └── inboxes/                # Folders for }prima{, }mechanic{,
and unsorted thoughts
│   ├── idea_ledger.jsonl       # The immutable, hashed history of
all ideas
│   ├── CURRENT_STATE.md       # Auto-updated by your }waypoint{
tags
│   └── PROTOCOLS.md            # Rules of engagement and LLM context
instructions
└── uNEXUSs/                    # The multi-faceted universe and lore
    ├── characters/             # Routing destination for }narrative{
notes
```

The Card Suit Metadata System

To manage the maturity and focus of the documents within this repository, we can formalize your playing card suit system. The Seneschal can use these suits as metadata flags in the headers of your Markdown files, allowing it to quickly identify the status of any document.

Suit	Document Focus & Status	Example Use Case
Spade ♠	Architectural / Foundational. High-level framework files.	PROTOCOLS.md, core fleet-commander scripts, deep lore foundations.
Heart ♥	Organic / Narrative. Character development, dialogue, and relational concepts.	Trajectory character profiles, Spirit wolf lore.
Diamond ♦	Polished / High-Value. Refined systems, finalized mechanics, or economic structures.	The idea-tracking ledger schema, completed workflows.
Club ♣	Actionable / Draft. Work-in-progress files, task lists, and raw brainstorm.	prima_backlog.md, untested alias scripts.

Example file header for a new script:

Auto-Deploy Framework [Level: Club of Spades] (A draft of a foundational architecture).

Glossary of Tags

The Seneschal uses specific bracket notation to harvest and route data across the repository. These tags act as high-frequency signals within your plaintext narrative.

- **}prima{**: Primary insights and raw ideas intended for the immediate inbox.
- **}system{**: Technical notes, infrastructure changes, and backlog tasks for the fleet-commander.
- **}waypoint{**: Progress markers used to update the CURRENT_STATE.md file automatically.
- **}narrative{**: World-building details and character arcs routed to the uNEXUSs directory.

The Blueprint Factory

The addition of the `/blueprints/` directory formalizes a schema-first approach to repository growth. These files serve as high-level templates for generating future project structures, ensuring that every new initiative inherits the core architectural DNA of the Custos system. By leveraging the card suit metadata system—Spade for framework, Heart for narrative, Diamond for refinement, and Club for action—the Blueprint Factory allows the Seneschal to pre-visualize the maturity and resource requirements of a project before a single directory is initialized.

The Operational Flow

When you sit down at Sauron, Mulberry, or your Pixel, the flow through this structure works seamlessly:

1. **You Work:** You write a script in `/fleet/` or develop a narrative arc in `/uNEXUSs/`. As you work, you drop `}prima{`, `}system{`, and `}waypoint{` tags natively into your text.
2. **You Push:** You push the branch to GitHub.
3. **Seneschal Wakes:** The `.github/workflows/` trigger. The Seneschal runs the Harvester across all modified files, hashing and logging your bracketed tags into `idea_ledger.jsonl`.
4. **Seneschal Routes:** The Router pushes those extracted thoughts into `prima_backlog.md` and updates `CURRENT_STATE.md` with your last waypoint.

Version Control Strategy

The Seneschal monitors the repository through a trunk-based development model. Main branch represents the "Source of Truth," while feature branches allow the Seneschal to perform pre-merge audits. Any PR targeting the main branch triggers a comprehensive scan of the `idea_ledger` to ensure consistency across environments.

Security & Access Control

To maintain the integrity of the Custos repository, sensitive data is strictly isolated. The `.gitignore` file serves as the first line of defense, ensuring that environment-specific secrets, API keys, and local credentials never leak into the fleet-commander's shared space. All protocols in `seneschal/PROTOCOLS.md` emphasize the use of encrypted environment variables over hardcoded strings.

Workflow Interaction

The relationship between the Human Operator and the Seneschal is defined by a continuous collaborative loop. You provide the creative spark and directional intent through plaintext narrative and tagged insights, while the Seneschal provides the structural rigor. This iterative process is anchored by the auditing phase: for every push or proposed design change, the Seneschal scans for protocol adherence, ensuring that new lore or infrastructure remains consistent with the existing repository state. This ensures that the system evolves not through random accumulation, but through audited, intentional iteration.

**temp_backup Building the
custos repository**

Building the custos repository means designing it as a living system. It isn't just a storage drive; it is the physical environment where fleet-commander, your OS-specific setups, and the Seneschal operate together.

Now that we have established the }bracket{ notation, the Harvester, and the Router, we can map the exact directory structure. This architecture isolates your computing environments while giving the Seneschal clear lanes to audit, track, and route your ideas.

Here is the master blueprint for the custos repository.

The Custos Architecture Blueprint

This structure ensures that code, infrastructure, and narrative never trip over each other, while still being universally accessible to the Seneschal's scanners.

#created by Navigo one and three 202606231715. Blackjack_marrowing_pandora

```
Plaintext
custos
├── github
│   └── workflows/      # The Seneschal's heartbeat (PR/Push Action .yml files)
├── environments/      # Isolated dotfiles and configs
│   ├── sauron-ubuntu/  # Ubuntu laptop environment
│   ├── mulberry-win/   # Windows environment
│   └── termux-android/  # Pixel 8a mobile environment
├── fleet/             # The fleet-commander operational hub
│   ├── aliases/        # Centralized alias scripts
│   ├── system_backlog.md # Routed }system{ notes
│   └── commander.sh     # Core execution scripts
├── seneschal/         # The Steward's Brain
│   ├── scanner/        # harvester.sh and router.sh logic
│   ├── inboxes/        # Folders for }prima!, }mechanic!, and unsorted thoughts
│   ├── idea_ledger.jsonl # The immutable, hashed history of all ideas
│   ├── CURRENT_STATE.md # Auto-updated by your }waypoint tag
│   └── PROTOCOLS.md     # Rules of engagement and LLM context instructions
├── uNEXUSs/          # The multi-faceted universe and lore
│   ├── characters/     # Routing destination for }narrative! notes
│   └── concepts/       # World-building and project marrow
```

The Card Suit Metadata System

To manage the maturity and focus of the documents within this repository, we can formalize your playing card suit system. The Seneschal can use these suits as metadata flags in the headers of your Markdown files, allowing it to quickly identify the status of any document.

Suit	Document Focus & Status	Example Use Case
Spade ♠	Architectural / Foundational. High-level framework files.	PROTOCOLS.md, core fleet-commander scripts, deep lore foundations.
Heart ♥	Organic / Narrative. Character development, dialogue, and relational concepts.	Trajectory character profiles, Spirit wolf lore.
Diamond ♦	Polished / High-Value. Refined systems, finalized mechanics, or economic structures.	The idea-tracking ledger schema, completed workflows.
Club ♣	Actionable / Draft. Work-in-progress files, task lists, and raw brainstormers.	prima_backlog.md, untested alias scripts.

Example file header for a new script:

Auto-Deploy Framework [Level: Club of Spades] (A draft of a foundational architecture).

The Operational Flow

When you sit down at Sauron, Mulberry, or your Pixel, the flow through this structure works seamlessly:

5. **You Work:** You write a script in /fleet/ or develop a narrative arc in /uNEXUSs/. As you work, you drop }prima{, }system{, and }waypoint{ tags natively into your text.
6. **You Push:** You push the branch to GitHub.
7. **Seneschal Wakes:** The .github/workflows/ trigger. The Seneschal runs the Harvester across all modified files, hashing and logging your bracketed tags into idea_ledger.jsonl.
8. **Seneschal Routes:** The Router pushes those extracted thoughts into prima_backlog.md and updates CURRENT_STATE.md with your last waypoint.