

## TOPICS

Extension Marketplace



## Extension Marketplace


The features that Visual Studio Code includes out-of-the-box are just the start. VS Code extensions let you add languages, debuggers, and tools to your installation to support your development workflow. VS Code's rich extensibility model lets extension authors plug directly into the VS Code UI and contribute functionality through the same APIs used by VS Code. This article explains how to find, install, and manage VS Code extensions from the [Visual Studio Code Marketplace](#).

### Browse for extensions

You can browse and install extensions from within VS Code. Bring up the Extensions view by clicking on the Extensions icon in the **Activity Bar** on the side of VS Code or the **View: Extensions** command ( [Ctrl+Shift+X](#) ).



This will show you a list of the most popular VS Code extensions on the [VS Code Marketplace](#).



Each extension in the list includes a brief description, the publisher, the download count, and a five star rating. You can select the extension item to display the extension's details page where you can learn more.

### Note

If your computer's Internet access goes through a proxy server, you will need to configure the proxy server. See [Proxy server support](#) for details.

## Install an extension

To install an extension, select the **Install** button. Once the installation is complete, the **Install** button will change to the **Manage** gear button.

### Important

Extensions have the same permissions as VS Code itself. As of VS Code release 1.97, when you first install an extension from a third-party publisher, VS Code shows a dialog prompting you to confirm that you trust the extension publisher. Get more information about [extension runtime security](#) and how to protect yourself from malicious extensions.


If you want to install a specific version of an extension, right-click the extension and select **Install Another Version**. You can then select a version from the available list.

When [Settings Sync](#) is enabled, you can share your VS Code configurations, such as extensions, across your machines. To install an extension and not sync it across your machines, right-click the extension and select **Install (Do not Sync)**.

## Find and install an extension

```
40
41 ### Preview themes before installing
42
43 You can now preview themes available on the Marketplace before installing them. From the Color Themes dropdown menu (press Ctrl+K, Ctrl+T), select Browse Additional Color Themes to list the Marketplace themes. The VS Code UI will preview the Color Theme as you navigate the dropdown.
44
45 <!-- FIXME: Should text be "VS Code Marketplace"? -->
46
47 ![Preview Color Themes from the Marketplace](images/1_63/browse-themes.gif)
48
49 Press Enter on a theme entry to install the extension.
50
51 <!-- TODO: Add screenshot of popular color theme -->
52
53 ### Configure Problems navigation order
```

In the Extensions view ( `Ctrl+Shift+X` ), type 'todo' in the search box to filter the Marketplace offerings to extensions with 'todo' in the title or metadata. You should see the **TODO Highlight** extension in the list.



An extension is uniquely identified by its publisher and extension IDs. If you select the **TODO Highlight** extension, you will see the Extension details page, where you can find the extension ID, in this case, `wayou.vscode-todo-highlight`. Knowing the extension ID can be helpful if there are several similarly named extensions.

# Visual Studio Code





Wayou Liu | 2,266,916 | ★★★★★ (89)  
highlight TODOs, FIXMEs, and any keywords, annotations...  
[Install](#) 

[Details](#) [Feature Contributions](#) [Changelog](#)

## VSCODE-TODO-HIGHLIGHT

License MIT build passing VS Marketplace v1.0.5 installs 2.27M rating 4.52/5 (89)

Highlight **TODO**, **FIXME** and other annotations within your code.

Sometimes you forget to review the TODOs you've added while coding before you publish the code to production. So I've been wanting an extension for a long time that highlights them and reminds me that there are notes or things not done yet.

Hope this extension helps you as well.

*NOTICE*

Many report that the `List highlighted annotations` command is not working, make sure you have the file types included via `todohighlight.include`.

Categories

Other

Resources

[Marketplace](#)  
[Repository](#)  
[License](#)

More Info

Released on 12/22/2016, 06:16:28  
Last updated 10/28/2021, 20:31:46  
Identifier wayou.vscode-todo-highlight

Select the **Install** button, and VS Code will download and install the extension from the Marketplace. When the installation is complete, the **Install** button will be replaced with a **Manage** gear button.

EXTENSIONS: MARKETPLACE

todo



**TODO Highlight**  
highlight TODOs, FIXMEs, and any keywords, annotations...  
Wayou Liu

55ms 



**Todo Tree**  
Show TODO, FIXME, etc. comment tags in a tree view  
Gruntfuggly


1.6M ★ 5 [Install](#)




**todo**  
VS Code TODO File Extension  
izaxon

12K [Install](#)


To see the TODO Highlight extension in action, open any source code file and add the text 'TODO:' and you will see the text highlighted.



The extension also provides settings for tuning its behavior, which you can find in the Settings editor ( **Ctrl+,** ). For example, you might want the text search to be case insensitive and you can uncheck the **Todohighlight: Is Case Sensitive** setting.



If an extension doesn't provide the functionality you want, you can always **Uninstall** the extension from the **Manage** button context menu.



This has been just one example of how to install and use an extension. The VS Code Marketplace has thousands of extensions supporting hundreds of programming languages and tasks. Everything from full featured language support for [Java](#), [Python](#), [Go](#), and [C++](#) to simple extensions that [create GUIDs](#), change the [color theme](#), or add [virtual pets](#) to the editor.

## Extension details

On the extension details page, you can read the extension's README and review the extension's:

- **Feature Contributions** - The extension's additions to VS Code such as settings, commands and keyboard shortcuts, language grammars, debugger, etc.
- **Changelog** - The extension repository CHANGELOG if available.
- **Dependencies** - Lists if the extension depends on any other extensions.

# Visual Studio Code



The screenshot shows the 'Go' extension page in Visual Studio Code. At the top, there's a navigation bar with 'Install', 'Details', 'Feature Contributions', and 'Changelog'. The main heading is 'Go for Visual Studio Code'. Below it, there's a section for 'Categories' with buttons for 'Programming Languages', 'Snippets', 'Linters', 'Debuggers', 'Formatters', and 'Testing'. A 'Resources' section on the right lists 'Marketplace', 'Repository', 'License', and 'go.dev'. The main content area describes the extension's features, including remote attach debugging and debugging features.

If an extension is an Extension Pack, the **Extension Pack** section will display which extensions will be installed when you install the pack. [Extension Packs](#) bundle separate extensions together so they can be easily installed at one time.

The screenshot shows the 'Azure Tools' extension page in Visual Studio Code. The extension is by 'Microsoft' and has 301,555 downloads and a 5-star rating. It is an 'Extension Pack' that includes 12 sub-extensions. The sub-extensions listed are: Azure App Service, Azure Functions, Azure Storage, Azure Databases, Azure Virtual Machines, and Azure Resources. Each sub-extension has its own icon and description.

## Extensions view filter and commands

You can filter the Extensions view with the **Filter Extensions** context menu.

# Visual Studio Code



The screenshot shows the Visual Studio Code Extensions view. On the left, there is a sidebar with icons for Explorer, Search, Source Control, Run and Debug, and Extensions. The main area displays a list of extensions:

| Extension Name             | Provider  | Install Count | Rating | Status             |
|----------------------------|-----------|---------------|--------|--------------------|
| Python                     | Microsoft | 111.6M        |        | Most Popular       |
| Pylance                    | Microsoft | 83.7M         |        | Recently Published |
| Jupyter                    | Microsoft | 74.6M         |        | Recommended        |
| C/C++                      | Microsoft | 59.4M         |        | Category           |
| Jupyter Keymap             | Microsoft | 56.4M         |        | Updates            |
| Jupyter Notebook Renderers | Microsoft | 55.1M         | 2.5    | Built-in           |

On the right, a filter menu is open, showing options for sorting and filtering extensions:

- Sort By: Install Count, Rating, Name, Published Date, Updated Date
- Filter: Enabled, Disabled, Workspace Unsupported


There are filters to show:

- The list of outdated extensions that can be updated
- The list of currently enabled/disabled extensions
- The list of recommended extensions based on your workspace
- The list of globally popular extensions

You can sort the extension list by **Install Count**, **Rating**, **Name**, **Published Date**, or **Updated Date** in either ascending or descending order. You can learn more about extension search filters [below](#).

You can run additional Extensions view commands via the . . . **View and More Actions** button.

# Visual Studio Code



Through this context menu you can control extension updates, enable or disable all extensions, and use the [Extension Bisect](#) utility to isolate problematic extension behavior.

## Search for an extension

You can clear the Search box at the top of the Extensions view and type in the name of the extension, tool, or programming language you're looking for.


For example, typing 'python' will bring up a list of Python language extensions:



If you know the exact identifier for an extension you're looking for, you can use the `@id:` prefix, for example `@id:vue.volar`. Additionally, to filter or sort results, you can use the [filter](#) and [sort](#) commands, detailed below.

## Install a pre-release extension version

An extension publisher may provide a pre-release version of an extension. To install a pre-release version, select the dropdown on the **Install** button and select **Install Pre-Release Version**.



## Manage extensions


VS Code makes it easy to manage your extensions. You can install, disable, update, and uninstall extensions through the Extensions view, the **Command Palette** (commands have the **Extensions:** prefix) or command-line switches.

### List installed extensions

By default, the Extensions view will show the extensions you currently have installed, and all extensions that are recommended for you. You can use the **Extensions: Focus on Installed View** command, available in the **Command Palette** ( **Ctrl+Shift+P** ) or in the **More Actions** ( . . . ) dropdown menu > **Views** > **Installed**, to clear any text in the search box and show the list of all installed extensions, which includes those that have been disabled.

### Uninstall an extension

To uninstall an extension, select the **Manage** gear button at the right of an extension entry and then choose **Uninstall** from the dropdown menu. This will uninstall the extension and prompt you to restart the extension host (**Restart Extensions**).



## Disable an extension


If you don't want to permanently remove an extension, you can instead temporarily disable the extension by clicking the gear button at the right of an extension entry. You can disable an extension globally or just for your current Workspace. You will be prompted to restart the extension host (**Restart Extensions**) after you disable an extension.

If you want to quickly disable all installed extensions, there is a **Disable All Installed Extensions** command in the **Command Palette** and **More Actions** (. . .) dropdown menu.

Extensions remain disabled for all VS Code sessions until you re-enable them.

## Enable an extension

Similarly if you have disabled an extension (it will be in the **Disabled** section of the list and marked **Disabled**), you can re-enable it with the **Enable** or **Enable (Workspace)** commands in the dropdown menu.




There is also an **Enable All Extensions** command in the **More Actions** (. . .) dropdown menu.

## Extension auto-update

VS Code checks for extension updates and installs them automatically. After an update, you are prompted to restart the extension host (**Restart Extensions**).

If you'd rather update your extensions manually, you can disable auto-update with the **Disable Auto Update for All Extensions** command or the corresponding action in the Extensions view. You can also configure the [extensions.autoUpdate](#) [setting](#). Use the **Enable Auto Update for All Extensions** command to re-enable auto update.



You can also configure auto update for individual extensions by right-clicking on an extension and toggling the **Auto Update** item.

If you don't want VS Code to even check for updates, you can set the `extensions.autoCheckUpdates` setting to false.

## Update an extension manually

If you have extensions auto-update disabled, you can quickly look for extension updates by using the **Show Outdated Extensions** command that uses the `@updates` filter. This will display any available updates for your currently installed extensions.

Select the **Update** button for the outdated extension. The update will be installed, and you'll be prompted to restart the extension host (**Restart Extensions**). You can also update all your outdated extensions at one time with the **Update All Extensions** command.

If you also have automatic checking for updates disabled, you can use the **Check for Extension Updates** command to check which of your extensions can be updated.


## Recommended extensions

You can see a list of recommended extensions using **Show Recommended Extensions**, which sets the `@recommended` filter. Extension recommendations can either be:

- **Workspace Recommendations** - Recommended by other users of your current workspace.
- **Other Recommendations** - Recommended based on recently opened files.

See the section below to learn how to [contribute](#) recommendations for other users in your project.

## Ignoring recommendations



## Configuring extensions

VS Code extensions may have very different configurations and requirements. Some extensions contribute [settings](#) to VS Code, which can be modified in the Settings editor. Other extensions may have their own configuration files. Extensions may also require installation and setup of additional components like compilers, debuggers, and command-line tools. Consult the extension's README (visible in the Extensions view details page) or go to the extension page on the [VS Code Marketplace](#) (click on the extension name in the details page). Many extensions are open source and have a link to their repository on their Marketplace page.

## Command line extension management

To make it easier to automate and configure VS Code, it is possible to list, install, and uninstall extensions from the [command line](#). When identifying an extension, provide the full name of the form publisher.extension, for example ms-python.python.


Example:

```
Bash

code --extensions-dir <dir>
    Set the root path for extensions.
code --list-extensions
    List the installed extensions.
code --show-versions
```

```
code --uninstall-extension (<extension-id>)
  Uninstalls an extension.
code --enable-proposed-api (<extension-id>)
  Enables proposed API features for extensions. Can receive one or more extension
```

You can see the extension ID on the extension details page under the Marketplace Info.



The screenshot shows the 'Azure CLI Tools' extension page in Visual Studio Code. The extension is by Microsoft, has 978,556 installations, and a 4.5-star rating (15 reviews). It is version v0.5.0. The page includes an 'Install' button and a 'Details' tab. The 'Details' tab shows a description: 'Scrapbooks for developing and running commands with the Azure CLI.' and a list of features. The 'Marketplace Info' section on the right shows the release date (10/05/2017) and the identifier 'ms-vscode.azurecli', which is highlighted with a green box.

Extension: Azure CLI Tools ✕

**Azure CLI Tools** v0.5.0

Microsoft | 978,556 | ★★★★★ (15)

Tools for developing and running commands of the Azure CLI.

Install ⌵ ⚙️

**Details** Feature Contributions

### Azure CLI Tools

Scrapbooks for developing and running commands with the [Azure CLI](#).

Create **.azcli** files and use these features:

- IntelliSense for commands and their arguments.
- Snippets for commands, inserting required arguments automatically.
- Run the current command in the integrated terminal.
- Run the current command and show its output in a side-by-side editor.
- Show documentation on mouse hover.
- Display current subscription and defaults in status bar.

**Resources**


- [Marketplace](#)
- [Repository](#)
- [License](#)
- [microsoft.com](#)

**Marketplace Info**

|              |                      |
|--------------|----------------------|
| Released on  | 10/05/2017, 03:47:38 |
| Last updated | 03/02/2020, 16:52:28 |
| Identifier   | ms-vscode.azurecli   |

## Extensions view filters

The Extensions view search box supports filters to help you find and manage extensions. You may have seen filters such as `@installed` and `@recommended` if you used the commands **Show Installed Extensions** and **Show Recommended Extensions**. Also, there are filters available to let you sort by popularity or ratings and search by category (for example 'Linters') and tags (for example 'node'). You can see a complete listing of all filters and sort commands by typing `@` in the extensions search box and navigating through the suggestions:



Here are some of the Extensions view filters:

- `@builtin` - Show extensions that come with VS Code. Grouped by type (Programming Languages, Themes, etc.).
- `@deprecated` - Show deprecated extensions.
- `@disabled` - Show disabled installed extensions.
- `@enabled` - Show enabled installed extensions. Extensions can be individually enabled/disabled.
- `@featured` - Show featured extensions.
- `@installed` - Show installed extensions.
- `@popular` - Show popular extensions.
- `@recentlyPublished` - Show extensions that were recently published in the Marketplace.
- `@recommended` - Show recommended extensions. Grouped as Workspace specific or general use.
- `@updates` - Show outdated installed extensions. A newer version is available on the Marketplace.
- `@workspaceUnsupported` - Show extensions that are not supported for this workspace.
- `@category` - Show extensions belonging to specified category. Below are a few of supported categories. For a complete list, type `@category` and follow the options in the suggestion list:

- @category:snippets


These filters can be combined as well. For example: Use @installed @category:themes to view all installed themes.

If no filter is provided, the Extensions view displays the currently installed and recommended extensions.

## Sorting

You can sort extensions with the @sort filter, which can take the following values:

- installs - Sort by Marketplace installation count, in descending order.
- name - Sort alphabetically by extension name.
- publishedDate - Sort by extension published date.
- rating - Sort by Marketplace rating (1-5 stars), in descending order.
- updateDate - Sort by extension last update name.



## Categories and tags

Extensions can set **Categories** and **Tags** describing their features.

# Visual Studio Code



gitter join chat build failing

Programming Languages Snippets Linters  
Debuggers Formatters

## Tags

debuggers go multi-root ready snippet


Read the [Release Notes](#) to know what has changed over the last few versions of this extension.

This extension adds rich language support for the Go language to VS Code, including:

- Completion Lists (using gocode)

You can filter on category and tag by using `category:` and `tag:`.

Supported categories are: [Azure, Data Science, Debuggers, Education, Extension Packs, Formatters, Keymaps, Language Packs, Linters, Machine Learning, Notebooks, Others, Programming Languages, SCM Providers, Snippets, Testing, Themes, Visualization]. They can be accessed through IntelliSense in the extensions search box:



Note that you must surround the category name in quotes if it is more than one word (for example, `category:"SCM Providers"`).

Tags may contain any string and are not provided by IntelliSense, so review the Marketplace to find helpful tags.

## Install from a VSIX

You can manually install a VS Code extension packaged in a `.vsix` file. Using the **Install from VSIX** command in the Extensions view command dropdown, or the **Extensions: Install from VSIX** command in the **Command Palette**,

Bash



```
code --install-extension myextension.vsix
```

You may provide the `--install-extension` multiple times on the command line to install multiple extensions at once.

#### Note

When you install an extension via VSIX, [auto update](#) for that extension is disabled by default.

If you'd like to learn more about packaging and publishing extensions, see our [Publishing Extensions](#) article in the Extension API.

## Workspace recommended extensions

A good set of extensions can make working with a particular workspace or programming language more productive and you'd often like to share this list with your team or colleagues. You can create a recommended list of extensions for a workspace with the **Extensions: Configure Recommended Extensions (Workspace Folder)** command.

In a single folder workspace, the command creates an `extensions.json` file located in the workspace `.vscode` folder where you can add a list of extensions identifiers (`{publisherName}.{extensionName}`).

In a [multi-root workspace](#), the command will open your `.code-workspace` file where you can list extensions under `extensions.recommendations`. You can still add extension recommendations to individual folders in a multi-root workspace by using the **Extensions: Configure Recommended Extensions (Workspace Folder)** command.

An example `extensions.json` could be:

JSON



```
{
  "recommendations": ["dbaeumer.vscode-eslint", "esbenp.prettier-vscode"]
}
```

which recommends a linter extension and a code formatter extension.

An extension is identified using its publisher identifier and extension identifier `publisher.extension`. You can see the name on the extension's detail page. VS Code will provide you with auto-completion for installed extensions





## Azure CLI Tools v0.5.0

Microsoft | 978,556 | ★★★★★ (15)

Tools for developing and running commands of the Azure CLI.

[Install](#)  

[Details](#) [Feature Contributions](#)

### Azure CLI Tools

Scrapbooks for developing and running commands with the [Azure CLI](#).

Create `.azcli` files and use these features:

- IntelliSense for commands and their arguments.
- Snippets for commands, inserting required arguments automatically.
- Run the current command in the integrated terminal.
- Run the current command and show its output in a side-by-side editor.
- Show documentation on mouse hover.
- Display current subscription and defaults in status bar.


#### Resources

[Marketplace](#)  
[Repository](#)  
[License](#)  
[microsoft.com](#)

#### Marketplace Info

|              |                      |
|--------------|----------------------|
| Released on  | 10/05/2017, 03:47:38 |
| Last updated | 03/02/2020, 16:52:28 |
| Identifier   | ms-vscode.azurecli   |

VS Code prompts a user to install the recommended extensions when a workspace is opened for the first time. The user can also review the list with the **Extensions: Show Recommended Extensions** command.



## Next steps

Here are a few topics you may find interesting...

- [Extension API](#) - Start learning about the VS Code extension API.
- [Your First Extension](#) - Try creating a simple Hello World extension.
- [Publishing to the Marketplace](#) - Publish your own extension to the VS Code Marketplace.

## Common questions

### Where are extensions installed?

Extensions are installed in a per user extensions folder. Depending on your platform, the location is in the following folder:

- **Windows** %USERPROFILE%\\.vscode\extensions
- **macOS** ~/.vscode/extensions
- **Linux** ~/.vscode/extensions

You can change the location by launching VS Code with the `--extensions-dir <dir>` command-line [option](#).

## Whenever I try to install any extension, I get a connect ETIMEDOUT error

You may see this error if your machine is going through a proxy server to access the Internet. See the [Proxy server support](#) section in the setup topic for details.

## Can I download an extension directly from the Marketplace?

Some users prefer to download an extension once from the Marketplace and then install it to multiple VS Code instances from a local share. This is useful when there are connectivity concerns or if your development team wants to use a fixed set of extensions.

To download an extension, search for it in the Extensions view, right-click on an extension from the results, and select **Download VSIX** or **Download Specific Version VSIX**.

## Can I stop VS Code from providing extension recommendations?

Yes, if you would prefer to not have VS Code display extension recommendations in the Extensions view or through notifications, you can modify the following settings:

- `extensions.showRecommendationsOnlyOnDemand` - Set to true to remove the **RECOMMENDED** section.
- `extensions.ignoreRecommendations` - Set to true to silence extension recommendation notifications.

The **Show Recommended Extensions** command is always available if you want to see recommendations.

## Can I trust extensions from the Marketplace?

The Visual Studio Marketplace employs several measures to protect you from malicious extensions and you can also perform various steps to determine if an extension is reliable before installing it.

As of VS Code release 1.97, when you first install an extension from a third-party publisher, VS Code shows a dialog prompting you to confirm that you trust the extension publisher.

Get more information about [extension runtime security](#).

## Can I host extensions internally for my organization?

Yes, see the [Private Marketplace for Extensions](#).

## The extension signature cannot be verified by VS Code

The Visual Studio Marketplace signs all extensions when they are published. VS Code verifies this signature when you install an extension to check the integrity and the source of the extension package.

anyway. Disable extension signature verification with the `extensions.verifySignature` setting.

### Package integrity issues

For package integrity issues, it's recommended that you contact the [Visual Studio Marketplace team](#) to report the issue. Make sure to include the extension ID. The following list provides error codes related to package integrity issues:

Text



```
PackageIntegrityCheckFailed
SignatureIsValid
SignatureManifestIsValid
SignatureIntegrityCheckFailed
EntryIsMissing
EntryIsTampered
Untrusted
CertificateRevoked
SignatureIsValid
SignatureArchiveHasTooManyEntries
NotSigned
```

### Other issues

For other issues like an unsupported environment or unknown reasons, it's recommended that you [report an issue](#) with VS Code by providing all necessary information and including the shared log: `Ctrl+Shift+P` > **Open View... > Shared**.

### My extensions don't synchronize when connected to a remote window

[Settings Sync](#) lets you share your Visual Studio Code configurations such as settings, keyboard shortcuts, and installed extensions across your machines so you are always working with your favorite setup.

VS Code does not synchronize your extensions to or from a [remote](#) window, such as when you're connected to SSH, a development container (devcontainer), or WSL.

### Can I allow or block specific extensions in my organization?

You can control which extensions can be installed in your organization by configuring the `extensions.allowed` application setting. If the setting is not configured, all extensions are allowed. If the setting is configured, all extensions not listed are blocked from installing.



## Was this documentation helpful?

Yes

No

## Still need help?



[Ask the community](#)



[Request features](#)



[Report issues](#)

## Help us improve

All VS Code docs are open source. See something that's wrong or unclear? [Submit a pull request](#).

02/04/2026



[RSS Feed](#)



[Ask questions](#)



[Follow @code](#)



[Request features](#)



[Report issues](#)



[Watch videos](#)



[Support](#)

[Privacy](#)

[Terms of Use](#)

[License](#)