EMMA — Data Layer

Ryu Mendoza

Laravel backend — 4 new endpoints only
University of San Jose-Recoletos · AAIH 2026

API Contract v1.0
CS — Data Layer role
June 2026

Your role in one sentence: Add exactly 4 new endpoints to the existing Laravel backend so the Python agents (Alliyana) and the Next.js dashboard (Earl) have the data they need. Do not change anything that already exists.

Do not touch these — already working: The existing citizen app, authentication, family management, location tracking, requests, donations, and the evacuation centers endpoint all work and are being used. Any changes risk breaking the existing mobile app.

EXISTING ENDPOINTS — USED BY ALLIYANA'S AGENTS DIRECTLY

GET /api/evacuation-centers/nearest — existing — do not change

Used by Alliyana's **Routing Agent**. Already built. Just make sure it stays working.

Query params

```
lat, lng, radius (optional)
```

GET /api/family/{familyId} — existing — do not change

Used by Alliyana's **Vulnerability Agent** for household member data. Already built.

NEW ENDPOINTS TO BUILD — 4 ONLY

GET /api/households/{familyId}/vulnerability — new

Used by Alliyana's **Vulnerability Agent**. The data already exists in the DB from the PWD and Senior verification screens — you just need to expose it via a new endpoint.

Response

```
{
  "family_id": "string",
  "members": [
    {
      "member_id": "string",
      "name": "string",
      "is_pwd": boolean,
      "is_senior": boolean,
      "is_pregnant": boolean,
      "is_minor": boolean,
      "age": number
    }
  ]
}
```

GET /api/resources — new

Used by Alliyana's **Resource Agent**. New table needed — stockpile inventory per LGU. Create the migration and seed with basic Alcoy data for the demo.

Query params

```
lgu_id (required)
```

Response

```
{
  "lgu_id": "string",
  "inventory": [
    {
      "item": "string",
      "quantity": number,
      "unit": "string",
      "last_updated": "ISO datetime"
    }
  ]
}
```

POST /api/situation-reports new

Receives situation reports submitted from Earl's Next.js dashboard before they go to Alliyana's Python service. Store it and return a report_id that gets passed along the chain.

Request body

```
{
  "report_text": "string",
  "lgu_id": "string",
  "submitted_by": "string",
  "timestamp": "ISO datetime"
}
```

Response

```
{ "report_id": "string", "status": "received" }
```

POST /api/agent-logs new

Stores agent outputs and the operator's decision after the Human Gate. This is the audit trail required for the AI Ethics report. Earl's dashboard sends this after the operator clicks Approve / Modify / Reject.

Request body

```
{
  "report_id": "string",
  "agent_outputs": { ... full agent output object from Alliyana's service },
  "operator_decision": "approved | modified | rejected",
  "operator_id": "string",
  "decided_at": "ISO datetime"
}
```

Response

```
{ "log_id": "string", "status": "logged" }
```

RULES TO FOLLOW

Always return JSON

All new endpoints must return **Content-Type: application/json**. Use standard HTTP status codes: 200 for success,

Protect with Sanctum

The three new POST/GET endpoints should be under Sanctum authentication middleware — the same as the

422 for validation errors, 500 for server errors. No redirects. No HTML error pages.

existing protected routes. The situation-reports and agent-logs endpoints especially should not be public.

WHO CALLS YOUR ENDPOINTS

Alliyana (Python agents)

Calls from inside the agent service

GET /api/households/{familyId}/vulnerability — Vulnerability Agent

GET /api/resources?lgu_id= — Resource Agent

GET /api/evacuation-centers/nearest — Routing Agent (existing)

Earl (Next.js dashboard)

Calls from the operator dashboard

POST /api/situation-reports — when operator submits a report

POST /api/agent-logs — after operator clicks Approve / Modify / Reject