

```
import { useEffect, useState } from "react";
```

```
export default function Dashboard() {
```

```
  const [data, setData] = useState([]);
```

```
  const loadData = async () => {
```

```
    try {

      const res = await fetch(
        "http://localhost:3002/invoices"
      );

      const result = await res.json();

      if (Array.isArray(result)) {
        setData(result);
      } else {
        setData([]);
      }

    } catch (err) {

      console.error(err);
      setData([]);

    }
  }
```

```
};
```

```
useEffect(() => {
```

```
  loadData();
```

```
}, []);
```

```
const totalInvoice = data.length;
```

```
const totalQty = data.reduce( (sum, item) => sum + Number(item.qty || 0), 0 );
```

```
const totalWeight = data.reduce( (sum, item) => sum + Number(item.weight || 0), 0 );
```

```
const totalAmount = data.reduce( (sum, item) => sum + Number(item.total_price || 0), 0 );
```

```
return ( <div>
```

```

<div
  style={{
    display: "flex",
    justifyContent: "space-between",
    alignItems: "center",
    marginBottom: "20px"
  }}
>
  <h1> Dashboard</h1>

  <div
    style={{
      display: "flex",
      gap: "10px"
    }}
  >
    <button
      onClick={loadData}
    >
       Refresh
    </button>

    <button
      onClick={() => {
        window.open(
          "http://localhost:3002/export-excel",
          "_blank"
        );
      }}
    >
       Export Excel
    </button>
  </div>
</div>

<div
  style={{
    display: "grid",
    gridTemplateColumns:
      "repeat(4, 1fr)",
    gap: "20px"
  }}
>
  <Card
    title="Invoice"
    value={totalInvoice}
  />

```

```

<Card
  title="Quantity"
  value={totalQty}
/>

<Card
  title="Weight"
  value={totalWeight}
/>

<Card
  title="Amount (KIP)"
  value={totalAmount.toLocaleString()}
/>
</div>

<div
  style={{
    marginTop: "30px"
  }}
>

  <h2>
    📄 Latest Invoice
  </h2>

  <table
    border="1"
    width="100%"
    cellPadding="10"
  >
    <thead>
      <tr>
        <th>Invoice</th>
        <th>Product</th>
        <th>Qty</th>
        <th>Weight</th>
        <th>Supplier</th>
        <th>Date</th>
      </tr>
    </thead>

    <tbody>

      {data.length === 0 ? (

        <tr>

          <td
            colSpan="6"
            align="center"

```

```

        >
        No Data
      </td>

    </tr>

  ) : (

    data.map((item) => (

      <tr key={item.id}>

        <td>{item.invoice_no}</td>

        <td>{item.product_name}</td>

        <td>{item.qty}</td>

        <td>{item.weight}</td>

        <td>{item.supplier}</td>

        <td>{item.invoice_date}</td>

      </tr>

    ))

  )}

</tbody>
</table>

</div>

</div>

```

```
);
```

```
}
```

```
function Card({ title, value }) {
```

```
  return (
```

```

    <div
      style={{
        background: "#ffffff",
        padding: "20px",
        borderRadius: "12px",

```

```
        textAlign: "center"
    }}
>
    <h3>{title}</h3>

    <h1>{value}</h1>

</div>
```

```
);
```

```
}
```