Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1871, y: 711 [Root] 06:47:30



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.431	Switch0	PC0	STP
	0.464	--	Switch1	STP
	0.465	Switch1	PC4	STP
	0.465	Switch1	Router0	STP
	0.465	Switch1	PC3	STP
	0.465	Switch1	PC5	STP
	2.431	--	Switch0	STP
	2.432	Switch0	PC2	STP
	2.432	Switch0	PC1	STP
	2.432	Switch0	Router0	STP
	2.432	Switch0	PC0	STP
	2.464	--	Switch1	STP
	2.465	Switch1	PC4	STP
	2.465	Switch1	Router0	STP
	2.465	Switch1	PC3	STP
	2.465	Switch1	PC5	STP

Reset Simulation Constant Delay Captured to: 2.465 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:12:28.779 PLAY CONTROLS: Event List Realtime Simulation

Automatically Choose Connection Type

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC1	PC0	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1290, y: 219



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.000	--	PC0	ARP
	0.001	PC0	Switch0	ARP
	0.002	Switch0	Server0	ARP
	0.002	Switch0	PC2	ARP
	0.002	Switch0	PC1	ARP
	0.003	PC2	Switch0	ARP
	0.004	Switch0	PC0	ARP
	0.004	--	PC0	ICMP
	0.005	PC0	Switch0	ICMP
	0.006	Switch0	PC2	ICMP
	0.007	PC2	Switch0	ICMP
	0.008	Switch0	PC0	ICMP

Reset Simulation ☑ Constant Delay Captured to: 0.008 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:03:25.485 PLAY CONTROLS Event List Realtime Simulation

Scenario 0

New Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC2	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1880, y: 719



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	Router0	ICMP
	0.001	Router0	Switch0	ICMP
	0.002	Switch0	PC0	ICMP
	0.003	PC0	Switch0	ICMP
	0.004	Switch0	Router0	ICMP

Reset Simulation | Constant Delay | Captured to: 0.004 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:24:58.059 PLAY CONTROLS: Event List | Realtime | Simulation

Automatically Choose Connection Type

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Router0	PC0	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical | Physical x: 1304, y: 309



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.002	Switch0	PC1	ICMP
	0.003	PC1	Switch0	ICMP
	0.004	Switch0	PC0	ICMP
	0.961	--	Switch1	STP
	0.962	Switch1	PC2	STP
	0.962	Switch1	PC3	STP
	0.974	--	Switch0	STP
	0.975	Switch0	PC0	STP
	0.975	Switch0	PC1	STP
	2.962	--	Switch1	STP
	2.963	Switch1	PC2	STP
	2.963	Switch1	PC3	STP
	2.977	--	Switch0	STP
	2.978	Switch0	PC0	STP
	2.978	Switch0	PC1	STP
	4.963	--	Switch1	STP

Reset Simulation | Constant Delay | Captured to: 4.963 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:03:45.935 PLAY CONTROLS: Event List | Realtime | Simulation

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC1	ICMP		0.000	N	0	(edit)	(delete)

Automatically Choose Connection Type

Activate Windows
Go to Settings to activate Windows.

File Edit Options View Tools Extensions Help

Logical | Physical x: 368, y: 156



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.001	PC3	Hub1	ICMP
	0.002	Hub1	PC4	ICMP
	0.002	Hub1	Hub0	ICMP
	0.003	PC4	Hub1	ICMP
	0.003	Hub0	PC0	ICMP
	0.003	Hub0	PC1	ICMP
	0.003	Hub0	Hub2	ICMP
	0.004	Hub1	PC3	ICMP
	0.004	Hub1	Hub0	ICMP
	0.004	Hub2	PC5	ICMP
	0.004	Hub2	PC6	ICMP
	0.005	Hub0	PC0	ICMP
	0.005	Hub0	PC1	ICMP
	0.005	Hub0	Hub2	ICMP
	0.006	Hub2	PC5	ICMP
	0.006	Hub2	PC6	ICMP

Reset Simulation | Constant Delay | Captured to: 536.500 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:29:24.856 | PLAY CONTROLS | Event List | Realtime | Simulation

Scenario 0

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC3	PC4	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows

Cisco Packet Tracer - D:\Computer Networks\incomple.pkt

File Edit Options View Tools Extensions Help

Logical | Physical x: 1308, y: 270



Host 1

Physical | Config | Desktop | Programming | Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>
ping 172.16.0.2

Pinging 172.16.0.2 with 32 bytes of data:

Reply from 172.16.0.2: bytes=32 time=3ms TTL=128
Reply from 172.16.0.2: bytes=32 time=3ms TTL=128
Reply from 172.16.0.2: bytes=32 time=3ms TTL=128
Reply from 172.16.0.2: bytes=32 time=3ms TTL=128

Ping statistics for 172.16.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 3ms, Maximum = 3ms, Average = 3ms

C:\>
```

Top

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	Host 1	ICMP
	0.001	Host 1	Switch0	ICMP
	0.002	Switch0	Host 2	ICMP
	0.003	Host 2	Switch0	ICMP
	0.004	Switch0	Host 1	ICMP
	2.001	--	Switch0	STP

Reset Simulation | Constant Delay | Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:13:34.105 PLAY CONTROLS:

Event List | Realtime | Simulation

ISR4331

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Host 1	Host 2	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Type here to search

30°C Partly cloudy ENG 11:28 AM 24-05-2023


File Edit Options View Tools Extensions Help
Logical
Physical
x: 1329, y: 362
K Sri Vennela
192211970
PC-PT PC0
PC-PT PC1
2950T-24 Switch0
2950T-24 Switch1
PC-PT PC3
PC-PT PC2
PC-PT PC5
PC-PT PC9
Hub-PT Hub1
PC-PT PC6
PC-PT PC7
PC-PT PC8
Simulation Panel
Event List
Vis. Time(sec) Last Device At Device Type
0.000 -- PC0 ICMP
0.000 -- PC5 ICMP
0.001 PC0 Switch0 ICMP
0.001 PC5 Hub1 ICMP
0.002 Switch0 PC3 ICMP
0.002 Hub1 PC6 ICMP
0.002 Hub1 PC8 ICMP
0.002 Hub1 PC7 ICMP
0.002 Hub1 PC9 ICMP
0.003 PC3 Switch0 ICMP
0.003 PC6 Hub1 ICMP
0.004 Switch0 PC0 ICMP
0.004 Hub1 PC5 ICMP
0.004 Hub1 PC8 ICMP
0.004 Hub1 PC7 ICMP
0.004 Hub1 PC9 ICMP
Reset Simulation
Constant Delay
Play Controls
Event List Filters - Visible Events
ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP
Edit Filters
Show All/None
Time: 00:01:26.953
PLAY CONTROLS:
Event List
Realtime
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
Successful PC0 PC3 ICMP 0.000 N 0 (edit) (delete)
Successful PC5 PC6 ICMP 0.000 N 1 (edit) (delete)
(Select a Device to Drag and Drop to the Workspace)

Cisco Packet Tracer - C:\Users\acer\Cisco Packet Tracer 7.3.0\saves\exp 1.pkt

File Edit Options View Tools Extensions Help

Logical | Physical x: 3496, y: 308



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC6	ICMP
	0.001	PC6	Switch0	ICMP
	0.002	Switch0	PC7	ICMP
	0.003	PC7	Switch0	ICMP
	0.004	Switch0	PC6	ICMP
	0.904	--	Switch0	STP
	0.905	Switch0	PC9	STP
	0.905	Switch0	PC11	STP
	0.905	Switch0	PC10	STP
	0.905	Switch0	PC7	STP
	0.905	Switch0	PC6	STP
	0.905	Switch0	PC8	STP
	2.903	--	Switch0	STP
	2.904	Switch0	PC9	STP
	2.904	Switch0	PC11	STP
	2.904	Switch0	PC10	STP

Reset Simulation | Constant Delay | Captured to: 10.917 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:16:12.914 PLAY CONTROLS:

Event List | Realtime | Simulation

AccessPoint-PT-AC

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC6	PC7	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.


Cisco Packet Tracer
File Edit Options View Tools Extensions Help
Logical
Physical
DLC100
Home Gateway0
SMARTPHONE-PT
Smartphone0
Fan
Ceiling fan
Window
Window
Living room
Smartphone0
Physical Config Desktop Programming Attributes
IoT Monitor
IoT Server - Devices
Home | Conditions | Editor | Log Out
Ceiling fan (PTT08109O7Q-)
Ceiling Fan
Status
Off Low High
Window (PTT0810ADMH-)
Window
On
Top
Realtime
Simulation
Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer - D:\Computer Networks\TCP, UDP Functionalities.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1402, y: 527



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.004	Switch0	Server0	ICMP
	0.890	--	Switch0	STP
	0.891	Switch0	PC0	STP
	0.891	Switch0	PC1	STP
	0.891	Switch0	PC2	STP
	0.891	Switch0	PC3	STP
	0.891	Switch0	Server0	STP
	1.007	--	Server0	ICMP
	1.008	Server0	Switch0	ICMP
	1.008	--	PC0	TCP
	1.009	Switch0	PC0	ICMP
	1.009	PC0	Switch0	TCP
	1.010	PC0	Switch0	ICMP
	1.010	Switch0	Server0	TCP
	1.011	Switch0	Server0	ICMP
	1.011	Server0	Switch0	TCP

Reset Simulation | Constant Delay | Captured to: 2.016 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:22:08.639 PLAY CONTROLS: Event List Realtime Simulation

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 734, y: 127



Time: 00:16:18

Realtime Simulation

Automatically Choose Connection Type

Activate Windows
Go to Settings to activate Windows.

Type here to search

32°C Partly sunny ENG 02:00 PM 23-05-2023


Logical
Physical
x: 1174, y: 466
[Root]
17:57:00
CORE LAYER
core-router
Cloud-PT
Cloud0
DISTRIBUTION LAYER
Distribution-L3-switch1
distribution-L3SW2
ACESS LAYER
FIRST FLOOR
IT-Dept
IT-PC1
IT-PRINTER1
IT-SERVER1
R-PC1
R-PRINTER1
R-SERVER1
Electrical -dept
E-PC1
E-PRINTER1
E-SERVER1
SECOND FLOOR
marketing-dept
M-PC1
M-PRINTER1
M-Server
accounting dept
A-PC1
A-Printer
A-Server
finance-dept
F-PC1
F-Printer1
F-Server
THIRD FLOOR
logistic-dept
L-PC
L-Printer
L-SERVER
S-PC1
S-Printer
S-SERVER
Time: 01:21:55
Realtime
Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1411, y: 58 [Root] 20:19:30



Time: 00:40:11 Realtime Simulation

Automatically Choose Connection Type

Activate Windows
Go to Settings to activate Windows.

Type here to search 32°C Partly sunny ENG 02:43 PM 23-05-2023

Cisco Packet Tracer - D:\experiment tapology 2.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1093, y: 1448



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC6	ICMP
	0.001	PC6	Switch6	ICMP
	0.002	Switch6	Switch4	ICMP
	0.003	Switch4	PC4	ICMP
	0.004	PC4	Switch4	ICMP
	0.005	Switch4	Switch6	ICMP
	0.006	Switch6	PC6	ICMP

Reset Simulation | Constant Delay | Captured to: 0.006 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:00:54.750 PLAY CONTROLS:

Event List | Realtime | Simulation

(Select a Device to Drag and Drop to the Workspace)

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC6	PC4	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer - D:\Computer Networks\IOT Smart Garden.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1275, y: 357 [Root] 00:34:30



Time: 00:01:08 Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Activate Windows
Go to Settings to activate Windows.

Type here to search 35°C Partly sunny ENG 01:51 PM 15-05-2023



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 824, y: 368 [Root]



Time: 00:53:40 Realtime Simulati

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical | Physical x: 1623, y: 708

[Root] 13:41:30



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.001	PC0	Hub0	ICMP
	0.002	Hub0	Hub1	ICMP
	0.002	Hub0	PC2	ICMP
	0.002	Hub0	PC1	ICMP
	0.003	Hub1	PC3	ICMP
	0.003	Hub1	PC4	ICMP
	0.003	Hub1	PC5	ICMP
	0.003	PC1	Hub0	ICMP
	0.004	Hub0	Hub1	ICMP
	0.004	Hub0	PC2	ICMP
	0.004	Hub0	PC0	ICMP

Reset Simulation | Constant Delay | Captured to: 0.004 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:27:10.447 PLAY CONTROLS:

Event List | Realtime | Simulation

Scenario 0

New | Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC1	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer - D:\experiment tapology.pkt

File Edit Options View Tools Extensions Help

Logical | Physical x: 1329, y: 362



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.000	--	PC5	ICMP
	0.001	PC0	Switch0	ICMP
	0.001	PC5	Hub1	ICMP
	0.002	Switch0	PC3	ICMP
	0.002	Hub1	PC6	ICMP
	0.002	Hub1	PC8	ICMP
	0.002	Hub1	PC7	ICMP
	0.002	Hub1	PC9	ICMP
	0.003	PC3	Switch0	ICMP
	0.003	PC6	Hub1	ICMP
	0.004	Switch0	PC0	ICMP
	0.004	Hub1	PC5	ICMP
	0.004	Hub1	PC8	ICMP
	0.004	Hub1	PC7	ICMP
	0.004	Hub1	PC9	ICMP

Reset Simulation | Constant Delay | Captured to: 0.004 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:01:26.953 PLAY CONTROLS:

Event List | Realtime | Simulation

Scenario 0

New | Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC3	ICMP		0.000	N	0	(edit)	(delete)
	Successful	PC5	PC6	ICMP		0.000	N	1	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 400, y: 719



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	HTTP Client	TCP
	0.000	--	HTTP Client	ARP
	0.000	--	FTP Client	TCP
	0.000	--	FTP Client	ARP
	0.000	--	DNS Client	DNS
	0.000	--	E-Mail Client	TCP
	0.001	HTTP Client	Switch0	ARP
	0.001	FTP Client	Switch0	ARP
	0.001	DNS Client	Switch0	DNS
	0.001	E-Mail Client	Switch0	TCP

Reset Simulation | Constant Delay | Captured to: 0.001 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:05:04.041 PLAY CONTROLS

Event List | Realtime | Simulation

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer - C:\Users\acer\Cisco Packet Tracer 7.3.0\saves\exp 1.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1366, y: 367



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.001	PC0	Hub0	ICMP
	0.002	Hub0	PC3	ICMP
	0.002	Hub0	PC2	ICMP
	0.002	Hub0	PC1	ICMP
	0.002	Hub0	PC5	ICMP
	0.002	Hub0	PC4	ICMP
	0.003	PC1	Hub0	ICMP
	0.004	Hub0	PC3	ICMP
	0.004	Hub0	PC2	ICMP
	0.004	Hub0	PC0	ICMP
	0.004	Hub0	PC5	ICMP
	0.004	Hub0	PC4	ICMP

Reset Simulation ☑ Constant Delay Captured to: 0.004 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:31:24.192 PLAY CONTROLS: Event List Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC1	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 824, y: 368 [Root]



Time: 00:53:40 Realtime Simulati

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer - C:\Users\saran\Cisco Packet Tracer 7.3.0\saves\WLAN using cisco packect tracer.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 18, y: -109



Time: 00:11:02

Realtime Simulation

Automatically Choose Connection Type

Cisco Packet Tracer - D:\experiment tapology 2.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1845, y: 612



Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.001	PC0	Switch0	ICMP
	0.002	Switch0	Switch2	ICMP
	0.003	Switch2	PC2	ICMP
	0.004	PC2	Switch2	ICMP
	0.005	Switch2	Switch0	ICMP
	0.006	Switch0	PC0	ICMP

Reset Simulation ☑ Constant Delay Captured to: 0.006 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:01:08.009 PLAY CONTROLS: Event List Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC2	ICMP		0.000	N	0	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical | Physical x: 1405, y: 642 [Root] 12:58:30

PC-PT PC0
PC-PT PC2
PC-PT PC4
PC-PT PC6
2950T-24 Switch0
2950T-24 Switch1
2950T-24 Switch2
2950T-24 Switch3
PC-PT PC1
PC-PT PC3
2950T-24 Switch4
2950T-24 Switch5
PC-PT PC5
PC-PT PC7
PC-PT PC8
PC-PT PC10
PC-PT PC12
2950T-24 Switch6
2950T-24 Switch7
2950T-24 Switch10
PC-PT PC13
2950T-24 Switch8
2950T-24 Switch9
PC-PT PC9
PC-PT PC11
PC-PT PC15
PC-PT PC14

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.000	--	PC8	ICMP
	0.001	PC0	Switch0	ICMP
	0.001	PC8	Switch6	ICMP
	0.002	Switch0	PC1	ICMP
	0.002	Switch6	Switch8	ICMP
	0.003	PC1	Switch0	ICMP
	0.003	Switch8	PC9	ICMP
	0.004	Switch0	PC0	ICMP
	0.004	PC9	Switch8	ICMP
	0.005	Switch8	Switch6	ICMP
	0.006	Switch6	PC8	ICMP
	0.107	--	Switch3	DTP
	0.108	Switch3	PC6	DTP
	0.213	--	Switch5	DTP
	0.214	Switch5	Switch3	DTP
	1.106	--	Switch6	STP

Reset Simulation | Constant Delay | Captured to: 1.106 s

Play Controls

Event List Filters - Visible Events

ACL Filter, Bluetooth, CAPWAP, CDP, DHCPv6, DTP, EAPOL, EIGRPv6, FTP, H.323, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters | Show All/None

Time: 00:21:19.320 PLAY CONTROLS | Event List | Realtime | Simulation

Scenario 0

New | Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC1	ICMP		0.000	N	0	(edit)	(delete)
	Successful	PC8	PC9	ICMP		0.000	N	1	(edit)	(delete)

Activate Windows
Go to Settings to activate Windows.