

Contractor Pre-Qualification Package

Gulf South Pipeline Services LLC | Baton Rouge, Louisiana | Submitted: February 2026

1. Company Information

Legal Name	Gulf South Pipeline Services LLC
DBA	Gulf South Services
Federal Tax ID	72-9934112
Year Established	2008
Headquarters	Baton Rouge, Louisiana
Field Employees	54
Office Staff	5
Union / Non-Union	Non-Union
Primary Services	Pipeline maintenance, valve work, general mechanical
Annual Revenue	\$7,800,000
Annual Manhours	118,000
ISNetworld ID	Not enrolled
Avetta ID	Not enrolled

2. Primary Contacts

Role	Name	Email	Phone
Owner	Bud Fontenot	bfontenot@gulfsouthpipeline.com	(225) 555-0183
Safety Contact	Bud Fontenot	bfontenot@gulfsouthpipeline.com	(225) 555-0183

NOTE: No dedicated safety director or training coordinator on staff. Owner manages all safety functions.

3. EMR Documentation

EMR history certified by Delta States Mutual Insurance. EMR has significantly exceeded the 1.0 threshold across all three policy years. No loss run reports submitted.

Policy Year	EMR	Status
2026	1.45	SIGNIFICANTLY ABOVE THRESHOLD — HIGH RISK

Policy Year	EMR	Status
2025	1.38	SIGNIFICANTLY ABOVE THRESHOLD — HIGH RISK
2024	1.52	SIGNIFICANTLY ABOVE THRESHOLD — HIGH RISK

Loss run reports requested but not provided. Workers compensation claims history unavailable.

4. OSHA Incident Statistics (3-Year Summary)

Year	Hours Worked	Recordables	TRIR	DART	Lost Time Cases	Fatalities
2025	118,000	4	6.78	3.39	2	0
2024	104,000	5	9.62	5.77	3	1
2023	112,000	4	7.14	3.57	2	0

CRITICAL: One worker fatality recorded in 2024 (struck-by incident during valve replacement). TRIR ranges from 6.78 to 9.62 — 4-6x industry average. No corrective action documentation provided.

5. OSHA Citation History (5 Years)

Year	Type	Standard	Description	Status
2024	WILLFUL	1926.502	Fall protection — no anchor points on elevated structure; fatality involved	CONTESTED
2024	Serious	1910.147	LOTO not implemented during fatal incident	OPEN
2023	Repeat	1926.501	Fall protection — recurring anchor documentation failure	CLOSED
2022	Serious	1910.119	PSM — no process hazard analysis for covered process	CLOSED
2021	Other-than-Serious	1910.132	PPE documentation incomplete	CLOSED

CRITICAL RED FLAGS: Willful citation associated with fatality (contested — not resolved). Open serious LOTO citation. Repeat fall protection violation.

6. Employee Training Matrix

Employee	OSHA	H2S	Confined Space	LOTO	Respirator	TWIC	Status
Calvin Trosclair	None	EXPIRED 2023	EXPIRED 2022	EXPIRED 2023	EXPIRED 2023	Expired	MULTIPLE EXPIRED
Darren Mouton	OSHA 10	EXPIRED 2024	N/A	Current	N/A	None	EXPIRED — H2S
Ricky Comeaux	OSHA 10	Current	EXPIRED 2024	EXPIRED 2024	N/A	None	EXPIRED — CS/LOTO
Wayne Theriot	None	None	None	None	None	None	NO TRAINING ON FILE
Chad Broussard	OSHA 10	Current	Current	Current	Current	Active	Current

CRITICAL: One employee with zero training on file. Multiple employees with expired safety-critical certifications. Only 1 of 5 sampled employees fully current.

7. Insurance Coverage

Coverage	Limit	Status
General Liability	\$1,000,000	Below refinery requirement
Auto Liability	\$500,000	Below refinery requirement
Workers Compensation	Statutory	Current — under review by carrier
Umbrella Liability	NOT PROVIDED	MISSING

CRITICAL: Umbrella liability documentation not submitted. Workers compensation under carrier review due to fatality claim. Coverage gaps across all lines.

8. Evaluation Summary

Category	Max Points	Score	Notes
OSHA Statistics	20	0	TRIR 4-6x avg; fatality in 2024; no corrective actions
EMR	15	0	1.45 — far above threshold; no loss runs submitted

Category	Max Points	Score	Notes
Safety Manual Quality	15	3	Incomplete; high-risk programs missing or outdated
Training Systems	15	1	Majority of employees with expired or missing training
Citation History	10	0	Willful citation; open serious; repeat violation; fatality
Drug & Alcohol	10	5	Basic policy only; no consortium; no MRO documentation
Supervisor Experience	10	3	No dedicated safety leadership; owner-only oversight
Environmental	5	2	Incomplete environmental documentation

OVERALL RESULT: DISQUALIFIED — Multiple critical red flags. Not eligible for site access. Recommend no engagement pending full remediation and independent audit.