

Matter Standard Namespaces Version 1.4

Document: 23-31936-003_Matter-1.4-Standard-Namespaces.pdf

November 4, 2024

Sponsored by: Connectivity Standards Alliance

Accepted by: This document has been accepted for release by the Connectivity

Standards Alliance Board of Directors on November 4, 2024

Abstract: The Matter specification defines fundamental requirements to

enable an interoperable application layer solution for smart home

devices over the Internet Protocol.

Keywords: Referenced in Chapter 1.

Copyright © 2022-2024 Connectivity Standards Alliance, Inc. 508 Second Street, Suite 109B Davis, CA 95616 - USA www.csa-iot.org
All rights reserved.

Permission is granted to members of the Connectivity Standards Alliance to reproduce this document for their own use or the use of other Connectivity Standards Alliance members only, provided this notice is included. All other rights reserved. Duplication for sale, or for commercial or for-profit use is strictly prohibited without the prior written consent of the Connectivity Standards Alliance.



Matter Semantic Tag Namespaces

Version 1.4, 2024-10-18 13:51:11 -0700: Approved

Table of Contents

Notice of Use and Disclosure	1
Revision History	3
1. Introduction	5
1.1. CSA Reference Documents	6
2. Common Closure Semantic Tag Namespace	9
3. Common Compass Direction Semantic Tag Namespace	1
4. Common Compass Location Semantic Tag Namespace	13
5. Common Direction Semantic Tag Namespace	15
6. Common Level Semantic Tag Namespace	17
7. Common Location Semantic Tag Namespace	9
8. Common Number Semantic Tag Namespace	21
9. Common Position Semantic Tag Namespace 2	23
9.1. Examples	23
10. Common Landmark Semantic Tag Namespace	25
11. Common Relative Position Semantic Tag Namespace	27
12. Electrical Measurement Semantic Tag Namespace	29
13. Common Area Semantic Tag Namespace	31
14. Laundry Semantic Tag Namespace	35
15. Power Source Semantic Tag Namespace	37
15.1. Grid Tag	37
15.2. Solar Tag	37
15.3. Battery Tag	37
15.4. EV Tag	38
16. Refrigerator Semantic Tag Namespace	39
17. Room Air Conditioner Semantic Tag Namespace	ŀ1
18. Switches Semantic Tag Namespace	13
18.1. Custom Tag	13

Notice of Use and Disclosure

Copyright © Connectivity Standards Alliance (2023). All rights reserved. The information within this document is the property of the Connectivity Standards Alliance and its use and disclosure are restricted, except as expressly set forth herein.

Connectivity Standards Alliance hereby grants you a fully-paid, non-exclusive, nontransferable, worldwide, limited and revocable license (without the right to sublicense), under Connectivity Standards Alliance's applicable copyright rights, to view, download, save, reproduce and use the document solely for your own internal purposes and in accordance with the terms of the license set forth herein. This license does not authorize you to, and you expressly warrant that you shall not: (a) permit others (outside your organization) to use this document; (b) post or publish this document; (c) modify, adapt, translate, or otherwise change this document in any manner or create any derivative work based on this document; (d) remove or modify any notice or label on this document, including this Copyright Notice, License and Disclaimer. The Connectivity Standards Alliance does not grant you any license hereunder other than as expressly stated herein.

Elements of this document may be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights, and any such third party may or may not be a member of the Connectivity Standards Alliance. Connectivity Standards Alliance members grant other Connectivity Standards Alliance members certain intellectual property rights as set forth in the Connectivity Standards Alliance IPR Policy. Connectivity Standards Alliance members do not grant you any rights under this license. The Connectivity Standards Alliance is not responsible for, and shall not be held responsible in any manner for, identifying or failing to identify any or all such third party intellectual property rights. Please visit www.csa-iot.org for more information on how to become a member of the Connectivity Standards Alliance.

This document and the information contained herein are provided on an "AS IS" basis and the Connectivity Standards Alliance DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO (A) ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OF THIRD PARTIES (INCLUDING WITHOUT LIMITATION ANY INTELLECTUAL PROPERTY RIGHTS INCLUDING PATENT, COPYRIGHT OR TRADEMARK RIGHTS); OR (B) ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NONINFRINGEMENT. IN NO EVENT WILL THE CONNECTIVITY STANDARDS ALLIANCE BE LIABLE FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR ANY OTHER DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND, IN CONTRACT OR IN TORT, IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

All company, brand and product names in this document may be trademarks that are the sole property of their respective owners.

This notice and disclaimer must be included on all copies of this document.

Connectivity Standards Alliance 508 Second Street, Suite 206 Davis, CA 95616, USA

Revision History

Revision	Date	Details	Editor
1	October 18, 2023	Version 1.2	Robert Szewczyk
2	April 17, 2024	Version 1.3	Robert Szewczyk
3	November 4, 2024	Version 1.4	Robert Szewczyk

Chapter 1. Introduction

This document contains namespaces as part of the semantic tag feature.

The standard namespaces are defined in this appendix. They consist of the common namespaces and device-specific namespaces.

The Common namespaces start with Namespace ID 0x01 and contains semantic tags that can apply to any domain. Examples include direction words like 'left', 'right', 'up' and 'down' or location words like 'inside' and 'outside'.

Device-specific namespaces begin with Namespace ID 0x41. The semantic tags defined in the device-specific namespaces SHALL be restricted for use within each device type or set of device types.

NOTE

Some namespaces specific to certain group of device types (related to Energy and Laundry) have been assigned an ID from the common range, even though they are only applicable to a certain set of device types only.

A TagList MAY combine several of these tags, as appropriate for the device, provided that for any given device type the tags come from the namespace for that device type as well as any of the common namespaces, and/or from a manufacturer-specific namespace. Example: An outdoor luminaire with two light units, one shining upwards and one shining downwards. One light unit would be represented by an endpoint with a TagList which has TagStructs with Tags "Location.Outdoor" and "Position.Top" and "Direction.Upward", while the other light unit would be represented by an endpoint with a TagList which has TagStructs with Tags "Location.Outdoor" and "Position.Bottom" and "Direction.Downward".

ID	Namespace	Summary
Common namespaces		
0x01	Common Closure Namespace	Tags which are useful in describing things related to closing and opening
0x02	Common Compass Direction Namespace	Tags which are useful in describing things related to compass direction
0x03	Common Compass Location Namespace	Tags which are useful in describing things related to compass location
0x04	Common Direction Namespace	Tags which are useful in describing things related to direction
0x05	Common Level Namespace	Tags which are useful in describing things related to level

ID	Namespace	Summary	
0x06	Common Location Namespace	Tags which are useful in describing things related to location	
0x07	Common Number Namespace	Tags which are useful in describing things related to numbering	
0x08	Common Position Namespace	Tags which are useful in describing things related to position	
0x0A	Electrical Measurement Namespace	Tags which are useful in describing electrical loads	
0x0E	Laundry Namespace	Tags which are useful with laundry device types	
0x0F	Power Source Namespace	Tags which are useful with power source device types	
0x10	Common Area Namespace	Tags which are useful in describing things related to home areas	
0x11	Common Landmark Namespace	Tags which are useful in describing things related to home landmarks	
0x12	Common Relative Position Namespace	Tags which are useful in describing things related to position relative to a reference external to the device	
Device-specific namespaces			
0x41	Refrigerator Namespace	Tags which are useful with refrigeration device types	
0x42	Room Air Conditioner Name- space	Tags which are useful with Room Air Conditioner device types	
0x43	Switches Namespace	Tags which are useful with switch device types	

1.1. CSA Reference Documents

Reference	Reference Location/URL	Description
[CoreSpec]	https://groups.csa-iot.org/wg/ members-all/document/27349	Core Matter Specification

Reference	Reference Location/URL	Description
[DeviceLibrary]	https://groups.csa-iot.org/wg/ members-all/document/27351	Device Library
[AppClusters]	https://groups.csa-iot.org/wg/ members-all/document/27350	Application Clusters

Chapter 2. Common Closure Semantic Tag Namespace

This section contains the Common Closure semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a feature of a Closure, e.g. the button to activate opening a garage door.

ID	Namespace
0x01	Common Closure

ID	Name	Summary
0x00	Opening	Move toward open position
0x01	Closing	Move toward closed position
0x02	Stop	Stop any movement

Chapter 3. Common Compass Direction Semantic Tag Namespace

This section contains the Common Compass Direction semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a movement into a certain compass direction. Note the difference with Chapter 4, *Common Compass Location Semantic Tag Namespace*.

ID	Namespace
0x02	Common Compass Direction

ID	Name	Summary
0x00	Northward	
0x01	North-Eastward	
0x02	Eastward	
0x03	South-Eastward	
0x04	Southward	
0x05	South-Westward	
0x06	Westward	
0x07	North-Westward	

Chapter 4. Common Compass Location Semantic Tag Namespace

This section contains the Common Compass Location semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a position in a certain compass direction (e.g. an outdoor sensor in the North garden). Note the difference with Chapter 3, *Common Compass Direction Semantic Tag Namespace*.

ID	Namespace
0x03	Common Compass Location

ID	Name	Summary
0x00	North	
0x01	North-East	
0x02	East	
0x03	South-East	
0x04	South	
0x05	South-West	
0x06	West	
0x07	North-West	

Chapter 5. Common Direction Semantic Tag Namespace

This section contains the Common Direction semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a movement in a certain direction relative to the device. Note the difference with Chapter 9, *Common Position Semantic Tag Namespace*.

ID	Namespace
0x04	Common Direction

ID	Name	Summary
0x00	Upward	
0x01	Downward	
0x02	Leftward	
0x03	Rightward	
0x04	Forward	
0x05	Backward	

Chapter 6. Common Level Semantic Tag Namespace

This section contains the Common Level semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a certain level for a feature of a device (e.g. a button to set the speed of a fan).

ID	Namespace
0x05	Common Level

ID	Name	Summary
0x00	Low	
0x01	Medium	
0x02	High	

Chapter 7. Common Location Semantic Tag Namespace

This section contains the Common Location semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a location of a device (e.g. an outdoor temperature sensor).

ID	Namespace
0x06	Common Location

ID	Name	Summary
0x00	Indoor	Element is indoors or related to indoor equipment/conditions (e.g. the "indoor" temperature).
0x01	Outdoor	Element is outdoors or related to outdoor equipment/conditions (e.g. the "outdoor" temperature).
0x02	Inside	Element is located inside the equipment (e.g. a sensor "inside" a cabinet).
0x03	Outside	Element is located outside the equipment (e.g. a sensor "outside" a cabinet)

Chapter 8. Common Number Semantic Tag Namespace

This section contains the Common Number semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a certain numeric feature of a device (e.g. a numeric input button).

ID	Namespace
0x07	Common Number

ID	Name	Summary
0x00	Zero	
0x01	One	
0x02	Two	
0x03	Three	
0x04	Four	
0x05	Five	
0x06	Six	
0x07	Seven	
0x08	Eight	
0x09	Nine	
0x0A	Ten	

Chapter 9. Common Position Semantic Tag Namespace

This section contains the Common Position semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a position relative to the device (e.g. the temperature sensor in the top drawer of a refrigerator, or location of the buttons on a multi-button switch device). Note the difference with Chapter 5, Common Direction Semantic Tag Namespace.

ID	Namespace
0x08	Common Position

The following tags are defined in this namespace.

ID	Name	Summary
0x00	Left	
0x01	Right	
0x02	Тор	
0x03	Bottom	
0x04	Middle	
0x05	Row	Numeric value provided in Label field
0x06	Column	Numeric value provided in Label field

When multiple endpoints are used for device types, and the associated consumer-facing locations of those endpoints are organized in a straight line, grid or matrix, these endpoints SHOULD be allocated in top-to-bottom, left-to-right order.

For grids or arrays larger than 3 elements in any direction, the Row and Column tags SHOULD be used.

If the Row or Column tags are used, the Label field in the same Semantic Tag structure SHALL be filled with a number comprised of Arabic numerals encoded as a string to indicate the row/column of the item. Number words (e.g. "one", "two", etc.) SHALL NOT be used to describe the position of the item. The first row/column SHALL use Label "1".

9.1. Examples

The following example illustrates a composed device comprised of 9 endpoints arranged in a 3x3 grid. This example uses position tags to indicate position.

Composed device arranged in a 3x3 grid					
Тор	Left	Тор	Middle	Тор	Right
Middle	Left	Midd	le	Middle	Right
Bottom	Left	Bottom	Middle	Bottom	Right

The endpoints would be populated in this order (showing the TagList in their Descriptor cluster):

- EP 21: Top Left
- EP 22: Top Middle
- EP 23: Top Right
- EP 24: Middle Left
- EP 25: Middle
- EP 26: Middle Right
- EP 27: Bottom Left
- EP 28: Bottom Middle
- EP 29: Bottom Right

The following example illustrates a composed device comprised of 8 endpoints arranged in a 2x4 grid. This example uses the Row and Column tags along with Arabic numeral Labels to indicate position.

Row "1" Column "1"	Row "1" Column "2"	Row "1" Column "3"	Row "1" Column "4"
Row "2" Column "1"	Row "2" Column "2"	Row "2" Column "3"	Row "2" Column "4"

The endpoints would be populated in this order (showing the TagList in their Descriptor cluster):

- EP 31: {Row, "1"}, {Column, "1"}
- EP 32: {Row, "1"}, {Column, "2"}
- EP 33: {Row, "1"}, {Column, "3"}
- EP 34: {Row, "1"}, {Column, "4"}
- EP 35: {Row, "2"}, {Column, "1"}
- EP 36: {Row, "2"}, {Column, "2"}
- EP 37: {Row, "2"}, {Column, "3"}
- EP 38: {Row, "2"}, {Column, "4"}

Chapter 10. Common Landmark Semantic Tag Namespace

This section contains the Common Landmark semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a home landmark.

ID	Namespace
0x11	Common Landmark Namespace

ID	Name	Summary
0x00	Air Conditioner	
0x01	Air Purifier	
0x02	Back Door	
0x03	Bar Stool	
0x04	Bath Mat	
0x05	Bathtub	
0x06	Bed	
0x07	Bookshelf	
0x08	Chair	
0x09	Christmas Tree	
0x0A	Coat Rack	
0x0B	Coffee Table	
0x0C	Cooking Range	
0x0D	Couch	
0x0E	Countertop	
0x0F	Cradle	
0x10	Crib	
0x11	Desk	
0x12	Dining Table	
0x13	Dishwasher	
0x14	Door	
0x15	Dresser	

ID	Name	Summary
0x16	Laundry Dryer	
0x17	Fan	
0x18	Fireplace	
0x19	Freezer	
0x1A	Front Door	
0x1B	High Chair	
0x1C	Kitchen Island	
0x1D	Lamp	
0x1E	Litter Box	
0x1F	Mirror	
0x20	Nightstand	
0x21	Oven	
0x22	Pet Bed	
0x23	Pet Bowl	
0x24	Pet Crate	
0x25	Refrigerator	
0x26	Scratching Post	
0x27	Shoe Rack	
0x28	Shower	
0x29	Side Door	
0x2A	Sink	
0x2B	Sofa	
0x2C	Stove	
0x2D	Table	
0x2E	Toilet	
0x2F	Trash Can	
0x30	Laundry Washer	
0x31	Window	
0x32	Wine Cooler	

Chapter 11. Common Relative Position Semantic Tag Namespace

This section contains the Common Relative Position semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with a position relative to some reference, which must be specified by the user of these tags. For example, the position may be relative to a household item, such as a dining table, and the user of these tags must indicate that. Note the difference with Chapter 9, *Common Position Semantic Tag Namespace*, which contains tags indicating the position relative to the device.

ID	Namespace
0x12	Common Relative Position

ID	Name	Summary
0x00	Under	
0x01	Next To	Area in proximity to the point of reference
0x02	Around	The area surrounding the point the reference
0x03	On	
0x04	Above	
0x05	Front Of	
0x06	Behind	

Chapter 12. Electrical Measurement Semantic Tag Namespace

This section contains the standard semantic tag namespace for electrical measurement as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the electrical measurement domain and SHALL NOT be used in any other domain or context.

ID	Namespace
0x0A	Electrical Measurement

ID	Name	Summary
0x00	DC	Indicates values measured for a DC load
0x01	AC	Indicates values measured for a single-phase AC load, or values measured for the collective load on a polyphase AC power supply
0x02	ACPhase1	Indicates values measured for an AC load on phase 1 of a polyphase power supply
0x03	ACPhase2	Indicates values measured for an AC load on phase 2 of a polyphase power supply
0x04	ACPhase3	Indicates values measured for an AC load on phase 3 of a polyphase power supply

Chapter 13. Common Area Semantic Tag Namespace

This section contains the Common Area semantic tag namespace as part of the semantic tag feature.

The tags contained in this namespace MAY be used in any domain or context, to indicate an association with an indoor or outdoor area of a home.

ID	Namespace
0x10	Common Area Namespace

ID	Name	Summary
0x00	Aisle	
0x01	Attic	
0x02	Back Door	
0x03	Back Yard	
0x04	Balcony	
0x05	Ballroom	
0x06	Bathroom	Also known as Restroom
0x07	Bedroom	
0x08	Border	
0x09	Boxroom	A small room typically used for storage
0x0A	Breakfast Room	
0x0B	Carport	
0x0C	Cellar	
0x0D	Cloakroom	
0x0E	Closet	
0x0F	Conservatory	
0x10	Corridor	
0x11	Craft Room	
0x12	Cupboard	
0x13	Deck	
0x14	Den	A small, comfortable room for individual activities such as work or hobbies

ID	Name	Summary
0x15	Dining	
0x16	Drawing Room	
0x17	Dressing Room	
0x18	Driveway	
0x19	Elevator	
0x1A	Ensuite	A bathroom directly accessible from a bedroom
0x1B	Entrance	
0x1C	Entryway	
0x1D	Family Room	
0x1E	Foyer	
0x1F	Front Door	
0x20	Front Yard	
0x21	Game Room	
0x22	Garage	
0x23	Garage Door	
0x24	Garden	
0x25	Garden Door	
0x26	Guest Bathroom	Also known as Guest Restroom
0x27	Guest Bedroom	
0x28	Guest Room	
0x29	Gym	
0x2A	Hallway	
0x2B	Hearth Room	A cozy room containing a fire- place or other point heat source
0x2C	Kids Room	
0x2D	Kids Bedroom	
0x2E	Kitchen	
0x2F	Laundry Room	
0x30	Lawn	
0x31	Library	
0x32	Living Room	
0x33	Lounge	
0x34	Media/TV Room	

ID	Name	Summary
0x35	Mud Room	A space used to remove soiled garments prior to entering the domicile proper
0x36	Music Room	
0x37	Nursery	
0x38	Office	
0x39	Outdoor Kitchen	
0x3A	Outside	
0x3B	Pantry	AKA a larder, a place where food is stored
0x3C	Parking Lot	
0x3D	Parlor	
0x3E	Patio	
0x3F	Play Room	
0x40	Pool Room	
0x41	Porch	
0x42	Primary Bathroom	
0x43	Primary Bedroom	
0x44	Ramp	
0x45	Reception Room	
0x46	Recreation Room	
0x47	Roof	
0x48	Sauna	
0x49	Scullery	A utility space for cleaning dishes and laundry
0x4A	Sewing Room	
0x4B	Shed	
0x4C	Side Door	
0x4D	Side Yard	
0x4E	Sitting Room	
0x4F	Snug	An informal space meant to be 'cozy', 'snug', relaxed, meant to share with family or friends
0x50	Spa	
0x51	Staircase	

ID	Name	Summary
0x52	Steam Room	
0x53	Storage Room	
0x54	Studio	
0x55	Study	
0x56	Sun Room	
0x57	Swimming Pool	
0x58	Terrace	
0x59	Toilet	A room dedicated to a toilet; a water closet / WC
0x5A	Utility Room	
0x5B	Ward	
0x5C	Workshop	

Chapter 14. Laundry Semantic Tag Namespace

This section contains the standard semantic tag namespace for laundry as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the laundry domain and SHALL NOT be used in any other domain or context.

ID	Namespace
0x0E	Laundry

ID	Name	Summary
0x00	Normal	
0x01	Light Dry	
0x02	Extra Dry	
0x03	No Dry	

Chapter 15. Power Source Semantic Tag Namespace

This section contains the standard semantic tag namespace for power sources as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the power source domain and SHALL NOT be used in any other domain or context.

ID	Namespace
0x0F	Power Source

The following tags are defined in this namespace.

ID	Name	Summary
0x00	Unknown	The Power Source cluster is related to power provided from an unknown source
0x01	Grid	The Power Source cluster is related to power provided from the electrical grid
0x02	Solar	The Power Source cluster is related to power provided from a solar panel array
0x03	Battery	The Power Source cluster is related to power provided from a battery
0x04	EV	The Power Source cluster is related to power provided from an electric vehicle

15.1. Grid Tag

Power Source clusters with this tag SHALL implement the WIRED feature.

15.2. Solar Tag

Power Source clusters with this tag SHALL implement the WIRED feature.

15.3. Battery Tag

Power Source clusters with this tag SHALL implement the BAT feature.

15.4. EV Tag

Power Source clusters with this tag SHALL implement the BAT feature.

Chapter 16. Refrigerator Semantic Tag Namespace

This section contains the standard semantic tag namespace for refrigerators as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the refrigerator domain and SHALL NOT be used in any other domain or context.

ID	Namespace
0x41	Refrigerator

ID	Name	Summary
0x00	Refrigerator	
0x01	Freezer	

Chapter 17. Room Air Conditioner Semantic Tag Namespace

This section contains the standard semantic tag namespace for room air conditioners as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the room air conditioner domain and SHALL NOT be used in any other domain or context.

ID	Namespace
0x42	Room Air Conditioner

ID	Name	Summary
0x00	Evaporator	
0x01	Condenser	

Chapter 18. Switches Semantic Tag Namespace

This section contains the standard semantic tag namespace for switches as part of the semantic tag feature.

The tags contained in this namespace are restricted for use in the switches domain and SHALL NOT be used in any other domain or context. They are intended to indicate the function of a button on a switch device to allow a client to make an optimized user interface which matches the actual device without requiring a-priori knowledge of the layout of each specific switch device.

Please see the rules for applying these and other tags for switch devices, e.g. from the Common Position Namespace and the Common Number Namespace in the Generic Switch device type section in the Device Library.

ID	Namespace
0x43	Switches

The following tags are defined in this namespace.

ID	Name	Summary	
tags to identify intended function of a button			
0x00	On		
0x01	Off		
0x02	Toggle		
0x03	Up	e.g. dim up (light)	
0x04	Down	e.g. dim down (light)	
0x05	Next	e.g. select next scene	
0x06	Previous	e.g. select previous scene	
0x07	Enter/OK/Select		
0x08	Custom	Textual description provided in Label field	

18.1. Custom Tag

When this value is used, the Label field in the same Semantic Tag structure SHALL be filled with a textual description of the function indicated on the button, such as a label or icon printed on the button, e.g. "dining".