
A P transport exposes an existing fuel constraint

Two bodies, each from its own state 128. Actual action 129; same K, q, support and L within each body.

T00: neither resource moves T10: P only T01: F only T11: P + F (body transport remains on)




White = 0; darker = larger. Same crop x,y = 12–83 of 96²; y up. P-admitted = min(L, P).

L and F are identical in T00 / T10. P admission changes without any deterioration of the F field.

B Sequential rejection is not the independent fuel deficit

q → capacity → template → L → P admission → F admission → paid birth



Grey T00 · Teal T10. Independent deficits may overlap; do not add P and F deficits.


P releases requests into an unchanged F constraint. Later q/support evolve with each body.

C More mass, more energy and late growth are different outcomes

P effects (F off / on): 0ac ΔM +6.70 / +7.73; ΔE −100.55 / −95.96; ΔT +61.18 / +88.65

6bd ΔM +55.72 / +63.05; ΔE −16.54 / −15.49; ΔT +109.78 / +120.92

F effects below: grey = T01 − T00 (P off); blue = T11 − T10 (P on). T: integrated body-time.



0ac: all four lose M over the final 32 updates.

6bd: all four gain M at every late update.

Energy interaction has brief negative intervals: 0ac at 147; 6bd at 159–164. No steady-state claim.

Capability + payment; fixed rules, learning off. Two bodies differ in rules and history, not independent replicates.