
Local motor content redirects a conserved body

Acquisition succeeds; prescribed reversal fails. Erasure and sign inversion test stored direction.

A Return local consequences to the source



Immediate perturbation × local outcome change
Updated content is transported forward.

No central aggregate; actuator and cohesion are preset.

B Acquisition ≠ reversal

Body-weighted field • mean of last 64 steps


	Acquire 1–320		Reverse 321–640	
	C0	C1	C0	C1
Immediate source	**0.7215**	**0.7406**	**-0.1861**	**-0.0119**
Source + EMA	0.0463	0.0659	-0.0865	-0.1275
+ one-hop mix	0.0433	0.0642	-0.0949	-0.1117
Recipient immediate*	0.0091	0.0710	0.1802	-0.4182

Immediate source: acquire 2/2; reverse 0/2.

*Delivery and update location both change.

C Same acquired parent; only local motor content is changed

128 steps with feedback and writes OFF • body, E, trace and RNG matched within each parent



32 × 32 periodic coordinates • same spatial scale • final forks at parent +128

Cyan: positive field; yellow: negative. Darkness: ρ/max(ρ) within each tile. All final M = 24.

Signed displacement (lattice units)
Positive = original learned direction



Two matched parents, not six repeats.
Zero remains in good territory;
this does not demonstrate learned stopping.

Finite full-grid nutrition; no birth. Costs persist without feedback; one-hop communication is unpriced.