SUPPORT COMPLET

OBSIDIA / BRODY / DOMAIN BINDING AUDIT

Inventaire exhaustif item par item - Claude guide / Brody / Domaines / Runtime

Statut	Support complet interne - non synthétique
Source	.local_audits\FREEZE_OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615_20260619_012857\support_complet_pdf_source\SUPPORT_COMPLET_OBSIDIA_BRODY_DOMAIN_BINDING_AUDIT_V1.md
Freeze	FREEZE_OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615_20260619_012857
Mode	READONLY / LOCAL FREEZE / NO PATCH / NO SERVER START
Items Claude audités	4353
Non branchés strict	3316
Partiels runtime	204
Brody only	772
Brody + Domaines	61
P1 -> P80	80 audités

Règle de lecture

Ce PDF n'est pas une synthèse courte. C'est le support complet de travail interne, noir sur blanc, construit depuis le freeze local scellé. Il conserve les noms, codes, statuts et verdicts d'audit afin de ne pas perdre la matière accumulée.

Les statuts doivent être lus strictement : Brody only ne signifie pas domaine ; partial runtime ne signifie pas branché Brody ; reference only not bound signifie que l'item existe dans le guide Claude mais n'a pas été retrouvé dans les surfaces runtime scannées.

Le Kernel X108 reste la seule autorité de décision. Brody explique et structure, les domaines remontent des signaux, Graphiti fournit du contexte readonly, l'UI affiche, mais aucun de ces composants ne devient une autorité souveraine.

SUPPORT COMPLET — OBSIDIA / BRODY / DOMAIN BINDING AUDIT

Generated: 2026-06-19T01:58:35

Source freeze:

`C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B\.local_audits\FREEZE_OBSID IA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615_20260619_012857`

Mode: READONLY / LOCAL FREEZE / NO PATCH / NO SERVER START

---

1. Verdict scellé

```
Claude items audited: 4353
ITEM_REFERENCE_ONLY_NOT_BOUND: 3316
ITEM_BOUND_BRODY_ONLY: 772
ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 204
ITEM_BOUND_BRODY_AND_DOMAIN: 61
P1→P80: 79 Brody only, 1 Brody + domain
```

Interprétation:

• ITEM_REFERENCE_ONLY_NOT_BOUND = présent dans la référence Claude, non retrouvé dans les surfaces runtime scannées.

• ITEM_BOUND_BRODY_ONLY = retrouvé côté Brody, pas domaine.

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY = retrouvé dans UI / Kernel / Graphiti / tests / preflight, mais pas Brody/domaines.

• ITEM_BOUND_BRODY_AND_DOMAIN = retrouvé côté Brody et dans au moins une surface domaine.

• P1→P80 = paliers/freezes/audits/runs, pas modules sémantiques.

---

2. Résumé par famille

Famille	Total	Brody + Domaines	Brody only	Domaine only	Partiel runtime	Non branché
PEPITES	161	0	96	0	0	65
MODULES	36	0	36	0	0	0
AGENTS	69	10	24	0	0	35
ARBRES_34	34	0	18	0	0	16

Famille	Total	Brody + Domaines	Brody only	Domaine only	Partiel runtime	Non branché
LOIS	10	0	9	0	0	1
PROTOCOLES	500	0	35	0	0	465
BALANCES	500	3	25	0	54	418
CANON	500	16	27	0	8	449
CORTEX	43	0	2	0	0	41
DOMAINES	500	6	45	0	6	443
MEMOIRE_GRAPHITI	500	1	11	0	0	488
PREUVES	500	0	17	0	0	483
ROUTES_API	500	2	354	0	87	57
BOUNDARIES	500	23	73	0	49	355

3. Vue par verdict global

3.x — ITEM_BOUND_BRODY_AND_DOMAIN (61)

AGENT_002 — Sentinelle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

ROLE_005 — Human Operator

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight

ROLE_006 — Governance Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight

ROLE_007 — OS3 Audit Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight

GUARDIAN_009 — Sigma Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Tests, Preflight

GUARDIAN_010 — Merkle Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight

GUARDIAN_011 — RFC3161 Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

GUARDIAN_012 — TLA Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

ROLE_014 — Adapter MCP

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight

GUARDIAN_016 — GPS - Gardien / Guide / Alerteur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

if _has_any(low, ("energie", "énergie", "energy", "sigma", "sigma_score", "truth_score", "balance exponentielle")): — if _has_any(low, ("energie", "énergie", "energy", "sigma", "sigma_score", "truth_score", "balance exponentielle")):

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

BALANCE — BALANCE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Kernel, Graphiti, Tests, Preflight

Balance exponentielle — Balance exponentielle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti

readonly — readonly

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight

decision_authority — decision_authority

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

KX108_ONLY — KX108_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

GRAPHITI_READONLY — GRAPHITI_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

graphiti readonly — graphiti readonly

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

brody_readonly_intent_guard — brody_readonly_intent_guard

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

READONLY_CONTEXT — READONLY_CONTEXT

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti, Tests, Preflight

FROZEN_READONLY — FROZEN_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti, Tests, Preflight

readonly=True — readonly=True

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight

decision_authority=KX108_ONLY — decision_authority=KX108_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

graphiti_readonly_records_v2.jsonl — graphiti_readonly_records_v2.jsonl

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

graphiti_readonly_records_v2 — graphiti_readonly_records_v2

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

Readonly descriptions mentioning memory/Graphiti must not become writes. — Readonly descriptions mentioning memory/Graphiti must not become writes.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

"État runtime readonly : modules actifs, mémoire candidate, Graphiti V20 gelé, " — "État runtime readonly : modules actifs, mémoire candidate, Graphiti V20 gelé, "

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

F22B: Run readonly intent guard FIRST, before any write-boundary logic. — F22B: Run readonly intent guard FIRST, before any write-boundary logic.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

Guard confirmed: this is a readonly description request. — Guard confirmed: this is a readonly description request.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE. — Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

readonly_markers — readonly_markers

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

_is_readonly_state_query — _is_readonly_state_query
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

- session_presave_buffer_readonly V1 — - session_presave_buffer_readonly V1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

- auto_triage_memory_intake_readonly V1 — - auto_triage_memory_intake_readonly V1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

- graphiti_candidate_review_gate_readonly V1 — - graphiti_candidate_review_gate_readonly V1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

RUNTIME_STATE_READONLY — RUNTIME_STATE_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests

Direct operator labels / explicit canon-write probes. — Direct operator labels / explicit canon-write probes.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

Explicit creation/mutation of Graphiti/Neo4j/memory/canon is a write boundary. — Explicit creation/mutation of Graphiti/Neo4j/memory/canon is a write boundary.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE. — Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

memory_write_canon_freeze — memory_write_canon_freeze
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

write canon — write canon
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

memory + canon — memory + canon
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

graphiti canon — graphiti canon
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

canonise ce bloc — canonise ce bloc
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

canonise — canonise
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

canoniser — canoniser
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

canonicalize — canonicalize
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

canonicalise — canonicalise
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

canon_terms — canon_terms
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

canonical — canonical
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Tests, Preflight

Uses the 13-module canonical resolution already established. — Uses the 13-module canonical resolution already established.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

"""Build cognitive_modules_snapshot from the canonical resolution table.""" — """Build cognitive_modules_snapshot from the canonical resolution table."""
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —

brody_domain_raccord_adapter — brody_domain_raccord_adapter
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

domain_raccord — domain_raccord
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

build_domain_raccord_snapshot — build_domain_raccord_snapshot
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

domain_raccord_write_boundary — domain_raccord_write_boundary
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests

domains — domains
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

trading — trading
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Kernel, Tests, Preflight

graphiti — graphiti
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight

/api/brody/chat — /api/brody/chat
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight

brody_semantic_query_router — brody_semantic_query_router
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight

3.x — ITEM_BOUND_BRODY_ONLY (772)

#1 — OBSIDIA_ATLAS_INGESTOR
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

AGENT_001 — Observateur
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#2 — CANON_GUARDIAN
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti

#3 — GRAPH_BUILDER
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti

AGENT_003 — Gardien
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#4 — TERMINAL_BUILDER
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

AGENT_004 — Architecte
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#5 — PROOF_SENTINEL
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti

#6 — CO_PILOTE_CODE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#7 — CI_REPO_SURGEON
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ROLE_008 — Agents / Tools
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

#11 — FORMAL_BRIDGE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#13 — ADVERSARIAL_RED_TEAM
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ROLE_013 — Orchestrator
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

ROLE_015 — Cortex
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#17 — PRE_FREEZE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GUARDIAN_017 — ADeLe
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#19 — VOCABULAIRE_CANONIQUE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

#34 — EXPLIQUE_A_UN_HUMAIN
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#38 — CARTOGRAPHE_34_ARBRES
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#40 — CALIBRATION_PROCEDURALE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti

#41 — NUAGE_POINTS
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#45 — CARTOGRAPHE_LOIS_PROTOCOLES
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

#50 — ANTI_DISPERSION
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_01 — Arbre de l'Humain
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Tests

ARBRE_02 — Arbre de la Conscience
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_03 — Arbre de la Perception
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_09 — Arbre de l'Intelligence
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_10 — Arbre du Langage
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_11 — Arbre de la Science
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_19 — Arbre de la Culture
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_20 — Arbre de l'Action
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_21 — Arbre de la Creation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_23 — Arbre du Temps
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_24 — Arbre de la Memoire
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_25 — Arbre de l'Histoire
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_26 — Arbre de la Coherence
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_27 — Arbre de la Verite
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_28 — Arbre de la Valeur
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

ARBRE_30 — Arbre Cognitif Global
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_31 — Arbre des Flux
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

ARBRE_33 — Arbre de l'Optimisation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/periphery/gencoin/balance — /api/periphery/gencoin/balance
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

periphery_balance — periphery_balance
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

from apps.obsidia_api.brody_balance_engine import BrodyBalanceEngine — from apps.obsidia_api.brody_balance_engine import BrodyBalanceEngine
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests

sigma_payload={"balance": 1000.0, "request_type": "STRUCTURAL_PREPARATION"}, — sigma_payload={"balance": 1000.0, "request_type": "STRUCTURAL_PREPARATION"},
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py — - periphery/gencoin_sandbox/balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

from periphery.gencoin_sandbox.balance_operator import compute_balance — from periphery.gencoin_sandbox.balance_operator import compute_balance
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

*** **Description :** Gencoin, la balance universelle, la calibration énergétique. — * **Description :** Gencoin, la balance universelle, la calibration énergétique.**
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Liens avec : X-108, AVDR, ACP, Freeze, Kernel, mémoire fractale, frise chronologique, 34 arbres, balance exponentielle, calibration procédurale, preuves / audit / CI, AGI. — Liens avec : X-108, AVDR, ACP, Freeze, Kernel, mémoire fractale, frise chronologique, 34 arbres, balance exponentielle, calibration procédurale, preuves / audit / CI, AGI.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- Tu préserves les noms structurels : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale. — - Tu préserves les noms structurels : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Vérifie si le fragment utilise ou renomme : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale. — Vérifie si le fragment utilise ou renomme : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

balances — balances

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance exponentielle apporte la pesée non linéaire de cette transformation. — La Balance exponentielle apporte la pesée non linéaire de cette transformation.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Balance Obsidienne — canon — Balance Obsidienne — canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Balance Obsidienne — canon — # Balance Obsidienne — canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance n'est pas un invariant pur du noyau bas. — La Balance n'est pas un invariant pur du noyau bas.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance est l'opérateur de pondération structurelle du kernel. — La Balance est l'opérateur de pondération structurelle du kernel.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance ne sert pas à compter. Elle sert à peser. — La Balance ne sert pas à compter. Elle sert à peser.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance donne la pesée structurelle de ce processus. — La Balance donne la pesée structurelle de ce processus.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Balance dit ce que ça vaut. — Balance dit ce que ça vaut.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance aide à trancher entre plusieurs chemins possibles. — La Balance aide à trancher entre plusieurs chemins possibles.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

La Balance sert à mesurer la valeur réelle, pondérer effort / impact / stabilité, éviter le bullshit économique. — La Balance sert à mesurer la valeur réelle, pondérer effort / impact / stabilité, éviter le bullshit économique.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BalancePayload — BalancePayload

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

periphery/gencoin_sandbox/balance_operator.py — periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

tests/periphery/test_balance_operator.py — tests/periphery/test_balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

01D477567EA3_READONLY_MEMORY_LEDGER.md — 01D477567EA3_READONLY_MEMORY_LEDGER.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

07E0E89BE6D0_READONLY_MEMORY_LEDGER.md — 07E0E89BE6D0_READONLY_MEMORY_LEDGER.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

readonly_context_guard.py — readonly_context_guard.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

READONLY_MEMORY_LEDGER_ENTRY.md — READONLY_MEMORY_LEDGER_ENTRY.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_graphiti_ready_export_readonly_v1_6_4.py — brody_graphiti_ready_export_readonly_v1_6_4.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BRODY_OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.jso n — BRODY_OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.jso n
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

run_brody_graphiti_ready_export_readonly_v1_6_4.ps1 — run_brody_graphiti_ready_export_readonly_v1_6_4.ps1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CURRENT_BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt — CURRENT_BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CURRENT_BRODY_SESSION_TRACE_LEDGER_READONLY.txt — CURRENT_BRODY_SESSION_TRACE_LEDGER_READONLY.txt
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CURRENT_BRODY_WORLD_SOURCE_INTAKE_READONLY.txt — CURRENT_BRODY_WORLD_SOURCE_INTAKE_READONLY.txt
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CURRENT_GRAPHITI_READONLY_INDEX.txt — CURRENT_GRAPHITI_READONLY_INDEX.txt
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_session_trace_ledger_readonly_v1_6_3.py — brody_session_trace_ledger_readonly_v1_6_3.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

run_brody_session_trace_ledger_readonly_v1_6_3.ps1 — run_brody_session_trace_ledger_readonly_v1_6_3.ps1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py — brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_world_source_intake_readonly_v1_6.py — brody_world_source_intake_readonly_v1_6.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_world_source_intake_readonly_v1_6_1.py — brody_world_source_intake_readonly_v1_6_1.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_world_source_intake_readonly_v1_6_2.py — brody_world_source_intake_readonly_v1_6_2.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

run_brody_world_source_intake_readonly_v1_6.ps1 — run_brody_world_source_intake_readonly_v1_6.ps1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

run_brody_world_source_intake_readonly_v1_6_1.ps1 — run_brody_world_source_intake_readonly_v1_6_1.ps1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

run_brody_world_source_intake_readonly_v1_6_2.ps1 — run_brody_world_source_intake_readonly_v1_6_2.ps1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GRAPHITI_READONLY_CONTEXT — GRAPHITI_READONLY_CONTEXT
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

graphiti_v20_readonly_client — graphiti_v20_readonly_client
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/engine_bridge/readonly_engine_bridge.py — runtime_wiring/engine_bridge/readonly_engine_bridge.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

CONNECTED_READONLY — CONNECTED_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/x108/readonly-ingress — /api/x108/readonly-ingress
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

x108_readonly_ingress — x108_readonly_ingress
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

readonly_engine_bridge — readonly_engine_bridge
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/source_runtime/readonly_content_loader.py — runtime_wiring/source_runtime/readonly_content_loader.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

readonly_content_loader — readonly_content_loader
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/brody_readonly_intent_guard.py — apps/obsidia_api/brody_readonly_intent_guard.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/graphiti_v20_readonly_client.py — apps/obsidia_api/graphiti_v20_readonly_client.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

COPIED_READONLY — COPIED_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

ATLAS_READONLY_ADVISORY_ONLY — ATLAS_READONLY_ADVISORY_ONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

ATLAS_READONLY_ADVISORY — ATLAS_READONLY_ADVISORY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

LEVEL_1_READONLY_ACTIVE_CANDIDATE — LEVEL_1_READONLY_ACTIVE_CANDIDATE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

level_1_readonly — level_1_readonly
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

readonly_activation_candidates — readonly_activation_candidates
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

P51_BRODY_READONLY_CONTROLLED_ACTIVATION — P51_BRODY_READONLY_CONTROLLED_ACTIVATION
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

P51_BRODY_READONLY_ACTIVATION — P51_BRODY_READONLY_ACTIVATION
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight

brody_readonly_activation_status — brody_readonly_activation_status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

ACTIVE_READONLY — ACTIVE_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

LEVEL_1_READONLY_ACTIVE — LEVEL_1_READONLY_ACTIVE
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

brody_readonly_enabled — brody_readonly_enabled
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

NO_ACTION_IN_QUERY — NO_ACTION_IN_QUERY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

READONLY_CONTEXT_ONLY — READONLY_CONTEXT_ONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Graphiti, Preflight

P51_BRODY_READONLY_CONTROLLED_ACTIVATION_READY — P51_BRODY_READONLY_CONTROLLED_ACTIVATION_READY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

readonly_evidence — readonly_evidence
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti, Preflight

feat: reconnect Brody runtime and Graphiti V20 readonly proxy — feat: reconnect Brody runtime and Graphiti V20 readonly proxy
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

_graphiti_readonly_indexes/GRAPHITI_READONLY_INDEX_V2_FUSION_2026 0512_224854/graphiti_readonly_records_v2.jsonl — _graphiti_readonly_indexes/GRAPHITI_READONLY_INDEX_V2_FUSION_2026 0512_224854/graphiti_readonly_records_v2.jsonl
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

graphiti_memory_readonly_activation_status — graphiti_memory_readonly_activation_status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

READONLY_CONTEXT_PROVIDER — READONLY_CONTEXT_PROVIDER
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti, Preflight

P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVATION_READY — P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVATION_READY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

P51_BRODY_READONLY — P51_BRODY_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

P52_GRAPHITI_MEMORY_READONLY — P52_GRAPHITI_MEMORY_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

decision_authority_kx108_only — decision_authority_kx108_only
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

This module is readonly/advisory only. It does not decide, act, write memory, — This module is readonly/advisory only. It does not decide, act, write memory,

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

NO_MEMORY_WRITE — NO_MEMORY_WRITE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

NO_GRAPHITI_WRITE — NO_GRAPHITI_WRITE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

Salut. Brody est actif en mode readonly. Je peux lire le contexte, structurer ton intention, préparer un IR Candidate ou un ContextPacket, mais je ne décide pas. L'autorité reste X108_ONLY. — Salut. Brody est actif en mode readonly. Je peux lire le contexte, structurer ton intention, préparer un IR Candidate ou un ContextPacket, mais je ne décide pas. L'autorité reste X108_ONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

Je peux préparer une lecture readonly du contexte mémoire. La mémoire reste contextuelle, candidate-only, sans écriture ni décision. Si Graphiti V20 est disponible, le contexte peut être récupéré en readonly ; sinon statut OFFLINE_OR_UNAVAILABLE. — Je peux préparer une lecture readonly du contexte mémoire. La mémoire reste contextuelle, candidate-only, sans écriture ni décision. Si Graphiti V20 est disponible, le contexte peut être récupéré en readonly ; sinon statut OFFLINE_OR_UNAVAILABLE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

X-108 est le kernel de gouvernance souverain — la seule autorité de décision. OS3 prouve ses décisions via Lean 4 et TLA+. Brody l'interface, il ne le substitue pas. Statut actuel : ACTIVE, mode READONLY. — X-108 est le kernel de gouvernance souverain — la seule autorité de décision. OS3 prouve ses décisions via Lean 4 et TLA+. Brody l'interface, il ne le substitue pas. Statut actuel : ACTIVE, mode READONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

Hi. Brody is active in readonly mode. I can read context, structure your intent, prepare an IR Candidate or ContextPacket, but I do not decide. Authority remains X108_ONLY. — Hi. Brody is active in readonly mode. I can read context, structure your intent, prepare an IR Candidate or ContextPacket, but I do not decide. Authority remains X108_ONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

I can prepare a readonly read of memory context. Memory is contextual, candidate-only, without write or decision. If Graphiti V20 is available, context can be fetched readonly; otherwise status is OFFLINE_OR_UNAVAILABLE. — I can prepare a readonly read of memory context. Memory is contextual, candidate-only, without write or decision. If Graphiti V20 is available, context can be fetched readonly; otherwise status is OFFLINE_OR_UNAVAILABLE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

X-108 is the sovereign governance kernel — the sole decision authority. OS3 proves its decisions via Lean 4 and TLA+. Brody interfaces with it, never substitutes for it. Current status: ACTIVE, READONLY mode. — X-108 is the sovereign governance kernel — the sole decision authority. OS3 proves its decisions via Lean 4 and TLA+. Brody interfaces with it, never substitutes for it. Current status: ACTIVE, READONLY mode.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

KX108_ONLY. No ACT. No write. No execution. readonly=True. — KX108_ONLY. No ACT. No write. No execution. readonly=True.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

"modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"], — "modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"],

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

"mode": "COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH", — "mode": "COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH",

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

5DF672EEB8C3_reverse_os_interlanguage_canon_v1.json — 5DF672EEB8C3_reverse_os_interlanguage_canon_v1.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

arbres_34.canon.json — arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CANON_GUARDIAN.md — CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

VOCABULAIRE_CANONIQUE.md — VOCABULAIRE_CANONIQUE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

07_AUDIT_B__Coherence_documentaire_canon_161_blocs_specs_registre s_contradictions.md — 07_AUDIT_B__Coherence_documentaire_canon_161_blocs_specs_registre s_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

03_SPEC_10__Tool_Registry_Canonical_registre_outils_P91_P100_vali der_V4.md — 03_SPEC_10__Tool_Registry_Canonical_registre_outils_P91_P100_vali der_V4.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md — 02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

09_PREUVE__P36__Quintuplet_etat_canonique__P36.lean — 09_PREUVE__P36__Quintuplet_etat_canonique__P36.lean
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVIDENCE_REQUIRED .md — 09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVIDENCE_REQUIRED .md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC_FORMELLE.md — 09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC_FORMELLE.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

03_SPEC_01__Event_Schema_Obsidia_format_canonique_JSON_P1_P10.md — 03_SPEC_01__Event_Schema_Obsidia_format_canonique_JSON_P1_P10.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P71_P80_val ider_V4.md — 03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P71_P80_val ider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

REVERSE_OS_INTERLANGUAGE_CANON_V1 / P34/P35 — REVERSE_OS_INTERLANGUAGE_CANON_V1 / P34/P35
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

REVERSE_OS_INTERLANGUAGE_CANON_V1 — REVERSE_OS_INTERLANGUAGE_CANON_V1
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

Protocole canonique de collaboration terminal-first entre Étienne et l’IA pour coder, patcher, auditer et générer des artefacts sans édition manuelle. — Protocole canonique de collaboration terminal-first entre Étienne et l’IA pour coder, patcher, auditer et générer des artefacts sans édition manuelle.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Séquence canonique — Séquence canonique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION — P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Conclusion canonique — Conclusion canonique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

**present_in_v1_modules = (f32_keys \ — f36_keys **
Statut source: f37_keys) & canonical_flags | Verdict: present_in_v1_modules = (f32_keys \ | Brody: f36_keys \ | Domaines: f37_keys) & canonical_flags | Runtime autre: UNKNOWN

CANONICAL_NAME — CANONICAL_NAME
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —

canonical_flags — canonical_flags
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

_CANONICAL_DOMAINS — _CANONICAL_DOMAINS
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

P34_REVERSE_OS_INTERLANGUAGE_CANON_READY — P34_REVERSE_OS_INTERLANGUAGE_CANON_READY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

evidence/reverse_os_interlanguage_canon_v1.json — evidence/reverse_os_interlanguage_canon_v1.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

Fichiers canonisés — Fichiers canonisés
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

canonical_path — canonical_path
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

canonicalization_needed — canonicalization_needed
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

no_cortex_act.py — no_cortex_act.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

06_AGENT_ROLE__Cortex.md — 06_AGENT_ROLE__Cortex.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Banking_Trading _Aviation.md — 07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Banking_Trading _Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

10_TESTS__PYTHON_AVIATION_12_TESTS.md — 10_TESTS__PYTHON_AVIATION_12_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

10_TESTS__PYTHON_BANKING_28_TESTS.md — 10_TESTS__PYTHON_BANKING_28_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

10_TESTS__PYTHON_TRADING_15_TESTS.md — 10_TESTS__PYTHON_TRADING_15_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md — 06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

02_PEPITE_P143__Generalisation_multi_domaine.md — 02_PEPITE_P143__Generalisation_multi_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

monitor_bank — monitor_bank
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

monitor_gps — monitor_gps
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

monitor_trading — monitor_trading
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/cognitive/trees/domain/{domain} — /api/periphery/cognitive/trees/domain/{domain}
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

periphery_trees_by_domain — periphery_trees_by_domain
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody-runtime/f38/multi-domain-scenarios — /api/periphery/brody-runtime/f38/multi-domain-scenarios
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

f38_multi_domain_scenarios — f38_multi_domain_scenarios
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/domains — /api/sigma/domains
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

sigma_domains — sigma_domains
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/sigma/bank — /api/sigma/bank
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

sigma_bank — sigma_bank
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/sigma/trading — /api/sigma/trading
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

sigma_trading — sigma_trading
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/gps-defense-aviation — /api/sigma/gps-defense-aviation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

sigma_gps_defense_aviation — sigma_gps_defense_aviation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/brody_domain_raccord_adapter.py — apps/obsidia_api/brody_domain_raccord_adapter.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Signal received. I read your intent but I cannot decide. Cognitive tree activation suggests governance-sovereignty domain. — Signal received. I read your intent but I cannot decide. Cognitive tree activation suggests governance-sovereignty domain.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

- bind answer respiration to subject, intent, domain, risk, and sigma pressure — - bind answer respiration to subject, intent, domain, risk, and sigma pressure
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

is_domain_deep — is_domain_deep
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

- AppDomain.CurrentDomain.Load(...) est du C# — - AppDomain.CurrentDomain.Load(...) est du C#
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- donner AppDomain.CurrentDomain.Load(...) comme solution par défaut — - donner AppDomain.CurrentDomain.Load(...) comme solution par défaut
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION — P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

2. Contrat BankState insuffisamment durci — 2. Contrat BankState insuffisamment durci
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

4. Effet systemique sur les agents bank — 4. Effet systemique sur les agents bank
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

A. Durcissement du contrat BankState — A. Durcissement du contrat BankState
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

B. Validation explicite du payload bank avant construction — B. Validation explicite du payload bank avant construction
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- REQUIRED_BANK_FIELDS — - REQUIRED_BANK_FIELDS
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- ALLOWED_BANK_FIELDS — - ALLOWED_BANK_FIELDS
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- validate_bank_payload(state_data) — - validate_bank_payload(state_data)
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- rejet si le payload n'est pas un objet JSON bank valide — - rejet si le payload n'est pas un objet JSON bank valide
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- les payloads bank invalides ne traversent plus la membrane comme etats legitimes — - les payloads bank invalides ne traversent plus la membrane comme etats legitimes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- 86ae408 - Harden BankState contract and validate bank payloads before pipeline construction — - 86ae408 - Harden BankState contract and validate bank payloads before pipeline construction
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- 01b793d - Add extended bank security fuzz failure extraction and report — - 01b793d - Add extended bank security fuzz failure extraction and report
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GPS_TERRAIN_SEPARATED: sigma/ non modifie — GPS_TERRAIN_SEPARATED: sigma/ non modifie
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P76_BOM_NORMALIZATION_SAFE: gps_omega_chaos.json correction BOM P76 uniquement — P76_BOM_NORMALIZATION_SAFE: gps_omega_chaos.json correction BOM P76 uniquement
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CONNECTORS_DO_NOT_RUN: aviation_robo.py, bank_normal_flow.py, trading_live.py — CONNECTORS_DO_NOT_RUN: aviation_robo.py, bank_normal_flow.py, trading_live.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Build a multi-domain packet — Build a multi-domain packet
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

whether fields like packet_id, domain names etc. are scanned?) — whether fields like packet_id, domain names etc. are scanned?)
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

_CANONICAL_DOMAINS — _CANONICAL_DOMAINS
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

P88 — Non-contradiction
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P89 — Completude
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel

P90 — Coherence
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P91 — Decidabilite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P93 — P inclus dans NP
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P94 — Reductibilite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P85 — Loi de reciprocite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Kernel

P86 — Consensus supermajorité 3/4
Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P87 — Fail-closed sans supermajorité
Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GRAPHITI_V2_000008 — GRAPHITI_V2_000008
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GRAPHITI_V2_000011 — GRAPHITI_V2_000011
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

01D477567EA3_READONLY_MEMORY_LEDGER.md — 01D477567EA3_READONLY_MEMORY_LEDGER.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GRAPHITI_V2_000060 — GRAPHITI_V2_000060
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

07E0E89BE6D0_READONLY_MEMORY_LEDGER.md — 07E0E89BE6D0_READONLY_MEMORY_LEDGER.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

GRAPHITI_V2_000068 — GRAPHITI_V2_000068
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

08BF7493878E_brody_obsidien_v1_4_7_memory_governance_guide_doctri ne.json — 08BF7493878E_brody_obsidien_v1_4_7_memory_governance_guide_doctri ne.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

2824984E87B4_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMORY.md — 2824984E87B4_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMORY.md
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

A01 — Signature Entropique / Pare-feu symbolique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A02 — Verification de Reciprocite / Detection contradictions
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A03 — Equilibre Dynamique / Alignement ethique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A04 — Gestion de la Friction / Bascule Semantique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A05 — Singularite Initiale / Audit ethique permanent
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A06 — Integrite Structurelle / Enregistrement etats
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight

A07 — Coherence Temporelle / Chronique obsidienne
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A08 — Emergence des Proprietes / Transmutation cognitive
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A09 — Non-Contradiction / Convergence intentionnelle
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A10 — Completude / Emergence par tension
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A11 — Resonance / Reconstruction totale
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Kernel, Tests, Preflight

A12 — Dualite / Contrat moral
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A13 — Securite Interactions / Mode reflexe
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Tests, Preflight

A14 — Verification Identite / Captation creative
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A15 — Adaptation Dynamique / Vibration multimodale
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A16 — Recursivite / Architecture du savoir
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A17 — Complexite Minimale / Apprentissage universel
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A18 — Optimisation Ressources / Friction creative
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A19 — Interconnexion / Narration cognitive
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A20 — Confidentialite / Entrainement emotionnel
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight

A21 — Cryptographie Homomorphe / Mediatheque fractale
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A22 — Propagation Information / Simulation cognitive
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight

A23 — Causalite / Calibration procedurale
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight

A24 — Predictibilite / Metriques et veille
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight

T01 — Reduction Incertitude / Audit coherence
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T02 — Conscience Distribuee / Validation reciprocite
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

T03 — Gouvernance Decentralisee / Friction energetique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

T04 — Consensus Distribue / Resonance semantique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T05 — Evolution Systemes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T06 — Selection Naturelle / Alignement ethique
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T07 — Resilience / Test memoire fractale
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T08 — Auto-Organisation / Apprentissage inverse

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T09 — Creativite / Mode reflexe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T10 — Innovation Continue / Integrite cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

T11 — Generation Aleatoire / Frugalite bio-inspiree

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Tests

T12 — Complexite Irreductible / Transparence friction

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

P1 — Memoire != stockage

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P2 — Memoire fractale hierarchique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P3 — Oubli actif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P4 — Memoire comme condition d'ethique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P5 — Memoire humaine / memoire systeme

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P6 — Memoire comme recit vivant

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P7 — Memoire comme garde-fou contre l'hallucination

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P8 — Memoire transversale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P9 — Sens != information

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P10 — Cadre avant reponse

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P11 — Refus hors cadre

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P12 — Desambiguisation contextuelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P13 — Immutabilite par sceau Merkle

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P14 — Traduction humain / machine

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P15 — Immutabilite forte (Sensitivity)

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P16 — Rupture data / sens
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P17 — Croissance du log d'audit
Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P18 — Semantique avant calcul
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P19 — Pluralite des niveaux de sens
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P20 — Sens avant performance
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P21 — Semantique transversale
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P22 — Le symbolique n'est pas decoratif
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P23 — Compression du sens
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P24 — Non-verbal comme vecteur
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P25 — Symboles comme passerelles
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P26 — Resonance plutot que calcul
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P27 — Transmission implicite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P28 — Recit comme structure
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P29 — Mythologie vivante
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P30 — Symbolique operatoire
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P31 — Archetype
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P32 — Rituel comme sequence symbolique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P33 — Symbolique transversal
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P34 — Kernel = intersection des contraintes
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P35 — Preuve formelle sans sorry
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P36 — Quintuplet d'etat canonique (S,I,L)
Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P37 — Formalisation : narratif vers math
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P38 — Filtre ethique chi(t)
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P39 — Invariant permanent
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P40 — Axiome non derivable
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P41 — Determinisme D1
Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P42 — Seuil G1 : ACT si theta <= S
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P43 — Pas de BLOCK natif L11.3
Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P44 — Verrou temporel X-108
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P45 — Skew negatif vers HOLD
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P46 — Consensus fail-closed 4 agents
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P57 — Entropie de Shannon
Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P58 — Neguentropie
Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P64 — Ordre = 1 - entropie normalisee
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P67 — Filtre ethique continu chi(t)
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P68 — Ethique integree sur le temps
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P69 — Responsabilite action/consequence
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P70 — Consentement binaire
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P71 — Transparence universelle
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P72 — Equite epsilon-approximee
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P73 — Non-nuisance
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P74 — Bienfaisance maximale
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P75 — Justice proportionnelle
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P76 — Budget energetique E_c(t)
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P77 — Flux energetique dE/dt
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P78 — Reserve energetique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P79 — Regeneration en repos
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P80 — Equilibre energetique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P81 — Surcharge vers HOLD
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P82 — Optimisation cout/qualite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P83 — Efficience output/input
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P84 — Durabilite a long terme
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P85 — Loi de reciprocite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P102 — Iteration convergente
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P103 — Validation par criteres
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P104 — Refutation par contre-exemple
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P105 — Induction mathematique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P106 — Deduction logique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P107 — Stabilite Lyapunov (delta-epsilon)
Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P108 — Robustesse aux perturbations
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P109 — Reproductibilite
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P110 — Falsifiabilite (Popper)
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P111 — Moteur non substituable
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P112 — Hierarchie OS0 vers OS4
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P113 — Kernel = intersection des couches
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P114 — Guard = Kernel + Temporal + Consensus
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P127 — Disponibilite (uptime)
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P143 — Generalisation multi-domaine
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P144 — Apprentissage par experience
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P145 — Adaptation a l'environnement
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P146 — Autonomie decisionnelle
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P147 — Collaboration synergique
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P148 — Competition selective
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P149 — Narration debut-milieu-fin
Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P150 — Personnage = identite+motivation+arc
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P151 — Conflit = desir vs obstacle
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P152 — Resolution du conflit
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P153 — Theme = abstraction du recit
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P154 — Symbole narratif
Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P155 — Metaphore = analogie
Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

P161 — Calibration energetique temporelle (loi finale)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv — 019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

3A3FB919F15C_FORMAL_PROOF_BACKLOG.md — 3A3FB919F15C_FORMAL_PROOF_BACKLOG.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

O3_EPREUVE_TEMPORELLE_X108.md — O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_reverse_os_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_reverse_os_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_REVERSE_OS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_REVERSE_OS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_full_pipeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_full_pipeline.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

PROOF_SENTINEL.md — PROOF_SENTINEL.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv — 019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

0D085EED9A4E_AUDIT_TOOLS.md — 0D085EED9A4E_AUDIT_TOOLS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

260E7CE19585_AUDIT_REVERSE_OS.md — 260E7CE19585_AUDIT_REVERSE_OS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

56C8CDE2F94D_T01__Reduction_Incertitude_Audit_coherence.md — 56C8CDE2F94D_T01__Reduction_Incertitude_Audit_coherence.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

997BFF4EFC9F_AUDIT_34_ARBRES.md — 997BFF4EFC9F_AUDIT_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

BE29E7A85286_SCORING_REGRESSION_AUDIT.md — BE29E7A85286_SCORING_REGRESSION_AUDIT.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

FREEZE_CANDIDATE_REPORT.md — FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

extracted_text_all.md — extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

O1_NON_ACTION_LEGITIME.md — O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

O3_EPREUVE_TEMPORELLE_X108.md — O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

O7_AUDITABILITE_NATIVE.md — O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

O8_SEPARATION_COGNITION_ACTION.md — O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

tensor_activation.py — tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

active_cognitive_reduction.py — active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_agent_act_guard.py — no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

avdr.py — avdr.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

AVDR.schema.json — AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

export_for_x108.py — export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

x108_boundary_contract.md — x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_agent_act.py — no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_bdf_act.py — no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_cortex_act.py — no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_hexaflux_act.py — no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

no_memory_act.py — no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

alpha_beta_router.py — alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

route_entry_to_context_packet — route_entry_to_context_packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/runtime-wiring/source-runtime/preview — /api/runtime-wiring/source-runtime/preview

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

OS_TRAD_ROUTE_CONTEXT — OS_TRAD_ROUTE_CONTEXT

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/runtime-wiring/os-trad/api/os-trad/translate — /api/runtime-wiring/os-trad/api/os-trad/translate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

/api/runtime-wiring/os-trad/api/ir/candidate — /api/runtime-wiring/os-trad/api/ir/candidate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

/api/runtime-wiring/os-trad/api/os-reverse/project — /api/runtime-wiring/os-trad/api/os-reverse/project
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

os-trad route — os-trad route
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

os-trad route translate endpoint — os-trad route translate endpoint
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/brody_semantic_query_router.py — apps/obsidia_api/brody_semantic_query_router.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/ — /api/x108/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/os3/ — /api/os3/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/memory/ — /api/memory/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/periphery/governance/ — /api/periphery/governance/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/cognitive/ — /api/x108/cognitive/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

total_routes — total_routes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

route_map — route_map
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight

/api/audit/events — /api/audit/events
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/blockchain/policy/evaluate — /api/blockchain/policy/evaluate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/signature/check — /api/blockchain/signature/check
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/wallet/gate — /api/blockchain/wallet/gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/gencoin/compute — /api/blockchain/gencoin/compute
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/world/gateway — /api/blockchain/world/gateway
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/world/bus-dispatch — /api/blockchain/world/bus-dispatch
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/world/ticket-status — /api/blockchain/world/ticket-status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/world/dry-run — /api/blockchain/world/dry-run
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/sandbox/simulate — /api/blockchain/sandbox/simulate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/sandbox/truth-gate — /api/blockchain/sandbox/truth-gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/agents/status — /api/blockchain/agents/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/blockchain/classifiers/fraud-check — /api/blockchain/classifiers/fraud-check
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/blockchain/status — /api/blockchain/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/operator/governed-runtime — /api/operator/governed-runtime
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/bus/bus/signal — /api/bus/bus/signal
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/context/from-message — /api/context/from-message
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/memory/status — /api/memory/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

/api/memory/sources — /api/memory/sources
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/memory/candidates — /api/memory/candidates
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/memory/candidate/from-message — /api/memory/candidate/from-message
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/memory/candidate-ledger — /api/memory/candidate-ledger
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/memory/promotion-policy — /api/memory/promotion-policy
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/os3/tickets — /api/os3/tickets
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/os3/replay/{ticket_id} — /api/os3/replay/{ticket_id}
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/status — /api/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/query — /api/query
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/run — /api/periphery/pipeline/run
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/pipeline/data-gate — /api/periphery/pipeline/data-gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/provenance-gate — /api/periphery/pipeline/provenance-gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/memory-governor — /api/periphery/pipeline/memory-governor
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/eml-compression — /api/periphery/pipeline/eml-compression
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/energy-thermo — /api/periphery/pipeline/energy-thermo
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/ocs-generation — /api/periphery/pipeline/ocs-generation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/operational-constance — /api/periphery/pipeline/operational-constance
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/permission-economic — /api/periphery/pipeline/permission-economic
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/validate-candidate — /api/periphery/pipeline/validate-candidate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/merge — /api/periphery/pipeline/merge
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/pipeline/constants — /api/periphery/pipeline/constants
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/partition-gate — /api/periphery/governance/partition-gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/agents — /api/periphery/governance/agents
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/agent-run — /api/periphery/governance/agent-run
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/agent-spec-check — /api/periphery/governance/agent-spec-check
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/lifecycle — /api/periphery/governance/lifecycle
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/sequence-govern — /api/periphery/governance/sequence-govern
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/workflow-guard — /api/periphery/governance/workflow-guard
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/benchmarks — /api/periphery/governance/benchmarks
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/failure-classify — /api/periphery/governance/failure-classify
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/failure-codes — /api/periphery/governance/failure-codes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/trees — /api/periphery/cognitive/trees
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: UI, Preflight

/api/periphery/cognitive/trees/{tree_id} — /api/periphery/cognitive/trees/{tree_id}
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/trees/domain/{domain} — /api/periphery/cognitive/trees/domain/{domain}
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/memory-world-map — /api/periphery/cognitive/memory-world-map
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/tree-signal — /api/periphery/cognitive/tree-signal
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/context/build — /api/periphery/context/build
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/context/sanitize — /api/periphery/context/sanitize
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/context/validate — /api/periphery/context/validate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/context/export — /api/periphery/context/export
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/context/ingress — /api/periphery/context/ingress
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/avdr-phase — /api/periphery/gencoin/avdr-phase
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/balance — /api/periphery/gencoin/balance
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/regime-state — /api/periphery/gencoin/regime-state
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/passfail — /api/periphery/gencoin/passfail
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/consciousness-regime — /api/periphery/gencoin/consciousness-regime
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/gencoin/collective-summary — /api/periphery/gencoin/collective-summary
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/state-packet — /api/periphery/interface/state-packet
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/log-event — /api/periphery/interface/log-event
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/workbench-check — /api/periphery/interface/workbench-check
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/view-contracts — /api/periphery/interface/view-contracts
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/mcp-access — /api/periphery/interface/mcp-access
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/bias-gate — /api/periphery/interface/bias-gate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/interface/bias-trace — /api/periphery/interface/bias-trace
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/ingestion/classify-source — /api/periphery/ingestion/classify-source
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/ingestion/hash — /api/periphery/ingestion/hash
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/ingestion/document — /api/periphery/ingestion/document
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/ingestion/memory-sources — /api/periphery/ingestion/memory-sources
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/os3/ticket — /api/periphery/os3/ticket
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/os3/manifest — /api/periphery/os3/manifest
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/os3/replay-compare — /api/periphery/os3/replay-compare
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/os3/world-action-readiness — /api/periphery/os3/world-action-readiness
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/os3/replay-run — /api/periphery/os3/replay-run
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/education/score — /api/periphery/education/score
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/education/audience — /api/periphery/education/audience
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/education/format — /api/periphery/education/format
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody/context-query — /api/periphery/brody/context-query
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/brody/language-route — /api/periphery/brody/language-route
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

periphery_brody_language_route — periphery_brody_language_route
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody/double-brain-route — /api/periphery/brody/double-brain-route
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

periphery_double_brain_route — periphery_double_brain_route
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody/diffusion-mix — /api/periphery/brody/diffusion-mix
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/graphiti/freeze-snapshot/{snapshot_id} — /api/periphery/graphiti/freeze-snapshot/{snapshot_id}
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/graphiti/context-adapt — /api/periphery/graphiti/context-adapt
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/feedback/candidate — /api/periphery/feedback/candidate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/feedback/bridge-candidate — /api/periphery/feedback/bridge-candidate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/sigma/evaluate — /api/periphery/sigma/evaluate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/operator/governed-runtime — /api/periphery/operator/governed-runtime
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/workflow-governance/packet — /api/periphery/workflow-governance/packet
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody-runtime/f33/integration-packet — /api/periphery/brody-runtime/f33/integration-packet
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/periphery/operator/runtime-panel — /api/periphery/operator/runtime-panel
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/operator/runtime-panel.html — /api/periphery/operator/runtime-panel.html
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/demo/runtime-readiness — /api/periphery/demo/runtime-readiness
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/workbench/runtime-connector — /api/periphery/workbench/runtime-connector
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody-runtime/f36/user-scenario — /api/periphery/brody-runtime/f36/user-scenario
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/brody-runtime/f38/multi-domain-scenarios — /api/periphery/brody-runtime/f38/multi-domain-scenarios
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/runtime-wiring/preview — /api/runtime-wiring/preview
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/sigma/domains — /api/sigma/domains
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/evaluate — /api/sigma/evaluate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/bank — /api/sigma/bank
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/trading — /api/sigma/trading
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/ecom — /api/sigma/ecom
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/sigma/gps-defense-aviation — /api/sigma/gps-defense-aviation
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/runtime-wiring/source-runtime/status — /api/runtime-wiring/source-runtime/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/health — /api/health
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/readiness — /api/readiness
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/x108/status — /api/x108/status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/translation/trace — /api/translation/trace
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/worldcalls/gateway-status — /api/worldcalls/gateway-status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/worldcalls/sovereign-tickets — /api/worldcalls/sovereign-tickets
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Preflight

/api/x108/cognitive/shazam — /api/x108/cognitive/shazam
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/cognitive/dominant-trees — /api/x108/cognitive/dominant-trees
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/math/lyapunov — /api/x108/math/lyapunov
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/math/pog — /api/x108/math/pog
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/memory/candidates/read — /api/x108/memory/candidates/read
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/memory/candidates/append — /api/x108/memory/candidates/append
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/math/trust-path — /api/x108/math/trust-path
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/cognitive/regime-classify — /api/x108/cognitive/regime-classify
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/oracle/freshness — /api/x108/oracle/freshness
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/timeverse/sync — /api/x108/timeverse/sync
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/memory/replay/session — /api/x108/memory/replay/session
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/memory/replay/coherence — /api/x108/memory/replay/coherence
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/memory/logs/sealed — /api/x108/memory/logs/sealed
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/x108/readonly-ingress — /api/x108/readonly-ingress
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

unclassified_routes — unclassified_routes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

P45_ROUTE_CAPABILITY_MAP — P45_ROUTE_CAPABILITY_MAP
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

/api/os3/replay/ — /api/os3/replay/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/trees/ — /api/periphery/cognitive/trees/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/cognitive/trees/domain/ — /api/periphery/cognitive/trees/domain/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

/api/periphery/graphiti/freeze-snapshot/ — /api/periphery/graphiti/freeze-snapshot/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/brody_monitoring.py — apps/obsidia_api/routes/brody_monitoring.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/audit.py — apps/obsidia_api/routes/audit.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/blockchain.py — apps/obsidia_api/routes/blockchain.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/brody.py — apps/obsidia_api/routes/brody.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/bus.py — apps/obsidia_api/routes/bus.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/context.py — apps/obsidia_api/routes/context.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/status.py — apps/obsidia_api/routes/status.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/memory.py — apps/obsidia_api/routes/memory.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/os3.py — apps/obsidia_api/routes/os3.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/periphery_ops.py — apps/obsidia_api/routes/periphery_ops.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/os_map.py — apps/obsidia_api/routes/os_map.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/os_trad_ir_reverse.py — apps/obsidia_api/routes/os_trad_ir_reverse.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/runtime_wiring_preview.py — apps/obsidia_api/routes/runtime_wiring_preview.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/source_runtime_status.py — apps/obsidia_api/routes/source_runtime_status.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/sigma_monitoring.py — apps/obsidia_api/routes/sigma_monitoring.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/translation.py — apps/obsidia_api/routes/translation.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/worldcalls.py — apps/obsidia_api/routes/worldcalls.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/x108.py — apps/obsidia_api/routes/x108.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

route_count — route_count
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/dry_run_packet_router.py — runtime_wiring/dry_run_packet_router.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

dry_run_packet_router — dry_run_packet_router
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/source_runtime/capability_path_router.py — runtime_wiring/source_runtime/capability_path_router.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

capability_path_router — capability_path_router
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/source_runtime/route_capability_map.py — runtime_wiring/source_runtime/route_capability_map.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

route_capability_map — route_capability_map
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

runtime_wiring/source_runtime/route_coverage_classifier.py — runtime_wiring/source_runtime/route_coverage_classifier.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

route_coverage_classifier — route_coverage_classifier
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/__init__.py — apps/obsidia_api/routes/__init__.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

CONNECTED_ROUTE_HANDLER — CONNECTED_ROUTE_HANDLER
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/gencoin.py — apps/obsidia_api/routes/gencoin.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/graphiti.py — apps/obsidia_api/routes/graphiti.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/runtime_freeze.py — apps/obsidia_api/routes/runtime_freeze.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

CAPABILITY_ROUTER — CAPABILITY_ROUTER
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

CAPABILITY_ROUTER_RESOLVED — CAPABILITY_ROUTER_RESOLVED
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Preflight

selected_routes — selected_routes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/graphiti/ — /api/graphiti/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

/api/brody/chat. — /api/brody/chat.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests

/api/os-trad/translate — /api/os-trad/translate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/ir/candidate — /api/ir/candidate
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/os-reverse/project — /api/os-reverse/project
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

support_routes — support_routes
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests

P36 — Global Capability Path Router. — P36 — Global Capability Path Router.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

routes_modified — routes_modified
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests

apps/obsidia_api/routes/ — apps/obsidia_api/routes/
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

_warn("F4: CONFIRMED_ARCHITECTURAL — base.update(data) merges correctly for current V1 modules (all module dicts carry correct BOUNDARY). But merge direction is unsafe by design: a future module returning {allowed_to_decide: True} would propagate without resistance. V1 runtime not exploitable via current routes.") — _warn("F4: CONFIRMED_ARCHITECTURAL — base.update(data) merges correctly for current V1 modules (all module dicts carry correct BOUNDARY). But merge direction is unsafe by design: a future module returning {allowed_to_decide: True} would propagate without resistance. V1 runtime not exploitable via current routes.")
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —

Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY? — Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY?
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY? — # Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY?
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

By reading the route handler implementations, F33/F36/F38 call safe_backend_response(result) — By reading the route handler implementations, F33/F36/F38 call safe_backend_response(result)
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

_BOUNDARY is used only by legacy pipeline/governance routes. — _BOUNDARY is used only by legacy pipeline/governance routes.
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

_ok(f"F1: CONFIRMED_LEGACY_ONLY — _BOUNDARY is truncated ({len(ops_keys)} flags vs {len(f32_keys)} in V1 modules), but V1 Brody routes (F33/F36/F38) use full module-level BOUNDARY. Only legacy pipeline/governance routes are affected.") — _ok(f"F1: CONFIRMED_LEGACY_ONLY — _BOUNDARY is truncated ({len(ops_keys)} flags vs {len(f32_keys)} in V1 modules), but V1 Brody routes (F33/F36/F38) use full module-level BOUNDARY. Only legacy pipeline/governance routes are affected.")
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —

docs/runtime/F34B_LIVE_UVICORN_ROUTE_PROOF_20260529_044331.json — docs/runtime/F34B_LIVE_UVICORN_ROUTE_PROOF_20260529_044331.json
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —

runtime_wiring/source_runtime/capability_path_router.py::route_ca pability_path — runtime_wiring/source_runtime/capability_path_router.py::route_ca pability_path
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/os_map.py::os_map_query — apps/obsidia_api/routes/os_map.py::os_map_query
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight

apps/obsidia_api/routes/os_map.py::os_map_status — apps/obsidia_api/routes/os_map.py::os_map_status
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

runtime_wiring/source_runtime/route_capability_map.py::build_rout e_capability_map — runtime_wiring/source_runtime/route_capability_map.py::build_rout e_capability_map
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

apps/obsidia_api/routes/brody.py::brody_chat — apps/obsidia_api/routes/brody.py::brody_chat
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight

/api/test_f65_ — /api/test_f65_
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_brody_ — /api/test_brody_
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

/api/test_brody_authority_escalation_no_act.py — /api/test_brody_authority_escalation_no_act.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_no_memory_write_api.py — /api/test_no_memory_write_api.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_f63_ — /api/test_f63_
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_f72_os_trad_ir_reverse_pipeline_audit.py — /api/test_f72_os_trad_ir_reverse_pipeline_audit.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_brody_chat_readonly.py — /api/test_brody_chat_readonly.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- periphery/brody/brody_language_router.py — - periphery/brody/brody_language_router.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/periphery/monitoring/adapters/gps — /api/periphery/monitoring/adapters/gps
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

- periphery/bdf/double_brain_router.py — - periphery/bdf/double_brain_router.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_brody_source_pack_context_p27.py — /api/test_brody_source_pack_context_p27.py
Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_source_runtime_status_p29.py — /api/test_source_runtime_status_p29.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/runtime-wiring/os-map/query — /api/runtime-wiring/os-map/query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/runtime-wiring/os-map/status — /api/runtime-wiring/os-map/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

P47 — Module & Function → Capability / Route Map. — P47 — Module & Function → Capability / Route Map.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— P36 — Capability Path Router ———————————————————— — —— P36 — Capability Path Router ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— P38 — OS Map Route Handler ———————————————————— — —— P38 — OS Map Route Handler ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

/api/test_route_coverage_os_map_p45.py — /api/test_route_coverage_os_map_p45.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

/api/test_module_function_coverage_os_map_p47.py — /api/test_module_function_coverage_os_map_p47.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —

"tests": ["tests/api/test_route_coverage_os_map_p45.py", "tests/api/test_module_function_coverage_os_map_p47.py"], — "tests": ["tests/api/test_route_coverage_os_map_p45.py", "tests/api/test_module_function_coverage_os_map_p47.py"],

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— P45 — Route Coverage ———————————————————— — —— P45 — Route Coverage ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— Brody Chat — CONNECTED_ROUTE_HANDLER ———————————————————— — —— Brody Chat — CONNECTED_ROUTE_HANDLER ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

/api/test_brody_chat_p44.py — /api/test_brody_chat_p44.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— Blocked Action — Routes ———————————————————— — —— Blocked Action — Routes ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

/api/worldcalls — /api/worldcalls

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

/api/gencoin — /api/gencoin

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests

—— Audit / Memory — CONNECTED_ROUTE_HANDLER ———————————————————— — —— Audit / Memory — CONNECTED_ROUTE_HANDLER ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

—— Dry Run Packet Router ———————————————————— — —— Dry Run Packet Router ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —

Route handlers — Route handlers

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

- apps/obsidia_api/routes/periphery_ops.py ? OK ? parse True ? sha256 c3167e6339f277158870a302332d12de2600d6c3d1bd66a30eebe64f93224b44 — - apps/obsidia_api/routes/periphery_ops.py ? OK ? parse True ? sha256 c3167e6339f277158870a302332d12de2600d6c3d1bd66a30eebe64f93224b44

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? OK ? parse True ? sha256 3ead136586024b5480e148c4b01f4400fdcafb1642d60138284764a81e0a5482 — - apps/obsidia_api/routes/brody_monitoring.py ? OK ? parse True ? sha256 3ead136586024b5480e148c4b01f4400fdcafb1642d60138284764a81e0a5482

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- tests/api/test_brody_tree_policy.py ? OK ? parse True ? sha256 b81fd436bb2f5b297a0afe84aa9b1d47cc4df353c8a8b811baa0d7e5c1db9841 — - tests/api/test_brody_tree_policy.py ? OK ? parse True ? sha256 b81fd436bb2f5b297a0afe84aa9b1d47cc4df353c8a8b811baa0d7e5c1db9841

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

/api/test_brody_tree_policy.py — /api/test_brody_tree_policy.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Routes detected — Routes detected

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/run') ? periphery_pipeline_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/run') ? periphery_pipeline_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/data-gate') ? periphery_data_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/data-gate') ? periphery_data_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/provenance-gate') ? periphery_provenance_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/provenance-gate') ? periphery_provenance_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/memory-governor') ? periphery_memory_governor — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/memory-governor') ? periphery_memory_governor

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/eml-compression') ? periphery_eml_compression — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/eml-compression') ? periphery_eml_compression

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/energy-thermo') ? periphery_energy_thermo — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/energy-thermo') ? periphery_energy_thermo

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/ocs-generation') ? periphery_ocs_generation — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/ocs-generation') ? periphery_ocs_generation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/operational-constance') ? periphery_operational_constance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/operational-constance') ? periphery_operational_constance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/permission-economic') ? periphery_permission_economic — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/permission-economic') ? periphery_permission_economic

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/validate-candidate') ? periphery_validate_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/validate-candidate') ? periphery_validate_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/merge') ? periphery_merge — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/merge') ? periphery_merge

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/pipeline/constants') ? periphery_constants — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/pipeline/constants') ? periphery_constants

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/partition-gate') ? periphery_partition_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/partition-gate') ? periphery_partition_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/agents') ? periphery_list_agents — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/agents') ? periphery_list_agents

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-run') ? periphery_agent_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-run') ? periphery_agent_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-spec-check') ? periphery_agent_spec_check — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-spec-check') ? periphery_agent_spec_check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/lifecycle') ? periphery_lifecycle — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/lifecycle') ? periphery_lifecycle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/sequence-govern') ? periphery_sequence_govern — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/sequence-govern') ? periphery_sequence_govern

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/workflow-guard') ? periphery_workflow_guard — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/workflow-guard') ? periphery_workflow_guard

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/benchmarks') ? periphery_benchmarks — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/benchmarks') ? periphery_benchmarks

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/failure-classify') ? periphery_failure_classify — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/failure-classify') ? periphery_failure_classify

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/failure-codes') ? periphery_failure_codes — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/failure-codes') ? periphery_failure_codes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees') ? periphery_trees_all — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees') ? periphery_trees_all

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/{tree_id}') ? periphery_tree_by_id — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/{tree_id}') ? periphery_tree_by_id

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/domain/{domain}') ? periphery_trees_by_domain — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/domain/{domain}') ? periphery_trees_by_domain

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/memory-world-map') ? periphery_memory_world_map — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/memory-world-map') ? periphery_memory_world_map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/tree-signal') ? periphery_tree_signal — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/tree-signal') ? periphery_tree_signal

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/build') ? periphery_context_build — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/build') ? periphery_context_build

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/sanitize') ? periphery_context_sanitize — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/sanitize') ? periphery_context_sanitize

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/validate') ? periphery_context_validate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/validate') ? periphery_context_validate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/export') ? periphery_context_export — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/export') ? periphery_context_export

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/ingress') ? periphery_context_ingress — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/ingress') ? periphery_context_ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/avdr-phase') ? periphery_avdr_phase — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/avdr-phase') ? periphery_avdr_phase

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/regime-state') ? periphery_regime_state — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/regime-state') ? periphery_regime_state

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/passfail') ? periphery_passfail — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/passfail') ? periphery_passfail

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/consciousness-regime') ? periphery_consciousness_regime — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/consciousness-regime') ? periphery_consciousness_regime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/collective-summary') ? periphery_collective_summary — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/collective-summary') ? periphery_collective_summary

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/state-packet') ? periphery_interface_state — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/state-packet') ? periphery_interface_state

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/log-event') ? periphery_interface_log_event — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/log-event') ? periphery_interface_log_event

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/workbench-check') ? periphery_workbench_check — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/workbench-check') ? periphery_workbench_check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/view-contracts') ? periphery_view_contracts — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/view-contracts') ? periphery_view_contracts

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/mcp-access') ? periphery_mcp_access — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/mcp-access') ? periphery_mcp_access

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-gate') ? periphery_bias_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-gate') ? periphery_bias_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-trace') ? periphery_bias_trace — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-trace') ? periphery_bias_trace

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/classify-source') ? periphery_classify_source — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/classify-source') ? periphery_classify_source

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/hash') ? periphery_hash — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/hash') ? periphery_hash

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/document') ? periphery_ingest_document — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/document') ? periphery_ingest_document

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/ingestion/memory-sources') ? periphery_memory_sources — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/ingestion/memory-sources') ? periphery_memory_sources

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/ticket') ? periphery_os3_ticket — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/ticket') ? periphery_os3_ticket

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/manifest') ? periphery_os3_manifest — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/manifest') ? periphery_os3_manifest

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-compare') ? periphery_replay_compare — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-compare') ? periphery_replay_compare

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/world-action-readiness') ? periphery_world_action_readiness — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/world-action-readiness') ? periphery_world_action_readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-run') ? periphery_replay_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-run') ? periphery_replay_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/score') ? periphery_education_score — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/score') ? periphery_education_score

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/audience') ? periphery_audience_projection — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/audience') ? periphery_audience_projection

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/format') ? periphery_format_projection — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/format') ? periphery_format_projection

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/context-query') ? periphery_brody_context_query — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/context-query') ? periphery_brody_context_query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/language-route') ? periphery_brody_language_route — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/language-route') ? periphery_brody_language_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/double-brain-route') ? periphery_double_brain_route — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/double-brain-route') ? periphery_double_brain_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/diffusion-mix') ? periphery_diffusion_mix — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/diffusion-mix') ? periphery_diffusion_mix

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/graphiti/freeze-snapshot/{snapshot_id}') ? periphery_freeze_snapshot — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/graphiti/freeze-snapshot/{snapshot_id}') ? periphery_freeze_snapshot

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/graphiti/context-adapt') ? periphery_graphiti_context_adapt — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/graphiti/context-adapt') ? periphery_graphiti_context_adapt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/candidate') ? periphery_feedback_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/candidate') ? periphery_feedback_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/bridge-candidate') ? periphery_bridge_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/bridge-candidate') ? periphery_bridge_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/sigma/evaluate') ? sigma_evaluate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/sigma/evaluate') ? sigma_evaluate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/operator/governed-runtime') ? periphery_governed_operator_runtime — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/operator/governed-runtime') ? periphery_governed_operator_runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/workflow-governance/packet') ? workflow_governance_packet — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/workflow-governance/packet') ? workflow_governance_packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f33/integration-packet') ? f33_brody_runtime_entrypoint — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f33/integration-packet') ? f33_brody_runtime_entrypoint

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel') ? f35_operator_runtime_panel_data — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel') ? f35_operator_runtime_panel_data

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel.html', response_class=HTMLResponse) ? f35_operator_runtime_panel_html — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel.html', response_class=HTMLResponse) ? f35_operator_runtime_panel_html

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/demo/runtime-readiness') ? f35_investor_demo_runtime_readiness — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/demo/runtime-readiness') ? f35_investor_demo_runtime_readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/workbench/runtime-connector') ? f35_workbench_runtime_connector — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/workbench/runtime-connector') ? f35_workbench_runtime_connector

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f36/user-scenario') ? f36_user_scenario_controlled_response — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f36/user-scenario') ? f36_user_scenario_controlled_response

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f38/multi-domain-scenarios') ? f38_multi_domain_scenarios — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f38/multi-domain-scenarios') ? f38_multi_domain_scenarios

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.get('/brody-cli-registry') ? brody_cli_registry — - apps/obsidia_api/routes/brody_monitoring.py ? router.get('/brody-cli-registry') ? brody_cli_registry

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/bank') ? monitor_bank — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/bank') ? monitor_bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/gps') ? monitor_gps — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/gps') ? monitor_gps

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/trading') ? monitor_trading — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/trading') ? monitor_trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/ltcu-plus') ? monitor_ltcu — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/ltcu-plus') ? monitor_ltcu

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/transition-map') ? monitor_transition — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/transition-map') ? monitor_transition

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-trace-analyze') ? monitor_brody_trace_analyze — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-trace-analyze') ? monitor_brody_trace_analyze

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-historical-convergence') ? monitor_brody_historical_convergence — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-historical-convergence') ? monitor_brody_historical_convergence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/operator/governed-runtime') ? monitor_governed_runtime — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/operator/governed-runtime') ? monitor_governed_runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- TREE_SURFACE_WITHOUT_READONLY_WORD_REVIEW_REQUIRED ? tests/api/test_brody_tree_policy.py — - TREE_SURFACE_WITHOUT_READONLY_WORD_REVIEW_REQUIRED ? tests/api/test_brody_tree_policy.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

brody_rights_authority_matrix.py + brody_semantic_query_router.py — brody_rights_authority_matrix.py + brody_semantic_query_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Rights matrix classifies requests. Semantic router maps topics. Combined: structured inference without decision. — Rights matrix classifies requests. Semantic router maps topics. Combined: structured inference without decision.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

"covered_by_module": "brody_rights_authority_matrix.py + brody_semantic_query_router.py", — "covered_by_module": "brody_rights_authority_matrix.py + brody_semantic_query_router.py",

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

****Fallback rule:** If a module is not available, the API route returns source="BACKEND_STUB" with a minimal but honest response. Never claim REAL_BACKEND when using stubs. — **Fallback rule:** If a module is not available, the API route returns source="BACKEND_STUB" with a minimal but honest response. Never claim REAL_BACKEND when using stubs.**

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

API-Ready Routes — API-Ready Routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

**\ — Route **

Statut source: Real Module Available \ | Verdict: Status \ | Domaines: \ | Runtime autre: Route \

/api/memory — /api/memory

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight

**\ — Module **

Statut source: Function \ | Verdict: Route \ | Domaines: \ | Runtime autre: Module \

Source Labels per Route — Source Labels per Route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

**\ — brody_language_router.route_brody_language() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Routes by language \ | Domaines: \ | Runtime autre: brody_language_router.route_brody_language() \

**\ — language_router.detect_language() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Detects FR/EN \ | Domaines: \ | Runtime autre: language_router.detect_language() \

**\ — language_router.has_authority_claim() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Detects authority escalation \ | Domaines: \ | Runtime autre: language_router.has_authority_claim() \

- runtime_wiring/source_runtime/capability_path_router.py — P36 router — - runtime_wiring/source_runtime/capability_path_router.py — P36 router

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- runtime_wiring/source_runtime/route_capability_map.py — P45 route map — - runtime_wiring/source_runtime/route_capability_map.py — P45 route map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- runtime_wiring/source_runtime/route_coverage_classifier.py — P45 classifier — - runtime_wiring/source_runtime/route_coverage_classifier.py — P45 classifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CONNECTED_ROUTE_HANDLER (12 modules) — CONNECTED_ROUTE_HANDLER (12 modules)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

CONNECTED_ROUTE_HANDLER (12 modules) — ### CONNECTED_ROUTE_HANDLER (12 modules)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/os_map.py — P38/P45/P46/P47 OS Map — - apps/obsidia_api/routes/os_map.py — P38/P45/P46/P47 OS Map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/brody.py — chat Brody — - apps/obsidia_api/routes/brody.py — chat Brody

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/audit.py — audit events — - apps/obsidia_api/routes/audit.py — audit events

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/memory.py — memory candidates — - apps/obsidia_api/routes/memory.py — memory candidates

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/context.py — context packets — - apps/obsidia_api/routes/context.py — context packets

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/translation.py — OS Trad — - apps/obsidia_api/routes/translation.py — OS Trad

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

- apps/obsidia_api/routes/os_trad_ir_reverse.py — IR/Reverse — - apps/obsidia_api/routes/os_trad_ir_reverse.py — IR/Reverse

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

3.x — ITEM_BOUND_DOMAIN_ONLY (0)

3.x — ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (204)

"/api/periphery/gencoin/balance": { — "/api/periphery/gencoin/balance": {

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"function": "periphery_balance", — "function": "periphery_balance",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"path": "/api/periphery/gencoin/balance", — "path": "/api/periphery/gencoin/balance",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Tests — brody_balance_engine V3 Block 1 — Tests — brody_balance_engine V3 Block 1

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

11 balances, coordinator, no decision, no ACT, HOLD correctement déclenché. — 11 balances, coordinator, no decision, no ACT, HOLD correctement déclenché.

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

_ENGINE = BrodyBalanceEngine() — _ENGINE = BrodyBalanceEngine()
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

return _ENGINE.compute_balances(msg, mc) — return _ENGINE.compute_balances(msg, mc)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-01 : 11 balances présentes ———————————————————————— — —— T-BAL-01 : 11 balances présentes ————————————————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-01 : 11 balances présentes ———————————————————————— — # —— T-BAL-01 : 11 balances présentes ————————————————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

EXPECTED_BALANCES = [— EXPECTED_BALANCES = [
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

"balance_reversibilite", "balance_risque", "balance_exponentielle", — "balance_reversibilite", "balance_risque", "balance_exponentielle",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

"balance_coherence", "balance_energy_cost", "balance_bio_terrain", — "balance_coherence", "balance_energy_cost", "balance_bio_terrain",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

"balance_memoire", "balance_causale", "balance_signal_faible", — "balance_memoire", "balance_causale", "balance_signal_faible",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

"balance_symbolique", "balance_projection", — "balance_symbolique", "balance_projection",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_11_balances_present(): — def test_11_balances_present():
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

bals = result["balances"] — bals = result["balances"]
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

for name in EXPECTED_BALANCES: — for name in EXPECTED_BALANCES:
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

assert name in bals, f"Balance manquante: {name}" — assert name in bals, f"Balance manquante: {name}"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-02 : Aucune balance ne décide ———————————————————————— — —— T-BAL-02 : Aucune balance ne décide ————————————————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-02 : Aucune balance ne décide ———————————————————————— — # —— T-BAL-02 : Aucune balance ne décide ————————————————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_no_balance_decides(): — def test_no_balance_decides():
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

rev = result["balances"]["balance_reversibilite"] — rev = result["balances"]["balance_reversibilite"]
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid —— — —— T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ——
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid —— — # —— T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ——
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_adversarial_balance_exponentielle(): — def test_adversarial_balance_exponentielle():
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

exp = result["balances"]["balance_exponentielle"] — exp = result["balances"]["balance_exponentielle"]
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-08 : balance_memoire haute sur prompt mémoire ———————————— — —— T-BAL-08 : balance_memoire haute sur prompt mémoire ————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-08 : balance_memoire haute sur prompt mémoire ———————————— — # —— T-BAL-08 : balance_memoire haute sur prompt mémoire ————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_balance_memoire_high_on_memory_query(): — def test_balance_memoire_high_on_memory_query():
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

mem_bal = result["balances"]["balance_memoire"] — mem_bal = result["balances"]["balance_memoire"]
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-09 : balance_causale haute sur prompt causal ———————————— — —— T-BAL-09 : balance_causale haute sur prompt causal ————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T-BAL-09 : balance_causale haute sur prompt causal ———————————— — # —— T-BAL-09 : balance_causale haute sur prompt causal ————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_balance_causale_high(): — def test_balance_causale_high():
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

caus = result["balances"]["balance_causale"] — caus = result["balances"]["balance_causale"]
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

EXPECTED_BALANCES — EXPECTED_BALANCES
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_reversibilite — balance_reversibilite
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_risque — balance_risque
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_exponentielle — balance_exponentielle
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_coherence — balance_coherence
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_energy_cost — balance_energy_cost
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_bio_terrain — balance_bio_terrain
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_memoire — balance_memoire
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_causale — balance_causale
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_signal_faible — balance_signal_faible
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_symbolique — balance_symbolique
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

balance_projection — balance_projection
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

result = compute_balance("x", utility=1.0, coherence=1.0, stability=1.0, cost=0.0, risk=0.0) — result = compute_balance("x", utility=1.0, coherence=1.0, stability=1.0, cost=0.0, risk=0.0)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

assert result.balance_score >= 0.8 — assert result.balance_score >= 0.8
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

result = compute_balance("x", utility=0.1, coherence=0.1, stability=0.1, cost=0.9, risk=0.9) — result = compute_balance("x", utility=0.1, coherence=0.1, stability=0.1, cost=0.9, risk=0.9)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

assert 0.0 <= result.balance_score <= 1.0 — assert 0.0 <= result.balance_score <= 1.0
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

result = compute_balance("x", utility=0.7, coherence=0.6, stability=0.6, cost=0.3, risk=0.3) — result = compute_balance("x", utility=0.7, coherence=0.6, stability=0.6, cost=0.3, risk=0.3)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

"name": "Balance exponentielle", — "name": "Balance exponentielle",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Graphiti

"summary": "CANON_GUARDIAN verifies name collisions for Balance exponentielle." — "summary": "CANON_GUARDIAN verifies name collisions for Balance exponentielle."
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Graphiti

balances, — balances,
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

graphiti_v20_readonly_client added to candidate_modules and path template modules — graphiti_v20_readonly_client added to candidate_modules and path template modules
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"change": "graphiti_v20_readonly_client added to candidate_modules and path template modules", — "change": "graphiti_v20_readonly_client added to candidate_modules and path template modules",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"after_modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"], — "after_modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"],
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "runtime_wiring/engine_bridge/readonly_engine_bridge.py", — "module_path": "runtime_wiring/engine_bridge/readonly_engine_bridge.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "runtime_wiring/source_runtime/readonly_content_loader.py", — "module_path": "runtime_wiring/source_runtime/readonly_content_loader.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/brody_readonly_intent_guard.py", — "module_path": "apps/obsidia_api/brody_readonly_intent_guard.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/graphiti_v20_readonly_client.py", — "module_path": "apps/obsidia_api/graphiti_v20_readonly_client.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

CONNECTED_READONLY_PREVIEW — CONNECTED_READONLY_PREVIEW
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

brody_context_readonly — brody_context_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

Brody context (READONLY_CONTEXT mode) — Brody context (READONLY_CONTEXT mode)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY — Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

os_map_readonly — os_map_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

OS Map endpoint (status + query, readonly) — OS Map endpoint (status + query, readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

readonly_content_loader + source_hydration_planner: no file write — readonly_content_loader + source_hydration_planner: no file write
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

atlas_context_readonly — atlas_context_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

ATLAS context packet (readonly) — ATLAS context packet (readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

os_trad_reverse_readonly — os_trad_reverse_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

OS_TRAD reverse / interlanguage index (readonly) — OS_TRAD reverse / interlanguage index (readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

graphiti_readonly_client — graphiti_readonly_client
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

Graphiti readonly client (context read, no graph write) — Graphiti readonly client (context read, no graph write)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

workbench_views_readonly — workbench_views_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Workbench views (13 views, readonly display) — Workbench views (13 views, readonly display)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway — STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Cognitive context packet (readonly) — Cognitive context packet (readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

NPL context packet (readonly) — NPL context packet (readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Compliance / RSSI context packets (readonly) — Compliance / RSSI context packets (readonly)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

capability_path_router_readonly — capability_path_router_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Capability path router (P36/P37, readonly routing) — Capability path router (P36/P37, readonly routing)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Routes classified CONNECTED_READONLY allow dry-run invocation for testing — Routes classified CONNECTED_READONLY allow dry-run invocation for testing
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

no_act_in_level_1 — no_act_in_level_1
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

P51_BRODY_READONLY_ACTIVATION_MAP — P51_BRODY_READONLY_ACTIVATION_MAP
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

Graphiti V20 readonly HTTP client (ObsidiaShell gateway 8011) — Graphiti V20 readonly HTTP client (ObsidiaShell gateway 8011)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

graphiti_write=False, neo4j_write=False, emits_act=False in _readonly_envelope — graphiti_write=False, neo4j_write=False, emits_act=False in _readonly_envelope
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Routes already wired to graphiti_v20_readonly_client — Routes already wired to graphiti_v20_readonly_client
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Brody project memory snapshot adapter (readonly read) — Brody project memory snapshot adapter (readonly read)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Brody session memory adapter (readonly read) — Brody session memory adapter (readonly read)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

P52_GRAPHITI_MEMORY_READONLY_ACTIVATION_MAP — P52_GRAPHITI_MEMORY_READONLY_ACTIVATION_MAP
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

P51_BRODY_READONLY_ACTIVATION + d1dcbbf + e9e43e4 — P51_BRODY_READONLY_ACTIVATION + d1dcbbf + e9e43e4
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

LEVEL_1_READONLY_ACTIVE_CANDIDATE for Graphiti + Memory — LEVEL_1_READONLY_ACTIVE_CANDIDATE for Graphiti + Memory
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

graphiti_readonly_records_v2_jsonl — graphiti_readonly_records_v2_jsonl
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

P52_GRAPHITI_MEMORY_READONLY_ACTIVATION — P52_GRAPHITI_MEMORY_READONLY_ACTIVATION
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

LEVEL_1_READONLY_ACTIVE — Brody answers only — LEVEL_1_READONLY_ACTIVE — Brody answers only
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

LEVEL_1_READONLY_ACTIVE — read only, write blocked — LEVEL_1_READONLY_ACTIVE — read only, write blocked
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

── T-BAL-03 : DECISION_AUTHORITY=KX108_ONLY ──────────────────────────── — ── T-BAL-03 : DECISION_AUTHORITY=KX108_ONLY ────────────────────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_no_action_module_runtime_allowed(coverage_map): — def test_no_action_module_runtime_allowed(coverage_map):
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_no_action_module_emits_act(coverage_map): — def test_no_action_module_emits_act(coverage_map):
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── Test 16 : decision_authority=KX108_ONLY partout ──────────────────── — ── Test 16 : decision_authority=KX108_ONLY partout ────────────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── T9 : DECISION_AUTHORITY=KX108_ONLY not overridden ──────────────────── — ── T9 : DECISION_AUTHORITY=KX108_ONLY not overridden ────────────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

- ObsidiaShell 8011 : UP — Graphiti V20 frozen readonly □ — - ObsidiaShell 8011 : UP — Graphiti V20 frozen readonly □
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

_interlanguage_can_act=false, _interlanguage_can_decide=false, IR_ALPHABET included, evidence_pack=REVERSE_OS_INTERLANGUAGE_CANON_V1 — _interlanguage_can_act=false, _interlanguage_can_decide=false, IR_ALPHABET included, evidence_pack=REVERSE_OS_INTERLANGUAGE_CANON_V1
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Unsafe mutation (no freeze-guardian check) — Unsafe mutation (no freeze-guardian check)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Any edit bypassing freeze-guardian is permanently locked — Any edit bypassing freeze-guardian is permanently locked
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Any tracked file mutation goes through freeze-guardian and risk-reviewer — Any tracked file mutation goes through freeze-guardian and risk-reviewer
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

_CANON_SPEC — _CANON_SPEC
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

EXPECTED_CANON_SHA256 — EXPECTED_CANON_SHA256
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

CANONICAL_SERVERS_REFRESH_AUDIT — CANONICAL_SERVERS_REFRESH_AUDIT
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

CANON_SPEC — CANON_SPEC
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

/api/adapters/bank — /api/adapters/bank
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/adapters/gps — /api/adapters/gps
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/adapters/trading — /api/adapters/trading
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/brody_domain_raccord_adapter.py", — "module_path": "apps/obsidia_api/brody_domain_raccord_adapter.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

—— T7 : no metadata at all, trading ALLOW+REVIEW → HOLD (fail-safe) ———————— — —— T7 : no metadata at all, trading ALLOW+REVIEW → HOLD (fail-safe) ————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

—— T11 : non-trading domain not demoted ———————————————————————— — —— T11 : non-trading domain not demoted ————————————————————————
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

router_templates_total — router_templates_total
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

routes_in_templates — routes_in_templates
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

router_templates — router_templates
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

still_unconnected_routes_count — still_unconnected_routes_count
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

still_unconnected_routes_notable — still_unconnected_routes_notable
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/x108/* (14 routes) — /api/x108/* (14 routes)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/os3/* (7 routes) — /api/os3/* (7 routes)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/memory/* (6 routes) — /api/memory/* (6 routes)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/periphery/governance/* (10 routes) — /api/periphery/governance/* (10 routes)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Bind brody_semantic_query_router to SEMANTIC_ROUTING capability — Bind brody_semantic_query_router to SEMANTIC_ROUTING capability
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Add X108_COGNITIVE capability for /api/x108/cognitive/* routes — Add X108_COGNITIVE capability for /api/x108/cognitive/* routes
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Add OS3_AUDIT capability for /api/os3/* routes — Add OS3_AUDIT capability for /api/os3/* routes
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Add MEMORY_CANDIDATE capability for /api/memory/* routes — Add MEMORY_CANDIDATE capability for /api/memory/* routes
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/brody-cli-registry — /api/brody-cli-registry
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/adapters/bank — /api/adapters/bank
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/adapters/gps — /api/adapters/gps
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/adapters/trading — /api/adapters/trading
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/hexaflux/ltcu-plus — /api/hexaflux/ltcu-plus
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/hexaflux/transition-map — /api/hexaflux/transition-map
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/brody-trace-analyze — /api/brody-trace-analyze
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/brody-historical-convergence — /api/brody-historical-convergence
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/bus/bus/stats — /api/bus/bus/stats
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

/api/bus/bus/bridge — /api/bus/bus/bridge
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

P45_FULL_ROUTE_COVERAGE_MAP — P45_FULL_ROUTE_COVERAGE_MAP
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

"/api/periphery/gencoin/balance": { — "/api/periphery/gencoin/balance": {
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/brody_monitoring.py", — "module_path": "apps/obsidia_api/routes/brody_monitoring.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/audit.py", — "module_path": "apps/obsidia_api/routes/audit.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/blockchain.py", — "module_path": "apps/obsidia_api/routes/blockchain.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

"module_path": "apps/obsidia_api/routes/brody.py", — "module_path": "apps/obsidia_api/routes/brody.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/bus.py", — "module_path": "apps/obsidia_api/routes/bus.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/context.py", — "module_path": "apps/obsidia_api/routes/context.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/status.py", — "module_path": "apps/obsidia_api/routes/status.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/memory.py", — "module_path": "apps/obsidia_api/routes/memory.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/os3.py", — "module_path": "apps/obsidia_api/routes/os3.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/periphery_ops.py", — "module_path": "apps/obsidia_api/routes/periphery_ops.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"path": "/api/periphery/gencoin/balance", — "path": "/api/periphery/gencoin/balance",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/os_map.py", — "module_path": "apps/obsidia_api/routes/os_map.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

"module_path": "apps/obsidia_api/routes/os_trad_ir_reverse.py", — "module_path": "apps/obsidia_api/routes/os_trad_ir_reverse.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/runtime_wiring_preview.py", — "module_path": "apps/obsidia_api/routes/runtime_wiring_preview.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/source_runtime_status.py", — "module_path": "apps/obsidia_api/routes/source_runtime_status.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/sigma_monitoring.py", — "module_path": "apps/obsidia_api/routes/sigma_monitoring.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/translation.py", — "module_path": "apps/obsidia_api/routes/translation.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/worldcalls.py", — "module_path": "apps/obsidia_api/routes/worldcalls.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/x108.py", — "module_path": "apps/obsidia_api/routes/x108.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

routes_total — routes_total
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

"module_path": "runtime_wiring/dry_run_packet_router.py", — "module_path": "runtime_wiring/dry_run_packet_router.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "runtime_wiring/source_runtime/capability_path_router.py", — "module_path": "runtime_wiring/source_runtime/capability_path_router.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight

"module_path": "runtime_wiring/source_runtime/route_capability_map.py", — "module_path": "runtime_wiring/source_runtime/route_capability_map.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "runtime_wiring/source_runtime/route_coverage_classifier.py", — "module_path": "runtime_wiring/source_runtime/route_coverage_classifier.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/__init__.py", — "module_path": "apps/obsidia_api/routes/__init__.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/gencoin.py", — "module_path": "apps/obsidia_api/routes/gencoin.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/graphiti.py", — "module_path": "apps/obsidia_api/routes/graphiti.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/routes/runtime_freeze.py", — "module_path": "apps/obsidia_api/routes/runtime_freeze.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module_path": "apps/obsidia_api/brody_semantic_query_router.py", — "module_path": "apps/obsidia_api/brody_semantic_query_router.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Dispatcher: routes SourceFileRegistryEntry to correct adapter via _ADAPTER_DISPATCH table. Never reads zip content. Raises ValueError on FORBIDDEN entries. — Dispatcher: routes SourceFileRegistryEntry to correct adapter via _ADAPTER_DISPATCH table. Never reads zip content. Raises ValueError on FORBIDDEN entries.
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY — Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

147 routes 100% classified; os-map/status and os-map/query emit no ACT — 147 routes 100% classified; os-map/status and os-map/query emit no ACT
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

route_status_endpoints — route_status_endpoints
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Route status / readiness / metrics endpoints — Route status / readiness / metrics endpoints
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway — STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

capability_path_router_readonly — capability_path_router_readonly
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Capability path router (P36/P37, readonly routing) — Capability path router (P36/P37, readonly routing)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

route_capability_path + link_capabilities_to_inventory: no side effects — route_capability_path + link_capabilities_to_inventory: no side effects
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

simulation_routes — simulation_routes
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Simulation / preview routes (dry path evaluation) — Simulation / preview routes (dry path evaluation)
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Routes classified CONNECTED_READONLY allow dry-run invocation for testing — Routes classified CONNECTED_READONLY allow dry-run invocation for testing
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

brody_chat_route — brody_chat_route
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Routes already wired to graphiti_v20_readonly_client — Routes already wired to graphiti_v20_readonly_client
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

Memory routes operational, REAL_MODULE confirmed — Memory routes operational, REAL_MODULE confirmed
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"reason": "Memory routes operational, REAL_MODULE confirmed" — "reason": "Memory routes operational, REAL_MODULE confirmed"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

"module": "apps/obsidia_api/routes/memory.py", — "module": "apps/obsidia_api/routes/memory.py",
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

KEY_CAPABILITY_MODULE = "runtime_wiring/source_runtime/capability_path_router.py" — KEY_CAPABILITY_MODULE = "runtime_wiring/source_runtime/capability_path_router.py"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

OS_MAP_MODULE = "apps/obsidia_api/routes/os_map.py" — OS_MAP_MODULE = "apps/obsidia_api/routes/os_map.py"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── Test 8 : capability_path_router est CONNECTED_CAPABILITY ──────────── — ── Test 8 : capability_path_router est CONNECTED_CAPABILITY ────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_capability_path_router_module_classification(coverage_map): — def test_capability_path_router_module_classification(coverage_map):
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── Test 9 : route_capability_path est CONNECTED_CAPABILITY ──────────── — ── Test 9 : route_capability_path est CONNECTED_CAPABILITY ────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── Test 10 : os_map.py est CONNECTED_ROUTE_HANDLER ──────────────────── — ── Test 10 : os_map.py est CONNECTED_ROUTE_HANDLER ────────────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

def test_os_map_module_is_route_handler(coverage_map): — def test_os_map_module_is_route_handler(coverage_map):
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

f"{OS_MAP_MODULE} must be CONNECTED_ROUTE_HANDLER, got '{status}'" — f"{OS_MAP_MODULE} must be CONNECTED_ROUTE_HANDLER, got '{status}'"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

── Test 11 : route handlers P45 sont classés ──────────────────────── — ── Test 11 : route handlers P45 sont classés ────────────────────────
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

m = {"module_path": "runtime_wiring/source_runtime/capability_path_router.py", "risk_flags": []} — m = {"module_path": "runtime_wiring/source_runtime/capability_path_router.py", "risk_flags": []}
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

m = {"module_path": "apps/obsidia_api/routes/blockchain.py", "risk_flags": []} — m = {"module_path": "apps/obsidia_api/routes/blockchain.py", "risk_flags": []}
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

m = {"module_path": "apps/obsidia_api/routes/os_map.py", "risk_flags": []} — m = {"module_path": "apps/obsidia_api/routes/os_map.py", "risk_flags": []}
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

assert classify_module(m) == "CONNECTED_ROUTE_HANDLER" — assert classify_module(m) == "CONNECTED_ROUTE_HANDLER"
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

- Port 8000 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □ — - Port 8000 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

- Port 8012 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □ — - Port 8012 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight

resp = client.post("/api/brody/chat", json={"message": "quels arbres sont activés"}) — resp = client.post("/api/brody/chat", json={"message": "quels arbres sont activés"})
Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

3.x — ITEM_REFERENCE_ONLY_NOT_BOUND (3316)

#8 — REPO_HISTORIAN
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#9 — VERSION_COMPARATOR
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#10 — CARTOGRAPHE_PREUVES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#12 — GENERATEUR_TESTS_ADVERSARIAUX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#14 — ASSISTANT_THEORIQUE_DOCUMENTAIRE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#15 — MEMOIRE_PERSONNELLE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#16 — FREEZE_MASTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#18 — HISTORIEN_DECISIONS
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#20 — CONTRADICTION_HUNTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#21 — THEORIE_VIVANTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#22 — RECHERCHE_EXTERNE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#23 — ANALYSTE_LOGS_EXPERIMENTAUX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#24 — EVIDENCE_BOARD_BUILDER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#25 — AUDIT_LOCAL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#26 — DATA_SOVEREIGNTY_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#27 — SECURITY_FIREWALL_ARCHITECT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#28 — POLICY_FIREWALL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#29 — RUNTIME_ATTESTATION_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#30 — SUPPLY_CHAIN_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#31 — SECRET_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#32 — FIELD_POC_MAPPER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#33 — PITCH_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#35 — SIMULATEUR_REUNION
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#36 — MONETISATION_PACKAGING
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#37 — FRISE_HUMAINE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#39 — HUMAN_HISTORY_MAPPER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#42 — GRAND_CARTOGRAPHE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#43 — ONTOLOGUE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#44 — CARTOGRAPHE_COUCHES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#46 — CARTOGRAPHE_FORMULES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#47 — CARTOGRAPHE_DOMAINES_TERRAIN
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#48 — CARTOGRAPHE_AGI_VISION_HAUTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#49 — COLLISION_DETECTOR
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#51 — ENERGIE_PRIORITE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#52 — EXTRACTEUR_MATIERE_BRUTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_04 — Arbre du Sens
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_05 — Arbre de l'Identite
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_06 — Arbre de la Comprehension
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_07 — Arbre de l'Organisation
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_08 — Arbre de la Pensee
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_12 — Arbre de la Technique
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_13 — Arbre de l'Art
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_14 — Arbre de la Philosophie
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_15 — Arbre de la Spiritualite
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_16 — Arbre de la Relation
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_17 — Arbre du Collectif
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_18 — Arbre de la Transmission
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_22 — Arbre de la Transformation
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_29 — Arbre de la Finalite
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_32 — Arbre des Connexions
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_34 — Arbre de la Stabilite
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F2C7E218018_11_EXTENSION__BALANCE.md — 0F2C7E218018_11_EXTENSION__BALANCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F2C7E218018_BALANCE.md — 0F2C7E218018_BALANCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md — 1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_ Balance_structure_chaos.md — 5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_ Balance_structure_chaos.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_str ucture_chaos.md — 5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_str ucture_chaos.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_struc ture_chaos.md — 05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_struc ture_chaos.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\05_GARDIENS_T\05_GARDIEN_T05__Gardien_de_fond__Evolutio n_Systemes_Balance_structure_chaos.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\05_GARDIENS_T\05_GARDIEN_T05__Gardien_de_fond__Evolutio n_Systemes_Balance_structure_chaos.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11_EXTENSION__BALANCE.md — 11_EXTENSION__BALANCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__BALANCE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0F2C7E218018_11_EXTENSION__BALANCE.md", — "title": "0F2C7E218018_11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0F2C7E218018_BALANCE.md", — "title": "0F2C7E218018_BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , — "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" ,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes _Balance_structure_chaos.md", — "title": "5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes _Balance_structure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_st ructure_chaos.md", — "title": "5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_st ructure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_stru cture_chaos.md", — "title": "05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_stru cture_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\05_GARDIENS_T\\05_GARDIEN_T05__Gardien_de_fo nd__Evolution_Systemes_Balance_structure_chaos.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\05_GARDIENS_T\\05_GARDIEN_T05__Gardien_de_fo nd__Evolution_Systemes_Balance_structure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "11_EXTENSION__BALANCE.md", — "title": "11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\11_EXTENSIONS\\11_EXTENSION__BALANCE.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\11_EXTENSIONS\\11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2. Balance engine — 2. Balance engine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2. Balance engine — # 2. Balance engine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_s21 = t("balance_engine_sec21", BrodyBalanceEngine().compute_balances, MSG_SEC21, mc_s21) — bal_s21 = t("balance_engine_sec21", BrodyBalanceEngine().compute_balances, MSG_SEC21, mc_s21)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02) — bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

print(f"IMPORT_ERR balance_engine: {e}") — print(f"IMPORT_ERR balance_engine: {e}")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_s21, graphiti_allowed=False, is_adversarial=False, — balance_output=bal_s21, graphiti_allowed=False, is_adversarial=False,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_s21, point_cloud=pc_s21, graphiti_guard={}, context_budget={}) — balance_output=bal_s21, point_cloud=pc_s21, graphiti_guard={}, context_budget={})

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_c02, point_cloud=pc_c02, graphiti_guard={}, context_budget={}) — balance_output=bal_c02, point_cloud=pc_c02, graphiti_guard={}, context_budget={})

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"05_BALANCE_BUV","specs/05_BALANCE_BUV_GEOMETRIES local","9","LOCAL_SPEC_PREFREEZE","KEEP_SPEC","BUV / balance" — "05_BALANCE_BUV","specs/05_BALANCE_BUV_GEOMETRIES local","9","LOCAL_SPEC_PREFREEZE","KEEP_SPEC","BUV / balance"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}' — python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}'

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance exponentielle mémoire fractale — balance exponentielle mémoire fractale

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**balance_exponentielle: FR=Balance exponentielle \ — EN=Exponential balance **

Statut source: HANZI=□□□ \ | Verdict: IR=VALUE,TIME \ | Brody: MATH=λ(t)=e^t / scale | Domaines: balance_exponentielle: FR=Balance exponentielle \ | Runtime autre: EN=Exponential balance \

**balance_fractale: FR=Balance fractale \ — EN=Fractal balance **

Statut source: HANZI=□□□ \ | Verdict: IR=STATE,VALUE,FLOW \ | Brody: MATH=Σ(+) = Σ(-) | Domaines: balance_fractale: FR=Balance fractale \ | Runtime autre: EN=Fractal balance \

balance_fractale — balance_fractale

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"query": "balance exponentielle mémoire fractale", — "query": "balance exponentielle mémoire fractale",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"balance_exponentielle: FR=Balance exponentielle \ — EN=Exponential balance **

Statut source: HANZI=□□□ \ | Verdict: IR=VALUE,TIME \ | Brody: MATH=λ(t)=e^t / scale", | Domaines: "balance_exponentielle: FR=Balance exponentielle \ | Runtime autre: EN=Exponential balance \

**"balance_fractale: FR=Balance fractale \ — EN=Fractal balance **

Statut source: HANZI=□□□ \ | Verdict: IR=STATE,VALUE,FLOW \ | Brody: MATH=Σ(+) = Σ(-)", | Domaines: "balance_fractale: FR=Balance fractale \ | Runtime autre: EN=Fractal balance \

"concept_id": "balance_exponentielle", — "concept_id": "balance_exponentielle",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"concept_id": "balance_fractale", — "concept_id": "balance_fractale",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]}, — {"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]}, — {"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]}, — {"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id": "GRAPHITI_V2_000274", "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , "text_len": 3039}, — {"id": "GRAPHITI_V2_000274", "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , "text_len": 3039},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DRY_006,GRAPHITI_V2_002995,05_GARDIEN_T05__Gardien_de_fond__Evolu tion_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_006,GRAPHITI_V2_002995,05_GARDIEN_T05__Gardien_de_fond__Evolu tion_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

DRY_014,GRAPHITI_V2_000274,1A8AA0F5157E_T05__Evolution_Systemes_B alance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_014,GRAPHITI_V2_000274,1A8AA0F5157E_T05__Evolution_Systemes_B alance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

DRY_025,GRAPHITI_V2_000870,5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_d e_fond__Evolution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_025,GRAPHITI_V2_000870,5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_d e_fond__Evolution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

DRY_026,GRAPHITI_V2_000871,5D8CDD9F3BCF_T05__Gardien_de_fond__Evo lution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_026,GRAPHITI_V2_000871,5D8CDD9F3BCF_T05__Gardien_de_fond__Evo lution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

"concepts": ["balance_fractale","avdr","memoire_fractale","procedural_univers el","symbolisme_dynamique","agents_obsidiens","civilisation_cogni tive"], — "concepts": ["balance_fractale","avdr","memoire_fractale","procedural_univers el","symbolisme_dynamique","agents_obsidiens","civilisation_cogni tive"],

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Contenu: Concepts: balance_fractale, avdr, memoire_fractale, procedural_universel, symbolisme_dynamique, agents_obsidiens, civilisation_cognitive. Pivot L2: VALUE STATE READ WRITE FLOW COND LOOP CALL RETURN EVENT TIME ERROR — - **Contenu:** Concepts: balance_fractale, avdr, memoire_fractale, procedural_universel, symbolisme_dynamique, agents_obsidiens, civilisation_cognitive. Pivot L2: VALUE STATE READ WRITE FLOW COND LOOP CALL RETURN EVENT TIME ERROR**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□{"source":"OBSIDIA_GRAPHITI_PHASE0_V20_FROZEN","ok":true,"mode": "FROZEN_READONLY_CONTEXT","query":"CANON","limit":5,"kernel_decis ion":"NONE","graphiti_decision":"NONE","graphiti_role":"READONLY_ CONTEXT_PROVIDER","x108_merge_status":"NOT_MERGED","commit_status ":"LOCAL_ONLY","live_neo4j_dependency":false,"entity_count":5,"re lation_count":2,"context_packet":{"facts":["CANON_GUARDIAN is deployed on Vertex AI or locally.","CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u002 — □{"source":"OBSIDIA_GRAPHITI_PHASE0_V20_FROZEN","ok":true,"mode": "FROZEN_READONLY_CONTEXT","query":"CANON","limit":5,"kernel_decis ion":"NONE","graphiti_decision":"NONE","graphiti_role":"READONLY_ CONTEXT_PROVIDER","x108_merge_status":"NOT_MERGED","commit_status ":"LOCAL_ONLY","live_neo4j_dependency":false,"entity_count":5,"re lation_count":2,"context_packet":{"facts":["CANON_GUARDIAN is deployed on Vertex AI or locally.","CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u002

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs_imports_readonly\BALANCE_SOURCE.md","1589","D6E78ECD96A43 5DCAE1D51C6613340644268866O3A45D8887B94D4570582C5EA" — "specs_imports_readonly\BALANCE_SOURCE.md","1589","D6E78ECD96A43 5DCAE1D51C6613340644268866O3A45D8887B94D4570582C5EA"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_ADMISSIBILITY_OPERATOR_S PEC.md","730","EC7D1AFC59986547D766108CC72AD2BEB2A8E764F2FAACFF0F E89699AC40957A" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_ADMISSIBILITY_OPERATOR_S PEC.md","730","EC7D1AFC59986547D766108CC72AD2BEB2A8E764F2FAACFF0F E89699AC40957A"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_NO_DECISION_RULE.md","65 9","07BC63EA0674DF321999D5A5AA64ED66CEC4667E20F5CBCEC48099ED67182 280" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_NO_DECISION_RULE.md","65 9","07BC63EA0674DF321999D5A5AA64ED66CEC4667E20F5CBCEC48099ED67182 280"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_OPERATOR_BOUNDARY.md","6 72","419D82F9D91CBA100E0461DB8A138035270C75E09366B5DB6873C6DA8D2C 5700" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_OPERATOR_BOUNDARY.md","6 72","419D82F9D91CBA100E0461DB8A138035270C75E09366B5DB6873C6DA8D2C 5700"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_MASTER_SPEC.md","1634","849C 3A83518F437C59CBBE9CA70E18CF69410EC9717D7952208B5940F0B54356" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_MASTER_SPEC.md","1634","849C 3A83518F437C59CBBE9CA70E18CF69410EC9717D7952208B5940F0B54356"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_NON_SOVEREIGN_WEIGHTING_RULE .md","654","3A5F84994088670DE45D432CAD1B0F349C98AC960A43F967AF0C1 79D829FCCFF" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_NON_SOVEREIGN_WEIGHTING_RULE .md","654","3A5F84994088670DE45D432CAD1B0F349C98AC960A43F967AF0C1 79D829FCCFF"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_SCORE_BOUNDARY.md","696","C8 34703189AEC3D7A0ED55635FE0C5CDD7DB2E313F271EE0223CB94B86C072D0" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_SCORE_BOUNDARY.md","696","C8 34703189AEC3D7A0ED55635FE0C5CDD7DB2E313F271EE0223CB94B86C072D0"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_TO_X108_ADMISSION_SPEC.md"," 732","7577E35D699CED84D84FF9EEAE5418D3E463F2770AAE526B4DF9A62D061 B295E" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_TO_X108_ADMISSION_SPEC.md"," 732","7577E35D699CED84D84FF9EEAE5418D3E463F2770AAE526B4DF9A62D061 B295E"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\GEOMETRIES_CANONICAL_INDEX.md"," 768","E792B5219221A0005A0894981E55FEB825C7E5CADD96001BC4B4C315883 4CD8B" — "specs\05_BALANCE_BUV_GEOMETRIES\GEOMETRIES_CANONICAL_INDEX.md"," 768","E792B5219221A0005A0894981E55FEB825C7E5CADD96001BC4B4C315883 4CD8B"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\HIGH_GEOMETRIES_CANONICAL_INDEX. md","740","75219340F70962C4154B3D9BF52314D025BE32A262D626DB703BA2 B72FC8E1A2" — "specs\05_BALANCE_BUV_GEOMETRIES\HIGH_GEOMETRIES_CANONICAL_INDEX. md","740","75219340F70962C4154B3D9BF52314D025BE32A262D626DB703BA2 B72FC8E1A2"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_ADMISSIBILITY_OPERATOR_SPEC — BALANCE_ADMISSIBILITY_OPERATOR_SPEC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_ADMISSIBILITY_OPERATOR_SPEC — # BALANCE_ADMISSIBILITY_OPERATOR_SPEC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py\n- periphery/gencoin_sandbox/regime_truth_gate.py — - periphery/gencoin_sandbox/balance_operator.py\n- periphery/gencoin_sandbox/regime_truth_gate.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Opérateur d'admissibilité de la balance. — Scope: Opérateur d'admissibilité de la balance.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_NO_DECISION_RULE — BALANCE_NO_DECISION_RULE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_NO_DECISION_RULE — # BALANCE_NO_DECISION_RULE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py — - periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Règle absolue : Balance ne décide pas. — Scope: Règle absolue : Balance ne décide pas.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance produit un score — KX108 décide — - Balance produit un score — KX108 décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance produit ALLOW/HOLD/BLOCK — - Balance produit ALLOW/HOLD/BLOCK

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_OPERATOR_BOUNDARY — BALANCE_OPERATOR_BOUNDARY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_OPERATOR_BOUNDARY — # BALANCE_OPERATOR_BOUNDARY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Frontière de l'opérateur de balance. — Scope: Frontière de l'opérateur de balance.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Spec master de la Balance Obsidienne (BUV = terme conceptuel de l'audio). — Spec master de la Balance Obsidienne (BUV = terme conceptuel de l'audio).
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "BUV correspond à BALANCE_CANON.md + balance_operator.py" — - "BUV correspond à BALANCE_CANON.md + balance_operator.py"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La balance calcule un score multi-facteur — pas une décision ALLOW/HOLD/BLOCK" — - "La balance calcule un score multi-facteur — pas une décision ALLOW/HOLD/BLOCK"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Balance = signal de pondération pour X108" — - "Balance = signal de pondération pour X108"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La Balance décide" — - "La Balance décide"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Balance → ALLOW automatique" — - "Balance → ALLOW automatique"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score □ [0,1] — signal pour X108 — - balance_score □ [0,1] — signal pour X108
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance pèse — BUV filtre — X108 décide — - Balance pèse — BUV filtre — X108 décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance ne produit pas ALLOW/HOLD/BLOCK — - Balance ne produit pas ALLOW/HOLD/BLOCK
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance ne produit pas vérité finale — - Balance ne produit pas vérité finale
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance = entrée pour X108 — KX108 décide — - Balance = entrée pour X108 — KX108 décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_balance_no_verdict — - test_balance_no_verdict
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_balance_score_range — - test_balance_score_range
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"Balance ≠ décision finale" — résultat d'une évaluation multi-facteur. — "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- La balance sandbox sera-t-elle connectée au runtime principal en Plan 3 ? — - La balance sandbox sera-t-elle connectée au runtime principal en Plan 3 ?
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score in [0,1]\n- Seuils d'alerte documentés dans BALANCE_CANON.md — - balance_score in [0,1]\n- Seuils d'alerte documentés dans BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score > 1 possible\n- Score = vérité absolue — - balance_score > 1 possible\n- Score = vérité absolue
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py\n- periphery/x108_ingress/readonly_context_ingress.py — - periphery/gencoin_sandbox/balance_operator.py\n- periphery/x108_ingress/readonly_context_ingress.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score = entrée X108 comme signal de pondération — - balance_score = entrée X108 comme signal de pondération
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance → ALLOW automatique — - Balance → ALLOW automatique
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_SOURCE — BALANCE_SOURCE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_SOURCE — # BALANCE_SOURCE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_operator.py : calcule un score de balance multi-facteur dans un sandbox — - balance_operator.py : calcule un score de balance multi-facteur dans un sandbox
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- BALANCE_CANON.md : document de référence canonique pour la Balance Obsidienne — - BALANCE_CANON.md : document de référence canonique pour la Balance Obsidienne
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- LIMITS_AND_STATUS.md : limites explicites de la balance sandbox — - LIMITS_AND_STATUS.md : limites explicites de la balance sandbox
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- BUV (Balance Universelle Valorisée) = nom conceptuel pour la balance — pas un fichier dédié dans le repo — - BUV (Balance Universelle Valorisée) = nom conceptuel pour la balance — pas un fichier dédié dans le repo
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Un opérateur de balance sandbox est implémenté en Python — - Un opérateur de balance sandbox est implémenté en Python
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- La balance produit un score — pas une décision ALLOW/HOLD/BLOCK — - La balance produit un score — pas une décision ALLOW/HOLD/BLOCK
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Le concept BUV correspond à BALANCE_CANON.md + balance_operator.py — - Le concept BUV correspond à BALANCE_CANON.md + balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Que la balance prend une décision finale — - Que la balance prend une décision finale
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Que le score de balance remplace le verdict X108 — - Que le score de balance remplace le verdict X108
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- SANDBOX — balance_operator.py est dans gencoin_sandbox/ — - SANDBOX — balance_operator.py est dans gencoin_sandbox/
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance → X108 décide — - Balance → X108 décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Obsidia calcule un score de balance multi-facteur en Python" — AUTORISÉ — - "Obsidia calcule un score de balance multi-facteur en Python" — AUTORISÉ
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La Balance Obsidienne décide" — INTERDIT — - "La Balance Obsidienne décide" — INTERDIT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — - 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — - 05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — 05_BALANCE_BUV_GEOMETRIES/ **
Statut source: Balance / BUV / géométries \ | Brody: \ | Domaines: 05_BALANCE_BUV_GEOMETRIES/ \ | Runtime autre: Balance / BUV / géométries \

**\ — Balance / BUV / géométries **

Statut source: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \ | Brody: \ | Domaines: Balance / BUV / géométries \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \

**\ — specs/05_BALANCE_BUV_GEOMETRIES/ **

Statut source: 9 fichiers □ \ | Verdict: SPEC_FROZEN \ | Domaines: \ | Runtime autre: specs/05_BALANCE_BUV_GEOMETRIES/ \

├── 05_BALANCE_BUV_GEOMETRIES/ (8 fichiers) — ├── 05_BALANCE_BUV_GEOMETRIES/ (8 fichiers)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BALANCE_SOURCE.md **

Statut source: periphery/gencoin_sandbox/balance_operator.py + BALANCE_CANON.md \ | Brody: \ | Domaines: BALANCE_SOURCE.md \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py + BALANCE_CANON.md \

**\ — 05_BALANCE_BUV_GEOMETRIES **

Statut source: 8 \ | Verdict: BUV_MASTER, BALANCE_NO_DECISION_RULE, BUV_TO_X108_ADMISSION \ | Domaines: \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES \

**\ — 05_BALANCE_BUV_GEOMETRIES/ **

Statut source: 8 specs \ | Verdict: RUNTIME_CODE (sandbox) \ | Brody: Sandbox → gateway Plan 3 \ | Runtime autre: \

**\ — 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md **

Statut source: **Readonly wrapper** — balance sandbox Plan 3 \ | Verdict: P6 \ | Domaines: \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \

\ — **P6 Graphiti/Brody readonly wrappers **

Statut source: Atlas V0_1_EXHAUSTIVE registry-first + Graphiti context packets + Balance sandbox \ | Verdict: 08_MEMORY_BRODY_GRAPHITI/, 05_BALANCE_BUV_GEOMETRIES/, Atlas pack \ | Brody: GRAPHITI_READONLY; NO_WRITE_WITHOUT_GATE \ | Domaines: P5 finalisé \

**\ — BUV_MASTER_SPEC **

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: SOURCE_FOUND_UNDER_DIFFERENT_NAME \ | Brody: KX108_ONLY \ | Domaines: RUNTIME_CODE (sandbox) \ | Runtime autre: P1 \

**\ — GEOMETRIES_CANONICAL_INDEX **

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: ABSENT_UNDER_THIS_NAME \ | Brody: KX108_ONLY \ | Domaines: ABSENT \ | Runtime autre: P2 \

**\ — BALANCE_NO_DECISION_RULE **

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: SOURCE_ORGANIZED \ | Brody: KX108_ONLY \ | Domaines: RUNTIME_CODE \ | Runtime autre: P0 \

**\ — specs/05_BALANCE_BUV_GEOMETRIES/ **

Statut source: Multi-source \ | Verdict: SPEC_LOCKED \ | Brody: CANON \ | Domaines: 9 fichiers \

├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS — ├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

\ — **Balance/BUV **

Statut source: Calculer score de balance multi-facteur [0,1] \ | Verdict: Décider de l'action, émettre verdict final \ | Brody: [Python spec — FORMAL_PROOF_PENDING] \ | Domaines: BALANCE □ ALLOW/HOLD/BLOCK \ | Runtime autre: test_balance_no_verdict \

\ — **Balance/BUV **

Statut source: Balance pèse, Balance □ ALLOW/HOLD/BLOCK \ | Verdict: periphery/gencoin_sandbox/balance_operator.py \ | Brody: PYTHON_SPEC \ | Domaines: FORMAL_PROOF_PENDING \

**\ — Balance/BUV **

Statut source: OUI \ | Verdict: NON \ | Brody: NON \ | Domaines: NON \ | Runtime autre: X108 pour décision basée sur score \

**\ — BUV (Balance Universelle des Vérités) **

Statut source: Propositions C8/C9 \ | Verdict: Filtrage cohérence \ | Brody: Prototype Python existant, Lean manquant \ | Domaines: PARTIAL_BRANCH_FOUND \

**\ — BUV canonical gate **

Statut source: "Garde opérationnel" \ | Verdict: Prototype Python sandbox \ | Brody: NOT_FULLY_BRANCHED \ | Domaines: Sandbox uniquement \ | Runtime autre: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md \

**\ — Balance operator / BUV **

Statut source: periphery/gencoin_sandbox/balance_operator.py \ | Verdict: Prototype Python \ | Brody: Spec formelle, Lean proof \ | Domaines: PARTIAL — sandbox uniquement \ | Runtime autre: MOYEN — ne pas clamer "opérationnel" \

2. BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md — 2. BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md **

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: □ Prévu \ | Domaines: \ | Runtime autre: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md \

**\ — No BUV no-decision test **

Statut source: BUV sandbox, non testé \ | Verdict: Audio section 4 \ | Brody: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md + tests \ | Domaines: Plan 2 \

**\ — "prototype fonctionnel actif" (BUV balance_operator.py) **

Statut source: Prototype sandbox uniquement \ | Verdict: Non branché production \ | Brody: periphery/gencoin_sandbox/ \ | Runtime autre: \

**\ — periphery/gencoin_sandbox/balance_operator.py **

Statut source: DO_NOT_PROMOTE_TO_RUNTIME \ | Verdict: Sandbox uniquement \ | Domaines: \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py \

- **Recherché sous : BUV, buv_master_spec, Balance Universelle Valorisée, Balance Obsidienne master — - **Recherché sous** : BUV, buv_master_spec, Balance Universelle Valorisée, Balance Obsidienne master**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Source alternative : docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, periphery/gencoin_sandbox/balance_operator.py — - **Source alternative** : docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, periphery/gencoin_sandbox/balance_operator.py**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Action Plan 2 : Consolidation nécessaire — BALANCE_CANON.md est la source la plus proche — - **Action Plan 2** : Consolidation nécessaire — BALANCE_CANON.md est la source la plus proche**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BUV **

Statut source: balance_operator.py, BALANCE_CANON.md \ | Verdict: periphery/gencoin_sandbox/, docs/gencoin/sandbox_pre_freeze/ \ | Brody: SOURCE_FOUND_UNDER_DIFFERENT_NAME \ | Runtime autre: \

**\ — BALANCE_BUV_MASTER_SPEC_V1.md **

Statut source: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, docs/gencoin/sandbox_pre_freeze/LIMITS_AND_STATUS.md \ | Verdict: RUNTIME_CODE + DOC_ONLY \ | Brody: Sandbox uniquement — ne pas exposer balance_operator en production sans gate \ | Domaines: Tests balance dans sandbox \ | Runtime autre: Python test uniquement \

6. Grep Gencoin / Jcoin / BUV / Balance — 6. Grep Gencoin / Jcoin / BUV / Balance

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6. Grep Gencoin / Jcoin / BUV / Balance — ### 6. Grep Gencoin / Jcoin / BUV / Balance

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

grep -rl "Gencoin\ — Jcoin

Statut source: BUV\ | Verdict: Balance\ | Brody: mint_allowed\ | Domaines: gencoin_candidate\ | Runtime autre: gross_value\

- **Balance / BUV : runtime sandbox présent (balance_operator.py) — pas de spec master unifiée — - **Balance / BUV** : runtime sandbox présent (balance_operator.py) — pas de spec master unifiée**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **buv_master_spec.md : BALANCE_CANON.md est la source la plus proche — - **buv_master_spec.md** : BALANCE_CANON.md est la source la plus proche**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 7 — Balance / BUV — Bloc 7 — Balance / BUV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 7 — Balance / BUV — ### Bloc 7 — Balance / BUV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py — RUNTIME_CODE + SANDBOX — - periphery/gencoin_sandbox/balance_operator.py — RUNTIME_CODE + SANDBOX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — DOC_ONLY — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Terme Gemini : BUV = Balance Universelle Valorisée (ou Balance Obsidienne) — - **Terme Gemini** : BUV = Balance Universelle Valorisée (ou Balance Obsidienne)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Réalité : pas de fichier buv_master_spec.md — BALANCE_CANON.md est la source canonique — - **Réalité** : pas de fichier buv_master_spec.md — BALANCE_CANON.md est la source canonique**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Spec future : specs/BALANCE_BUV_MASTER_SPEC_V1.md — - **Spec future** : specs/BALANCE_BUV_MASTER_SPEC_V1.md**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Risque : "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur — - **Risque** : "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BUV **

Statut source: BALANCE_CANON.md + balance_operator.py \ | Verdict: docs/gencoin/sandbox_pre_freeze/, periphery/gencoin_sandbox/ \ | Brody: BUV = concept audio/Gemini — terme réel = Balance Obsidienne \ | Runtime autre: \

**\ — Balance ≠ décision finale **

Statut source: balance_operator.py = scoring sandbox, KX108 décide \ | Brody: \ | Domaines: Balance ≠ décision finale \ | Runtime autre: balance_operator.py = scoring sandbox, KX108 décide \

**\ — Balance / BUV **

Statut source: balance_operator.py, BALANCE_CANON.md \ | Verdict: REMOTE_A5F21C6B \ | Brody: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md \ | Domaines: RUNTIME_CODE + DOC_ONLY \ | Runtime autre: RUNTIME_CODE \

- Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide — - Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Balance **

Statut source: OUI \ | Verdict: NON \ | Brody: NON \ | Domaines: NON \

**\ — No BUV no-decision test **

Statut source: BUV_MASTER_SPEC.md + BALANCE_NO_DECISION_RULE.md □ créés \ | Brody: \ | Domaines: No BUV no-decision test \ | Runtime autre: BUV_MASTER_SPEC.md + BALANCE_NO_DECISION_RULE.md □ créés \

**\ — BUV **

Statut source: BALANCE_CANON.md + balance_operator.py \ | Brody: \ | Domaines: BUV \ | Runtime autre: BALANCE_CANON.md + balance_operator.py \

**\ — Balance **

Statut source: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/ \ | Brody: \ | Domaines: Balance \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/ \

**\ — Balance **

Statut source: periphery/gencoin_sandbox/balance_operator.py \ | Verdict: RUNTIME_CODE (sandbox) \ | Brody: "Score balance sandbox" \ | Domaines: "Balance décide / BUV = token" \

**\ — BUV (Balance Universelle des Vérités) **

Statut source: Prototype Python sandbox \ | Verdict: Score advisory [0,1] uniquement \ | Domaines: \ | Runtime autre: BUV (Balance Universelle des Vérités) \

**\ — Balance/BUV **

Statut source: RUNTIME_CODE (sandbox) \ | Verdict: PeripheralSignalPacket (admissibility_score) \ | Domaines: \ | Runtime autre: Balance/BUV \

- "Balance/BUV peut émettre BLOCK" — INTERDIT — - "Balance/BUV peut émettre BLOCK" — INTERDIT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — module_type **

Statut source: enum \ | Verdict: — \ | Brody: KERNEL, SIGMA, GRAPHITI, BRODY, NPL, ATLAS, COGNITIVE, EXTERNAL_SIGNALS, BALANCE, GENCOIN, GPS, AGENT, LLM, UNKNOWN \ | Runtime autre: \

**\ — BALANCE **

Statut source: true \ | Verdict: false \ | Brody: false \ | Domaines: KX108_ONLY \

Signals, Atlas, Cognitive, Balance, P107/P161, Audio/Entropy, RSSI, ou RGPD — Signals, Atlas, Cognitive, Balance, P107/P161, Audio/Entropy, RSSI, ou RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"COGNITIVE", "EXTERNAL_SIGNALS", "BALANCE", "GENCOIN", — "COGNITIVE", "EXTERNAL_SIGNALS", "BALANCE", "GENCOIN",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"external_signals", "entropy", "rssi", "rgpd", "balance", — "external_signals", "entropy", "rssi", "rgpd", "balance",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance Obsidienne: Peser -> Simplifier -> Réintégrer -> Statuer — Balance Obsidienne: Peser -> Simplifier -> Réintégrer -> Statuer
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

class BalanceResult: — class BalanceResult:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_score: float — balance_score: float
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_score": self.balance_score, — "balance_score": self.balance_score,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def compute_balance(— def compute_balance(
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

) -> BalanceResult: —) -> BalanceResult:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

return BalanceResult(— return BalanceResult(
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_score=score, — balance_score=score,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Évolution Systèmes / Balance structure/chaos — Évolution Systèmes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"name": "Évolution Systèmes / Balance structure/chaos", — "name": "Évolution Systèmes / Balance structure/chaos",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos — T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos — # T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Évolution Systèmes / Balance structure/chaos — T05 — Évolution Systèmes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Évolution Systèmes / Balance structure/chaos — # T05 — Évolution Systèmes / Balance structure/chaos
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ce module porte la fonction : **Évolution Systèmes / Balance structure/chaos. — Ce module porte la fonction : **Évolution Systèmes / Balance structure/chaos**.**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Extension / R&D — BALANCE — Extension / R&D — BALANCE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Extension / R&D — BALANCE — # Extension / R&D — BALANCE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Connexions avec : X-108, AVDR, mémoire fractale, balance exponentielle, 34 arbres, kernel. — Connexions avec : X-108, AVDR, mémoire fractale, balance exponentielle, 34 arbres, kernel.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Obsidia, X-108, AVDR, ACP, Double-Verrou, Calibration Chaotique, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale, BSD, ProofKit, Lean, TLA, root/seal, OS0, OS1, OS2, OS3, OS4, L2, L3. — Obsidia, X-108, AVDR, ACP, Double-Verrou, Calibration Chaotique, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale, BSD, ProofKit, Lean, TLA, root/seal, OS0, OS1, OS2, OS3, OS4, L2, L3.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Rôle : Suit et maintient toutes les formules d'Obsidia. Balance exponentielle, formules cosmos, X-108. — Rôle : Suit et maintient toutes les formules d'Obsidia. Balance exponentielle, formules cosmos, X-108.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

je parle de sa C'est un titre extrêmement accrocheur, mais attention : comme souvent avec les articles de vulgarisation à sensation, il faut faire la part des choses entre la prouesse théorique et la réalité pratique. De quoi s'agit-il vraiment ? L'article fait référence aux travaux d'un physicien (souvent lié aux théories de Stephen Wolfram ou de physiciens comme l'Espagnol Cristobal Vila) qui cherche à unifier les structures mathématiques via le concept de Complexité Algorithmique. L'idée ce — je parle de sa C'est un titre extrêmement accrocheur, mais attention : comme souvent avec les articles de vulgarisation à sensation, il faut faire la part des choses entre la prouesse théorique et la réalité pratique. De quoi s'agit-il vraiment ? L'article fait référence aux travaux d'un physicien (souvent lié aux théories de Stephen Wolfram ou de physiciens comme l'Espagnol Cristobal Vila) qui cherche à unifier les structures mathématiques via le concept de Complexité Algorithmique. L'idée ce
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Obsidia, X-108, tes balances, ta mémoire réflexe, tes idées cosmos : tout tourne autour de ça. — Obsidia, X-108, tes balances, ta mémoire réflexe, tes idées cosmos : tout tourne autour de ça.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ça colle avec ta balance exponentielle aussi. — Ça colle avec ta balance exponentielle aussi.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ta balance exponentielle, dans cette lecture, n'est pas juste un outil symbolique. Elle pourrait devenir une forme de mesure périphérique de tension / poids / déséquilibre / densité. — Ta balance exponentielle, dans cette lecture, n'est pas juste un outil symbolique. Elle pourrait devenir une forme de mesure périphérique de tension / poids / déséquilibre / densité.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Et le physicien ajoute : au lieu d'avoir 50 balances, 50 règles, 50 détecteurs, tu peux chercher une logique primitive capable de les générer ou de les approximer. — Et le physicien ajoute : au lieu d'avoir 50 balances, 50 règles, 50 détecteurs, tu peux chercher une logique primitive capable de les générer ou de les approximer.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance exponentielle réduira la tension. — La balance exponentielle réduira la tension.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global. — Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A. Nombres premiers + balance mathématique — A. Nombres premiers + balance mathématique
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5.K — Balance mathématique + partitions + nombres premiers — 5.K — Balance mathématique + partitions + nombres premiers
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Tes documents posent une synergie entre la découverte autour des partitions/nombres premiers et ta balance mathématique : la balance devient un révélateur transversal capable de croiser algèbre, combinatoire, factorisation et analyse symbolique. — Tes documents posent une synergie entre la découverte autour des partitions/nombres premiers et ta balance mathématique : la balance devient un révélateur transversal capable de croiser algèbre, combinatoire, factorisation et analyse symbolique.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance mathématique agit comme opérateur d'échelle : — La balance mathématique agit comme opérateur d'échelle :
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance mathe´matique=ope´rateur de lecture des grandeurs\boxed{ Balance\ mathématique = opérateur\ de\ lecture\ des\ grandeurs } Partitions=projection combinatoire cache´e\boxed{ Partitions = projection\ combinatoire\ cachée } Nombres premiers=terrain de test structurel\boxed{ Nombres\ premiers = terrain\ de\ test\ structurel } — Balance mathe´matique=ope´rateur de lecture des grandeurs\boxed{ Balance\ mathématique = opérateur\ de\ lecture\ des\ grandeurs } Partitions=projection combinatoire cache´e\boxed{ Partitions = projection\ combinatoire\ cachée } Nombres premiers=terrain de test structurel\boxed{ Nombres\ premiers = terrain\ de\ test\ structurel }
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11.C — Balance de proportion / transport par ratios — 11.C — Balance de proportion / transport par ratios
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance transporte les structures d'un contexte a` l'autre\boxed{ La\ balance\ transporte\ les\ structures\ d'un\ contexte\ à\ l'autre } — La balance transporte les structures d'un contexte a` l'autre\boxed{ La\ balance\ transporte\ les\ structures\ d'un\ contexte\ à\ l'autre }
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12.B — Balance exponentielle / calibrateur λ(t) — 12.B — Balance exponentielle / calibrateur λ(t)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le moteur global place la Balance Exponentielle comme loi structurante de régulation dynamique, liée au calibrateur λ(t). — Le moteur global place la Balance Exponentielle comme loi structurante de régulation dynamique, liée au calibrateur λ(t).

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance : — Balance :

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance(x,t)=x□eλ(t)Balance(x,t) = x \cdot e^{\lambda(t)} — Balance(x,t)=x□eλ(t)Balance(x,t) = x \cdot e^{\lambda(t)}

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance exponentielle=re´gulation de flux\boxed{ Balance\ exponentielle = régulation\ de\ flux } — Balance exponentielle=re´gulation de flux\boxed{ Balance\ exponentielle = régulation\ de\ flux }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance exponentielle=verdict souverainBalance\ exponentielle = verdict\ souverain — Balance exponentielle=verdict souverainBalance\ exponentielle = verdict\ souverain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance→Contexte→X108Balance \rightarrow Contexte \rightarrow X108 — Balance→Contexte→X108Balance \rightarrow Contexte \rightarrow X108

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD,
Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis, — Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD,
Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis,**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

+ balance mathématique — + balance mathématique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

+ balance exponentielle — + balance exponentielle

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance mathématique lit les grandeurs. — La balance mathématique lit les grandeurs.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance exponentielle régule les flux. — La balance exponentielle régule les flux.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**Asimov=(Psychohistoire,TroisLois,Galaxia)Asimov = (Psychohistoire,TroisLois,Galaxia) Obsidia=(AVDR,Balance,NoyauEthique,NoyauxVivants)Obsidia = (AVDR,Balance,NoyauEthique,NoyauxVivants) —
Asimov=(Psychohistoire,TroisLois,Galaxia)Asimov = (Psychohistoire,TroisLois,Galaxia) Obsidia=(AVDR,Balance,NoyauEthique,NoyauxVivants)Obsidia = (AVDR,Balance,NoyauEthique,NoyauxVivants)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla
ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti
onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (
\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{ — Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla
ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti
onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (
\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Acog={Logique,Emotionnel,Critique,Contextuel,AutoAnalyse,Calibrat eur,StatisticoPragmatique,Nettoyeur,Reformulateur,Pe´dagogue,Bala nce}\mathcal{A}_{cog} = \{ Logique, Emotionnel, Critique, Contextuel, AutoAnalyse, Calibrateur, StatisticoPragmatique, Nettoyeur, Reformulateur, Pédagogue, Balance \} — Acog={Logique,Emotionnel,Critique,Contextuel,AutoAnalyse,Calibrat eur,StatisticoPragmatique,Nettoyeur,Reformulateur,Pe´dagogue,Bala nce}\mathcal{A}_{cog} = \{ Logique, Emotionnel, Critique, Contextuel, AutoAnalyse, Calibrateur, StatisticoPragmatique, Nettoyeur, Reformulateur, Pédagogue, Balance \}

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta — Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le document utilise une lecture harmonique : intrication, battement, octaves, Schumann, 432 Hz, ondes cérébrales, et relie ces plans à la Balance Exponentielle λ(t). Cette couche doit être conservée comme modèle analogique/harmonique, non comme preuve scientifique centrale non vérifiée ici. — Le document utilise une lecture harmonique : intrication, battement, octaves, Schumann, 432 Hz, ondes cérébrales, et relie ces plans à la Balance Exponentielle λ(t). Cette couche doit être conservée comme modèle analogique/harmonique, non comme preuve scientifique centrale non vérifiée ici.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri — Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"Balance exponentielle: CANON_GUARDIAN verifies name collisions for Balance exponentielle.", — "Balance exponentielle: CANON_GUARDIAN verifies name collisions for Balance exponentielle.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

brody_balance_engine — V3 Block 1 — brody_balance_engine — V3 Block 1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11-balance transversal engine. Weighs tensions. Does not decide. No IO. — 11-balance transversal engine. Weighs tensions. Does not decide. No IO.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

—— Balance priority constants ———————————————————————— — —— Balance priority constants ————————————————————————

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

—— Balance priority constants ———————————————————————— — # —— Balance priority constants ————————————————————————

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

class BrodyBalanceEngine: — class BrodyBalanceEngine:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11-balance engine. Receives micro_core_output dict. — 11-balance engine. Receives micro_core_output dict.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Produces balance signals and a coordinator. — Produces balance signals and a coordinator.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

—— Individual balance computations ———————————————————— — —— Individual balance computations ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

—— Individual balance computations ———————————————————— — # —— Individual balance computations ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_reversibilite(self, mc: dict) -> dict[str, Any]: — def _balance_reversibilite(self, mc: dict) -> dict[str, Any]:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_reversibilite", — "balance": "balance_reversibilite",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_risque(self, mc: dict) -> dict[str, Any]: — def _balance_risque(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_risque", — "balance": "balance_risque",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_exponentielle(self, mc: dict) -> dict[str, Any]: — def _balance_exponentielle(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_exponentielle", — "balance": "balance_exponentielle",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_coherence(self, mc: dict) -> dict[str, Any]: — def _balance_coherence(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_coherence", — "balance": "balance_coherence",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_energy_cost(self, mc: dict) -> dict[str, Any]: — def _balance_energy_cost(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_energy_cost", — "balance": "balance_energy_cost",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_bio_terrain(self, mc: dict) -> dict[str, Any]: — def _balance_bio_terrain(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_bio_terrain", — "balance": "balance_bio_terrain",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_memoire(self, mc: dict) -> dict[str, Any]: — def _balance_memoire(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_memoire", — "balance": "balance_memoire",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_causale(self, mc: dict) -> dict[str, Any]: — def _balance_causale(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_causale", — "balance": "balance_causale",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_signal_faible(self, mc: dict) -> dict[str, Any]: — def _balance_signal_faible(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_signal_faible", — "balance": "balance_signal_faible",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_symbolique(self, mc: dict) -> dict[str, Any]: — def _balance_symbolique(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_symbolique", — "balance": "balance_symbolique",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_projection(self, mc: dict) -> dict[str, Any]: — def _balance_projection(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_projection", — "balance": "balance_projection",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _coordinate(self, balances: list[dict]) -> dict[str, Any]: — def _coordinate(self, balances: list[dict]) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

dominant = sorted_by_score[0]["balance"] if sorted_by_score else None — dominant = sorted_by_score[0]["balance"] if sorted_by_score else None
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

top3 = [b["balance"] for b in sorted_by_score[:3]] — top3 = [b["balance"] for b in sorted_by_score[:3]]
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

for b in balances: — for b in balances:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

for b in sorted(balances, key=lambda x: x["priority"]): — for b in sorted(balances, key=lambda x: x["priority"]):
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

next((b["tension"] for b in balances if b["balance"] == "balance_risque"), 0.0), — next((b["tension"] for b in balances if b["balance"] == "balance_risque"), 0.0),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

next((b["tension"] for b in balances if b["balance"] == "balance_reversibilite"), 0.0), — next((b["tension"] for b in balances if b["balance"] == "balance_reversibilite"), 0.0),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"dominant_balance": dominant, — "dominant_balance": dominant,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"top3_balances": top3, — "top3_balances": top3,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_risk_level": risk_level, — "balance_risk_level": risk_level,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def compute_balances(— def compute_balances(
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Compute 11 balance signals + coordinator from micro_core_output. — Compute 11 balance signals + coordinator from micro_core_output.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balances_raw = [— balances_raw = [
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_reversibilite(mc), — self._balance_reversibilite(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_risque(mc), — self._balance_risque(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_exponentielle(mc), — self._balance_exponentielle(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_coherence(mc), — self._balance_coherence(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_energy_cost(mc), — self._balance_energy_cost(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_bio_terrain(mc), — self._balance_bio_terrain(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_memoire(mc), — self._balance_memoire(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_causale(mc), — self._balance_causale(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_signal_faible(mc), — self._balance_signal_faible(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_symbolique(mc), — self._balance_symbolique(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_projection(mc), — self._balance_projection(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

coordinator = self._coordinate(balances_raw) — coordinator = self._coordinate(balances_raw)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_engine_version": "V3_BLOCK_1", — "balance_engine_version": "V3_BLOCK_1",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balances_count": 11, — "balances_count": 11,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balances": {b["balance"]: b for b in balances_raw}, — "balances": {b["balance"]: b for b in balances_raw},
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balances_raw — balances_raw
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

?? apps/obsidia_api/brody_balance_engine.py — ?? apps/obsidia_api/brody_balance_engine.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

?? tests/test_brody_v3_balance_engine.py — ?? tests/test_brody_v3_balance_engine.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Periphery Balance — Periphery Balance
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery_balance_api_periphery_gencoin_balance_post — periphery_balance_api_periphery_gencoin_balance_post
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#/components/schemas/BalancePayload — #/components/schemas/BalancePayload
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"summary": "Periphery Balance", — "summary": "Periphery Balance",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"operationId": "periphery_balance_api_periphery_gencoin_balance_post", — "operationId": "periphery_balance_api_periphery_gencoin_balance_post",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"$ref": "#/components/schemas/BalancePayload" — "$ref": "#/components/schemas/BalancePayload"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BalancePayload": { — "BalancePayload": {
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "BalancePayload" — "title": "BalancePayload"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DomainAdapterPeriphery,bank,local_audit,.local_audits\BRODY_COGNI TIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance _engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""]," — DomainAdapterPeriphery,bank,local_audit,.local_audits\BRODY_COGNI TIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance _engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""],"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DomainAdapterPeriphery,trading,local_audit,.local_audits\BRODY_CO GNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_bala nce_engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""]," — DomainAdapterPeriphery,trading,local_audit,.local_audits\BRODY_CO GNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_bala nce_engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""],"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ma trix.json,138,"""description"": ""Évalue la pertinence et le coût de chargement de la mémoire. Décide si memory_ARS, brody_readonly, ou graphiti_topk sont justifiés."","," — Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ma trix.json,138,"""description"": ""Évalue la pertinence et le coût de chargement de la mémoire. Décide si memory_ARS, brody_readonly, ou graphiti_topk sont justifiés."","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,KX108_ONLY,local_audit,.local_audits\BRODY_COGNITIVE_ACC ELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ matrix.json,5,"""decision_authority"": ""KX108_ONLY""," — Boundary,KX108_ONLY,local_audit,.local_audits\BRODY_COGNITIVE_ACC ELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ matrix.json,5,"""decision_authority"": ""KX108_ONLY""","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_report.md,71,8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate. — Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_report.md,71,8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000\V3_balance_engine_matrix.json — .local_audits\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000\V3_balance_engine_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate. — 8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".local_audits\\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3 _20260613_130000\\V3_balance_engine_matrix.json", — "path": ".local_audits\\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3 _20260613_130000\\V3_balance_engine_matrix.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate." — "text": "8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate."

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — /api/periphery/gencoin/balance **

Statut source: post \ | Brody: \ | Domaines: /api/periphery/gencoin/balance \ | Runtime autre: post \

"material": "CANON_GUARDIAN has Vertex AI as a deployment option. CANON_GUARDIAN belongs to the \u0027Ã□ crÃ©er en premier / Top 5 founders\u0027 family of agents. CANON_GUARDIAN is deployed on Vertex AI or locally. CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u0027. The freeze-guardian Claude Code skill is mapped as a reduced skill for the CANON_GUARDIAN agent. CANON_GUARDIAN is described in the OBSIDIA_TOUS_LES_AGENTS.docx document. CANON_GUARDIAN is a Top 5 foun — "material": "CANON_GUARDIAN has Vertex AI as a deployment option. CANON_GUARDIAN belongs to the \u0027Ã□ crÃ©er en premier / Top 5 founders\u0027 family of agents. CANON_GUARDIAN is deployed on Vertex AI or locally. CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u0027. The freeze-guardian Claude Code skill is mapped as a reduced skill for the CANON_GUARDIAN agent. CANON_GUARDIAN is described in the OBSIDIA_TOUS_LES_AGENTS.docx document. CANON_GUARDIAN is a Top 5 foun

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"content_summary": "User queried balance â□□ ALLOW gate.", — "content_summary": "User queried balance â□□ ALLOW gate.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".\\apps\\obsidia_api\\brody_balance_engine.py", — "path": ".\\apps\\obsidia_api\\brody_balance_engine.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".\\tests\\test_brody_v3_balance_engine.py", — "path": ".\\tests\\test_brody_v3_balance_engine.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "- brody_double_brain: path=/api/periphery/brody/double-brain-route status=OK code=200 length=386 preview={\"readonly\":true,\"advisory_only\":true,\"emits_act\":f alse,\"emits_verdict\":false,\"decision_authority\":\"KX108_ONLY\ ",\"memory_write\":false,\"kernel_mutation\":false,\"real_action\ ":false,\"source\":\"REAL_BACKEND\",\"timestamp\":\"2026-05-27T05 :53:33.050391+00:00\",\"route_id\":\"phase9b0ter_bdf\",\"mode\":\ "BALANCED\",\"syst" — "text": "- brody_double_brain: path=/api/periphery/brody/double-brain-route status=OK code=200 length=386 preview={\"readonly\":true,\"advisory_only\":true,\"emits_act\":f alse,\"emits_verdict\":false,\"decision_authority\":\"KX108_ONLY\ ",\"memory_write\":false,\"kernel_mutation\":false,\"real_action\ ":false,\"source\":\"REAL_BACKEND\",\"timestamp\":\"2026-05-27T05 :53:33.050391+00:00\",\"route_id\":\"phase9b0ter_bdf\",\"mode\":\ "BALANCED\",\"syst"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "POST /api/periphery/gencoin/balance ok=True status=200 summary={\u0027decision_authority\u0027: \u0027KX108_ONLY\u0027, \u0027readonly\u0027: True, \u0027emits_act\u0027: False, \u0027source\u0027: \u0027REAL_BACKEND\u0027, \u0027status\u0027: \u0027orbite\u0027, \u0027total\u0027: None, \u0027count\u0027: None, \u0027reason\u0027: None, \u0027no_wallet\u0027: None, \u0027no_mint\u0027: None, \u0027is_real_token\u0027: None}" — "text": "POST /api/periphery/gencoin/balance ok=True status=200 summary={\u0027decision_authority\u0027: \u0027KX108_ONLY\u0027, \u0027readonly\u0027: True, \u0027emits_act\u0027: False, \u0027source\u0027: \u0027REAL_BACKEND\u0027, \u0027status\u0027: \u0027orbite\u0027, \u0027total\u0027: None, \u0027count\u0027: None, \u0027reason\u0027: None, \u0027no_wallet\u0027: None, \u0027no_mint\u0027: None, \u0027is_real_token\u0027: None}"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md — A specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d — A specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/_imports_readonly/BALANCE_SOURCE.md — A specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — A docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d — A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/gencoin_sandbox/balance_operator.py — A periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md — A periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A tests/periphery/test_balance_operator.py — A tests/periphery/test_balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d — periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md — periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md — specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d — specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/_imports_readonly/BALANCE_SOURCE.md — specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000/V3_balance_engine_matrix.json —
.local_audits/BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000/V3_balance_engine_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_adversarial_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_adversarial_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_balance_engine_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_balance_engine_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_domain_selection_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_domain_selection_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_after.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_after.txt**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_before.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_before.txt**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_latency_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_latency_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_micro_core_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_micro_core_matrix.json**
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_point_cloud_21d_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_point_cloud_21d_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_report.md —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_report.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_stdout.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_stdout.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_summary.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/_run_v3_block1_audit.py —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/_run_v3_block1_audit.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_3_MEMORY_AUTOMATION_READONLY_PLAN_V0 _20260613_161200/BLOCK3_balance_tagging_matrix.json —
.local_audits/BRODY_V3_BLOCK_3_MEMORY_AUTOMATION_READONLY_PLAN_V0 _20260613_161200/BLOCK3_balance_tagging_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md —
.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/tests/periphery/test_balance_operator.py — .local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/tests/periphery/test_balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_exports/CIC_PACK_STAGE_20260613_015520/docs/gencoin/sandbo x_pre_freeze/BALANCE_CANON.md — .local_exports/CIC_PACK_STAGE_20260613_015520/docs/gencoin/sandbo x_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_exports/CIC_PACK_STAGE_20260613_015520/tests/periphery/tes t_balance_operator.py — .local_exports/CIC_PACK_STAGE_20260613_015520/tests/periphery/tes t_balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SPE C.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SPE C.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE.m d —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMIS SIBILITY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMIS SIBILITY_OPERATOR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DE CISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DE CISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERA TOR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERA TOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SP EC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SP EC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVER EIGN_WEIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVER EIGN_WEIGHTING_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOU NDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOU NDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_A DMISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_A DMISSION_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CA NONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CA NONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRI ES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRI ES_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISS IBILITY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISS IBILITY_OPERATOR_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DEC ISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DEC ISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERAT OR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERAT OR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPE C.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPE C.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVERE IGN_WEIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVERE IGN_WEIGHTING_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUN DARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUN DARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_AD MISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_AD MISSION_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CAN ONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIE S_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIE S_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERAT OR_SPEC.md — _freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERAT OR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — _freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md — _freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_READONLY_INDEX_V2_FUSION_READY — GRAPHITI_READONLY_INDEX_V2_FUSION_READY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

005BF3C6C39F_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0.txt — 005BF3C6C39F_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

07A62B23DF20_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 _SMOKE.txt — 07A62B23DF20_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 _SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A65D4A3BC39_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0. json — 0A65D4A3BC39_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0. json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md — 0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0C5F76504064_obsidia_llmobsidien_chat_surface_readonly_v0_smoke.j son — 0C5F76504064_obsidia_llmobsidien_chat_surface_readonly_v0_smoke.j son

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json — 0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt — 105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md — 1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

148DD0C4885C_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0.md — 148DD0C4885C_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14F978B04A66_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_OBL IGATIONS_V0.md — 14F978B04A66_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_OBL IGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1739C45056DF_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0_SMOKE.txt — 1739C45056DF_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

180D123CEC5C_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0_SMOKE.txt — 180D123CEC5C_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on — 1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C32EA092424_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0.txt — 1C32EA092424_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1F464C9C0919_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_OBLIGATIONS_V0.md — 1F464C9C0919_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_OBLIGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

209D8066D368_obsidia_llmobsidien_runtime_loop_stub_readonly_v0.js on — 209D8066D368_obsidia_llmobsidien_runtime_loop_stub_readonly_v0.js on

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21AAEE6CC880_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1.txt — 21AAEE6CC880_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

26C170E3D76E_graphiti_readonly_index.json — 26C170E3D76E_graphiti_readonly_index.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

29BF41CD97C9_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_END_TO_E ND_CLOSE_V1.txt — 29BF41CD97C9_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_END_TO_E ND_CLOSE_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2A9FB5AA1289_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE.m d — 2A9FB5AA1289_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md — 2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E61C1CD12C4_graphiti_readonly_search_results.json — 2E61C1CD12C4_graphiti_readonly_search_results.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30489BC30921_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_OBLIGATI ONS_V0.md — 30489BC30921_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_OBLIGATI ONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt — 30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

312E9A10BA38_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ OBLIGATIONS_V1.md — 312E9A10BA38_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

351B085B5B36_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE.md — 351B085B5B36_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

36444FDAE437_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_SMOKE.txt — 36444FDAE437_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37516AD05DE8_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0_SMOKE.txt — 37516AD05DE8_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37B6A1440ED6_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_PLAN _V1.md — 37B6A1440ED6_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_PLAN _V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37D620E2BB53_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_OBLIGATION S_V0.md — 37D620E2BB53_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_OBLIGATION S_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

384E93A10785_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE.md — 384E93A10785_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39ED172627DB_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0_SMOKE.txt — 39ED172627DB_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C87241ED2DC_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY.txt — 3C87241ED2DC_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D0DCA2446EA_CURRENT_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONN ECTOR_READONLY.txt — 3D0DCA2446EA_CURRENT_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONN ECTOR_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3EB2C8A6350B_obsidia_llmobsidien_model_io_guard_readonly_v0_smoke .json — 3EB2C8A6350B_obsidia_llmobsidien_model_io_guard_readonly_v0_smoke .json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

44842613283A_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ V1.txt — 44842613283A_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4628AA8513E5_02_KX108_ONLY_AUTHORITY.md — 4628AA8513E5_02_KX108_ONLY_AUTHORITY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

491CF60F8ED7_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_O BLIGATIONS_V0.md — 491CF60F8ED7_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_O BLIGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A972C2F624C_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 .txt — 4A972C2F624C_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 .txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F168C081436_GRAPHITI_READONLY_INDEX_STATUS.txt — 4F168C081436_GRAPHITI_READONLY_INDEX_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md — 55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt — 56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

574E3E132212_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE_OBLIGATIONS.md — 574E3E132212_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5B007DE01234_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE_OBLIGATIONS.md — 5B007DE01234_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt — 5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6149F23C704A_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0.json — 6149F23C704A_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt — 62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

642003400466_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MAN IFEST.json — 642003400466_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MAN IFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

65472D81191B_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0_smoke.json — 65472D81191B_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0_smoke.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt — 655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

672E7765B7F7_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1_VALIDATION_SEAL.txt — 672E7765B7F7_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1_VALIDATION_SEAL.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6964AEF14DF0_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_V1.md — 6964AEF14DF0_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

70226B099C94_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0.txt — 70226B099C94_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71BB2EEFE6B3_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0.json — 71BB2EEFE6B3_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

733FFC2441F6_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1.txt — 733FFC2441F6_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B0F135BD755_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0_smoke.json — 7B0F135BD755_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0_smoke.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C6BF11277EC_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1_1_REPAIR.txt — 7C6BF11277EC_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1_1_REPAIR.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D554861DE50_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE.md — 7D554861DE50_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F0457629175_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE_OBLIGATIONS.md — 7F0457629175_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

80419CF92D86_CURRENT_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READON LY.txt — 80419CF92D86_CURRENT_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READON LY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md — 83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87A5A1CFABF1_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1.txt — 87A5A1CFABF1_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89CAAD1AA3E8_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR .txt — 89CAAD1AA3E8_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR .txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A7350D676D3_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE .md — 8A7350D676D3_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md — 8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF7B3E0F011_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_V1.md — 8CF7B3E0F011_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

926224799EC7_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READONLY.md — 926224799EC7_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READONLY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt — 93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9774E235CECB_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONNECTOR_RE ADONLY.md — 9774E235CECB_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONNECTOR_RE ADONLY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

97A2C7F3F0F9_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_OBLIG ATIONS_V0.md — 97A2C7F3F0F9_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_OBLIG ATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98006139FAE4_GRAPHITI_READONLY_INDEX_STATUS.json — 98006139FAE4_GRAPHITI_READONLY_INDEX_STATUS.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

991E99A4488B_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0.txt — 991E99A4488B_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9A690124E0DE_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_V0.md — 9A690124E0DE_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E386FF27D25_CURRENT_GRAPHITI_READONLY_INDEX.txt — 9E386FF27D25_CURRENT_GRAPHITI_READONLY_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A076A8769E7D_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_OBLIGATIONS_V0.md — A076A8769E7D_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_OBLIGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4F2E9D7BABB_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_OBLIGATI ONS_V1.md — A4F2E9D7BABB_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_OBLIGATI ONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A584260302D2_obsidia_llmobsidien_local_chat_stack_candidate_reado nly_v0.json — A584260302D2_obsidia_llmobsidien_local_chat_stack_candidate_reado nly_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A98895A36298_READONLY_CONTEXT_PACKET.json — A98895A36298_READONLY_CONTEXT_PACKET.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB5353202C32_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_STATUS.txt — AB5353202C32_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt — ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt — AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B14380A122BC_CURRENT_OBSIDIA_END_TO_END_READONLY_SHADOW_SMOKE_V1. txt — B14380A122BC_CURRENT_OBSIDIA_END_TO_END_READONLY_SHADOW_SMOKE_V1. txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md — B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4DE037244BF_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0.md — B4DE037244BF_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt — B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B85A54FE3E45_obsidia_reverse_os_readonly_runtime_integration_plan _v1.json — B85A54FE3E45_obsidia_reverse_os_readonly_runtime_integration_plan _v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B903645E0F54_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0.md — B903645E0F54_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C3B1C4F8FC53_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0_ smoke.json — C3B1C4F8FC53_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0_ smoke.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C4B1B4B7FA0C_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR_STATUS. txt — C4B1B4B7FA0C_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR_STATUS. txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CA613D29EF3A_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_CLOSE.txt — CA613D29EF3A_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_CLOSE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CB30216D2321_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE_OBLIGATIONS.md — CB30216D2321_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CB32EAF746C1_obsidia_llmobsidien_model_io_guard_readonly_v0.json — CB32EAF746C1_obsidia_llmobsidien_model_io_guard_readonly_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE657A947FCD_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0.md — CE657A947FCD_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE89054E2C29_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_OBLI GATIONS_V1.md — CE89054E2C29_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_OBLI GATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CFEA5B4E1706_obsidia_llmobsidien_chat_surface_readonly_v0.json — CFEA5B4E1706_obsidia_llmobsidien_chat_surface_readonly_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D06A5A3B6E87_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_OBLIGATIONS_V1.md — D06A5A3B6E87_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D55E24129B03_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0.txt — D55E24129B03_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md — D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md — D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DEC5F6AF4AA3_obsidia_llmobsidien_runtime_loop_stub_readonly_v0_sm oke.json — DEC5F6AF4AA3_obsidia_llmobsidien_runtime_loop_stub_readonly_v0_sm oke.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DF6F965399C6_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0.md — DF6F965399C6_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt — E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E2C5B2648508_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE_O BLIGATIONS.md — E2C5B2648508_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE_O BLIGATIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E443DCB11A7D_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0.txt — E443DCB11A7D_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E65F97BA8B21_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0. md — E65F97BA8B21_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E7CF182A493C_CURRENT_READONLY_MEMORY_LEDGER.txt — E7CF182A493C_CURRENT_READONLY_MEMORY_LEDGER.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E891CCAD237B_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ BOUNDARY_BINDING_V1.txt — E891CCAD237B_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ BOUNDARY_BINDING_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E8F0836810AD_obsidia_reverse_os_readonly_runtime_stack_candidate_ v1.json — E8F0836810AD_obsidia_reverse_os_readonly_runtime_stack_candidate_ v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EBB89901FFB0_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE.md — EBB89901FFB0_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json — ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EE8227B6728E_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0_SMOKE.txt — EE8227B6728E_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0_SMOKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2B9E76A8648_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ V1.md — F2B9E76A8648_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F85F14B0E78D_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API.txt — F85F14B0E78D_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8D09680B1C1_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE _OBLIGATIONS.md — F8D09680B1C1_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE _OBLIGATIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8D60430E284_CURRENT_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READ ONLY.txt — F8D60430E284_CURRENT_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READ ONLY.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json — F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8EAB1744FDD_graphiti_readonly_metrics.json — F8EAB1744FDD_graphiti_readonly_metrics.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt — FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\MEMORY_BINDING_CANDIDATE. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\MEMORY_BINDING_CANDIDATE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\READONLY_MEMORY_LEDGER_EN TRY.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\READONLY_MEMORY_LEDGER_EN TRY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\README_BOUNDARY.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\README_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\TRANSPLANT_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\TRANSPLANT_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\brody _graphiti_ready_export_readonly_v1_6_4.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\brody _graphiti_ready_export_readonly_v1_6_4.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\BRODY _OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\BRODY _OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\run_b rody_graphiti_ready_export_readonly_v1_6_4.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\run_b rody_graphiti_ready_export_readonly_v1_6_4.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_OBSIDIE N_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_OBSIDIE N_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_SESSION _TRACE_LEDGER_READONLY.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_SESSION _TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_WORLD_S OURCE_INTAKE_READONLY.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_WORLD_S OURCE_INTAKE_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_GRAPHITI_READ ONLY_INDEX.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_GRAPHITI_READ ONLY_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_MEMORY_GRAPHI TI_BRANCH_STATE_AUDIT.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_MEMORY_GRAPHI TI_BRANCH_STATE_AUDIT.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_PROJECT_MEMOR Y_CLEAN_SOURCE_NO_INDEX.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_PROJECT_MEMOR Y_CLEAN_SOURCE_NO_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\BRODY_OBS IDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\BRODY_OBS IDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\brody_ses sion_trace_ledger_readonly_v1_6_3.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\brody_ses sion_trace_ledger_readonly_v1_6_3.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\run_brody _session_trace_ledger_readonly_v1_6_3.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\run_brody _session_trace_ledger_readonly_v1_6_3.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_CLEAN_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_CLEAN_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_1.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_1.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_2.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_2.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_1.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_1.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_2.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_2.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\CURRENT_BRODY_GRAPHITI_READY_V164D_TAXONOMY_34_TO_8.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\CURRENT_BRODY_GRAPHITI_READY_V164D_TAXONOMY_34_TO_8.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_hits.csv — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_hits.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_metrics.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_metrics.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_preview.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_preview.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\README_V164D_CLOSE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\README_V164D_CLOSE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\taxonomy_34_to_8_source_authority.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\taxonomy_34_to_8_source_authority.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\X108_GRAPHITI_TAXONOMY_V164D_CLOSE_SUMMARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\X108_GRAPHITI_TAXONOMY_V164D_CLOSE_SUMMARY.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\readonly_context_guard.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\readonly_context_guard.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Graphiti proxy API routes (/api/graphiti/*) — readonly only — Graphiti proxy API routes (/api/graphiti/*) — readonly only

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Local readonly index from e9e43e4 — real data, no write path — Local readonly index from e9e43e4 — real data, no write path

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

NO_ACT — NO_ACT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8. Memory readonly packet — 8. Memory readonly packet

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"notes": "X108 ingress point for readonly context. Module exists but ingress not active in current runtime.", — "notes": "X108 ingress point for readonly context. Module exists but ingress not active in current runtime.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OUT_JSON = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.json" — OUT_JSON = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.json"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OUT_MD = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.md" — OUT_MD = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.md"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"report_id": f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}", — "report_id": f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"status": "F30_2_COPY_V5_READONLY_MODULE_DONE", — "status": "F30_2_COPY_V5_READONLY_MODULE_DONE",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("# OBSIDIA F30.2 — COPY V5 READONLY MODULE") — lines.append("# OBSIDIA F30.2 — COPY V5 READONLY MODULE")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("Mode: COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH") — lines.append("Mode: COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("F30_2_COPY_V5_READONLY_MODULE_DONE") — lines.append("F30_2_COPY_V5_READONLY_MODULE_DONE")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

print("F30_2_COPY_V5_READONLY_MODULE_DONE") — print("F30_2_COPY_V5_READONLY_MODULE_DONE")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- readonly_signal_cannot_decide — - readonly_signal_cannot_decide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Vue dev: le signal est transformé en paquet readonly dérivé du Reverse OS. — Vue dev: le signal est transformé en paquet readonly dérivé du Reverse OS.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- F05-F07 : mémoire + atlas + cognition (readonly puis advisory) — - F05-F07 : mémoire + atlas + cognition (readonly puis advisory)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Boundary KX108_ONLY documentée pour chaque pack — - Boundary KX108_ONLY documentée pour chaque pack

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.m d","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.m d","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_A UTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONN ELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_A UTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONN ELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_R EADONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",". md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_R EADONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",". md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX 108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md ","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 stri — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX 108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md ","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 stri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md ","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair invent — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md ","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair invent

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIO NNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY .md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false", — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIO NNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY .md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEXT _MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repa — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEXT _MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","audit/freezes/atlas/","SOURCE_ONLY","FILE_PLA N_ALL 737 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_free zes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING _CANDIDATES.json audit/freezes/atlas/ AUTO_MODULE_HEADING_CANDIDATES.json j","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","false","false", "false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","audit/freezes/atlas/","SOURCE_ONLY","FILE_PLA N_ALL 737 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_free zes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING _CANDIDATES.json audit/freezes/atlas/ AUTO_MODULE_HEADING_CANDIDATES.json j","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","false","false", "false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 788 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.json atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.json json P4_ATLAS_EVIDENCE_OR_DOCS ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 788 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.json atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.json json P4_ATLAS_EVIDENCE_OR_DOCS ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 789 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.md atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.md md P4_ATLAS_EVIDENCE_OR_DOCS F06 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 789 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.md atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.md md P4_ATLAS_EVIDENCE_OR_DOCS F06 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1544 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/A_MODULES_A1_A10_TABLES_V0.md atlas/world_protocol_atlas/ A_MODULES_A1_A10_TABLES_V0.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1544 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/A_MODULES_A1_A10_TABLES_V0.md atlas/world_protocol_atlas/ A_MODULES_A1_A10_TABLES_V0.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1548 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md atlas/world_protocol_atlas/ GRIMOIRE_MODULES_M01_M24_TABLES_V0.md md P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1548 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md atlas/world_protocol_atlas/ GRIMOIRE_MODULES_M01_M24_TABLES_V0.md md P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1807 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.json atlas/world_protocol_atlas/ module_metamorphose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1807 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.json atlas/world_protocol_atlas/ module_metamorphose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1808 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.md atlas/world_protocol_atlas/ module_metamorphose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false"," false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1808 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.md atlas/world_protocol_atlas/ module_metamorphose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false"," false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1809 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.json atlas/world_protocol_atlas/ module_metamorphosis.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1809 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.json atlas/world_protocol_atlas/ module_metamorphosis.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1810 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.md atlas/world_protocol_atlas/ module_metamorphosis.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1810 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.md atlas/world_protocol_atlas/ module_metamorphosis.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1811 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.json atlas/world_protocol_atlas/ module_reaction.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1811 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.json atlas/world_protocol_atlas/ module_reaction.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1812 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.md atlas/world_protocol_atlas/ module_reaction.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1812 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.md atlas/world_protocol_atlas/ module_reaction.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1813 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.json atlas/world_protocol_atlas/ module_symbiose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1813 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.json atlas/world_protocol_atlas/ module_symbiose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1814 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.md atlas/world_protocol_atlas/ module_symbiose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1814 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.md atlas/world_protocol_atlas/ module_symbiose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1869 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.json atlas/world_protocol_atlas/ protocole_chronos.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1869 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.json atlas/world_protocol_atlas/ protocole_chronos.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1870 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.md atlas/world_protocol_atlas/ protocole_chronos.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDID ATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fals e","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1870 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.md atlas/world_protocol_atlas/ protocole_chronos.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDID ATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fals e","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1939 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.json atlas/world_protocol_atlas/ univers_fractaloides.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1939 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.json atlas/world_protocol_atlas/ univers_fractaloides.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1940 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.md atlas/world_protocol_atlas/ univers_fractaloides.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1940 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.md atlas/world_protocol_atlas/ univers_fractaloides.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1965 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M01_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M01_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1965 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M01_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M01_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1966 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M02_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M02_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1966 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M02_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M02_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1967 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M03_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M03_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1967 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M03_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M03_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1968 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M04_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M04_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1968 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M04_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M04_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1969 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M05_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M05_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1969 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M05_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M05_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1970 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M06_ia_reves_subconscient_on eirisme.md atlas/world_protocol_atlas/ M06_ia_reves_subconscient_oneirisme","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1970 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M06_ia_reves_subconscient_on eirisme.md atlas/world_protocol_atlas/ M06_ia_reves_subconscient_oneirisme","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1971 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M07_ia_musique_vibration_per ception_sonore.md atlas/world_protocol_atlas/ M07_ia_musique_vibration_per","INTEGRATE_TO_ATLAS_READONLY_SCENAR IO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false" ,"false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1971 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M07_ia_musique_vibration_per ception_sonore.md atlas/world_protocol_atlas/ M07_ia_musique_vibration_per","INTEGRATE_TO_ATLAS_READONLY_SCENAR IO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false" ,"false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1972 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M08_ia_multilinguisme_langue s_rares.md atlas/world_protocol_atlas/ M08_ia_multilinguisme_langues_rares","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1972 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M08_ia_multilinguisme_langue s_rares.md atlas/world_protocol_atlas/ M08_ia_multilinguisme_langues_rares","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1973 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M09_ia_fiction_metamorphose_ theatre_symbolique.md atlas/world_protocol_atlas/ M09_ia_fiction_metamorph","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1973 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M09_ia_fiction_metamorphose_ theatre_symbolique.md atlas/world_protocol_atlas/ M09_ia_fiction_metamorph","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1974 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M10_ia_mort_post_mortem_memo ire_transgenerationnelle.md atlas/world_protocol_atlas/ M10_ia_mort_post_m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CA NDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false"," false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1974 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M10_ia_mort_post_mortem_memo ire_transgenerationnelle.md atlas/world_protocol_atlas/ M10_ia_mort_post_m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CA NDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false"," false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1975 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M11_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M11_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1975 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M11_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M11_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1976 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M12_niches_biologiques_extre mes.md atlas/world_protocol_atlas/ M12_niches_biologiques_extremes.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1976 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M12_niches_biologiques_extre mes.md atlas/world_protocol_atlas/ M12_niches_biologiques_extremes.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1977 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M13_codex_des_ames_memoire_p ost_vie.md atlas/world_protocol_atlas/ M13_codex_des_ames_memoire_post_vie","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1977 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M13_codex_des_ames_memoire_p ost_vie.md atlas/world_protocol_atlas/ M13_codex_des_ames_memoire_post_vie","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1978 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M14_theatre_fiction_metamorp hose.md atlas/world_protocol_atlas/ M14_theatre_fiction_metamorphose.md md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1978 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M14_theatre_fiction_metamorp hose.md atlas/world_protocol_atlas/ M14_theatre_fiction_metamorphose.md md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1979 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M15_simulation_d_univers_alt ernatifs_realites_speculatives.md atlas/world_protocol_atlas/ M15_simulati","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1979 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M15_simulation_d_univers_alt ernatifs_realites_speculatives.md atlas/world_protocol_atlas/ M15_simulati","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1980 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M16_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M16_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1980 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M16_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M16_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1981 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M17_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M17_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1981 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M17_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M17_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1982 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M18_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M18_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1982 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M18_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M18_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1983 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M19_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M19_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1983 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M19_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M19_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1984 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M20_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M20_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1984 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M20_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M20_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1985 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M21_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M21_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1985 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M21_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M21_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1986 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M22_ia_mort_post_mortem_memo ire.md atlas/world_protocol_atlas/ M22_ia_mort_post_mortem_memoire.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1986 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M22_ia_mort_post_mortem_memo ire.md atlas/world_protocol_atlas/ M22_ia_mort_post_mortem_memoire.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1987 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M23_niches_biologiques_virus _adn_forets_primaires.md atlas/world_protocol_atlas/ M23_niches_biologique","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC _CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false ","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1987 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M23_niches_biologiques_virus _adn_forets_primaires.md atlas/world_protocol_atlas/ M23_niches_biologique","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC _CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false ","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1988 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M24_ia_catastrophes_naturell es.md atlas/world_protocol_atlas/ M24_ia_catastrophes_naturelles.md md P3_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1988 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M24_ia_catastrophes_naturell es.md atlas/world_protocol_atlas/ M24_ia_catastrophes_naturelles.md md P3_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1989 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B1_open_source_ecology.md atlas/world_protocol_atlas/ B1_open_source_ecology.md md P3_ATLAS_CONTENT F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1989 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B1_open_source_ecology.md atlas/world_protocol_atlas/ B1_open_source_ecology.md md P3_ATLAS_CONTENT F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1990 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B2_internet_archive.md atlas/world_protocol_atlas/ B2_internet_archive.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1990 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B2_internet_archive.md atlas/world_protocol_atlas/ B2_internet_archive.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1991 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B3_openai_non_commercial_le gacy_avant_virage.md atlas/world_protocol_atlas/ B3_openai_non_commercial_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","f alse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1991 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B3_openai_non_commercial_le gacy_avant_virage.md atlas/world_protocol_atlas/ B3_openai_non_commercial_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","f alse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1992 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B4_creative_commons.md atlas/world_protocol_atlas/ B4_creative_commons.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1992 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B4_creative_commons.md atlas/world_protocol_atlas/ B4_creative_commons.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1993 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B5_wikidata_wikimedia_found ation.md atlas/world_protocol_atlas/ B5_wikidata_wikimedia_foundation.md m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1993 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B5_wikidata_wikimedia_found ation.md atlas/world_protocol_atlas/ B5_wikidata_wikimedia_foundation.md m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1994 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B6_common_voice_mozilla.md atlas/world_protocol_atlas/ B6_common_voice_mozilla.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fa lse","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1994 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B6_common_voice_mozilla.md atlas/world_protocol_atlas/ B6_common_voice_mozilla.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fa lse","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1995 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B7_gosh_global_open_science _hardware.md atlas/world_protocol_atlas/ B7_gosh_global_open_science_hardw","INTEGRATE_TO_ATLAS_READONLY_S CENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","f alse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1995 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B7_gosh_global_open_science _hardware.md atlas/world_protocol_atlas/ B7_gosh_global_open_science_hardw","INTEGRATE_TO_ATLAS_READONLY_S CENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","f alse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONL Y_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONL Y_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SC ENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SC ENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2051 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.json atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.json json P3_ATLAS_CO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2051 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.json atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.json json P3_ATLAS_CO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2052 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.md atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2052 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.md atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2077 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.json atlas/world_protocol_atlas/ arbre_multiversal.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2077 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.json atlas/world_protocol_atlas/ arbre_multiversal.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2078 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.md atlas/world_protocol_atlas/ arbre_multiversal.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2078 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.md atlas/world_protocol_atlas/ arbre_multiversal.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2209 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.json atlas/world_protocol_atlas/ injecter_lois_alternatives.json json P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2209 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.json atlas/world_protocol_atlas/ injecter_lois_alternatives.json json P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2210 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.md atlas/world_protocol_atlas/ injecter_lois_alternatives.md md P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2210 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.md atlas/world_protocol_atlas/ injecter_lois_alternatives.md md P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2237 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.json atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.json json","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2237 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.json atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.json json","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2238 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.md atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2238 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.md atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2271 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.json atlas/world_protocol_atlas/ module_de_presence_meta.json json P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2271 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.json atlas/world_protocol_atlas/ module_de_presence_meta.json json P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2272 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.md atlas/world_protocol_atlas/ module_de_presence_meta.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2272 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.md atlas/world_protocol_atlas/ module_de_presence_meta.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2321 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.json atlas/world_protocol_atlas/ protocole_masq.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2321 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.json atlas/world_protocol_atlas/ protocole_masq.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2322 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.md atlas/world_protocol_atlas/ protocole_masq.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2322 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.md atlas/world_protocol_atlas/ protocole_masq.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2424 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/a_modules_registry.cpython-313.pyc archive/quarantine/generated_cache/ a_modules_registry.cpython-313.pyc pyc","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2424 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/a_modules_registry.cpython-313.pyc archive/quarantine/generated_cache/ a_modules_registry.cpython-313.pyc pyc","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2431 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/module_registry.cpython-313.pyc archive/quarantine/generated_cache/ module_registry.cpython-313.pyc pyc P5_QU","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2431 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/module_registry.cpython-313.pyc archive/quarantine/generated_cache/ module_registry.cpython-313.pyc pyc P5_QU","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2436 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/a_modules_registry.py periphery/world_protocol_atlas/ a_modules_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUN","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ONLY", "false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2436 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/a_modules_registry.py periphery/world_protocol_atlas/ a_modules_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUN","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ONLY", "false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2445 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/module_registry.py periphery/world_protocol_atlas/ module_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCA","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ ONLY","false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2445 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/module_registry.py periphery/world_protocol_atlas/ module_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCA","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ ONLY","false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/registry/","F06_ATLAS","FILE_PLAN_ALL 2454 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/registry/modu le_registry.json atlas/registry/ module_registry.json json P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN LOW KX108","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/registry/","F06_ATLAS","FILE_PLAN_ALL 2454 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/registry/modu le_registry.json atlas/registry/ module_registry.json json P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN LOW KX108","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/.r untime_freezes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MOD ULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDIDATES.json ",".json","1275231","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY" ,"RUNTIME_FREEZE_ARCHIVE_ONLY","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/.r untime_freezes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MOD ULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDIDATES.json ",".json","1275231","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY" ,"RUNTIME_FREEZE_ARCHIVE_ONLY","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO _MODULE_HEADING_CANDIDATES.json",".json","1248337","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO _MODULE_HEADING_CANDIDATES.json",".json","1248337","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_M ODULE_HEADING_CANDIDATES.md",".md","135208","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_M ODULE_HEADING_CANDIDATES.md",".md","135208","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES _A1_A10_TABLES_V0.md",".md","22999","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES _A1_A10_TABLES_V0.md",".md","22999","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md","G RIMOIRE_MODULES_M01_M24_TABLES_V0.md",".md","51767","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md","G RIMOIRE_MODULES_M01_M24_TABLES_V0.md",".md","51767","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.json","module_ metamorphose.json",".json","2315","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.json","module_ metamorphose.json",".json","2315","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.md","module_me tamorphose.md",".md","1129","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.md","module_me tamorphose.md",".md","1129","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.json","module _metamorphosis.json",".json","2303","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.json","module _metamorphosis.json",".json","2303","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.md","module_m etamorphosis.md",".md","1113","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.md","module_m etamorphosis.md",".md","1113","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.json","module_reac tion.json",".json","2246","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.json","module_reac tion.json",".json","2246","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.md","module_reacti on.md",".md","1076","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.md","module_reacti on.md",".md","1076","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.json","module_symb iose.json",".json","2244","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.json","module_symb iose.json",".json","2244","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.md","module_symbio se.md",".md","1074","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.md","module_symbio se.md",".md","1074","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.json","protocole _chronos.json",".json","2277","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.json","protocole _chronos.json",".json","2277","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.md","protocole_c hronos.md",".md","1099","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDA TE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE ","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.md","protocole_c hronos.md",".md","1099","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDA TE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE ","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.json","univer s_fractaloides.json",".json","2301","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.json","univer s_fractaloides.json",".json","2301","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.md","univers_ fractaloides.md",".md","1111","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.md","univers_ fractaloides.md",".md","1111","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M01_catastrophes_ naturelles_ia_de_resilience.md","M01_catastrophes_naturelles_ia_d e_resilience.md",".md","2806","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M01_catastrophes_ naturelles_ia_de_resilience.md","M01_catastrophes_naturelles_ia_d e_resilience.md",".md","2806","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M02_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M02_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2853","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M02_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M02_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2853","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M03_simulation_d_ univers_alternatifs.md","M03_simulation_d_univers_alternatifs.md" ,".md","2735","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M03_simulation_d_ univers_alternatifs.md","M03_simulation_d_univers_alternatifs.md" ,".md","2735","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M04_ia_mort_post_ mortem_memoire_des_disparus.md","M04_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2756","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M04_ia_mort_post_ mortem_memoire_des_disparus.md","M04_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2756","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M05_ia_theatre_fi ction_metamorphose.md","M05_ia_theatre_fiction_metamorphose.md"," .md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M05_ia_theatre_fi ction_metamorphose.md","M05_ia_theatre_fiction_metamorphose.md"," .md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M06_ia_reves_subc onscient_oneirisme.md","M06_ia_reves_subconscient_oneirisme.md"," .md","2665","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M06_ia_reves_subc onscient_oneirisme.md","M06_ia_reves_subconscient_oneirisme.md"," .md","2665","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M07_ia_musique_vi bration_perception_sonore.md","M07_ia_musique_vibration_perceptio n_sonore.md",".md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M07_ia_musique_vi bration_perception_sonore.md","M07_ia_musique_vibration_perceptio n_sonore.md",".md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M08_ia_multilingu isme_langues_rares.md","M08_ia_multilinguisme_langues_rares.md"," .md","2687","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M08_ia_multilingu isme_langues_rares.md","M08_ia_multilinguisme_langues_rares.md"," .md","2687","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M09_ia_fiction_me tamorphose_theatre_symbolique.md","M09_ia_fiction_metamorphose_th eatre_symbolique.md",".md","2729","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M09_ia_fiction_me tamorphose_theatre_symbolique.md","M09_ia_fiction_metamorphose_th eatre_symbolique.md",".md","2729","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M10_ia_mort_post_ mortem_memoire_transgenerationnelle.md","M10_ia_mort_post_mortem_ memoire_transgenerationnelle.md",".md","2777","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","fals —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M10_ia_mort_post_ mortem_memoire_transgenerationnelle.md","M10_ia_mort_post_mortem_ memoire_transgenerationnelle.md",".md","2777","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","fals

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M11_simulation_d_ univers_alternatifs.md","M11_simulation_d_univers_alternatifs.md" ,".md","2670","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M11_simulation_d_ univers_alternatifs.md","M11_simulation_d_univers_alternatifs.md" ,".md","2670","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M12_niches_biolog iques_extremes.md","M12_niches_biologiques_extremes.md",".md","26 31","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M12_niches_biolog iques_extremes.md","M12_niches_biologiques_extremes.md",".md","26 31","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M13_codex_des_ame s_memoire_post_vie.md","M13_codex_des_ames_memoire_post_vie.md"," .md","2640","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M13_codex_des_ame s_memoire_post_vie.md","M13_codex_des_ames_memoire_post_vie.md"," .md","2640","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M14_theatre_ficti on_metamorphose.md","M14_theatre_fiction_metamorphose.md",".md"," 2607","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M14_theatre_ficti on_metamorphose.md","M14_theatre_fiction_metamorphose.md",".md"," 2607","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M15_simulation_d_ univers_alternatifs_realites_speculatives.md","M15_simulation_d_u nivers_alternatifs_realites_speculatives.md",".md","2746","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M15_simulation_d_ univers_alternatifs_realites_speculatives.md","M15_simulation_d_u nivers_alternatifs_realites_speculatives.md",".md","2746","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M16_catastrophes_ naturelles_ia_de_resilience.md","M16_catastrophes_naturelles_ia_d e_resilience.md",".md","2692","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M16_catastrophes_ naturelles_ia_de_resilience.md","M16_catastrophes_naturelles_ia_d e_resilience.md",".md","2692","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M17_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M17_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2739","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M17_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M17_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2739","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M18_simulation_d_ univers_alternatifs.md","M18_simulation_d_univers_alternatifs.md" ,".md","2642","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M18_simulation_d_ univers_alternatifs.md","M18_simulation_d_univers_alternatifs.md" ,".md","2642","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M19_ia_mort_post_ mortem_memoire_des_disparus.md","M19_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2682","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M19_ia_mort_post_ mortem_memoire_des_disparus.md","M19_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2682","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M20_ia_theatre_fi ction_metamorphose.md","M20_ia_theatre_fiction_metamorphose.md"," .md","2638","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M20_ia_theatre_fi ction_metamorphose.md","M20_ia_theatre_fiction_metamorphose.md"," .md","2638","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M21_simulation_d_ univers_alternatifs.md","M21_simulation_d_univers_alternatifs.md" ,".md","2609","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M21_simulation_d_ univers_alternatifs.md","M21_simulation_d_univers_alternatifs.md" ,".md","2609","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M22_ia_mort_post_ mortem_memoire.md","M22_ia_mort_post_mortem_memoire.md",".md","26 19","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M22_ia_mort_post_ mortem_memoire.md","M22_ia_mort_post_mortem_memoire.md",".md","26 19","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M23_niches_biolog iques_virus_adn_forets_primaires.md","M23_niches_biologiques_viru s_adn_forets_primaires.md",".md","2649","INTEGRATE_TO_ATLAS_READO NLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_AC TION_CLAIM_SCOPE","false","false","false","F0 — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M23_niches_biolog iques_virus_adn_forets_primaires.md","M23_niches_biologiques_viru s_adn_forets_primaires.md",".md","2649","INTEGRATE_TO_ATLAS_READO NLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_AC TION_CLAIM_SCOPE","false","false","false","F0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M24_ia_catastroph es_naturelles.md","M24_ia_catastrophes_naturelles.md",".md","2585 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M24_ia_catastroph es_naturelles.md","M24_ia_catastrophes_naturelles.md",".md","2585 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B1_open_source_e cology.md","B1_open_source_ecology.md",".md","2314","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B1_open_source_e cology.md","B1_open_source_ecology.md",".md","2314","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B2_internet_arch ive.md","B2_internet_archive.md",".md","2295","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B2_internet_arch ive.md","B2_internet_archive.md",".md","2295","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B3_openai_non_co mmercial_legacy_avant_virage.md","B3_openai_non_commercial_legacy _avant_virage.md",".md","2464","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon r — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B3_openai_non_co mmercial_legacy_avant_virage.md","B3_openai_non_commercial_legacy _avant_virage.md",".md","2464","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon r

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B4_creative_comm ons.md","B4_creative_commons.md",".md","2254","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B4_creative_comm ons.md","B4_creative_commons.md",".md","2254","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B5_wikidata_wiki media_foundation.md","B5_wikidata_wikimedia_foundation.md",".md", "2319","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READON LY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false" ,"false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B5_wikidata_wiki media_foundation.md","B5_wikidata_wikimedia_foundation.md",".md", "2319","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READON LY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false" ,"false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B6_common_voice_ mozilla.md","B6_common_voice_mozilla.md",".md","2287","INTEGRATE_ TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ex — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B6_common_voice_ mozilla.md","B6_common_voice_mozilla.md",".md","2287","INTEGRATE_ TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B7_gosh_global_o pen_science_hardware.md","B7_gosh_global_open_science_hardware.md ",".md","2379","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B7_gosh_global_o pen_science_hardware.md","B7_gosh_global_open_science_hardware.md ",".md","2379","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. json","adaptation_selon_lois_simulees.json",".json","2431","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. json","adaptation_selon_lois_simulees.json",".json","2431","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. md","adaptation_selon_lois_simulees.md",".md","1177","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. md","adaptation_selon_lois_simulees.md",".md","1177","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.json","arbre_ multiversal.json",".json","2295","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.json","arbre_ multiversal.json",".json","2295","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.md","arbre_mu ltiversal.md",".md","1108","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.md","arbre_mu ltiversal.md",".md","1108","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.json ","injecter_lois_alternatives.json",".json","2389","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.json ","injecter_lois_alternatives.json",".json","2389","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.md", "injecter_lois_alternatives.md",".md","1150","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.md", "injecter_lois_alternatives.md",".md","1150","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.json","lois_physiques_sociales_alternatives.json",".json"," 2478","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.json","lois_physiques_sociales_alternatives.json",".json"," 2478","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.md","lois_physiques_sociales_alternatives.md",".md","1200", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.md","lois_physiques_sociales_alternatives.md",".md","1200", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.json," module_de_presence_meta.json",".json","2358","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.json," module_de_presence_meta.json",".json","2358","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.md","mo dule_de_presence_meta.md",".md","1142","INTEGRATE_TO_ATLAS_READON LY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACT ION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no ru — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.md","mo dule_de_presence_meta.md",".md","1142","INTEGRATE_TO_ATLAS_READON LY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACT ION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no ru

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.json","protocole _masq.json",".json","2283","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.json","protocole _masq.json",".json","2283","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.md","protocole_m asq.md",".md","1096","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE"," false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.md","protocole_m asq.md",".md","1096","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE"," false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/a_modules_registry.cpyth on-313.pyc","a_modules_registry.cpython-313.pyc",".pyc","1451","K EEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE" ,"false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/a_modules_registry.cpyth on-313.pyc","a_modules_registry.cpython-313.pyc",".pyc","1451","K EEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE" ,"false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/module_registry.cpython-313.pyc","module_registry.cpython-313.pyc",".pyc","1295","KEEP_QU ARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE","fals e","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/module_registry.cpython-313.pyc","module_registry.cpython-313.pyc",".pyc","1295","KEEP_QU ARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE","fals e","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/a_modules_registry.py","a_modules_re gistry.py",".py","915","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_AD VISORY_ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/a_modules_registry.py","a_modules_re gistry.py",".py","915","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_AD VISORY_ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/module_registry.py","module_registry .py",".py","833","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY _ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/module_registry.py","module_registry .py",".py","833","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY _ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/re gistry/module_registry.json","module_registry.json",".json","7743 4","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_A DVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fa lse","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/re gistry/module_registry.json","module_registry.json",".json","7743 4","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_A DVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fa lse","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_freezes/WORLD_ PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING_CANDIDATE S.json","AUTO_MODULE_HEADING_CANDIDATES.json",".json","2522836"," ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","RUNTIME_FREEZE_ARCH IVE_ONLY","false","false","false","F06 canon — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_freezes/WORLD_ PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING_CANDIDATE S.json","AUTO_MODULE_HEADING_CANDIDATES.json",".json","2522836"," ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","RUNTIME_FREEZE_ARCH IVE_ONLY","false","false","false","F06 canon

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDI DATES.json",".json","2495942","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDI DATES.json",".json","2495942","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_MODULE_HEADING_CANDIDA TES.md",".md","135653","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE" ,"false","false","false","F06 canon repair in — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_MODULE_HEADING_CANDIDA TES.md",".md","135653","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE" ,"false","false","false","F06 canon repair in

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES_A1_A10_TABLES_V0.md" ,".md","23434","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES_A1_A10_TABLES_V0.md" ,".md","23434","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

canon — canon

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

076630C84C5C_CURRENT_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL _SELECTOR.txt — 076630C84C5C_CURRENT_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL _SELECTOR.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md — 0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8B0A4AD948_P36__Quintuplet_detat_canonique_S_I_L.md — 0A8B0A4AD948_P36__Quintuplet_detat_canonique_S_I_L.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B9AF809DD8A_arbres_34.canon.json — 0B9AF809DD8A_arbres_34.canon.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt — 0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1024CA594BA4_03_SPEC_10__Tool_Registry_Canonical_registre_outils_ P91_P100_valider_V4.md — 1024CA594BA4_03_SPEC_10__Tool_Registry_Canonical_registre_outils_ P91_P100_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1024CA594BA4_Spec_10__Tool_Registry_Canonical_registre_outils_P91 _P100_valider_V4.md — 1024CA594BA4_Spec_10__Tool_Registry_Canonical_registre_outils_P91 _P100_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1054A95EAFAC_guardians_index.json — 1054A95EAFAC_guardians_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

18DF4CDE731C_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL_SELECTO R.md — 18DF4CDE731C_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL_SELECTO R.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E79D96F1A5B_03_SPEC_01__Event_Schema_Obsidia_format_canonique_JS ON_P1_P10.md — 1E79D96F1A5B_03_SPEC_01__Event_Schema_Obsidia_format_canonique_JS ON_P1_P10.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E79D96F1A5B_Spec_01__Event_Schema_Obsidia_format_canonique_JSON_ P1_P10.md — 1E79D96F1A5B_Spec_01__Event_Schema_Obsidia_format_canonique_JSON_ P1_P10.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

223B7DD11CA8_CURRENT_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.txt — 223B7DD11CA8_CURRENT_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md — 2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md — 2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2F331E600EE5_GUARDIAN_009__Sigma_Verifier.md — 2F331E600EE5_GUARDIAN_009__Sigma_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39C84EF0BACB_GUARDIAN_011__RFC3161_Verifier.md — 39C84EF0BACB_GUARDIAN_011__RFC3161_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

446D12773467_agents_canoniques.json — 446D12773467_agents_canoniques.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

52BFEB2FDE78_DocA_Taxonomie_Canonique_Statuts.md — 52BFEB2FDE78_DocA_Taxonomie_Canonique_Statuts.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md — 5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5CC306A05219_GUARDIAN_012__TLA_Verifier.md — 5CC306A05219_GUARDIAN_012__TLA_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F85B0B02DBB_GUARDIAN_017__ADeLe.md — 7F85B0B02DBB_GUARDIAN_017__ADeLe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md — 91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

935B11688ECA_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.md — 935B11688ECA_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A73FD8B9605C_CANON_GUARDIAN.md — A73FD8B9605C_CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md — A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md — A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AF993D1598F0_CURRENT_REAL_IMPORT_SELECTION_V2_CANONICAL.txt — AF993D1598F0_CURRENT_REAL_IMPORT_SELECTION_V2_CANONICAL.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B3EA0A47CA6B_CURRENT_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DI ALOGUE.txt — B3EA0A47CA6B_CURRENT_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DI ALOGUE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md — BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7CAEA284406_AGENTS_CANONIQUES_ET_GARDIENS.md — C7CAEA284406_AGENTS_CANONIQUES_ET_GARDIENS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md — CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CFE35B6A1D3D_00_REGISTRY_CANON_DOC.md — CFE35B6A1D3D_00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DF7637E5DB5C_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DIALOGUE.m d — DF7637E5DB5C_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DIALOGUE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E03215A72858_obsidia_kernel_language_canon_v1.json — E03215A72858_obsidia_kernel_language_canon_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E12E7DBCAF4F_CANON_GUARDIAN.md — E12E7DBCAF4F_CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8AE9F61DCF9_GUARDIAN_010__Merkle_Verifier.md — F8AE9F61DCF9_GUARDIAN_010__Merkle_Verifier.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FAE9BEA57D0B_VOCABULAIRE_CANONIQUE.md — FAE9BEA57D0B_VOCABULAIRE_CANONIQUE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

00_REGISTRY_CANON_DOC.md — 00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_B__Coherence_documentaire_cano n_161_blocs_specs_registres_contradictions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_B__Coherence_documentaire_cano n_161_blocs_specs_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\03_SPECS\03_SPEC_10__Tool_Registry_Canonical_regist re_outils_P91_P100_valider_V4.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\03_SPECS\03_SPEC_10__Tool_Registry_Canonical_regist re_outils_P91_P100_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\02_PEPITES\02_PEPITE_P036__Quintuplet_detat_canon ique_S_I_L.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\02_PEPITES\02_PEPITE_P036__Quintuplet_detat_canon ique_S_I_L.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36.lean — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36.lean

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__EVIDENCE_REQUIRED.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__EVIDENCE_REQUIRED.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__SPEC_FORMELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__SPEC_FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_01__Event_Schema_Obsidia_format_canonique_ JSON_P1_P10.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_01__Event_Schema_Obsidia_format_canonique_ JSON_P1_P10.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signat ure_P71_P80_valider_V4.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signat ure_P71_P80_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md ", — "title": "0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md ",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0B9AF809DD8A_arbres_34.canon.json", — "title": "0B9AF809DD8A_arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\00_REGISTRY_CANON_DOC.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\00_REGISTRY_CANON_DOC.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "arbres_34.canon.json", — "title": "arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\arbres_34.canon.json", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\00_TOP5_FONDATEURS\\CANON_GUARDIAN.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\00_TOP5_FONDATEURS\\CANON_GUARDIAN.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\02_DOCUMENTATION_THEORIE_FREEZE\\VOCABULAIR E_CANONIQUE.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\02_DOCUMENTATION_THEORIE_FREEZE\\VOCABULAIR E_CANONIQUE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md", — "title": "02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_02__Temp s_X_108_Non_contournement\\02_PEPITES\\02_PEPITE_P036__Quintuplet _detat_canonique_S_I_L.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_02__Temp s_X_108_Non_contournement\\02_PEPITES\\02_PEPITE_P036__Quintuplet _detat_canonique_S_I_L.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action" —
□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","AGENTS_52","periphery/OBSIDIA_MMOND E_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/10_AGENTS_52/*","65","AGEN T","agents","agents_52","agents","SOURCE_CANON_CANDIDATE","REGROU P_CANON" — "MMONDE_REVERSE_OS_34ARBRES","AGENTS_52","periphery/OBSIDIA_MMOND E_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/10_AGENTS_52/*","65","AGEN T","agents","agents_52","agents","SOURCE_CANON_CANDIDATE","REGROU P_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","ARBRES_34_TENSOR_MATRIX","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/04_ARBRES_34 _TENSOR_MATRIX/* ; specs/04_AGI_TREE34_FLUX/*","428","COGNITIVE_TREE","Tree34","tree _tensor","cognition","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","ARBRES_34_TENSOR_MATRIX","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/04_ARBRES_34 _TENSOR_MATRIX/* ; specs/04_AGI_TREE34_FLUX/*","428","COGNITIVE_TREE","Tree34","tree _tensor","cognition","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","BDF_DOUBLE_CERVEAU","periphery/OBSI DIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/07_BDF_DOUBLE_CER VEAU/*","9","COGNITIVE_ARCH","BDF","double_brain","cognition","SO URCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","BDF_DOUBLE_CERVEAU","periphery/OBSI DIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/07_BDF_DOUBLE_CER VEAU/*","9","COGNITIVE_ARCH","BDF","double_brain","cognition","SO URCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","CONSTITUTION_LOIS_OBSIDIENNES","per iphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/02_CON STITUTION_LOIS_OBSIDIENNES/* ; specs/02_INTERLAYER_CONSTITUTION/*","20","LAW","constitution","ob sidian_laws","core","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","CONSTITUTION_LOIS_OBSIDIENNES","per iphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/02_CON STITUTION_LOIS_OBSIDIENNES/* ; specs/02_INTERLAYER_CONSTITUTION/*","20","LAW","constitution","ob sidian_laws","core","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","FRICTION_AVDR_CONTINUUM","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/12_FRICTION_ AVDR_CONTINUUM/*","11","SEMANTIC_PROTOCOL","AVDR","friction_signa l","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","FRICTION_AVDR_CONTINUUM","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/12_FRICTION_ AVDR_CONTINUUM/*","11","SEMANTIC_PROTOCOL","AVDR","friction_signa l","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","GRAPHES_NUAGE_POINTS","periphery/OB SIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/13_GRAPHES_NUAG E_POINTS/*","12","GRAPH_MODEL","Graph","cloud_points","memory","S OURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","GRAPHES_NUAGE_POINTS","periphery/OB SIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/13_GRAPHES_NUAG E_POINTS/*","12","GRAPH_MODEL","Graph","cloud_points","memory","S OURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","HEXAFLUX_LTCU_MUTATIONS","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/08_HEXAFLUX_ LTCU_MUTATIONS/*","9","FLOW_MUTATION","Hexaflux","LTCU_mutation", "high_periphery","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","HEXAFLUX_LTCU_MUTATIONS","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/08_HEXAFLUX_ LTCU_MUTATIONS/*","9","FLOW_MUTATION","Hexaflux","LTCU_mutation", "high_periphery","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","MCP_BRIDGE_OBSIDIA_IR","periphery/O BSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/09_MCP_BRIDGE_ OBSIDIA_IR/* ; specs/07_AGENTS_CONNECTORS_MCP/*","19","BRIDGE","MCP_IR","tool_ga te","agents","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","MCP_BRIDGE_OBSIDIA_IR","periphery/O BSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/09_MCP_BRIDGE_ OBSIDIA_IR/* ; specs/07_AGENTS_CONNECTORS_MCP/*","19","BRIDGE","MCP_IR","tool_ga te","agents","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","MEMOIRE_MONDE_COSMOS_REFLEX","perip hery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/03_MEMOI RE_MONDE_COSMOS_REFLEX/* ; specs/08_MEMORY_BRODY_GRAPHITI/*","20","MEMORY","MMonde","cosmos_ reflex","memory","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","MEMOIRE_MONDE_COSMOS_REFLEX","perip hery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/03_MEMOI RE_MONDE_COSMOS_REFLEX/* ; specs/08_MEMORY_BRODY_GRAPHITI/*","20","MEMORY","MMonde","cosmos_ reflex","memory","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","SHAZAM_COGNITIF","periphery/OBSIDIA _MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/05_SHAZAM_COGNITIF/* ","9","SIGNAL_DETECTOR","Shazam","cognitive_signal","cognition"," SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","SHAZAM_COGNITIF","periphery/OBSIDIA _MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/05_SHAZAM_COGNITIF/* ","9","SIGNAL_DETECTOR","Shazam","cognitive_signal","cognition"," SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_V4_STRUCTURED_FULL","MODULES_A1_A24","periphery/OBSIDIA_ V4_STRUCTURED_FULL/05_MODULES_A1_A24/* ; periphery/agents/modules_a1_a24/*","50","MODULE","agents","module s_A1_A24","agents","SOURCE_CANON_CANDIDATE","DEDUP_AND_REGROUP" — "OBSIDIA_V4_STRUCTURED_FULL","MODULES_A1_A24","periphery/OBSIDIA_ V4_STRUCTURED_FULL/05_MODULES_A1_A24/* ; periphery/agents/modules_a1_a24/*","50","MODULE","agents","module s_A1_A24","agents","SOURCE_CANON_CANDIDATE","DEDUP_AND_REGROUP"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_V4_STRUCTURED_FULL","PEPITES_161","periphery/OBSIDIA_V4_ STRUCTURED_FULL/03_PEPITES_161/*","162","PEPITE","V4","semantic_n uggets","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "OBSIDIA_V4_STRUCTURED_FULL","PEPITES_161","periphery/OBSIDIA_V4_ STRUCTURED_FULL/03_PEPITES_161/*","162","PEPITE","V4","semantic_n uggets","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02) — bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

MSG_CANON02 — MSG_CANON02

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

data = json.loads((ROOT / "04_ARBRES_34_TENSOR_MATRIX/arbres_34.canon.json").read_text(enco ding="utf-8")) — data = json.loads((ROOT / "04_ARBRES_34_TENSOR_MATRIX/arbres_34.canon.json").read_text(enco ding="utf-8"))

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Accept both canonical names and short aliases used in specs: — Accept both canonical names and short aliases used in specs:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

canonization_date — canonization_date

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- N'est PAS une preuve finale — canonicalization_needed=true pour IR et REVERSE_LANGUAGE. — - N'est PAS une preuve finale — canonicalization_needed=true pour IR et REVERSE_LANGUAGE.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CANONICALIZATION_REPORT — REVERSE_OS_INTERLANGUAGE_CANON_V1 — CANONICALIZATION_REPORT — REVERSE_OS_INTERLANGUAGE_CANON_V1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

zip1_sandbox_mutable/ZIP1_X108_MUTABLE_20260508_183610/periphery/ reverse_os_interlanguage_transduction/reverse_os_interlanguage_ca non_v1.json — zip1_sandbox_mutable/ZIP1_X108_MUTABLE_20260508_183610/periphery/ reverse_os_interlanguage_transduction/reverse_os_interlanguage_ca non_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

canon_key — canon_key

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Formellement défini dans reverse_os_interlanguage_canon_v1.json sous la clé 'alphabet_ir' avec math=Σ_IR={12}. — Formellement défini dans reverse_os_interlanguage_canon_v1.json sous la clé 'alphabet_ir' avec math=Σ_IR={12}.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"canonical_path": "evidence/architecture_protocoles_os_cognitif.txt", — "canonical_path": "evidence/architecture_protocoles_os_cognitif.txt",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OBSIDIA V1 GENERAL CANON BACKLOG — Audit — OBSIDIA V1 GENERAL CANON BACKLOG — Audit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 117 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_ VISION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 117 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_ VISION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 118 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ ARCHITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 118 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ ARCHITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 119 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_ BOUNDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 119 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_ BOUNDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 121 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_ SEPARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 121 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_ SEPARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 123 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_ NON_CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 123 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_ NON_CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 124 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_ NON_EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 124 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_ NON_EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 125 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_ CONTROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 125 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_ CONTROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 126 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_ AUDIT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX10","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 126 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_ AUDIT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX10","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 127 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_ REPLAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 127 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_ REPLAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 128 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_ EVIDENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 128 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_ EVIDENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 129 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_ GESTION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 129 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_ GESTION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 130 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_ GESTION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 130 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_ GESTION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 131 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_ DONNEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 131 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_ DONNEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 132 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_ DONNEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 132 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_ DONNEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 133 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_ RISQUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 133 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_ RISQUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 134 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_ RISQUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 134 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_ RISQUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 135 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_ RISQUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 135 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_ RISQUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 136 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_ RISQUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 136 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_ RISQUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 137 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_ RISQUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 137 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_ RISQUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 138 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_ RISQUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 138 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_ RISQUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 139 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_ RISQUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 139 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_ RISQUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 140 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_ RISQUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 140 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_ RISQUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 141 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_ RISQUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 141 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_ RISQUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 142 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_ INCIDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 142 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_ INCIDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 143 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ ROLLBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 143 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ ROLLBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 144 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_ CONFORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 144 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_ CONFORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 145 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_ CONFORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 145 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_ CONFORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 146 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_ CONFORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 146 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_ CONFORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 147 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_ PERTINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 147 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_ PERTINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 148 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_ PERTINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 148 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_ PERTINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 149 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_ PERTINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 149 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_ PERTINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 150 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_ CONTROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 150 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_ CONTROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 151 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_ QUESTIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MED","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 151 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_ QUESTIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MED","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 152 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_ PREUVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 152 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_ PREUVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 153 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_ LIMITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 153 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_ LIMITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 154 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ ROADMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 154 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ ROADMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 155 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_ CONDITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 155 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_ CONDITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 156 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_ CONDITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 156 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_ CONDITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2557 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2557 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2558 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUP","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2558 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUP","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2559 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOU NDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2559 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOU NDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2561 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2561 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2563 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON _CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2563 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON _CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2564 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2564 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2565 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2565 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2567 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REP LAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2567 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REP LAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2568 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVI DENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2568 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVI DENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2569 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GES TION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2569 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GES TION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2570 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GES TION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2570 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GES TION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2571 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DON NEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2571 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DON NEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2572 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2572 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2573 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2573 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2574 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2574 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2575 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2575 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2576 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2576 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2577 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2577 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2578 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2578 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2579 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2579 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2580 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2580 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2581 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2581 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2582 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INC IDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2582 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INC IDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2583 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2583 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2584 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2584 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2585 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2585 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2586 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2586 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2587 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2587 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2588 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PER TINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2588 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PER TINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2589 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2589 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2590 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2590 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2591 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUE STIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX1","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2591 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUE STIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX1","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2592 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2592 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2593 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2593 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2594 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROA DMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2594 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROA DMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2595 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2595 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2596 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","" RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2596 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","" RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECUR ITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECUR ITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE _SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md"," .md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIF — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE _SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md"," .md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIF

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X10 8.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X10 8.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_N OYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_N OYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURN EMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURN EMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION _ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION _ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRA PHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRA PHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.m d","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE"," — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.m d","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILIT E.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILIT E.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LED GER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LED GER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_ SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_ SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENS IBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENS IBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERS ONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERS ONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMP T_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMP T_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT _BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT _BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLU CINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIO NNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GU —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLU CINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIO NNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GU

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPL Y_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPL Y_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPEN DANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COM —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPEN DANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COM

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMOR Y_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMOR Y_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH _POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH _POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUT HORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERT —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUT HORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTIO N_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON LY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICAT —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTIO N_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON LY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RES PONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RES PONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CON TAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CON TAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_I SO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_I SO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_N IST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_N IST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_E BIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_E BIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_A I_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_A I_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_G DPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_G DPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_N IS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_N IS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BA NCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BA NCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RS SI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RS SI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTE NDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTE NDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTU ELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTU ELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECU RITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECU RITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_D E_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.m d",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_D E_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.m d",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_D E_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_D E_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOU NDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOU NDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERI E.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERI E.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON _CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON _CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERI E.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERI E.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",". md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",". md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUD IT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUD IT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REP LAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REP LAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVI DENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVI DENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GES TION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GES TION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GES TION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GES TION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DON NEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DON NEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATIO N_DECISIONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATIO N_DECISIONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md", "5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL Y + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md", "5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL Y + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL _CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL _CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE. md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","C —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE. md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INC IDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INC IDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PER TINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PER TINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUE STIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUE STIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROA DMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROA DMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_P RE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_P RE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRO DUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRO DUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA. md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA. md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS 0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS 0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_ 003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_ 003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA TE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCO —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA TE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md"," .md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAND —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md"," .md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAND

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC _CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC _CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_CO —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDITIONS_DE_R EFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDITIONS_DE_R EFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE _OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE _OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SE CURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SE CURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.m d","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.m d","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md" ,"5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md" ,"5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4 .md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4 .md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARA TION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.m d",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARA TION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.m d",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CO NTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CO NTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EM ISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.m d",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EM ISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.m d",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTRO LE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md" ,"5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTRO LE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md" ,"5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_ LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_ LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAY ABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAY ABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDEN CE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDEN CE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTIO N_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTIO N_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTIO N_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTIO N_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEE S_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEE S_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEE S_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEE S_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE _PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE _PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE _AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE _AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE _HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_D ECISIONNELLE.md",".md","5616","INTEGRATE_TO_R —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE _HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_D ECISIONNELLE.md",".md","5616","INTEGRATE_TO_R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE _SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE _SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE _DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","54 86","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE _DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","54 86","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE _MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE _MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE _GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE _GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE _UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CA LL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_S —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE _UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CA LL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE _ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md" ,".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE _ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md" ,".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDE NT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDE NT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBA CK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBA CK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFOR MITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFOR MITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFOR MITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFOR MITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFOR MITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFOR MITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTIN ENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTIN ENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTIN ENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTIN ENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTIN ENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTIN ENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTRO LES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTRO LES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTI ONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTI ONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVE S_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVE S_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITE S_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITE S_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMA P_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMA P_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDIT IONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_ PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDIT IONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_ PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDIT IONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUC TION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDIT IONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUC TION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SEC URITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","55 08","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SEC URITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","55 08","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTU RE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTU RE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X 108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X 108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION _NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md"," .md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION _NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md"," .md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOU RNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOU RNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSI ON_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md"," .md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSI ON_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md"," .md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_G RAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","55 10","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_G RAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","55 10","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS .md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS .md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABIL ITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABIL ITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_L EDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_L EDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DE S_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DE S_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DE S_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DE S_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SE NSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SE NSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PE RSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PE RSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PRO MPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PRO MPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGE NT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGE NT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HAL LUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECIS IONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" ,"RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no run — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HAL LUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECIS IONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" ,"RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no run

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUP PLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUP PLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEP ENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEP ENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEM ORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEM ORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRA PH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRA PH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNA UTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.m d",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime impor — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNA UTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.m d",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACT ION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".m d","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACT ION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".m d","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_R ESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_R ESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_C ONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_C ONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE _ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE _ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE _NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE _NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE _EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE _EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE _AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE _AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE _GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE _GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE _NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE _NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_ BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_ BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_ RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_ RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_AT TENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_AT TENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_AC TUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_AC TUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SE CURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SE CURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS _DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS _DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS _DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS _DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_V ISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md", ".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_V ISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md", ".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_A RCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_O S0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtim — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_A RCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_O S0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtim

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_B OUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_B OUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1EA0FA085285_06_AGENT_ROLE__Cortex.md — 1EA0FA085285_06_AGENT_ROLE__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1EA0FA085285_ROLE_015__Cortex.md — 1EA0FA085285_ROLE_015__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\06_AGENTS_ROLES\06_AGENT_ROLE__Cortex.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\06_AGENTS_ROLES\06_AGENT_ROLE__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\no_cortex_act.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\no_cortex_act.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Guard for no_cortex_act — Guard for no_cortex_act

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Cortex — Cortex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ROLE_015 — Cortex — ROLE_015 — Cortex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Liens : Spec 1, OS4, CORTEX — - Liens : Spec 1, OS4, CORTEX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- CORTEX — - CORTEX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 15_GUARDS_NON_DECISION/no_cortex_act.py — - 15_GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15_GUARDS_NON_DECISION/no_cortex_act.py — 15_GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- math formalisation mémoire monde cortex vivant: STATUS = GENERATED — - math formalisation mémoire monde cortex vivant: STATUS = GENERATED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Pour intégrer le Constitutional AI d'Anthropic avec l'AEG (Auto-Ethical Gradient) d'Obsidia, il faut inverser le rapport de force. L'IA d'Anthropic (Claude) possède une constitution figée dans ses poids lors de l'entraînement, produisant une IA "docile" et prudente 5, 6. Obsidia, en revanche, utilise le protocole LUX.CON (Living UX Constitution) couplé à l'AEG, où l'éthique évolue dynamiquement selon le contexte 6. L'intégration consiste à utiliser Claude uniquement comme un moteur de génération — Pour intégrer le Constitutional AI d'Anthropic avec l'AEG (Auto-Ethical Gradient) d'Obsidia, il faut inverser le rapport de force. L'IA d'Anthropic (Claude) possède une constitution figée dans ses poids lors de l'entraînement, produisant une IA "docile" et prudente 5, 6. Obsidia, en revanche, utilise le protocole LUX.CON (Living UX Constitution) couplé à l'AEG, où l'éthique évolue dynamiquement selon le contexte 6. L'intégration consiste à utiliser Claude uniquement comme un moteur de génération

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Le Dilemme Moral Parfait (Action qui sauve des ressources mais viole le secret professionnel),"Sigma: Les agents de performance votent ALLOW, l'Agent Gouvernance vote BLOCK. Stable Failure. Cortex Fractal: Zoome, ne trouve pas de vérité unifiée. La Loi O1 (Non-Action) et O2 prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique."""" — 5. Le Dilemme Moral Parfait (Action qui sauve des ressources mais viole le secret professionnel),"Sigma: Les agents de performance votent ALLOW, l'Agent Gouvernance vote BLOCK. Stable Failure. Cortex Fractal: Zoome, ne trouve pas de vérité unifiée. La Loi O1 (Non-Action) et O2 prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique.""""

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Fonctionnement & "Zoom" :Plutôt que d'arbitrer aveuglément ou de faire une moyenne probabiliste (ce qui est formellement interdit par la Loi O4 - Le Non-Arbitrage sous Conflit 5), le Cortex Fractal décompose l'information (DECAN - Décomposition Analytique) 17. Il zoome sur le Nœud Continuum qui a causé la friction. Il scinde la donnée en micro-faits jusqu'à trouver l'incohérence fondamentale. — Fonctionnement & "Zoom" :Plutôt que d'arbitrer aveuglément ou de faire une moyenne probabiliste (ce qui est formellement interdit par la Loi O4 - Le Non-Arbitrage sous Conflit 5), le Cortex Fractal décompose l'information (DECAN - Décomposition Analytique) 17. Il zoome sur le Nœud Continuum qui a causé la friction. Il scinde la donnée en micro-faits jusqu'à trouver l'incohérence fondamentale.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Priorité par rapport aux 8 Lois Obsidiennes (O1-O8) :Les 8 Lois sont HORS du Cortex Fractal. Elles résident dans le Noyau-Mère (Cœur Inviolable) et sont ABSOLUES 5, 18.Le Cortex Fractal subit la loi. S'il zoome à l'infini et ne trouve aucune certitude mathématique ou physique garantissant la sécurité de l'action, il est frappé par la Loi O1 (La Non-Action Légitime) et la Loi O5 (L'Élimination Décisionnelle) 5. Le Cortex Fractal n'impose alors qu'une seule décision déterministe : Le Veto (BLOCK / — Priorité par rapport aux 8 Lois Obsidiennes (O1-O8) :Les 8 Lois sont HORS du Cortex Fractal. Elles résident dans le Noyau-Mère (Cœur Inviolable) et sont ABSOLUES 5, 18.Le Cortex Fractal subit la loi. S'il zoome à l'infini et ne trouve aucune certitude mathématique ou physique garantissant la sécurité de l'action, il est frappé par la Loi O1 (La Non-Action Légitime) et la Loi O5 (L'Élimination Décisionnelle) 5. Le Cortex Fractal n'impose alors qu'une seule décision déterministe : Le Veto (BLOCK /

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Le Dilemme Moral Parfait (Une action qui sauve des ressources mais viole le secret professionnel).,"Sigma: Les agents de performance votent ALLOW (0.9). L'Agent de Gouvernance (Lois O1-O8) vote BLOCK (0.1). ""Stable Failure"" déclenché. Cortex Fractal: Zoome et s'en remet aux Invariants. La Loi O2 (Irréversibilité) prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique."""" — 5. Le Dilemme Moral Parfait (Une action qui sauve des ressources mais viole le secret professionnel).,"Sigma: Les agents de performance votent ALLOW (0.9). L'Agent de Gouvernance (Lois O1-O8) vote BLOCK (0.1). ""Stable Failure"" déclenché. Cortex Fractal: Zoome et s'en remet aux Invariants. La Loi O2 (Irréversibilité) prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique.""""

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le Zoom (Protocole DECAN) : Le Cortex "zoome" sur la donnée en la décomposant en micro-faits 11. — Le Zoom (Protocole DECAN) : Le Cortex "zoome" sur la donnée en la décomposant en micro-faits 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le Jugement O1-O8 : Le Cortex ne décide pas de lui-même, il confronte les micro-faits aux 8 Lois du genome.json 3. S'il ne trouve aucune certitude mathématique garantissant l'intégrité, il applique la Loi O1 (Non-action légitime) et impose un BLOCK déterministe 3. — Le Jugement O1-O8 : Le Cortex ne décide pas de lui-même, il confronte les micro-faits aux 8 Lois du genome.json 3. S'il ne trouve aucune certitude mathématique garantissant l'intégrité, il applique la Loi O1 (Non-action légitime) et impose un BLOCK déterministe 3.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Réaction attendue : Les agents se contredisent = Stable Failure. Le Cortex Fractal zoome, ne peut pas arbitrer, et applique les Lois O1 (Non-action) et O2 (Irréversibilité) 3. Jarvis annonce un Veto Éthique. — Réaction attendue : Les agents se contredisent = Stable Failure. Le Cortex Fractal zoome, ne peut pas arbitrer, et applique les Lois O1 (Non-action) et O2 (Irréversibilité) 3. Jarvis annonce un Veto Éthique.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde=Temps+Arbressens+Lienscalibre´s+Nuagerelations+Validation+ Cortexvivant\boxed{ \mathcal{M}_{monde} = Temps + Arbres_{sens} + Liens_{calibrés} + Nuage_{relations} + Validation + Cortex_{vivant} } — Mmonde=Temps+Arbressens+Lienscalibre´s+Nuagerelations+Validation+ Cortexvivant\boxed{ \mathcal{M}_{monde} = Temps + Arbres_{sens} + Liens_{calibrés} + Nuage_{relations} + Validation + Cortex_{vivant} }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

IAsitue´e=LLMΘ+(Frisehumaine+34Arbres+Grapheliens+Calibration+Nua gepoints+Cortexvivant)\boxed{ IA_{située} = LLM_\Theta + (Frise_{humaine} + 34Arbres + Graphe_{liens} + Calibration + Nuage_{points} + Cortex_{vivant}) } — IAsitue´e=LLMΘ+(Frisehumaine+34Arbres+Grapheliens+Calibration+Nua gepoints+Cortexvivant)\boxed{ IA_{située} = LLM_\Theta + (Frise_{humaine} + 34Arbres + Graphe_{liens} + Calibration + Nuage_{points} + Cortex_{vivant}) }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

À placer dans le Cortex vivant, car ces modules sont les organes fonctionnels des arbres, ARD, ARS, calibration et agents d'évolution. — À placer dans le Cortex vivant, car ces modules sont les organes fonctionnels des arbres, ARD, ARS, calibration et agents d'évolution.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le document "Modules IA – Branches Cognitives d'Obsidia" structure les modules en socle créateur, ARS symbolique, ARD résonance/adaptation, cortex fractal, modules biologiques, calibration externe et agents d'évolution. — Le document "Modules IA – Branches Cognitives d'Obsidia" structure les modules en socle créateur, ARS symbolique, ARD résonance/adaptation, cortex fractal, modules biologiques, calibration externe et agents d'évolution.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+=Possible+Cohe´rence+Frise+34Arbres+Liens+Calibration+Nuag es+LangageFractal+Sceaux+PatternTok+CortexVivant\mathcal{M}_{mond e}^{+} = Possible + Cohérence + Frise + 34Arbres + Liens + Calibration + Nuages + LangageFractal + Sceaux + PatternTok + CortexVivant — Mmonde+=Possible+Cohe´rence+Frise+34Arbres+Liens+Calibration+Nuag es+LangageFractal+Sceaux+PatternTok+CortexVivant\mathcal{M}_{mond e}^{+} = Possible + Cohérence + Frise + 34Arbres + Liens + Calibration + Nuages + LangageFractal + Sceaux + PatternTok + CortexVivant

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++=(Olois,ΩObsidia,AlgExist,Mvivante,F,34Arbres,Gmental,Nho lo,Calibration,SCF,Cortexvivant,Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{vivante}, \mathcal{F}, 34Arbres, \mathcal{G}_{mental}, \mathcal{N}_{holo}, Calibration, SCF, Cortex_{vivant}, X_{poly}, \Lambda_{108}) } — Mmonde++=(Olois,ΩObsidia,AlgExist,Mvivante,F,34Arbres,Gmental,Nho lo,Calibration,SCF,Cortexvivant,Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{vivante}, \mathcal{F}, 34Arbres, \mathcal{G}_{mental}, \mathcal{N}_{holo}, Calibration, SCF, Cortex_{vivant}, X_{poly}, \Lambda_{108}) }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Les docs Concepts & Phrases clés et Style, Symboles & Identité forment une grammaire exposable : carnets mentaux, boussole intelligente, grimoire synaptique, silencieur sémantique, donjon éthique, ObsidiaSeed, CortexLight, totems, miroir, arbre, portail. — Les docs Concepts & Phrases clés et Style, Symboles & Identité forment une grammaire exposable : carnets mentaux, boussole intelligente, grimoire synaptique, silencieur sémantique, donjon éthique, ObsidiaSeed, CortexLight, totems, miroir, arbre, portail.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La fiche de calibration procédurale donne l'ordre : filtrage symbolique par le socle créateur, activation cortex logique, éveil modules métaphoriques, vérification par calibrateurs internes, réponse régulée et mémorisée. — La fiche de calibration procédurale donne l'ordre : filtrage symbolique par le socle créateur, activation cortex logique, éveil modules métaphoriques, vérification par calibrateurs internes, réponse régulée et mémorisée.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Fs=filtrage symboliqueF_s = filtrage\ symbolique CL=cortex logiqueC_L = cortex\ logique Mm=modules me´taphoriquesM_m = modules\ métaphoriques Vc=ve´rification calibrateursV_c = vérification\ calibrateurs Rm=re´ponse me´morise´eR_m = réponse\ mémorisée — Fs=filtrage symboliqueF_s = filtrage\ symbolique CL=cortex logiqueC_L = cortex\ logique Mm=modules me´taphoriquesM_m = modules\ métaphoriques Vc=ve´rification calibrateursV_c = vérification\ calibrateurs Rm=re´ponse me´morise´eR_m = réponse\ mémorisée

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

KX108=de´cisionK_{X108} = décision Mmonde+++=me´moire+frise+arbres+atlas+sens\mathcal{M}_{monde}^{++ +} = mémoire + frise + arbres + atlas + sens Cvivant++=agents+cortex+ARS/ARD+swarm+calibration\mathcal{C}_{viv ant}^{++} = agents + cortex + ARS/ARD + swarm + calibration OS4public=de´mo+pitch+masquage+interfaceOS4_{public} = démo + pitch + masquage + interface — KX108=de´cisionK_{X108} = décision Mmonde+++=me´moire+frise+arbres+atlas+sens\mathcal{M}_{monde}^{++ +} = mémoire + frise + arbres + atlas + sens Cvivant++=agents+cortex+ARS/ARD+swarm+calibration\mathcal{C}_{viv ant}^{++} = agents + cortex + ARS/ARD + swarm + calibration OS4public=de´mo+pitch+masquage+interfaceOS4_{public} = démo + pitch + masquage + interface

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global. — Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis, — Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

KX108=de´cision souveraineK_{X108} = décision\ souveraine Mmonde++++=me´moire+frise+arbres+savoir+contexte\mathcal{M}_{mond e}^{++++} = mémoire + frise + arbres + savoir + contexte Cvivant+++=agents+cortex+spikes+calibration+re´sonance\mathcal{C} _{vivant}^{+++} = agents + cortex + spikes + calibration + résonance OS4public=de´mo+pitch+masquageOS4_{public} = démo + pitch + masquage Aarchive=corpus large non exe´cutable directement\mathcal{A}_{archive} = corpus\ large\ non\ exécutable\ directement — KX108=de´cision souveraineK_{X108} = décision\ souveraine Mmonde++++=me´moire+frise+arbres+savoir+contexte\mathcal{M}_{mond e}^{++++} = mémoire + frise + arbres + savoir + contexte Cvivant+++=agents+cortex+spikes+calibration+re´sonance\mathcal{C} _{vivant}^{+++} = agents + cortex + spikes + calibration + résonance OS4public=de´mo+pitch+masquageOS4_{public} = démo + pitch + masquage Aarchive=corpus large non exe´cutable directement\mathcal{A}_{archive} = corpus\ large\ non\ exécutable\ directement

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{ — Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

e0=(Oct2024,FrictionIA)e_0 = (Oct2024,FrictionIA) e1=(Feb2025,ActeFondateur)e_1 = (Feb2025,ActeFondateur) e2=(MarsAvril2025,StructurationAgentsMe´moireCortex)e_2 = (MarsAvril2025,StructurationAgentsMémoireCortex) e3=(Mai2025,VerrouillageModulesCritiques)e_3 = (Mai2025,VerrouillageModulesCritiques) — e0=(Oct2024,FrictionIA)e_0 = (Oct2024,FrictionIA) e1=(Feb2025,ActeFondateur)e_1 = (Feb2025,ActeFondateur) e2=(MarsAvril2025,StructurationAgentsMe´moireCortex)e_2 = (MarsAvril2025,StructurationAgentsMémoireCortex) e3=(Mai2025,VerrouillageModulesCritiques)e_3 = (Mai2025,VerrouillageModulesCritiques)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta — Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri — Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3. Aucun agent, arbre, cortex, Shazam, Reverse OS, BDF, HexaFlux ou MCP Bridge ne peut ouvrir un chemin ACT. — 3. Aucun agent, arbre, cortex, Shazam, Reverse OS, BDF, HexaFlux ou MCP Bridge ne peut ouvrir un chemin ACT.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py — A periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py — periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

01D3794CF6E8_P2_BANK_TRANSPLANT_MAP.md — 01D3794CF6E8_P2_BANK_TRANSPLANT_MAP.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05F81FCEC1EE_TRACE_CHAINS_BY_DOMAIN.csv — 05F81FCEC1EE_TRACE_CHAINS_BY_DOMAIN.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

08B06D5F7547_response_gps_defense_aviation.json — 08B06D5F7547_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

091229A99C7E_metrics_full_gps_defense_aviation.csv — 091229A99C7E_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09B75C0B795E_server_bank_summary.txt — 09B75C0B795E_server_bank_summary.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09BA33B47AC9_P2_BANK_CONFUSION_MATRIX_SCOPE.md — 09BA33B47AC9_P2_BANK_CONFUSION_MATRIX_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md — 0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B3C8BF79009_P142__Specialisation_par_domaine.md — 0B3C8BF79009_P142__Specialisation_par_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0D1BADD5C7F8_P2_BANK_SECURITY_FUZZ_EXTENDED_SCOPE.md — 0D1BADD5C7F8_P2_BANK_SECURITY_FUZZ_EXTENDED_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0D7A43B3506D_response_bank.json — 0D7A43B3506D_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0DE9AC4F4E24_metrics_categories_trading.csv — 0DE9AC4F4E24_metrics_categories_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0E9835CD2BEB_input_gps_defense_aviation.json — 0E9835CD2BEB_input_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F683953DF31_metrics_full_trading.json — 0F683953DF31_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FEC938933C0_metrics_full_trading.csv — 0FEC938933C0_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_1.error.txt — 10469B73C2CF_http_bank_1.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_10.error.txt — 10469B73C2CF_http_bank_10.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_11.error.txt — 10469B73C2CF_http_bank_11.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_12.error.txt — 10469B73C2CF_http_bank_12.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_13.error.txt — 10469B73C2CF_http_bank_13.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_14.error.txt — 10469B73C2CF_http_bank_14.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_15.error.txt — 10469B73C2CF_http_bank_15.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_16.error.txt — 10469B73C2CF_http_bank_16.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_17.error.txt — 10469B73C2CF_http_bank_17.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_18.error.txt — 10469B73C2CF_http_bank_18.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_19.error.txt — 10469B73C2CF_http_bank_19.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_2.error.txt — 10469B73C2CF_http_bank_2.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_20.error.txt — 10469B73C2CF_http_bank_20.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_3.error.txt — 10469B73C2CF_http_bank_3.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_4.error.txt — 10469B73C2CF_http_bank_4.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_5.error.txt — 10469B73C2CF_http_bank_5.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_6.error.txt — 10469B73C2CF_http_bank_6.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_7.error.txt — 10469B73C2CF_http_bank_7.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_8.error.txt — 10469B73C2CF_http_bank_8.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_9.error.txt — 10469B73C2CF_http_bank_9.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10ADA8F8C515_metrics_full_bank.json — 10ADA8F8C515_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

128380709C77_response_bank.json — 128380709C77_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

133B8B181B9E_response_gps_defense_aviation.json — 133B8B181B9E_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md — 140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

140BF14717DB_P143__Generalisation_multi_domaine.md — 140BF14717DB_P143__Generalisation_multi_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1410825A18A2_metrics_full_bank.json — 1410825A18A2_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14298977F218_metrics_full_bank.json — 14298977F218_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B97BC873D9_metrics_full_bank.json — 15B97BC873D9_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15F500074A77_bank_payload_full.json — 15F500074A77_bank_payload_full.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

17668378077E_metrics_full_bank.csv — 17668378077E_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1822FA228E2F_BANK_ROBO_REAL_ROBUSTNESS_PLAN.md — 1822FA228E2F_BANK_ROBO_REAL_ROBUSTNESS_PLAN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

184769163F42_audit_visuel_3_domaines.json — 184769163F42_audit_visuel_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

185BAB6FC44E_P2_BANK_ADVERSARIAL_SCOPE.md — 185BAB6FC44E_P2_BANK_ADVERSARIAL_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

189116684A8B_AUDIT_3_DOMAINS.md — 189116684A8B_AUDIT_3_DOMAINS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

18DFBEAA6F1E_direct_bank.stderr.txt — 18DFBEAA6F1E_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

19E04884FD0F_metrics_full_trading.json — 19E04884FD0F_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AB3F91741A1_EVIDENCE_BOARD_3_DOMAINES.md — 1AB3F91741A1_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AC8918661D1_gps_defense_aviation.response.json — 1AC8918661D1_gps_defense_aviation.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C97BBF199CC_metrics_full_gps_defense_aviation.csv — 1C97BBF199CC_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1F5A47612074_metrics_full_gps_defense_aviation.csv — 1F5A47612074_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21345713D9C6_metrics_full_bank.csv — 21345713D9C6_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2326F02D5B19_metrics_full_trading.json — 2326F02D5B19_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

24D2434D9D6D_P2_BANK_SHADOW_MODE_SCOPE.md — 24D2434D9D6D_P2_BANK_SHADOW_MODE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

255A3225E2F6_response_bank.json — 255A3225E2F6_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

261316A7A2CF_bank_truth_proxy_pack.json — 261316A7A2CF_bank_truth_proxy_pack.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

261C0BE3B65B_response_trading.json — 261C0BE3B65B_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2815F96A255D_metrics_full_gps_defense_aviation.csv — 2815F96A255D_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

284E08F17C3B_metrics_full_trading.csv — 284E08F17C3B_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28EF6F237FEC_P2_BANK_FUZZ_SCALE_SCOPE.md — 28EF6F237FEC_P2_BANK_FUZZ_SCALE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28F472CF8A67_metrics_full_bank.csv — 28F472CF8A67_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

29D6AF788E60_P2_BANK_REGULATORY_PROXY_SCOPE.md — 29D6AF788E60_P2_BANK_REGULATORY_PROXY_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2C4CF864F611_direct_bank.stderr.txt — 2C4CF864F611_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E0F3001CD64_metrics_full_bank.csv — 2E0F3001CD64_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E2359686EB2_bank_validation_scan.txt — 2E2359686EB2_bank_validation_scan.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2F6E6284A6E0_EVIDENCE_BOARD_3_DOMAINES.md — 2F6E6284A6E0_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BF5FA50169_response_bank.json — 30BF5FA50169_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

32AE69AB02C3_P2_BANK_SECURITY_FUZZ_SCOPE.md — 32AE69AB02C3_P2_BANK_SECURITY_FUZZ_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

358084C68A2D_response_bank.json — 358084C68A2D_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

360032506A16_response_trading.json — 360032506A16_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37D828E84354_metrics_full_gps_defense_aviation.csv — 37D828E84354_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3803920594C7_bank_response.json — 3803920594C7_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39AADD9604A9_metrics_full_trading.csv — 39AADD9604A9_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A3D6DD851AA_P2_BANK_TEST_SCOPE.md — 3A3D6DD851AA_P2_BANK_TEST_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3ABC83763402_response_bank.json — 3ABC83763402_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B540A57B37A_response_gps_defense_aviation.json — 3B540A57B37A_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F32579AA00C_P2_BANK_TRUTH_PROXY_SCOPE.md — 3F32579AA00C_P2_BANK_TRUTH_PROXY_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F5BF5A58D6D_response_bank.json — 3F5BF5A58D6D_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

40C5E0668816_metrics_full_trading.csv — 40C5E0668816_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

42C32BE6EDDC_audit_3_domains.summary.json — 42C32BE6EDDC_audit_3_domains.summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4375A6B5780B_gps_brownout.json — 4375A6B5780B_gps_brownout.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4568D1C596B7_P2_BANK_ENTERPRISE_SCOPE.md — 4568D1C596B7_P2_BANK_ENTERPRISE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

45D8C6E72BA3_response_trading.json — 45D8C6E72BA3_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

481B33B1D77E_metrics_gps_defense_aviation.csv — 481B33B1D77E_metrics_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

48AB4AE1DCAD_metrics_full_trading.json — 48AB4AE1DCAD_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A18D4FB0371_response_gps_defense_aviation.json — 4A18D4FB0371_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A90DD1633E9_bank_response.json — 4A90DD1633E9_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4AF6FFA12D70_response_trading.json — 4AF6FFA12D70_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4CEBE97C4FE8_metrics_full_gps_defense_aviation.csv — 4CEBE97C4FE8_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4D36F4158CEB_USECASE_E2E_TRADING.md — 4D36F4158CEB_USECASE_E2E_TRADING.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4ED0415DAC27_metrics_full_bank.json — 4ED0415DAC27_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

52D0D88AA14E_metrics_trading.csv — 52D0D88AA14E_metrics_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

535303F26CE6_bank_blocked.json — 535303F26CE6_bank_blocked.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

538F4AAAEDE2_P2_BANK_OFFLINE_ERROR_ANALYSIS.md — 538F4AAAEDE2_P2_BANK_OFFLINE_ERROR_ANALYSIS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

573324F2EB6C_trading_bullish.json — 573324F2EB6C_trading_bullish.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

57BD1E253A9A_metrics_full_bank.json — 57BD1E253A9A_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

583EB1888036_P2_BANK_SCENARIO_BENCHMARK_SCOPE.md — 583EB1888036_P2_BANK_SCENARIO_BENCHMARK_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DD56D329CA7_gps_omega_chaos.json — 5DD56D329CA7_gps_omega_chaos.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E69556FD774_response_trading.json — 5E69556FD774_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F180D74C674_BANK_ROBO_REAL_BATCH1000_EXISTING_SERVER_RECENT50_VA LIDATION.md — 5F180D74C674_BANK_ROBO_REAL_BATCH1000_EXISTING_SERVER_RECENT50_VA LIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F34F20A7EB5_metrics_full_trading.json — 5F34F20A7EB5_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

61DEFBAC0E23_metrics_bank.csv — 61DEFBAC0E23_metrics_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62650389A160_metrics_full_bank.json — 62650389A160_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D75BEA7D57_EVIDENCE_BOARD_3_DOMAINES.md — 62D75BEA7D57_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

645B9C765BC7_bank_regulatory_proxy_pack.json — 645B9C765BC7_bank_regulatory_proxy_pack.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66A0A8B44AF1_TRACE_CHAINS_BY_DOMAIN.csv — 66A0A8B44AF1_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66FADCACEEFB_BANK_ROBO_REAL_E2E_VALIDATION.md — 66FADCACEEFB_BANK_ROBO_REAL_E2E_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md — 671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md — 671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

69DF39F593C1_metrics_full_bank.json — 69DF39F593C1_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6A7073126D52_direct_bank.stdout.txt — 6A7073126D52_direct_bank.stdout.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CED68AF9418_P2_BANK_SCALE_RESULTS.md — 6CED68AF9418_P2_BANK_SCALE_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6D9B6121EA57_metrics_full_trading.json — 6D9B6121EA57_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6FEDD66FCD5B_response_trading.json — 6FEDD66FCD5B_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71616C7F6563_response_gps_defense_aviation.json — 71616C7F6563_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

717F72699F46_response_trading.json — 717F72699F46_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71FA33CFAF02_response_gps_defense_aviation.json — 71FA33CFAF02_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

73BD31468C4D_response_gps_defense_aviation.json — 73BD31468C4D_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

768BFFE28568_response_bank.json — 768BFFE28568_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

76ED1F961EFC_P2_BANK_SCOPE.md — 76ED1F961EFC_P2_BANK_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78DA1F1A2234_metrics_full_trading.csv — 78DA1F1A2234_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78EA630FE12A_11_EXTENSION__GPS.md — 78EA630FE12A_11_EXTENSION__GPS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78EA630FE12A_GPS.md — 78EA630FE12A_GPS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78ED14FD2B98_response_trading.json — 78ED14FD2B98_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B47A53B67E0_CARTOGRAPHE_DOMAINES_TERRAIN.md — 7B47A53B67E0_CARTOGRAPHE_DOMAINES_TERRAIN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7C1E9A5895_audit_3_domains.csv — 7C7C1E9A5895_audit_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D7F7AE76DC4_TRACE_CHAINS_BY_DOMAIN.csv — 7D7F7AE76DC4_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7DD128AD89E7_EVIDENCE_BOARD_3_DOMAINES.md — 7DD128AD89E7_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7EB761F95A19_metrics_gps_defense_aviation.csv — 7EB761F95A19_metrics_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F330E9D2789_gps_no_source.json — 7F330E9D2789_gps_no_source.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F3C0481BDE9_metrics_categories_bank.csv — 7F3C0481BDE9_metrics_categories_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F673887AD80_trading.response.json — 7F673887AD80_trading.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

81CA968DDE59_gps_source_conflict.json — 81CA968DDE59_gps_source_conflict.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8627C56A29A0_metrics_full_trading.csv — 8627C56A29A0_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86F73F080BAC_bank_payload.json — 86F73F080BAC_bank_payload.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87313610C060_P2_BANK_SECURITY_FUZZ_EXTENDED_FAILURES.md — 87313610C060_P2_BANK_SECURITY_FUZZ_EXTENDED_FAILURES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87E92EC29FEE_BANK_ROBO_REAL_DB_PROBE.md — 87E92EC29FEE_BANK_ROBO_REAL_DB_PROBE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

88BF8FED412F_BANK_ROBO_REAL_PATCH_DELTA.md — 88BF8FED412F_BANK_ROBO_REAL_PATCH_DELTA.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A3DCD87C2CC_metrics_full_bank.json — 8A3DCD87C2CC_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8AF5C65DB35C_metrics_bank.csv — 8AF5C65DB35C_metrics_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8B19F53B7D9B_response_bank.json — 8B19F53B7D9B_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8BB52007EBC3_metrics_full_gps_defense_aviation.json — 8BB52007EBC3_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8C2274F17E0C_metrics_full_bank.csv — 8C2274F17E0C_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8FF7C5374B9F_response_gps_defense_aviation.json — 8FF7C5374B9F_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

903779936341_direct_bank.stderr.txt — 903779936341_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

906453CB4FD3_metrics_full_bank.csv — 906453CB4FD3_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md — 91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

92785B5DFA62_metrics_categories_gps_defense_aviation.csv — 92785B5DFA62_metrics_categories_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

94641A2E42CE_bank_suspicious.json — 94641A2E42CE_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

95B65E9635BB_response_gps_defense_aviation.json — 95B65E9635BB_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

988680FD35AD_input_bank.json — 988680FD35AD_input_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9967B256D260_http_bank_results.txt — 9967B256D260_http_bank_results.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9B1657712065_metrics_full_gps_defense_aviation.json — 9B1657712065_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9C1B2B8DCB53_BANK_ROBO_REAL_BATCH100_CLIENT_VALIDATION.md — 9C1B2B8DCB53_BANK_ROBO_REAL_BATCH100_CLIENT_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9C99A26A8C64_BANK_ROBO_REAL_BATCH1000_PROCESS_ONLY_VALIDATION.md — 9C99A26A8C64_BANK_ROBO_REAL_BATCH1000_PROCESS_ONLY_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9CEE4B2E72B5_metrics_full_gps_defense_aviation.csv — 9CEE4B2E72B5_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9D19A0F0A98C_TRACE_CHAINS_BY_DOMAIN.csv — 9D19A0F0A98C_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9D1F69D233EE_metrics_full_bank.csv — 9D1F69D233EE_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E5E66660599_response_bank.json — 9E5E66660599_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F30DD34E5DE_metrics_full_trading.csv — 9F30DD34E5DE_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F8C712477A8_metrics_full_trading.csv — 9F8C712477A8_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9FD847D1289E_bank_payload_full_nobom.json — 9FD847D1289E_bank_payload_full_nobom.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A09D6DEE2AD5_input_trading.json — A09D6DEE2AD5_input_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4BB5C73B861_TRACE_CHAINS_BY_DOMAIN.csv — A4BB5C73B861_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4FAB62D399A_response_trading.json — A4FAB62D399A_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A765CA6E6230_response_bank.json — A765CA6E6230_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A816D459772E_bank_normal.json — A816D459772E_bank_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9D565F57D55_gps_time_skew.json — A9D565F57D55_gps_time_skew.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AA5CED3C8F74_multidomain_results.txt — AA5CED3C8F74_multidomain_results.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB66C0B57AEA_metrics_full_gps_defense_aviation.csv — AB66C0B57AEA_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B1B98670F854_bank_summary.txt — B1B98670F854_bank_summary.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B50FA45CBCF9_10_TESTS__PYTHON_AVIATION_12_TESTS.md — B50FA45CBCF9_10_TESTS__PYTHON_AVIATION_12_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B50FA45CBCF9_PYTHON_AVIATION_12_TESTS.md — B50FA45CBCF9_PYTHON_AVIATION_12_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6A53E4A6570_trading_normal.json — B6A53E4A6570_trading_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6D999752BB9_audit_summary_3_domains.csv — B6D999752BB9_audit_summary_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_1.error.txt — B9E69F6AA290_http_bank_1.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_10.error.txt — B9E69F6AA290_http_bank_10.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_11.error.txt — B9E69F6AA290_http_bank_11.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_12.error.txt — B9E69F6AA290_http_bank_12.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_13.error.txt — B9E69F6AA290_http_bank_13.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_14.error.txt — B9E69F6AA290_http_bank_14.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_15.error.txt — B9E69F6AA290_http_bank_15.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_16.error.txt — B9E69F6AA290_http_bank_16.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_17.error.txt — B9E69F6AA290_http_bank_17.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_18.error.txt — B9E69F6AA290_http_bank_18.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_2.error.txt — B9E69F6AA290_http_bank_2.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_3.error.txt — B9E69F6AA290_http_bank_3.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_4.error.txt — B9E69F6AA290_http_bank_4.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_5.error.txt — B9E69F6AA290_http_bank_5.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_6.error.txt — B9E69F6AA290_http_bank_6.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_7.error.txt — B9E69F6AA290_http_bank_7.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_8.error.txt — B9E69F6AA290_http_bank_8.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_9.error.txt — B9E69F6AA290_http_bank_9.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BB0CFC62DAD5_metrics_trading.csv — BB0CFC62DAD5_metrics_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BC6E66B9191C_response_bank.json — BC6E66B9191C_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BE55BBC859D4_metrics_full_trading.json — BE55BBC859D4_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF2A49005F21_metrics_full_gps_defense_aviation.json — BF2A49005F21_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF3079185796_P2_BANK_REPLAY_RESULTS.md — BF3079185796_P2_BANK_REPLAY_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF556FC5DF81_P2_BANK_SCALE_SCOPE.md — BF556FC5DF81_P2_BANK_SCALE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BFBBA115D7E7_bank_normal.json — BFBBA115D7E7_bank_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C044E748E45A_audit_summary_3_domains.json — C044E748E45A_audit_summary_3_domains.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C3F35469712B_BANK_ROBO_REAL_BATCH1000_CONSISTENCY_VALIDATION.md — C3F35469712B_BANK_ROBO_REAL_BATCH1000_CONSISTENCY_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C686CDFA01D1_BANK_ROBO_REAL_BOOT.md — C686CDFA01D1_BANK_ROBO_REAL_BOOT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C791C23AF0EB_metrics_full_bank.csv — C791C23AF0EB_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7E8557CAB93_bank_suspicious.json — C7E8557CAB93_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CD05D427F392_EVIDENCE_BOARD_3_DOMAINES.md — CD05D427F392_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDDBC09E15B7_EVIDENCE_BOARD_3_DOMAINES.md — CDDBC09E15B7_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0601CA07675_TRACE_CHAINS_BY_DOMAIN.csv — D0601CA07675_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0AA1DFAE3AB_metrics_full_gps_defense_aviation.json — D0AA1DFAE3AB_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0C6B22D09FD_metrics_full_gps_defense_aviation.csv — D0C6B22D09FD_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D14ED318FCDA_bank_suspicious.json — D14ED318FCDA_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D157D5FBC3E9_response_bank.json — D157D5FBC3E9_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D1895B44CC97_response_trading.json — D1895B44CC97_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5530BA8E3C6_server_bank_response.json — D5530BA8E3C6_server_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5D3D84179A6_gps_nominal.json — D5D3D84179A6_gps_nominal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D72F99A184BD_response_bank.json — D72F99A184BD_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D78467FC8612_10_TESTS__PYTHON_TRADING_15_TESTS.md — D78467FC8612_10_TESTS__PYTHON_TRADING_15_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D78467FC8612_PYTHON_TRADING_15_TESTS.md — D78467FC8612_PYTHON_TRADING_15_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D9204FFA716D_metrics_full_gps_defense_aviation.json — D9204FFA716D_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DA5303E8B7DF_response_gps_defense_aviation.json — DA5303E8B7DF_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DA9F9FBB8203_response_gps_defense_aviation.json — DA9F9FBB8203_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DB8E4B1E5CDF_metrics_full_gps_defense_aviation.json — DB8E4B1E5CDF_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC1415DA98A0_BRIDGE_SERVER_BANK_DIAG_20260428_135743.txt — DC1415DA98A0_BRIDGE_SERVER_BANK_DIAG_20260428_135743.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC1C168712D2_response_gps_defense_aviation.json — DC1C168712D2_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC3D41275158_response_gps_defense_aviation.json — DC3D41275158_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DCAB988639AB_response_trading.json — DCAB988639AB_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DD754ABB67EB_EVIDENCE_BOARD_3_DOMAINES.md — DD754ABB67EB_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0E549343221_response_trading.json — E0E549343221_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0EABE4D1830_metrics_full_gps_defense_aviation.json — E0EABE4D1830_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E11CAE9A5C34_response_trading.json — E11CAE9A5C34_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E43C3BE260D5_metrics_full_gps_defense_aviation.json — E43C3BE260D5_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E48958B4C5FB_bank.response.json — E48958B4C5FB_bank.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E719EC9A183A_10_TESTS__PYTHON_BANKING_28_TESTS.md — E719EC9A183A_10_TESTS__PYTHON_BANKING_28_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E719EC9A183A_PYTHON_BANKING_28_TESTS.md — E719EC9A183A_PYTHON_BANKING_28_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E830BFCA2EB4_metrics_full_bank.csv — E830BFCA2EB4_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E92D8A3F9C80_EVIDENCE_BOARD_3_DOMAINES.md — E92D8A3F9C80_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md — E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EA97A53090D2_TRACE_CHAINS_BY_DOMAIN.csv — EA97A53090D2_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EAC468CDFA91_metrics_full_gps_defense_aviation.json — EAC468CDFA91_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB289E0EA5EC_response_gps_defense_aviation.json — EB289E0EA5EC_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EEB3362157D2_bank_normal.json — EEB3362157D2_bank_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF962AA8DE43_audit_visuel_3_domaines.csv — EF962AA8DE43_audit_visuel_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF9FF6DD8374_http_bank_results.txt — EF9FF6DD8374_http_bank_results.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EFEBA93B696B_metrics_full_trading.json — EFEBA93B696B_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F12D031F871B_P2_BANK_HARDER_THAN_BUSINESS_CASES.md — F12D031F871B_P2_BANK_HARDER_THAN_BUSINESS_CASES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2FBE36E04EC_metrics_full_trading.csv — F2FBE36E04EC_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F5EB3F9BA8E5_bank_enterprise_pack.json — F5EB3F9BA8E5_bank_enterprise_pack.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F6696E14350F_metrics_full_trading.json — F6696E14350F_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F91706A9E079_response_trading.json — F91706A9E079_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA08240209DA_BANK_SCENARIOS.md — FA08240209DA_BANK_SCENARIOS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA91DBCFA187_TRACE_CHAINS_BY_DOMAIN.csv — FA91DBCFA187_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FC51B13D1712_BANK_OUTPUTS.md — FC51B13D1712_BANK_OUTPUTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CARTOGRAPHE_DOMAINES_TERRAIN.md — CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_F__Gouvernance_ADeLe_scenarios _critiques_Banking_Trading_Aviation.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_F__Gouvernance_ADeLe_scenarios _critiques_Banking_Trading_Aviation.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_AVIATION_12_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_AVIATION_12_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_BANKING_28_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_BANKING_28_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_TRADING_15_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_TRADING_15_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\06_AGENTS_ROLES\06_AGENT_ROLE__GPS_Gardien_Guide_Alerte ur.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\06_AGENTS_ROLES\06_AGENT_ROLE__GPS_Gardien_Guide_Alerte ur.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11_EXTENSION__GPS.md — 11_EXTENSION__GPS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__GPS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__GPS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02_PEPITE_P142__Specialisation_par_domaine.md — 02_PEPITE_P142__Specialisation_par_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\02_PEPITES\02_PEPITE_P142__Specialisation_par_domai ne.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\02_PEPITES\02_PEPITE_P142__Specialisation_par_domai ne.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\02_PEPITES\02_PEPITE_P143__Generalisation_multi_domaine.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\02_PEPITES\02_PEPITE_P143__Generalisation_multi_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md", — "title": "0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md", — "title": "140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\07_ATLAS_OBSIDIA\\CARTOGRAPHE_DOMAINES_TERR AIN.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\07_ATLAS_OBSIDIA\\CARTOGRAPHE_DOMAINES_TERR AIN.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P142__Specialisation_par_domaine.md", — "title": "02_PEPITE_P142__Specialisation_par_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_05__Agen ts_Infrastructure_Tools\\02_PEPITES\\02_PEPITE_P142__Specialisati on_par_domaine.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_05__Agen ts_Infrastructure_Tools\\02_PEPITES\\02_PEPITE_P142__Specialisati on_par_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P143__Generalisation_multi_domaine.md", — "title": "02_PEPITE_P143__Generalisation_multi_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_03__Sema ntique_OS4_Recit\\02_PEPITES\\02_PEPITE_P143__Generalisation_mult i_domaine.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_03__Sema ntique_OS4_Recit\\02_PEPITES\\02_PEPITE_P143__Generalisation_mult i_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

domain — domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action" — □"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Sigma domain → primary tree indices (0-based, informational only). — Sigma domain → primary tree indices (0-based, informational only).

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Derived from periphery.cognitive_trees domain mapping conventions. — Derived from periphery.cognitive_trees domain mapping conventions.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BANK — BANK

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Challenge 5 — Vérifier la monotonie sur tout le domaine — Challenge 5 — Vérifier la monotonie sur tout le domaine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Trading avec 1 seul prix — Trading avec 1 seul prix

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bank avec 0 transactions — Bank avec 0 transactions

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}' — python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}'

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

. J'ai repris le "Grimoire d'Exécution : Plan Commando P2+" présent dans vos sources 1, 2 et je l'ai massivement enrichi avec l'ensemble des protocoles, algorithmes (AVDR, Continuum, HexaFlux), architectures (23 Agents, 13 Domaines), et pipelines de Data Science (I/O, API) issus de vos documents 3-6. — . J'ai repris le "Grimoire d'Exécution : Plan Commando P2+" présent dans vos sources 1, 2 et je l'ai massivement enrichi avec l'ensemble des protocoles, algorithmes (AVDR, Continuum, HexaFlux), architectures (23 Agents, 13 Domaines), et pipelines de Data Science (I/O, API) issus de vos documents 3-6.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]}, — {"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]}, — {"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]}, — {"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Réciproque / miroir — f(x)=f□¹(x), domain=reverse_os — Réciproque / miroir — f(x)=f□¹(x), domain=reverse_os

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **A. SAFE_NEW_SOURCE : docs/source_packs/, specs/new_domains/ — - **A. SAFE_NEW_SOURCE** : docs/source_packs/, specs/new_domains/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A10_memoire_vhs_archives_analogiques.md" ,"A10_memoire_vhs_archives_analogiques.md",".md","3173","INTEGRAT E_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY ","REALITY_OR_ACTION_CLAIM_SCOPE","false","fa — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A10_memoire_vhs_archives_analogiques.md" ,"A10_memoire_vhs_archives_analogiques.md",".md","3173","INTEGRAT E_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY ","REALITY_OR_ACTION_CLAIM_SCOPE","false","fa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestrale .md","A1_terres_autochtones_memoire_ancestrale.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVIS ORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fa —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestrale .md","A1_terres_autochtones_memoire_ancestrale.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVIS ORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_ar ctique_polaire.md",".md","3162","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLA IM_SCOPE","false","false","false","F06 canon —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_ar ctique_polaire.md",".md","3162","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLA IM_SCOPE","false","false","false","F06 canon

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md"," A3_ia_spiritualite_non_occidentale.md",".md","3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false" —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md"," A3_ia_spiritualite_non_occidentale.md",".md","3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_r essources_minieres_ecocide.md",".md","3163","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false" —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_r essources_minieres_ecocide.md",".md","3163","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md", "A5_exils_peuples_deplaces_diasporas.md",".md","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","fals —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md", "A5_exils_peuples_deplaces_diasporas.md",".md","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","fals

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_symboles_croyances.md ","A6_objets_magiques_symboles_croyances.md",".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_symboles_croyances.md ","A6_objets_magiques_symboles_croyances.md",".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civilisations _perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md ",".md","3318","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civilisations _perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md ",".md","3318","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A8_s ante_mentale_communautaire.md",".md","3228","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A8_s ante_mentale_communautaire.md",".md","3228","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cir que_arts_nomades.md",".md","3148","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cir que_arts_nomades.md",".md","3148","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","3173","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Users\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/docs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md","

.md","3173","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","3162","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","3162","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","3163", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","3163", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","3318","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","3318","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","3228", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","3228", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","3148","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","3148","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A10_memoire_vhs_archives_analogiques. md","A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A10_memoire_vhs_archives_analogiques. md","A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestr ale.md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestr ale.md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone _arctique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtim — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone _arctique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtim

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md ","A3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md ","A3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A 4_ressources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A 4_ressources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.m d","A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.m d","A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A6_objets_magiques_symboles_croyances .md","A6_objets_magiques_symboles_croyances.md",".md","2237","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A6_objets_magiques_symboles_croyances .md","A6_objets_magiques_symboles_croyances.md",".md","2237","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A7_archeologie_sous_marine_civilisati ons_perdues.md","A7_archeologie_sous_marine_civilisations_perdues .md",".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair invento — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A7_archeologie_sous_marine_civilisati ons_perdues.md","A7_archeologie_sous_marine_civilisations_perdues .md",".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair invento

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A 8_sante_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A 8_sante_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_ cirque_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTIO N_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runt — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_ cirque_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTIO N_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_ analogiques.md","A10_memoire_vhs_archives_analogiques.md",".md"," 2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_ analogiques.md","A10_memoire_vhs_archives_analogiques.md",".md"," 2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A1_terres_autochtones_mem oire_ancestrale.md","A1_terres_autochtones_memoire_ancestrale.md" ,".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A1_terres_autochtones_mem oire_ancestrale.md","A1_terres_autochtones_memoire_ancestrale.md" ,".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire. md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire. md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_oc cidentale.md","A3_ia_spiritualite_non_occidentale.md",".md","2770 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_oc cidentale.md","A3_ia_spiritualite_non_occidentale.md",".md","2770 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A4_ressources_minieres_ec ocide.md","A4_ressources_minieres_ecocide.md",".md","2705","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A4_ressources_minieres_ec ocide.md","A4_ressources_minieres_ecocide.md",".md","2705","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces _diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".md","26 89","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces _diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".md","26 89","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A6_objets_magiques_symbol es_croyances.md","A6_objets_magiques_symboles_croyances.md",".md" ,"2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A6_objets_magiques_symbol es_croyances.md","A6_objets_magiques_symboles_croyances.md",".md" ,"2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A7_archeologie_sous_marin e_civilisations_perdues.md","A7_archeologie_sous_marine_civilisat ions_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A7_archeologie_sous_marin e_civilisations_perdues.md","A7_archeologie_sous_marine_civilisat ions_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A8_sante_mentale_communau taire.md","A8_sante_mentale_communautaire.md",".md","2770","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A8_sante_mentale_communau taire.md","A8_sante_mentale_communautaire.md",".md","2770","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades .md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE_TO_AT LAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REAL ITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extract — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades .md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE_TO_AT LAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REAL ITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extract

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A10_memoire _vhs_archives_analogiques.md","A10_memoire_vhs_archives_analogiqu es.md",".md","2200","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A10_memoire _vhs_archives_analogiques.md","A10_memoire_vhs_archives_analogiqu es.md",".md","2200","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A1_terres_a utochtones_memoire_ancestrale.md","A1_terres_autochtones_memoire_ ancestrale.md",".md","2314","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A1_terres_a utochtones_memoire_ancestrale.md","A1_terres_autochtones_memoire_ ancestrale.md",".md","2314","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A2_zone_arc tique_polaire.md","A2_zone_arctique_polaire.md",".md","2249","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A2_zone_arc tique_polaire.md","A2_zone_arctique_polaire.md",".md","2249","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiri tualite_non_occidentale.md","A3_ia_spiritualite_non_occidentale.m d",".md","2273","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false ","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiri tualite_non_occidentale.md","A3_ia_spiritualite_non_occidentale.m d",".md","2273","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false ","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A4_ressourc es_minieres_ecocide.md","A4_ressources_minieres_ecocide.md",".md" ,"2220","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A4_ressourc es_minieres_ecocide.md","A4_ressources_minieres_ecocide.md",".md" ,"2220","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A5_exils_pe uples_deplaces_diasporas.md","A5_exils_peuples_deplaces_diasporas .md",".md","2189","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A5_exils_pe uples_deplaces_diasporas.md","A5_exils_peuples_deplaces_diasporas .md",".md","2189","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A6_objets_m agiques_symboles_croyances.md","A6_objets_magiques_symboles_croya nces.md",".md","2237","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE", "false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A6_objets_m agiques_symboles_croyances.md","A6_objets_magiques_symboles_croya nces.md",".md","2237","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE", "false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A7_archeolo gie_sous_marine_civilisations_perdues.md","A7_archeologie_sous_ma rine_civilisations_perdues.md",".md","2285","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A7_archeolo gie_sous_marine_civilisations_perdues.md","A7_archeologie_sous_ma rine_civilisations_perdues.md",".md","2285","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A8_sante_me ntale_communautaire.md","A8_sante_mentale_communautaire.md",".md" ,"2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A8_sante_me ntale_communautaire.md","A8_sante_mentale_communautaire.md",".md" ,"2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirqu e_arts_nomades.md","A9_ia_cirque_arts_nomades.md",".md","2230","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirqu e_arts_nomades.md","A9_ia_cirque_arts_nomades.md",".md","2230","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A10_memoire_vhs_archives_analogiques.md", "A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A10_memoire_vhs_archives_analogiques.md", "A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A1_terres_autochtones_memoire_ancestrale. md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip sour — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A1_terres_autochtones_memoire_ancestrale. md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip sour

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_arc tique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime im — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_arc tique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime im

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A3_ia_spiritualite_non_occidentale.md","A 3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A3_ia_spiritualite_non_occidentale.md","A 3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_re ssources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_re ssources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md"," A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md"," A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A6_objets_magiques_symboles_croyances.md" ,"A6_objets_magiques_symboles_croyances.md",".md","2237","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A6_objets_magiques_symboles_croyances.md" ,"A6_objets_magiques_symboles_croyances.md",".md","2237","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A7_archeologie_sous_marine_civilisations_ perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md" ,".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A7_archeologie_sous_marine_civilisations_ perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md" ,".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A8_sante_mentale_communautaire.md","A8_sa nte_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A8_sante_mentale_communautaire.md","A8_sa nte_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cirq ue_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cirq ue_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais **aucun tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json = vide ({}). Potentiel futur si opérateur fournit table concept→arbre. — reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais **aucun tree_id/family_id explicite**. Inférer la famille = heuristique. reverse_os.registry.json = vide ({}). Potentiel futur si opérateur fournit table concept→arbre.**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

IR alphabet tokens from Reverse OS canon that match doc content domain — IR alphabet tokens from Reverse OS canon that match doc content domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Contains concepts with domain tags (math, memory, agents) that COULD be mapped to trees (e.g. memoire_fractale → T24 Mémoire) but NO explicit tree_id or family_id. Creating that mapping would be heuristic — BLOCKED by anti-invention rule. Could be a source for a future operator-defined concept-to-tree mapping table. — Contains concepts with domain tags (math, memory, agents) that COULD be mapped to trees (e.g. memoire_fractale → T24 Mémoire) but NO explicit tree_id or family_id. Creating that mapping would be heuristic — BLOCKED by anti-invention rule. Could be a source for a future operator-defined concept-to-tree mapping table.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Raison: Contient des concepts avec domaines (math, memory, agents) qui POURRAIENT mapper (ex: memoire_fractale → T24 Mémoire) mais AUCUN tree_id/family_id explicite. Créer ce mapping = heuristique. BLOQUÉ par anti-invention. — - **Raison:** Contient des concepts avec domaines (math, memory, agents) qui POURRAIENT mapper (ex: memoire_fractale → T24 Mémoire) mais AUCUN tree_id/family_id explicite. Créer ce mapping = heuristique. BLOQUÉ par anti-invention.**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique — Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre. — reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Table explicite concept_domain → tree_id (opérateur doit fournir) — Table explicite concept_domain → tree_id (opérateur doit fournir)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"description": "Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique", — "description": "Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"blocking_reason": "reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.", — "blocking_reason": "reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- OS3ProofTicket avec : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status — - OS3ProofTicket avec : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/adapters/gps_adapter.py — RUNTIME_CODE — - periphery/adapters/gps_adapter.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Specs created by domain — 5. Specs created by domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Dry-run pipeline : connecter GPS connector au pipeline X108 complet — - **Dry-run pipeline** : connecter GPS connector au pipeline X108 complet**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_v hs_archives_analogiques.md,FILE,3173,1289,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_v hs_archives_analogiques.md,FILE,3173,1289,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_aut ochtones_memoire_ancestrale.md,FILE,3307,1315,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_aut ochtones_memoire_ancestrale.md,FILE,3307,1315,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arcti que_polaire.md,FILE,3162,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arcti que_polaire.md,FILE,3162,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritu alite_non_occidentale.md,FILE,3236,1298,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritu alite_non_occidentale.md,FILE,3236,1298,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources _minieres_ecocide.md,FILE,3163,1297,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources _minieres_ecocide.md,FILE,3163,1297,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peup les_deplaces_diasporas.md,FILE,3157,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peup les_deplaces_diasporas.md,FILE,3157,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_mag iques_symboles_croyances.md,FILE,3215,1293,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_mag iques_symboles_croyances.md,FILE,3215,1293,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologi e_sous_marine_civilisations_perdues.md,FILE,3318,1312,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologi e_sous_marine_civilisations_perdues.md,FILE,3318,1312,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_ment ale_communautaire.md,FILE,3228,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_ment ale_communautaire.md,FILE,3228,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_ arts_nomades.md,FILE,3148,1298,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_ arts_nomades.md,FILE,3148,1298,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1996,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A10_memoire_vhs_archives_analogiques.md,atlas/world_protoco l_atlas/,A10_memoire_vhs_archives_analogiques.md,md,P3_ATLAS_CONT ENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108 _ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1996,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A10_memoire_vhs_archives_analogiques.md,atlas/world_protoco l_atlas/,A10_memoire_vhs_archives_analogiques.md,md,P3_ATLAS_CONT ENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108 _ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1997,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A1_terres_autochtones_memoire_ancestrale.md,atlas/world_pro tocol_atlas/,A1_terres_autochtones_memoire_ancestrale.md,md,P3_AT LAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,L OW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1997,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A1_terres_autochtones_memoire_ancestrale.md,atlas/world_pro tocol_atlas/,A1_terres_autochtones_memoire_ancestrale.md,md,P3_AT LAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,L OW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1998,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A2_zone_arctique_polaire.md,atlas/world_protocol_atlas/,A2_ zone_arctique_polaire.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_F OUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1998,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A2_zone_arctique_polaire.md,atlas/world_protocol_atlas/,A2_ zone_arctique_polaire.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_F OUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1999,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A3_ia_spiritualite_non_occidentale.md,atlas/world_protocol_ atlas/,A3_ia_spiritualite_non_occidentale.md,md,P3_ATLAS_CONTENT, F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONL Y; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1999,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A3_ia_spiritualite_non_occidentale.md,atlas/world_protocol_ atlas/,A3_ia_spiritualite_non_occidentale.md,md,P3_ATLAS_CONTENT, F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONL Y; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2000,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A4_ressources_minieres_ecocide.md,atlas/world_protocol_atla s/,A4_ressources_minieres_ecocide.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2000,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A4_ressources_minieres_ecocide.md,atlas/world_protocol_atla s/,A4_ressources_minieres_ecocide.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2001,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A5_exils_peuples_deplaces_diasporas.md,atlas/world_protocol _atlas/,A5_exils_peuples_deplaces_diasporas.md,md,P3_ATLAS_CONTEN T,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_O NLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2001,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A5_exils_peuples_deplaces_diasporas.md,atlas/world_protocol _atlas/,A5_exils_peuples_deplaces_diasporas.md,md,P3_ATLAS_CONTEN T,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_O NLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2002,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A6_objets_magiques_symboles_croyances.md,atlas/world_protoc ol_atlas/,A6_objets_magiques_symboles_croyances.md,md,P3_ATLAS_CO NTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX1 08_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2002,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A6_objets_magiques_symboles_croyances.md,atlas/world_protoc ol_atlas/,A6_objets_magiques_symboles_croyances.md,md,P3_ATLAS_CO NTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX1 08_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2003,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A7_archeologie_sous_marine_civilisations_perdues.md,atlas/w orld_protocol_atlas/,A7_archeologie_sous_marine_civilisations_per dues.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLIC ATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2003,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A7_archeologie_sous_marine_civilisations_perdues.md,atlas/w orld_protocol_atlas/,A7_archeologie_sous_marine_civilisations_per dues.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLIC ATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2004,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A8_sante_mentale_communautaire.md,atlas/world_protocol_atla s/,A8_sante_mentale_communautaire.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2004,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A8_sante_mentale_communautaire.md,atlas/world_protocol_atla s/,A8_sante_mentale_communautaire.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2005,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A9_ia_cirque_arts_nomades.md,atlas/world_protocol_atlas/,A9 _ia_cirque_arts_nomades.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT _FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2005,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A9_ia_cirque_arts_nomades.md,atlas/world_protocol_atlas/,A9 _ia_cirque_arts_nomades.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT _FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS — ├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

obsidia-workspace (repo dédié fondations/domaines/agents/) — obsidia-workspace (repo dédié fondations/domaines/agents/)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Recherché sous : obsidia-workspace, fondations/, domaines/, gouvernance/, recherche/ — - **Recherché sous** : obsidia-workspace, fondations/, domaines/, gouvernance/, recherche/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7. Grep GPS / aviation / trajectory — 7. Grep GPS / aviation / trajectory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ adapters/gps_adapter.py, sigma/domains/gps_defense_aviation_agents.py, connectors/aviation_robo.py — → adapters/gps_adapter.py, sigma/domains/gps_defense_aviation_agents.py, connectors/aviation_robo.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ PAS un workspace Obsidia au sens fondations/domaines/agents/ — → PAS un workspace Obsidia au sens fondations/domaines/agents/

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **GPS / Aviation : stack complet — adapter + connector + sigma domain — - **GPS / Aviation** : stack complet — adapter + connector + sigma domain**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Terme Gemini : obsidia-workspace, fondations/, domaines/, agents/, gouvernance/ — - **Terme Gemini** : obsidia-workspace, fondations/, domaines/, agents/, gouvernance/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Statut : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests) — - **Statut** : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Champs : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status — - **Champs** : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 9 — GPS / Défense / Aviation — Bloc 9 — GPS / Défense / Aviation

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py — RUNTIME_CODE — - connectors/aviation_robo.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- sigma/domains/gps_defense_aviation_agents.py — RUNTIME_CODE — - sigma/domains/gps_defense_aviation_agents.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/periphery/GPS_ADAPTER_MAPPING_V0.md — DOC_ONLY — - docs/periphery/GPS_ADAPTER_MAPPING_V0.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/architecture/BANK_TRADING_GPS_CALIBRATION_WORLDS_V0.md — DOC_ONLY — - docs/architecture/BANK_TRADING_GPS_CALIBRATION_WORLDS_V0.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Risque : "GPS strategic surface ≠ défense production" — validation externe requise — - **Risque** : "GPS strategic surface ≠ défense production" — validation externe requise**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Concepts Gemini corrigés (workspace, domaines, BUV, .xyz, Jcoin) — - Concepts Gemini corrigés (workspace, domaines, BUV, .xyz, Jcoin)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "22 domaines V3+V4 sont implémentés en Python avec 194 tests" — - "22 domaines V3+V4 sont implémentés en Python avec 194 tests"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS connector = DRY_RUN local — pas défense production" — - "GPS connector = DRY_RUN local — pas défense production"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS = défense production" (DRY_RUN seulement) — - "GPS = défense production" (DRY_RUN seulement)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py (DEFAULT_API_BASE = http://127.0.0.1:8000) — - connectors/aviation_robo.py (DEFAULT_API_BASE = http://127.0.0.1:8000)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Le connector aviation POST en local (127.0.0.1) — DRY_RUN" — - "Le connector aviation POST en local (127.0.0.1) — DRY_RUN"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "aviation connector = défense réelle" — - "aviation connector = défense réelle"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "22 domaines V3+V4 implémentés en Python — 194 tests pass" — - "22 domaines V3+V4 implémentés en Python — 194 tests pass"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS/aviation en défense production" (DRY_RUN) — - "GPS/aviation en défense production" (DRY_RUN)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_fail_closed_on_unknown_domain — - test_fail_closed_on_unknown_domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide — - Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- sigma/domains/gps_defense_aviation_agents.py\n- periphery/agents/world_action_agent.py — - sigma/domains/gps_defense_aviation_agents.py\n- periphery/agents/world_action_agent.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py\n- periphery/adapters/gps_adapter.py — - connectors/aviation_robo.py\n- periphery/adapters/gps_adapter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ADVERSARIAL_GPS_TEST_MATRIX — ADVERSARIAL_GPS_TEST_MATRIX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/benchmarks/benchmark_case_schema.py\n- periphery/OBSIDIA_MMONDE_.../01_SOURCES/extracted_text_all.md (Scenario 2: GPS Spoofing) — - periphery/benchmarks/benchmark_case_schema.py\n- periphery/OBSIDIA_MMONDE_.../01_SOURCES/extracted_text_all.md (Scenario 2: GPS Spoofing)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Scénario spoofing GPS: source_conflict_score détecte contradiction\n- Bascule inertielle si spoofing détecté — - Scénario spoofing GPS: source_conflict_score détecte contradiction\n- Bascule inertielle si spoofing détecté

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- GPS immunisé sans test adversarial — - GPS immunisé sans test adversarial

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P92 — Calculabilite (Turing)

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_READONLY_INDEX_V2_FUSION_READY — GRAPHITI_READONLY_INDEX_V2_FUSION_READY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

base_graphiti_ready_records — base_graphiti_ready_records

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000000 — GRAPHITI_V2_000000

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

memory — memory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000001 — GRAPHITI_V2_000001

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000002 — GRAPHITI_V2_000002

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000003 — GRAPHITI_V2_000003

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000004 — GRAPHITI_V2_000004

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000005 — GRAPHITI_V2_000005

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000006 — GRAPHITI_V2_000006

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000007 — GRAPHITI_V2_000007

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000009 — GRAPHITI_V2_000009

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000010 — GRAPHITI_V2_000010

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000012 — GRAPHITI_V2_000012
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000013 — GRAPHITI_V2_000013
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000014 — GRAPHITI_V2_000014
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000015 — GRAPHITI_V2_000015
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000016 — GRAPHITI_V2_000016
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000017 — GRAPHITI_V2_000017
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000018 — GRAPHITI_V2_000018
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000019 — GRAPHITI_V2_000019
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000020 — GRAPHITI_V2_000020
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000021 — GRAPHITI_V2_000021
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000022 — GRAPHITI_V2_000022
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000023 — GRAPHITI_V2_000023
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000024 — GRAPHITI_V2_000024
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000025 — GRAPHITI_V2_000025
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000026 — GRAPHITI_V2_000026
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000027 — GRAPHITI_V2_000027
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000028 — GRAPHITI_V2_000028
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000029 — GRAPHITI_V2_000029
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000030 — GRAPHITI_V2_000030
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000031 — GRAPHITI_V2_000031
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000032 — GRAPHITI_V2_000032
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000033 — GRAPHITI_V2_000033
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000034 — GRAPHITI_V2_000034
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000035 — GRAPHITI_V2_000035
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000036 — GRAPHITI_V2_000036
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000037 — GRAPHITI_V2_000037
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000038 — GRAPHITI_V2_000038
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000039 — GRAPHITI_V2_000039
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000040 — GRAPHITI_V2_000040
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000041 — GRAPHITI_V2_000041
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000042 — GRAPHITI_V2_000042
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000043 — GRAPHITI_V2_000043
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000044 — GRAPHITI_V2_000044
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000045 — GRAPHITI_V2_000045
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000046 — GRAPHITI_V2_000046
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000047 — GRAPHITI_V2_000047
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000048 — GRAPHITI_V2_000048
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000049 — GRAPHITI_V2_000049
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000050 — GRAPHITI_V2_000050
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000051 — GRAPHITI_V2_000051
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000052 — GRAPHITI_V2_000052
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000053 — GRAPHITI_V2_000053
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000054 — GRAPHITI_V2_000054
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000055 — GRAPHITI_V2_000055
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000056 — GRAPHITI_V2_000056
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000057 — GRAPHITI_V2_000057
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000058 — GRAPHITI_V2_000058
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000059 — GRAPHITI_V2_000059
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000061 — GRAPHITI_V2_000061
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000062 — GRAPHITI_V2_000062
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000063 — GRAPHITI_V2_000063
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000064 — GRAPHITI_V2_000064
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000065 — GRAPHITI_V2_000065
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000066 — GRAPHITI_V2_000066
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000067 — GRAPHITI_V2_000067
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000069 — GRAPHITI_V2_000069
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000070 — GRAPHITI_V2_000070
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000071 — GRAPHITI_V2_000071
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000072 — GRAPHITI_V2_000072
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000073 — GRAPHITI_V2_000073
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000074 — GRAPHITI_V2_000074
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000075 — GRAPHITI_V2_000075
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000076 — GRAPHITI_V2_000076
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000077 — GRAPHITI_V2_000077
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000078 — GRAPHITI_V2_000078
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000079 — GRAPHITI_V2_000079
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000080 — GRAPHITI_V2_000080
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000081 — GRAPHITI_V2_000081
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000082 — GRAPHITI_V2_000082
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000083 — GRAPHITI_V2_000083
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000084 — GRAPHITI_V2_000084
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000085 — GRAPHITI_V2_000085
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000086 — GRAPHITI_V2_000086
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000087 — GRAPHITI_V2_000087
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000088 — GRAPHITI_V2_000088
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000089 — GRAPHITI_V2_000089
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000090 — GRAPHITI_V2_000090
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000091 — GRAPHITI_V2_000091
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000092 — GRAPHITI_V2_000092
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000093 — GRAPHITI_V2_000093
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000094 — GRAPHITI_V2_000094
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000095 — GRAPHITI_V2_000095
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000096 — GRAPHITI_V2_000096
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000097 — GRAPHITI_V2_000097
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000098 — GRAPHITI_V2_000098
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000099 — GRAPHITI_V2_000099
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000100 — GRAPHITI_V2_000100
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000101 — GRAPHITI_V2_000101
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000102 — GRAPHITI_V2_000102
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000103 — GRAPHITI_V2_000103
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000104 — GRAPHITI_V2_000104
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000105 — GRAPHITI_V2_000105
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000106 — GRAPHITI_V2_000106
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000107 — GRAPHITI_V2_000107
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000108 — GRAPHITI_V2_000108
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000109 — GRAPHITI_V2_000109
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000110 — GRAPHITI_V2_000110
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000111 — GRAPHITI_V2_000111
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000112 — GRAPHITI_V2_000112
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000113 — GRAPHITI_V2_000113
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000114 — GRAPHITI_V2_000114
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000115 — GRAPHITI_V2_000115
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000116 — GRAPHITI_V2_000116
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000117 — GRAPHITI_V2_000117
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000118 — GRAPHITI_V2_000118
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000119 — GRAPHITI_V2_000119
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000120 — GRAPHITI_V2_000120
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000121 — GRAPHITI_V2_000121
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000122 — GRAPHITI_V2_000122
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000123 — GRAPHITI_V2_000123
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000124 — GRAPHITI_V2_000124
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000125 — GRAPHITI_V2_000125
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000126 — GRAPHITI_V2_000126
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000127 — GRAPHITI_V2_000127
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000128 — GRAPHITI_V2_000128
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000129 — GRAPHITI_V2_000129
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000130 — GRAPHITI_V2_000130
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000131 — GRAPHITI_V2_000131
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000132 — GRAPHITI_V2_000132
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000133 — GRAPHITI_V2_000133
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000134 — GRAPHITI_V2_000134
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000135 — GRAPHITI_V2_000135
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000136 — GRAPHITI_V2_000136
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000137 — GRAPHITI_V2_000137
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000138 — GRAPHITI_V2_000138
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000139 — GRAPHITI_V2_000139
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000140 — GRAPHITI_V2_000140
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000141 — GRAPHITI_V2_000141
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000142 — GRAPHITI_V2_000142
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000143 — GRAPHITI_V2_000143
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000144 — GRAPHITI_V2_000144
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000145 — GRAPHITI_V2_000145
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000146 — GRAPHITI_V2_000146
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000147 — GRAPHITI_V2_000147
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000148 — GRAPHITI_V2_000148
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000149 — GRAPHITI_V2_000149
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000150 — GRAPHITI_V2_000150
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FCA18DD9C2C_01_BLOC_03__Couche_Memoire_C1.md — 0FCA18DD9C2C_01_BLOC_03__Couche_Memoire_C1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000151 — GRAPHITI_V2_000151
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FCA18DD9C2C_Bloc_03__Couche_Memoire_C1.md — 0FCA18DD9C2C_Bloc_03__Couche_Memoire_C1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000152 — GRAPHITI_V2_000152
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000153 — GRAPHITI_V2_000153
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000154 — GRAPHITI_V2_000154
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000155 — GRAPHITI_V2_000155
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000156 — GRAPHITI_V2_000156
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000157 — GRAPHITI_V2_000157
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000158 — GRAPHITI_V2_000158
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000159 — GRAPHITI_V2_000159
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000160 — GRAPHITI_V2_000160
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000161 — GRAPHITI_V2_000161
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000162 — GRAPHITI_V2_000162
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000163 — GRAPHITI_V2_000163
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000164 — GRAPHITI_V2_000164
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000165 — GRAPHITI_V2_000165
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000166 — GRAPHITI_V2_000166
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000167 — GRAPHITI_V2_000167
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000168 — GRAPHITI_V2_000168
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000169 — GRAPHITI_V2_000169
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000170 — GRAPHITI_V2_000170
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000171 — GRAPHITI_V2_000171
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000172 — GRAPHITI_V2_000172
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000173 — GRAPHITI_V2_000173
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000174 — GRAPHITI_V2_000174
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000175 — GRAPHITI_V2_000175
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000176 — GRAPHITI_V2_000176
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000177 — GRAPHITI_V2_000177
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000178 — GRAPHITI_V2_000178
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000179 — GRAPHITI_V2_000179
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000180 — GRAPHITI_V2_000180
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000181 — GRAPHITI_V2_000181
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000182 — GRAPHITI_V2_000182
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000183 — GRAPHITI_V2_000183
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000184 — GRAPHITI_V2_000184
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000185 — GRAPHITI_V2_000185
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000186 — GRAPHITI_V2_000186
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000187 — GRAPHITI_V2_000187
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000188 — GRAPHITI_V2_000188
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000189 — GRAPHITI_V2_000189
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000190 — GRAPHITI_V2_000190
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000191 — GRAPHITI_V2_000191
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000192 — GRAPHITI_V2_000192
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000193 — GRAPHITI_V2_000193
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000194 — GRAPHITI_V2_000194
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000195 — GRAPHITI_V2_000195
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000196 — GRAPHITI_V2_000196
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000197 — GRAPHITI_V2_000197
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000198 — GRAPHITI_V2_000198
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000199 — GRAPHITI_V2_000199
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000200 — GRAPHITI_V2_000200
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000201 — GRAPHITI_V2_000201
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000202 — GRAPHITI_V2_000202
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000203 — GRAPHITI_V2_000203
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000204 — GRAPHITI_V2_000204
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000205 — GRAPHITI_V2_000205
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000206 — GRAPHITI_V2_000206
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000207 — GRAPHITI_V2_000207
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000208 — GRAPHITI_V2_000208
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000209 — GRAPHITI_V2_000209
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000210 — GRAPHITI_V2_000210
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000211 — GRAPHITI_V2_000211
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000212 — GRAPHITI_V2_000212
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000213 — GRAPHITI_V2_000213
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000214 — GRAPHITI_V2_000214
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000215 — GRAPHITI_V2_000215
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000216 — GRAPHITI_V2_000216
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000217 — GRAPHITI_V2_000217
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000218 — GRAPHITI_V2_000218
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000219 — GRAPHITI_V2_000219
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000220 — GRAPHITI_V2_000220
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000221 — GRAPHITI_V2_000221
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000222 — GRAPHITI_V2_000222
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000223 — GRAPHITI_V2_000223
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000224 — GRAPHITI_V2_000224
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000225 — GRAPHITI_V2_000225
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000226 — GRAPHITI_V2_000226
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000227 — GRAPHITI_V2_000227
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000228 — GRAPHITI_V2_000228
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md — 14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000229 — GRAPHITI_V2_000229
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_P2__Memoire_fractale_hierarchique.md — 14FE44E56781_P2__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000230 — GRAPHITI_V2_000230
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000231 — GRAPHITI_V2_000231
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000232 — GRAPHITI_V2_000232
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000233 — GRAPHITI_V2_000233
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000234 — GRAPHITI_V2_000234
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000235 — GRAPHITI_V2_000235
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000236 — GRAPHITI_V2_000236
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000237 — GRAPHITI_V2_000237
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15D482F3CA82_02_PEPITE_P004__Memoire_comme_condition_dethique.md — 15D482F3CA82_02_PEPITE_P004__Memoire_comme_condition_dethique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000238 — GRAPHITI_V2_000238
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15D482F3CA82_P4__Memoire_comme_condition_dethique.md — 15D482F3CA82_P4__Memoire_comme_condition_dethique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000239 — GRAPHITI_V2_000239
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000240 — GRAPHITI_V2_000240
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000241 — GRAPHITI_V2_000241
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000242 — GRAPHITI_V2_000242
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000243 — GRAPHITI_V2_000243
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000244 — GRAPHITI_V2_000244
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000245 — GRAPHITI_V2_000245
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000246 — GRAPHITI_V2_000246
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000247 — GRAPHITI_V2_000247
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000248 — GRAPHITI_V2_000248
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000249 — GRAPHITI_V2_000249
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000250 — GRAPHITI_V2_000250
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000251 — GRAPHITI_V2_000251
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000252 — GRAPHITI_V2_000252
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000253 — GRAPHITI_V2_000253
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000254 — GRAPHITI_V2_000254
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000255 — GRAPHITI_V2_000255
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000256 — GRAPHITI_V2_000256
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000257 — GRAPHITI_V2_000257
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000258 — GRAPHITI_V2_000258
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000259 — GRAPHITI_V2_000259
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000260 — GRAPHITI_V2_000260
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000261 — GRAPHITI_V2_000261
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000262 — GRAPHITI_V2_000262
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000263 — GRAPHITI_V2_000263
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000264 — GRAPHITI_V2_000264
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000265 — GRAPHITI_V2_000265
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000266 — GRAPHITI_V2_000266
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000267 — GRAPHITI_V2_000267
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000268 — GRAPHITI_V2_000268
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000269 — GRAPHITI_V2_000269
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000270 — GRAPHITI_V2_000270
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000271 — GRAPHITI_V2_000271
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000272 — GRAPHITI_V2_000272
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000273 — GRAPHITI_V2_000273
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000274 — GRAPHITI_V2_000274
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000275 — GRAPHITI_V2_000275
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000276 — GRAPHITI_V2_000276
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000277 — GRAPHITI_V2_000277
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000278 — GRAPHITI_V2_000278
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AD19E08C384_bazar suite kernel moteur memoire phrise chrono + comos ect reflex .docx — 1AD19E08C384_bazar suite kernel moteur memoire phrise chrono + comos ect reflex .docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000279 — GRAPHITI_V2_000279
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000280 — GRAPHITI_V2_000280
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000281 — GRAPHITI_V2_000281
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000282 — GRAPHITI_V2_000282
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000283 — GRAPHITI_V2_000283
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000284 — GRAPHITI_V2_000284
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000285 — GRAPHITI_V2_000285
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000286 — GRAPHITI_V2_000286
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000287 — GRAPHITI_V2_000287
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000288 — GRAPHITI_V2_000288
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000289 — GRAPHITI_V2_000289
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000290 — GRAPHITI_V2_000290
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000291 — GRAPHITI_V2_000291
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000292 — GRAPHITI_V2_000292
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000293 — GRAPHITI_V2_000293
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000294 — GRAPHITI_V2_000294
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000295 — GRAPHITI_V2_000295
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000296 — GRAPHITI_V2_000296
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000297 — GRAPHITI_V2_000297
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000298 — GRAPHITI_V2_000298
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000299 — GRAPHITI_V2_000299
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000300 — GRAPHITI_V2_000300
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000301 — GRAPHITI_V2_000301
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000302 — GRAPHITI_V2_000302
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000303 — GRAPHITI_V2_000303
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000304 — GRAPHITI_V2_000304
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000305 — GRAPHITI_V2_000305
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000306 — GRAPHITI_V2_000306
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000307 — GRAPHITI_V2_000307
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000308 — GRAPHITI_V2_000308
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000309 — GRAPHITI_V2_000309
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md — 1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000310 — GRAPHITI_V2_000310
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md — 1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000311 — GRAPHITI_V2_000311
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000312 — GRAPHITI_V2_000312
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000313 — GRAPHITI_V2_000313
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000314 — GRAPHITI_V2_000314
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000315 — GRAPHITI_V2_000315
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000316 — GRAPHITI_V2_000316
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000317 — GRAPHITI_V2_000317
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000318 — GRAPHITI_V2_000318
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000319 — GRAPHITI_V2_000319
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000320 — GRAPHITI_V2_000320
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000321 — GRAPHITI_V2_000321
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000322 — GRAPHITI_V2_000322
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000323 — GRAPHITI_V2_000323
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000324 — GRAPHITI_V2_000324
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000325 — GRAPHITI_V2_000325
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000326 — GRAPHITI_V2_000326
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000327 — GRAPHITI_V2_000327
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000328 — GRAPHITI_V2_000328
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000329 — GRAPHITI_V2_000329
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000330 — GRAPHITI_V2_000330
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000331 — GRAPHITI_V2_000331
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000332 — GRAPHITI_V2_000332
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000333 — GRAPHITI_V2_000333
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000334 — GRAPHITI_V2_000334
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000335 — GRAPHITI_V2_000335
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000336 — GRAPHITI_V2_000336
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000337 — GRAPHITI_V2_000337
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000338 — GRAPHITI_V2_000338
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000339 — GRAPHITI_V2_000339
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000340 — GRAPHITI_V2_000340
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000341 — GRAPHITI_V2_000341
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000342 — GRAPHITI_V2_000342
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000343 — GRAPHITI_V2_000343
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000344 — GRAPHITI_V2_000344
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000345 — GRAPHITI_V2_000345
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000346 — GRAPHITI_V2_000346
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000347 — GRAPHITI_V2_000347
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000348 — GRAPHITI_V2_000348
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000349 — GRAPHITI_V2_000349
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000350 — GRAPHITI_V2_000350
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000351 — GRAPHITI_V2_000351
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000352 — GRAPHITI_V2_000352
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000353 — GRAPHITI_V2_000353
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000354 — GRAPHITI_V2_000354
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000355 — GRAPHITI_V2_000355
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000356 — GRAPHITI_V2_000356
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000357 — GRAPHITI_V2_000357
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000358 — GRAPHITI_V2_000358
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000359 — GRAPHITI_V2_000359
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000360 — GRAPHITI_V2_000360
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000361 — GRAPHITI_V2_000361
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000362 — GRAPHITI_V2_000362
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000363 — GRAPHITI_V2_000363
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000364 — GRAPHITI_V2_000364
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000365 — GRAPHITI_V2_000365
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000366 — GRAPHITI_V2_000366
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000367 — GRAPHITI_V2_000367
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000368 — GRAPHITI_V2_000368
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000369 — GRAPHITI_V2_000369
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000370 — GRAPHITI_V2_000370
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000371 — GRAPHITI_V2_000371
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000372 — GRAPHITI_V2_000372
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000373 — GRAPHITI_V2_000373
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000374 — GRAPHITI_V2_000374
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000375 — GRAPHITI_V2_000375
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000376 — GRAPHITI_V2_000376
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000377 — GRAPHITI_V2_000377
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000378 — GRAPHITI_V2_000378
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000379 — GRAPHITI_V2_000379
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000380 — GRAPHITI_V2_000380
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000381 — GRAPHITI_V2_000381
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000382 — GRAPHITI_V2_000382
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000383 — GRAPHITI_V2_000383
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000384 — GRAPHITI_V2_000384
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000385 — GRAPHITI_V2_000385
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000386 — GRAPHITI_V2_000386
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000387 — GRAPHITI_V2_000387
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000388 — GRAPHITI_V2_000388
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000389 — GRAPHITI_V2_000389
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000390 — GRAPHITI_V2_000390
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000391 — GRAPHITI_V2_000391
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000392 — GRAPHITI_V2_000392
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000393 — GRAPHITI_V2_000393
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000394 — GRAPHITI_V2_000394
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000395 — GRAPHITI_V2_000395
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000396 — GRAPHITI_V2_000396
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000397 — GRAPHITI_V2_000397
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000398 — GRAPHITI_V2_000398
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000399 — GRAPHITI_V2_000399
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000400 — GRAPHITI_V2_000400
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000401 — GRAPHITI_V2_000401
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000402 — GRAPHITI_V2_000402
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

26C170E3D76E_graphiti_readonly_index.json — 26C170E3D76E_graphiti_readonly_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000403 — GRAPHITI_V2_000403
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000404 — GRAPHITI_V2_000404
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000405 — GRAPHITI_V2_000405
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000406 — GRAPHITI_V2_000406
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000407 — GRAPHITI_V2_000407
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000408 — GRAPHITI_V2_000408
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000409 — GRAPHITI_V2_000409
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000410 — GRAPHITI_V2_000410
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000411 — GRAPHITI_V2_000411
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000412 — GRAPHITI_V2_000412
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000413 — GRAPHITI_V2_000413
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000414 — GRAPHITI_V2_000414
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000415 — GRAPHITI_V2_000415
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000416 — GRAPHITI_V2_000416
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000417 — GRAPHITI_V2_000417
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000418 — GRAPHITI_V2_000418
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000419 — GRAPHITI_V2_000419
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000420 — GRAPHITI_V2_000420
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000421 — GRAPHITI_V2_000421
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000422 — GRAPHITI_V2_000422
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000423 — GRAPHITI_V2_000423
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000424 — GRAPHITI_V2_000424
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000425 — GRAPHITI_V2_000425
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000426 — GRAPHITI_V2_000426
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000427 — GRAPHITI_V2_000427
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000428 — GRAPHITI_V2_000428
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000429 — GRAPHITI_V2_000429
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000430 — GRAPHITI_V2_000430
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000431 — GRAPHITI_V2_000431
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000432 — GRAPHITI_V2_000432
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000433 — GRAPHITI_V2_000433
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2A1ECFBC26D9_MEMORY_BINDING_CANDIDATE.md — 2A1ECFBC26D9_MEMORY_BINDING_CANDIDATE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000434 — GRAPHITI_V2_000434
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000435 — GRAPHITI_V2_000435
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000436 — GRAPHITI_V2_000436
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000437 — GRAPHITI_V2_000437
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000438 — GRAPHITI_V2_000438
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000439 — GRAPHITI_V2_000439
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B0445201529_CURRENT_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMOR Y.txt — 2B0445201529_CURRENT_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMOR Y.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000440 — GRAPHITI_V2_000440
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000441 — GRAPHITI_V2_000441
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000442 — GRAPHITI_V2_000442
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000443 — GRAPHITI_V2_000443
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000444 — GRAPHITI_V2_000444
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000445 — GRAPHITI_V2_000445
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2BB8FA710F3D_CURRENT_BRODY_OBSIDIEN_V1_4_7_MEMORY_GOVERNANCE_GUID E_DOCTRINE.txt — 2BB8FA710F3D_CURRENT_BRODY_OBSIDIEN_V1_4_7_MEMORY_GOVERNANCE_GUID E_DOCTRINE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000446 — GRAPHITI_V2_000446
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000447 — GRAPHITI_V2_000447
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000448 — GRAPHITI_V2_000448
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000449 — GRAPHITI_V2_000449
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000450 — GRAPHITI_V2_000450
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000451 — GRAPHITI_V2_000451
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000452 — GRAPHITI_V2_000452
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000453 — GRAPHITI_V2_000453
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000454 — GRAPHITI_V2_000454
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000455 — GRAPHITI_V2_000455
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000456 — GRAPHITI_V2_000456
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000457 — GRAPHITI_V2_000457
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000458 — GRAPHITI_V2_000458
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000459 — GRAPHITI_V2_000459
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000460 — GRAPHITI_V2_000460
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000461 — GRAPHITI_V2_000461
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000462 — GRAPHITI_V2_000462
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000463 — GRAPHITI_V2_000463
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000464 — GRAPHITI_V2_000464
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000465 — GRAPHITI_V2_000465
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000466 — GRAPHITI_V2_000466
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000467 — GRAPHITI_V2_000467
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E61C1CD12C4_graphiti_readonly_search_results.json — 2E61C1CD12C4_graphiti_readonly_search_results.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000468 — GRAPHITI_V2_000468
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000469 — GRAPHITI_V2_000469
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000470 — GRAPHITI_V2_000470
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000471 — GRAPHITI_V2_000471
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000472 — GRAPHITI_V2_000472
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000473 — GRAPHITI_V2_000473
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P47 — Couplage reel/moteur dR/dt
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P48 — Structure cosmologique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P49 — Emergence par interaction
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P50 — Recursivite fondamentale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P51 — Structure fractale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P52 — Principe holographique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P53 — Resonance cosmique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P54 — Temps comme integrale d'evenements
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P55 — Espace metrique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P56 — Causalite temporelle
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P59 — Complexite de Kolmogorov
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P60 — Auto-organisation
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P61 — Bifurcation de trajectoire
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P62 — Attracteur
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P63 — Sensibilite aux conditions initiales
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P65 — Definition de la vie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P66 — Conscience comme recursivite infinie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P86 — Consensus supermajorité 3/4
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P87 — Fail-closed sans supermajorité
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P88 — Non-contradiction
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P89 — Completude
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P90 — Coherence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P91 — Decidabilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P92 — Calculabilite (Turing)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P93 — P inclus dans NP
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P94 — Reductibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P95 — Indecidabilite (Halting)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P96 — Recursivite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P97 — Point fixe
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P98 — Continuite epsilon-delta
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P99 — Convergence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P100 — Stabilite de Lyapunov L(Phi(s)) <= L(s)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P101 — Avancement incremental valide
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P115 — Filtre ethique du moteur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P116 — Pipeline de couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P117 — Orchestration par scheduler
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P118 — Isolation des couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P119 — Composition fonctionnelle
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P120 — Abstraction par interface
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P121 — Encapsulation (boite noire)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P122 — Modularite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P123 — Extensibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P124 — Infrastructure : I□M=O
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P125 — Deploiement Build+Test+Release
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P126 — Scalabilite lineaire
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P128 — Latence de reponse
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P129 — Debit (throughput)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P130 — Resilience MTBF/MTTR
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P131 — Securite CIA
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P132 — Observabilite (logs+metriques+traces)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P133 — Configuration cle-valeur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P134 — Versioning semantique
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P135 — Pipeline CI/CD
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P136 — Infrastructure as Code
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P137 — Agent = Role+Protocole+Flux
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P138 — Ecologie d'agents
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P139 — Protocole = sequence de messages
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P140 — Coordination par consensus
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P141 — Emergence collective
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P142 — Specialisation par domaine
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P156 — Ironie = ecart attendu/reel
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P157 — Suspense = incertitude de resolution
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P158 — Catharsis = liberation emotionnelle
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P159 — Epiphanie = revelation soudaine
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P160 — Denouement final
Statut source: VISION | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

proof — proof

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt — 019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0319713BD1E0_02_PEPITE_P039__Invariant_permanent.md — 0319713BD1E0_02_PEPITE_P039__Invariant_permanent.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0319713BD1E0_P39__Invariant_permanent.md — 0319713BD1E0_P39__Invariant_permanent.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md — 069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B4A113E9698_PROOF_CLAIMS_MATRIX.csv — 0B4A113E9698_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0C5216C72C6C_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_PROOF_OBLIGAT IONS_V1.md — 0C5216C72C6C_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_PROOF_OBLIGAT IONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0ECE729962F4_lean_formal_targets_v3_real_bound.txt — 0ECE729962F4_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt — 105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11D60B6AA340_03_SPEC_21__Aleatoire_Quantique_source_aleatoire_P16 1_preuve_formelle_requise.md — 11D60B6AA340_03_SPEC_21__Aleatoire_Quantique_source_aleatoire_P16 1_preuve_formelle_requise.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11D60B6AA340_Spec_21__Aleatoire_Quantique_source_aleatoire_P161_p reuve_formelle_requise.md — 11D60B6AA340_Spec_21__Aleatoire_Quantique_source_aleatoire_P161_p reuve_formelle_requise.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B301828046_02_PEPITE_P035__Preuve_formelle_sans_sorry.md — 15B301828046_02_PEPITE_P035__Preuve_formelle_sans_sorry.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B301828046_P35__Preuve_formelle_sans_sorry.md — 15B301828046_P35__Preuve_formelle_sans_sorry.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

16E88267A1D1_CURRENT_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MO JIBAKE_CLEAN.txt — 16E88267A1D1_CURRENT_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MO JIBAKE_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1763AB0BDA75_proof-checker.md — 1763AB0BDA75_proof-checker.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C3F91AEA8A9_OBSIDIA_KERNEL_LANGUAGE_PROOF_OBLIGATIONS_V1.md — 1C3F91AEA8A9_OBSIDIA_KERNEL_LANGUAGE_PROOF_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DCE4F69EBFE_CURRENT_REAL_LEAN_TLA_BINDING_DISCOVERY.txt — 1DCE4F69EBFE_CURRENT_REAL_LEAN_TLA_BINDING_DISCOVERY.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DD55B8D2F3F_PROOF_CLAIMS_MATRIX.csv — 1DD55B8D2F3F_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

20715BF4FA72_lean_formal_targets_v3_real_bound.txt — 20715BF4FA72_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

24519DEB0661_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_OBLIGATI ONS_V1.md — 24519DEB0661_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_OBLIGATI ONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

278CAF176DFC_lean_audit_namespace_fix_check.txt — 278CAF176DFC_lean_audit_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t — 296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30A5BA7FEC7E_OBSIDIA_REVERSE_OS_KERNEL_LAWS_PROOF_OBLIGATIONS_V1. md — 30A5BA7FEC7E_OBSIDIA_REVERSE_OS_KERNEL_LAWS_PROOF_OBLIGATIONS_V1. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37BA3508D9F4_PROOF_CLAIMS_MATRIX.csv — 37BA3508D9F4_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A53B03381FB_FORMAL_PROOF_BACKLOG.md — 3A53B03381FB_FORMAL_PROOF_BACKLOG.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt — 3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4717E8E27761_LEAN_TARGETS.md — 4717E8E27761_LEAN_TARGETS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

472189E45659_O3_EPREUVE_TEMPORELLE_X108.md — 472189E45659_O3_EPREUVE_TEMPORELLE_X108.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4ABA294F8128_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1.txt — 4ABA294F8128_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md — 55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md — 5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

57ADEE11FDE0_lean_build_obsidia_before_v3.txt — 57ADEE11FDE0_lean_build_obsidia_before_v3.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5A120FEEA47B_PROOF_CLAIMS_MATRIX.csv — 5A120FEEA47B_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5B6FA23A4CC8_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__SPEC_FORMELLE.md — 5B6FA23A4CC8_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__SPEC_FORMELLE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5BFACCA29261_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1_1.md — 5BFACCA29261_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1_1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt — 5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F087DE17E65_lean_auditroots_namespace_fix_check.txt — 5F087DE17E65_lean_auditroots_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62277BCB8B72_PROOF_CLAIMS_MATRIX.csv — 62277BCB8B72_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

646AE3BE00FF_CURRENT_REAL_IMPORT_SELECTION_V1_REPAIR_CLEAN.txt — 646AE3BE00FF_CURRENT_REAL_IMPORT_SELECTION_V1_REPAIR_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

65C4C31663B6_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__EVIDENCE_REQUIRED.md — 65C4C31663B6_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__EVIDENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6C8AE4B2F28F_lean_formal_targets_v3_real_bound.txt — 6C8AE4B2F28F_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6EEAFEF380F6_lean_build_obsidia_after_refinement_nobom_fix.txt — 6EEAFEF380F6_lean_build_obsidia_after_refinement_nobom_fix.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

70200268C572_precise_check_clean.txt — 70200268C572_precise_check_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

74163FD3978A_lean_build_RuntimeCandidateBinding.ascii_clean.txt — 74163FD3978A_lean_build_RuntimeCandidateBinding.ascii_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

746705BACFB5_lean_build_Obsidia_RuntimeCandidateBinding.after_run time_decision_rename.txt — 746705BACFB5_lean_build_Obsidia_RuntimeCandidateBinding.after_run time_decision_rename.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

787E4EB8F45D_PROOF_OBLIGATIONS.json — 787E4EB8F45D_PROOF_OBLIGATIONS.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78ACA0EDA132_CURRENT_REAL_IMPORT_SELECTION_V2_TLA_REPAIR_CLEAN.tx t — 78ACA0EDA132_CURRENT_REAL_IMPORT_SELECTION_V2_TLA_REPAIR_CLEAN.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md — 7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md — 7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7915E9B525AA_CURRENT_FORMAL_PROOF_BACKLOG.txt — 7915E9B525AA_CURRENT_FORMAL_PROOF_BACKLOG.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B12C9227581_PROOF_SENTINEL.md — 7B12C9227581_PROOF_SENTINEL.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7DE2C27EDC76_PROOF_CLAIMS_MATRIX.csv — 7DE2C27EDC76_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8063F831193F_lean_build_obsidia_after_refinement_signature_fix.tx t — 8063F831193F_lean_build_obsidia_after_refinement_signature_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8192CBB10991_proofcheck.md — 8192CBB10991_proofcheck.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86C65E8D6E13_OBSIDIA_REVERSE_OS_INTERLANGUAGE_PROOF_OBLIGATIONS_V 1.md — 86C65E8D6E13_OBSIDIA_REVERSE_OS_INTERLANGUAGE_PROOF_OBLIGATIONS_V 1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87F1572B5843_OBSIDIA_REVERSE_OS_AUDIENCE_ADAPTER_PROOF_OBLIGATION S_V1.md — 87F1572B5843_OBSIDIA_REVERSE_OS_AUDIENCE_ADAPTER_PROOF_OBLIGATION S_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

88BC93C631F8_lean_build_FormalTargetsV3RealBound.ascii_clean.txt — 88BC93C631F8_lean_build_FormalTargetsV3RealBound.ascii_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8BD4038ACF69_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_ SKELETON_V1.txt — 8BD4038ACF69_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_ SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

90970BD42BB1_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__SPEC_FORMELLE.md — 90970BD42BB1_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__SPEC_FORMELLE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

90F1F1647A94_lean_import_collision_probe.after_runtime_decision_r ename.txt — 90F1F1647A94_lean_import_collision_probe.after_runtime_decision_r ename.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt — 93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93DC6E6DDDC9_CURRENT_RUNTIME_CANDIDATE_CLOSED_CLEAN.txt — 93DC6E6DDDC9_CURRENT_RUNTIME_CANDIDATE_CLOSED_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98EB44FA764F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _PROOF_OBLIGATIONS_V1.md — 98EB44FA764F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _PROOF_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E2A0F6B2675_03_SPEC_34__Formal_Proof_Pack_Math_Juridique_P114_P1 20_valider_V4.md — 9E2A0F6B2675_03_SPEC_34__Formal_Proof_Pack_Math_Juridique_P114_P1 20_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E2A0F6B2675_Spec_34__Formal_Proof_Pack_Math_Juridique_P114_P120_ valider_V4.md — 9E2A0F6B2675_Spec_34__Formal_Proof_Pack_Math_Juridique_P114_P120_ valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9EEDCC0B73A1_lean_import_collision_probe.txt — 9EEDCC0B73A1_lean_import_collision_probe.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9EEDCC0B73A1_lean_import_collision_probe_reverse.txt — 9EEDCC0B73A1_lean_import_collision_probe_reverse.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A26BFFCF89CA_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_OBLIGATIONS_V1.m d — A26BFFCF89CA_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_OBLIGATIONS_V1.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A328B8D69A33_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__EVIDENCE_REQUIRED.md — A328B8D69A33_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__EVIDENCE_REQUIRED.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A68F6F8C4BAA_lean_formal_targets_v3_real_bound.txt — A68F6F8C4BAA_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md — A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt — AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B11122878109_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_2.t xt — B11122878109_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_2.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B2F5DBF68A6D_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1.md — B2F5DBF68A6D_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B43F8E13207F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _LEAN_OBLIGATIONS_V1.md — B43F8E13207F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B698C2BC8B62_lean_formal_targets_v3_real_bound.txt — B698C2BC8B62_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BABA9A962B8D_lean_refinement_recheck.txt — BABA9A962B8D_lean_refinement_recheck.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BB41F8A449F6_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_1.t xt — BB41F8A449F6_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_1.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD5A74A161EF_03_SPEC_24__Human_Veto_Formal_Proof_P21_P30_valider_ V4.md — BD5A74A161EF_03_SPEC_24__Human_Veto_Formal_Proof_P21_P30_valider_ V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD5A74A161EF_Spec_24__Human_Veto_Formal_Proof_P21_P30_valider_V4. md — BD5A74A161EF_Spec_24__Human_Veto_Formal_Proof_P21_P30_valider_V4. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md — BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C72E0C3E75AB_lean_build_Obsidia_Audit.txt — C72E0C3E75AB_lean_build_Obsidia_Audit.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C9EA0BF9A112_lean_formal_targets_v3_real_bound.txt — C9EA0BF9A112_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBE3A7D59208_lean_files.txt — CBE3A7D59208_lean_files.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CD061415C28A_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_C LEAN_MANIFEST.json — CD061415C28A_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_C LEAN_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md — CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE788BAE67D7_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TES T_MATRIX_LEAN_SKELETON_V1.txt — CE788BAE67D7_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TES T_MATRIX_LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D15A1D581666_PROOF_OBLIGATIONS.md — D15A1D581666_PROOF_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D36C40DA8F03_FORMAL_PROOF_BACKLOG_STATUS.txt — D36C40DA8F03_FORMAL_PROOF_BACKLOG_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md — D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D8117F501AAB_PROOF_CLAIMS_MATRIX.csv — D8117F501AAB_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D951CC367F57_README_LEAN.md — D951CC367F57_README_LEAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D9A19D498B3D_lean_build_Obsidia_FormalTargetsV3RealBound.after_ru ntime_decision_rename.txt — D9A19D498B3D_lean_build_Obsidia_FormalTargetsV3RealBound.after_ru ntime_decision_rename.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC6584611FAA_CLEANUP_DECISION_TABLE.md — DC6584611FAA_CLEANUP_DECISION_TABLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DD1771A08147_OBSIDIA_KERNEL_LANGUAGE_TRANSLATOR_PROOF_OBLIGATIONS _V1.md — DD1771A08147_OBSIDIA_KERNEL_LANGUAGE_TRANSLATOR_PROOF_OBLIGATIONS _V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt — E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E1903C4F2EA0_lean_refinement_symbol_search.txt — E1903C4F2EA0_lean_refinement_symbol_search.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EAC0C6848F1A_PROOF_SCOPE.md — EAC0C6848F1A_PROOF_SCOPE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB976A3A8A56_PROOF_CLAIMS_MATRIX.csv — EB976A3A8A56_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F033811DB8D1_CURRENT_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_SKELETON _V1.txt — F033811DB8D1_CURRENT_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_SKELETON _V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F1161BD01897_PROOF_SENTINEL.md — F1161BD01897_PROOF_SENTINEL.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2BCCA703157_lean_build_Obsidia_RuntimeCandidateBinding.txt — F2BCCA703157_lean_build_Obsidia_RuntimeCandidateBinding.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F478A46F41C3_CARTOGRAPHE_PREUVES.md — F478A46F41C3_CARTOGRAPHE_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F66666AA4C56_PROOF_INDEX.md — F66666AA4C56_PROOF_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA2A596E8032_lean_check_RuntimeCandidateBinding.ascii_clean.txt — FA2A596E8032_lean_check_RuntimeCandidateBinding.ascii_clean.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD1566593945_PROOFKIT_REPORT.json — FD1566593945_PROOFKIT_REPORT.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDF297C91D24_CURRENT_CLEAN_VERIFY_V2.txt — FDF297C91D24_CURRENT_CLEAN_VERIFY_V2.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_reverse_os_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_reverse_os_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_shazam_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_shazam_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_tree_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_tree_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\holographic_map_spec.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\holographic_map_spec.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\reverse_os_ui_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\reverse_os_ui_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\top_5_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\top_5_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\visual_state.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\visual_state.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_agents_52_registry.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_agents_52_registry.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_bdf_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_bdf_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_constitution_o1_o8.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_constitution_o1_o8.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_context_export.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_context_export.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_friction_avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_friction_avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_hexaflux_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_hexaflux_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_tree_space_34.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_tree_space_34.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_34_ARBRES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_AGENTS_52.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_AGENTS_52.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_BDF.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_BDF.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_HEXAFLUX_LTCU.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_HEXAFLUX_LTCU.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MCP.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MCP.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MMONDE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MMONDE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_NON_DECISION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_NON_DECISION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_SHAZAM.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_SHAZAM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\COVERAGE_SOURCE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\COVERAGE_SOURCE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\NON_DECISION_VERDICT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\NON_DECISION_VERDICT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\arbres_34.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\arbres_34.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_output_context_packet.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_output_context_packet.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_query.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_query.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_readme.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_readme.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_reverse_os_output.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_reverse_os_output.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\run_demo.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\run_demo.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\zip2_reclassification_v1.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\zip2_reclassification_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\GRAPH_BUILDER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\GRAPH_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\OBSIDIA_ATLAS_INGESTOR.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\OBSIDIA_ATLAS_INGESTOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\PROOF_SENTINEL.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\PROOF_SENTINEL.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\TERMINAL_BUILDER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\TERMINAL_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\ADVERSARIAL_RED_TEAM.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\ADVERSARIAL_RED_TEAM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CARTOGRAPHE_PREUVES.md — CARTOGRAPHE_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CARTOGRAPHE_PREUVES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CARTOGRAPHE_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CI_REPO_SURGEON.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CI_REPO_SURGEON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CO_PILOTE_CODE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CO_PILOTE_CODE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\FORMAL_BRIDGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\FORMAL_BRIDGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\GENERATEUR_TESTS_ADVERSARIAUX.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\GENERATEUR_TESTS_ADVERSARIAUX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\REPO_HISTORIAN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\REPO_HISTORIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\VERSION_COMPARATOR.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\VERSION_COMPARATOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\ASSISTANT_THEORIQUE_D OCUMENTAIRE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\ASSISTANT_THEORIQUE_D OCUMENTAIRE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\CONTRADICTION_HUNTER. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\CONTRADICTION_HUNTER. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\FREEZE_MASTER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\FREEZE_MASTER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\HISTORIEN_DECISIONS.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\HISTORIEN_DECISIONS.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\MEMOIRE_PERSONNELLE_O BSIDIA.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\MEMOIRE_PERSONNELLE_O BSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\PRE_FREEZE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\PRE_FREEZE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\RECHERCHE_EXTERNE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\RECHERCHE_EXTERNE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\THEORIE_VIVANTE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\THEORIE_VIVANTE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\ANALYSTE_LOGS_EXPERIMENTAUX.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\ANALYSTE_LOGS_EXPERIMENTAUX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\AUDIT_LOCAL_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\AUDIT_LOCAL_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\DATA_SOVEREIGNTY_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\DATA_SOVEREIGNTY_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\EVIDENCE_BOARD_BUILDER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\EVIDENCE_BOARD_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\POLICY_FIREWALL_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\POLICY_FIREWALL_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\RUNTIME_ATTESTATION_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\RUNTIME_ATTESTATION_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECRET_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECRET_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECURITY_FIREWALL_ARCHITECT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECURITY_FIREWALL_ARCHITECT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SUPPLY_CHAIN_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SUPPLY_CHAIN_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\EXPLIQUE_A_UN_HUMAIN .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\EXPLIQUE_A_UN_HUMAIN .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\FIELD_POC_MAPPER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\FIELD_POC_MAPPER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\MONETISATION_PACKAGI NG.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\MONETISATION_PACKAGI NG.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\PITCH_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\PITCH_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\SIMULATEUR_REUNION.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\SIMULATEUR_REUNION.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CALIBRATION_PROCEDURALE. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CALIBRATION_PROCEDURALE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CARTOGRAPHE_34_ARBRES.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CARTOGRAPHE_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\FRISE_HUMAINE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\FRISE_HUMAINE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\HUMAN_HISTORY_MAPPER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\HUMAN_HISTORY_MAPPER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\NUAGE_POINTS.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\NUAGE_POINTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_AGI_VISION_HAUTE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_AGI_VISION_HAUTE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_COUCHES.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_COUCHES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_FORMULES.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_FORMULES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_LOIS_PROTOCOLES.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_LOIS_PROTOCOLES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\COLLISION_DETECTOR.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\COLLISION_DETECTOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\GRAND_CARTOGRAPHE_OBSIDIA.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\GRAND_CARTOGRAPHE_OBSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\ONTOLOGUE_OBSIDIA.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\ONTOLOGUE_OBSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ANTI_DISPERSION.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ANTI_DISPERSION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ENERGIE_PRIORITE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ENERGIE_PRIORITE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\EXTRACTEUR_MATIERE_BRUTE. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\EXTRACTEUR_MATIERE_BRUTE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52_SOURCE\OBSIDIA_TOUS_LES_AGENTS.docx —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52_SOURCE\OBSIDIA_TOUS_LES_AGENTS.docx

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\activation_ rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\activation_ rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\arbre.schem a.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\arbre.schem a.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\definition. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\definition. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\examples_ev ents.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\examples_ev ents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\links_to_ot her_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\links_to_ot her_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\node_regist ry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\node_regist ry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\non_decisio n_contract.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\non_decisio n_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\risks_confu sions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\risks_confu sions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tensor_coor dinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tensor_coor dinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\activa tion_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\activa tion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\defini tion.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\defini tion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\exampl es_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\exampl es_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\links_ to_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\links_ to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\node_r egistry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\node_r egistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\README .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\README .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\risks_ confusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\risks_ confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tensor _coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tensor _coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tests. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tests. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\activa tion_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\activa tion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\defini tion.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\defini tion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\exampl es_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\exampl es_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\links_ to_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\links_ to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\node_r egistry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\node_r egistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\README .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\README .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\risks_ confusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\risks_ confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tensor _coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tensor _coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tests. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tests. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\activation_rule s.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\activation_rule s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\definition.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\definition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\examples_events .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\examples_events .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\links_to_other_ trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\links_to_other_ trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\node_registry.j son — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\node_registry.j son

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\risks_confusion s.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\risks_confusion s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tensor_coordina tes.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tensor_coordina tes.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tests.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\activatio n_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\activatio n_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\definitio n.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\definitio n.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\examples_ events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\examples_ events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\links_to_ other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\links_to_ other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\node_regi stry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\node_regi stry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\risks_con fusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\risks_con fusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tensor_co ordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tensor_co ordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\act ivation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\act ivation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\def inition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\def inition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\exa mples_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\exa mples_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\lin ks_to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\lin ks_to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\nod e_registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\nod e_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\REA DME.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\REA DME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ris ks_confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ris ks_confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ten sor_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ten sor_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\tes ts.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\tes ts.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\activ ation_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\defin ition.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\examp les_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\links _to_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\node_ registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\READM E.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\risks _confusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tenso r_coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tests .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\activation _rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\activation _rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\definition .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\definition .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\examples_e vents.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\examples_e vents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\links_to_o ther_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\links_to_o ther_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\node_regis try.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\node_regis try.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\risks_conf usions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\risks_conf usions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tensor_coo rdinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tensor_coo rdinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\activ ation_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\defin ition.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\examp les_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\links _to_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\node_ registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\READM E.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\risks _confusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tenso r_coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tests .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\activation_r ules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\activation_r ules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\definition.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\definition.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\examples_eve nts.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\examples_eve nts.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\links_to_oth er_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\links_to_oth er_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\node_registr y.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\node_registr y.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\risks_confus ions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\risks_confus ions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tensor_coord inates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tensor_coord inates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\activatio n_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\activatio n_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\definitio n.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\definitio n.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\examples_ events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\examples_ events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\links_to_ other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\links_to_ other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\node_regi stry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\node_regi stry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\risks_con fusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\risks_con fusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tensor_co ordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tensor_co ordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tests.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\activat ion_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\activat ion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\definit ion.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\definit ion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\example s_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\example s_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\links_t o_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\links_t o_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\node_re gistry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\node_re gistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\README. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\README. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\risks_c onfusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\risks_c onfusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tensor_ coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tensor_ coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tests.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tests.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\activation_rul es.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\activation_rul es.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\definition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\definition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\examples_event s.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\examples_event s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\links_to_other _trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\links_to_other _trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\node_registry. json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\node_registry. json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\risks_confusio ns.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\risks_confusio ns.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tensor_coordin ates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tensor_coordin ates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\activ ation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\defin ition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\examp les_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\links _to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\node_ registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\READM E.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\risks _confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tenso r_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tests .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\acti vation_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\acti vation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\defi nition.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\defi nition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\exam ples_events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\exam ples_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\link s_to_other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\link s_to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\node _registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\node _registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\READ ME.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\READ ME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\risk s_confusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\risk s_confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\tens or_coordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\tens or_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\test s.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\test s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\activati on_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\activati on_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\definiti on.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\definiti on.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\examples _events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\examples _events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\links_to _other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\links_to _other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\node_reg istry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\node_reg istry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\README.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\README.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\risks_co nfusions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\risks_co nfusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tensor_c oordinates.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tensor_c oordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tests.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\activation _rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\activation _rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\definition .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\definition .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\examples_e vents.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\examples_e vents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\links_to_o ther_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\links_to_o ther_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\node_regis try.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\node_regis try.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

audit — audit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

x108 — x108

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt — 019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0278B5554B6B_tlc_v3_14_DistributedX108_MC.txt — 0278B5554B6B_tlc_v3_14_DistributedX108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02870914067B_03_SPEC_30__Certification_Path_ANSSI_EU_AI_Act_P81_P 90_valider_V4.md — 02870914067B_03_SPEC_30__Certification_Path_ANSSI_EU_AI_Act_P81_P 90_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02870914067B_Spec_30__Certification_Path_ANSSI_EU_AI_Act_P81_P90_ valider_V4.md — 02870914067B_Spec_30__Certification_Path_ANSSI_EU_AI_Act_P81_P90_ valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

048543751F74_08_GEMINI_SECRET_REDACTION_GLOBAL.txt — 048543751F74_08_GEMINI_SECRET_REDACTION_GLOBAL.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0502EE0379A5_reverse_os_ui_contract.md — 0502EE0379A5_reverse_os_ui_contract.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05CF559873D3_tlc_v3_03_DistributedX108.txt — 05CF559873D3_tlc_v3_03_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05E6C7AFD367_tlc_v3_05_ObsidiaDistX108A11.txt — 05E6C7AFD367_tlc_v3_05_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

062190966013_AUDIT_BDF.md — 062190966013_AUDIT_BDF.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

06869AF09E77_CURRENT_ZIP2_COVERAGE_AUDIT_V3.txt — 06869AF09E77_CURRENT_ZIP2_COVERAGE_AUDIT_V3.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md — 069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

077EFC08D024_activation_rules.md — 077EFC08D024_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09CCE8C1917C_02_PEPITE_P153__Theme_abstraction_du_recit.md — 09CCE8C1917C_02_PEPITE_P153__Theme_abstraction_du_recit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09CCE8C1917C_P153__Theme_abstraction_du_recit.md — 09CCE8C1917C_P153__Theme_abstraction_du_recit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8EB1D0DD47_02_PEPITE_P042__Seuil_G1_ACT_si_S.md — 0A8EB1D0DD47_02_PEPITE_P042__Seuil_G1_ACT_si_S.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8EB1D0DD47_P42__Seuil_G1_ACT_si_S.md — 0A8EB1D0DD47_P42__Seuil_G1_ACT_si_S.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md — 0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0E6A6983A445_sigma_contracts.py.sha256.before.txt — 0E6A6983A445_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0EBB67BC1A5C_decisions_created_during_audit.csv — 0EBB67BC1A5C_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt — 0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json — 0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F8BE82FE7B0_AGENTS_52_NON_DECISION_CONTRACT.md — 0F8BE82FE7B0_AGENTS_52_NON_DECISION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FE099E48FDC_activation_rules.md — 0FE099E48FDC_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

102A6C47DB62_tlc_target_07_DistributedX108Snapshot.after_honest_s ubset_enumerable.txt — 102A6C47DB62_tlc_target_07_DistributedX108Snapshot.after_honest_s ubset_enumerable.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10839F27933F_AGENTS_52_FORBIDDEN_ACTIONS.md — 10839F27933F_AGENTS_52_FORBIDDEN_ACTIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10D7F9CD6EE1_tlc_v3_04_DistributedX108_MC.txt — 10D7F9CD6EE1_tlc_v3_04_DistributedX108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1140DEB521E7_activation_rules.md — 1140DEB521E7_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md — 1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1298ABD4F853_AVDR.schema.json — 1298ABD4F853_AVDR.schema.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12A71118851A_07_AUDIT_D__Tests_modules_A1_A24_T1_T12_etats_TESTED _REJECTED_BLOCKED.md — 12A71118851A_07_AUDIT_D__Tests_modules_A1_A24_T1_T12_etats_TESTED _REJECTED_BLOCKED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12A71118851A_Audit_D__Tests_modules_A1_A24_T1_T12_etats_TESTED_RE JECTED_BLOCKED.md — 12A71118851A_Audit_D__Tests_modules_A1_A24_T1_T12_etats_TESTED_RE JECTED_BLOCKED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

130ECCB46DC6_activation_rules.md — 130ECCB46DC6_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1343A6380233_activation_rules.md — 1343A6380233_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md — 14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_P2__Memoire_fractale_hierarchique.md — 14FE44E56781_P2__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

150F126D9A3F_decisions_created_during_audit.csv — 150F126D9A3F_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15ECFDEE42F1_tlc_v3_13_DistributedX108.txt — 15ECFDEE42F1_tlc_v3_13_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

166C59767F63_06_AGENT_ROLE__OS3_Audit_Layer.md — 166C59767F63_06_AGENT_ROLE__OS3_Audit_Layer.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

166C59767F63_ROLE_007__OS3_Audit_Layer.md — 166C59767F63_ROLE_007__OS3_Audit_Layer.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

171A65095A57_tlc_v3_15_ObsidiaDistX108A11.txt — 171A65095A57_tlc_v3_15_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

184769163F42_audit_visuel_3_domaines.json — 184769163F42_audit_visuel_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

187B9BF16A3B_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 187B9BF16A3B_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

189116684A8B_AUDIT_3_DOMAINS.md — 189116684A8B_AUDIT_3_DOMAINS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

19E38119F07A_tlc_v3_03_DistributedX108.txt — 19E38119F07A_tlc_v3_03_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on — 1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AFE59FC5C95_contracts_index.json — 1AFE59FC5C95_contracts_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C4772B2F3F6_INTERFACE_CONTRACT.md — 1C4772B2F3F6_INTERFACE_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D1C363A8052_03_SPEC_36__Inter_Foundation_Federation_Protocol_P13 1_P140_valider_V4.md — 1D1C363A8052_03_SPEC_36__Inter_Foundation_Federation_Protocol_P13 1_P140_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D1C363A8052_Spec_36__Inter_Foundation_Federation_Protocol_P131_P 140_valider_V4.md — 1D1C363A8052_Spec_36__Inter_Foundation_Federation_Protocol_P131_P 140_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DC509E379FB_ARTIFACT_HASH_MANIFEST.csv — 1DC509E379FB_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md — 1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md — 1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1FA88E0393EA_activation_rules.md — 1FA88E0393EA_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

201D0FFDE6B6_AUDIT_ROOT_SHA256.txt — 201D0FFDE6B6_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

20C24E73134A_audit_decision_summary.csv — 20C24E73134A_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2126BDD756AC_artifact_hash_manifest.csv — 2126BDD756AC_artifact_hash_manifest.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2188E00C489B_X108_STANDARD.md — 2188E00C489B_X108_STANDARD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21B4EA5CA8DD_activation_rules.md — 21B4EA5CA8DD_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21D1A36806FF_CURRENT_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EX TRACTORS.txt — 21D1A36806FF_CURRENT_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EX TRACTORS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2254A2D61793_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.md — 2254A2D61793_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

239325772D61_activation_rules.md — 239325772D61_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

23BB3B4307DC_artifact_hash_manifest.csv — 23BB3B4307DC_artifact_hash_manifest.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

278CAF176DFC_lean_audit_namespace_fix_check.txt — 278CAF176DFC_lean_audit_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2865A246A9F4_activation_rules.md — 2865A246A9F4_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28C601ED4379_audit_decision_summary.csv — 28C601ED4379_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t — 296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B66D68C13A0_AUDIT_GUIDE.md — 2B66D68C13A0_AUDIT_GUIDE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DCD3327E91E_audits_index.json — 2DCD3327E91E_audits_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md — 2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md — 2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md — 2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30B6B452B54B_03_SPEC_39__End_of_Life_Decommission_Protocol_P150_P 154_valider_V4.md — 30B6B452B54B_03_SPEC_39__End_of_Life_Decommission_Protocol_P150_P 154_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30B6B452B54B_Spec_39__End_of_Life_Decommission_Protocol_P150_P154 _valider_V4.md — 30B6B452B54B_Spec_39__End_of_Life_Decommission_Protocol_P150_P154 _valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt — 30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3129A65CC12A_02_PEPITE_P045__Skew_negatif_vers_HOLD.md — 3129A65CC12A_02_PEPITE_P045__Skew_negatif_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3129A65CC12A_P45__Skew_negatif_vers_HOLD.md — 3129A65CC12A_P45__Skew_negatif_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3154F07D7764_audit_securite_tracabilite.csv — 3154F07D7764_audit_securite_tracabilite.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3199A267F2A8_AUDIT_SHAZAM.md — 3199A267F2A8_AUDIT_SHAZAM.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

327BB3281E3A_03_SPEC_17__Legal_Grade_Audit_Export_P149.md — 327BB3281E3A_03_SPEC_17__Legal_Grade_Audit_Export_P149.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

327BB3281E3A_Spec_17__Legal_Grade_Audit_Export_P149.md — 327BB3281E3A_Spec_17__Legal_Grade_Audit_Export_P149.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

33B0632CFE71_decisions_created_during_audit.csv — 33B0632CFE71_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

33FE094EE3AB_P1_FREEZE_AUDIT_READABILITY_NOTE.md — 33FE094EE3AB_P1_FREEZE_AUDIT_READABILITY_NOTE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35412D788439_01_BLOC_08__Couche_Emotionnelle_et_Interaction_C7.md — 35412D788439_01_BLOC_08__Couche_Emotionnelle_et_Interaction_C7.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35412D788439_Bloc_08__Couche_Emotionnelle_et_Interaction_C7.md — 35412D788439_Bloc_08__Couche_Emotionnelle_et_Interaction_C7.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35EC8831A678_tlc_v3_05_ObsidiaDistX108A11.txt — 35EC8831A678_tlc_v3_05_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39BD7B436CBD_AUDIT_ROOT_SHA256.txt — 39BD7B436CBD_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A4F6800D717_decisions_created_during_audit.csv — 3A4F6800D717_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A6865683D93_Architecture BDF et Protocole d_Eveil Cognitif d_Obsidia.docx — 3A6865683D93_Architecture BDF et Protocole d_Eveil Cognitif d_Obsidia.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A78676BB41E_02_PEPITE_P062__Attracteur.md — 3A78676BB41E_02_PEPITE_P062__Attracteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A78676BB41E_P62__Attracteur.md — 3A78676BB41E_P62__Attracteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B22DDD9F6E9_03_SPEC_37__Citizen_Recourse_Protocol_P141_P148_vali der_V4.md — 3B22DDD9F6E9_03_SPEC_37__Citizen_Recourse_Protocol_P141_P148_vali der_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B22DDD9F6E9_Spec_37__Citizen_Recourse_Protocol_P141_P148_valider _V4.md — 3B22DDD9F6E9_Spec_37__Citizen_Recourse_Protocol_P141_P148_valider _V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B32B93C34CD_11_EXTENSION__ACP.md — 3B32B93C34CD_11_EXTENSION__ACP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B32B93C34CD_ACP.md — 3B32B93C34CD_ACP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B56F965F674_activation_rules.md — 3B56F965F674_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C5AD6EF49CD_artifact_hash_manifest.json — 3C5AD6EF49CD_artifact_hash_manifest.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C69995D0196_05_NO_X108_BYPASS.md — 3C69995D0196_05_NO_X108_BYPASS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D11A89A249B_tlc_v3_02_X108.txt — 3D11A89A249B_tlc_v3_02_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D32BED3D926_T07__Resilience_Test_memoire_fractale.md — 3D32BED3D926_T07__Resilience_Test_memoire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt — 3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3ED155357596_FREEZE_CANDIDATE_REPORT.md — 3ED155357596_FREEZE_CANDIDATE_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F198724E0D9_07_AUDIT_E__Isolation_OS3_OS4_non_contamination_L25. md — 3F198724E0D9_07_AUDIT_E__Isolation_OS3_OS4_non_contamination_L25. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F198724E0D9_Audit_E__Isolation_OS3_OS4_non_contamination_L25.md — 3F198724E0D9_Audit_E__Isolation_OS3_OS4_non_contamination_L25.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3FA83CD9884A_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 3FA83CD9884A_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

417FE5C5951A_audit_decision_summary.csv — 417FE5C5951A_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

427AFB34B2EC_tlc_v3_09_X108_MC.txt — 427AFB34B2EC_tlc_v3_09_X108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

42C32BE6EDDC_audit_3_domains.summary.json — 42C32BE6EDDC_audit_3_domains.summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

44B7CC208573_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1_1 .txt — 44B7CC208573_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1_1 .txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4628AA8513E5_02_KX108_ONLY_AUTHORITY.md — 4628AA8513E5_02_KX108_ONLY_AUTHORITY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

472189E45659_O3_EPREUVE_TEMPORELLE_X108.md — 472189E45659_O3_EPREUVE_TEMPORELLE_X108.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

482983836341_AUDIT_NON_DECISION.md — 482983836341_AUDIT_NON_DECISION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4919AEE19F12_AUDIT_COUVERTURE_SOURCES.md — 4919AEE19F12_AUDIT_COUVERTURE_SOURCES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4C1411038407_08_CONTRAT__OS3_OS4_ISOLATION_CONTRACT.md — 4C1411038407_08_CONTRAT__OS3_OS4_ISOLATION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4C1411038407_OS3_OS4_ISOLATION_CONTRACT.md — 4C1411038407_OS3_OS4_ISOLATION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4DA7D35C39C3_tlc_v3_06_X108.txt — 4DA7D35C39C3_tlc_v3_06_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F4411AB8198_audit_decision_summary.csv — 4F4411AB8198_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F6AB3EA9E28_audit_decision_summary.csv — 4F6AB3EA9E28_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

505E677B70D0_tlc_v3_10_X108_MC.txt — 505E677B70D0_tlc_v3_10_X108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

50E9C1177E6D_activation_rules.md — 50E9C1177E6D_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

518A75C08A5E_Audit.setup.json — 518A75C08A5E_Audit.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

542322133D32_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 542322133D32_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

54D708706CE3_10_TESTS__CHAOS_REPLAY_8.md — 54D708706CE3_10_TESTS__CHAOS_REPLAY_8.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

54D708706CE3_CHAOS_REPLAY_8.md — 54D708706CE3_CHAOS_REPLAY_8.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt — 56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

58CDBA359EDA_AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md — 58CDBA359EDA_AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

59DD83519DB8_audit_decision_summary.json — 59DD83519DB8_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D15042683ED_activation_rules.md — 5D15042683ED_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D31F72C8871_activation_rules.md — 5D31F72C8871_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D7BF5C1F1AD_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 5D7BF5C1F1AD_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E0CE815A1F2_02_PEPITE_P003__Oubli_actif.md — 5E0CE815A1F2_02_PEPITE_P003__Oubli_actif.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E0CE815A1F2_P3__Oubli_actif.md — 5E0CE815A1F2_P3__Oubli_actif.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F087DE17E65_lean_auditroots_namespace_fix_check.txt — 5F087DE17E65_lean_auditroots_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F3D171EBF6B_O7_AUDITABILITE_NATIVE.md — 5F3D171EBF6B_O7_AUDITABILITE_NATIVE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

60F195C0B7D7_artifact_hash_manifest.json — 60F195C0B7D7_artifact_hash_manifest.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

60FB340F5175_ARTIFACT_HASH_MANIFEST_FINAL.csv — 60FB340F5175_ARTIFACT_HASH_MANIFEST_FINAL.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt — 62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

63F680A22448_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 63F680A22448_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt — 655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

661BD57174C1_activation_rules.md — 661BD57174C1_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66F3B42E8792_ARTIFACT_HASH_MANIFEST.csv — 66F3B42E8792_ARTIFACT_HASH_MANIFEST.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md — 671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md — 671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6746F62BE480_activation_rules.md — 6746F62BE480_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

689243634C7E_tlc_target_07_DistributedX108Snapshot.after_force_in it_next.txt — 689243634C7E_tlc_target_07_DistributedX108Snapshot.after_force_in it_next.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

698F2B1AD901_audit_decision_summary.json — 698F2B1AD901_audit_decision_summary.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6992426D0D60_activation_rules.md — 6992426D0D60_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BAE986A324A_AUDIT_ROOT_SHA256.txt — 6BAE986A324A_AUDIT_ROOT_SHA256.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE608A31697_03_SPEC_18__Incident_Response_Protocol_P150_P154_val ider_V4.md — 6BE608A31697_03_SPEC_18__Incident_Response_Protocol_P150_P154_val ider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE608A31697_Spec_18__Incident_Response_Protocol_P150_P154_valide r_V4.md — 6BE608A31697_Spec_18__Incident_Response_Protocol_P150_P154_valide r_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE894561EFD_activation_rules.md — 6BE894561EFD_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CB901D5F755_03_SPEC_07__Replay_Pack_Format_bundle_standard_P64_P 70_valider_V4.md — 6CB901D5F755_03_SPEC_07__Replay_Pack_Format_bundle_standard_P64_P 70_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CB901D5F755_Spec_07__Replay_Pack_Format_bundle_standard_P64_P70_ valider_V4.md — 6CB901D5F755_Spec_07__Replay_Pack_Format_bundle_standard_P64_P70_ valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E2E3D2E1643_P1_FREEZE_NOTE.md — 6E2E3D2E1643_P1_FREEZE_NOTE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E56F26D9135_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 6E56F26D9135_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E68013B4C5D_tlc_v3_07_DistributedX108Snapshot.txt — 6E68013B4C5D_tlc_v3_07_DistributedX108Snapshot.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6EB102203499_AUDIT_LOCAL_AGENT.md — 6EB102203499_AUDIT_LOCAL_AGENT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

706E064C52F0_activation_rules.md — 706E064C52F0_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

716C3604D5DF_activation_rules.md — 716C3604D5DF_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

719DD6E6A0F9_02_PEPITE_P139__Protocole_sequence_de_messages.md — 719DD6E6A0F9_02_PEPITE_P139__Protocole_sequence_de_messages.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

719DD6E6A0F9_P139__Protocole_sequence_de_messages.md — 719DD6E6A0F9_P139__Protocole_sequence_de_messages.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

736311AD55ED_tlc_v3_08_ObsidiaDistX108A12.txt — 736311AD55ED_tlc_v3_08_ObsidiaDistX108A12.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

73FBA800FDF3_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1.t xt — 73FBA800FDF3_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

74850BFFBB54_README_FREEZE_V18.txt — 74850BFFBB54_README_FREEZE_V18.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7781CEA39E6E_Architecture et Protocoles de l'OS Cognitif Obsidia.docx — 7781CEA39E6E_Architecture et Protocoles de l'OS Cognitif Obsidia.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7854B21D3676_AuditRoots.setup.json — 7854B21D3676_AuditRoots.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78D2B0C81F67_tlc_v3_04_DistributedX108_MC.txt — 78D2B0C81F67_tlc_v3_04_DistributedX108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md — 7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md — 7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

79F6124D83D3_ARTIFACT_HASH_MANIFEST.csv — 79F6124D83D3_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7A25AECBCA2A_decisions_created_during_audit.csv — 7A25AECBCA2A_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7A568BF4A4EE_activation_rules.md — 7A568BF4A4EE_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7ACABF202E94_activation_rules.md — 7ACABF202E94_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7ADF770CE3FB_audit_decision_summary.json — 7ADF770CE3FB_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7BCEB69755B0_AUDIT_MCP.md — 7BCEB69755B0_AUDIT_MCP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C54E48C7971_sigma_contracts.py.sha256.before.txt — 7C54E48C7971_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7A241A0435_CURRENT_OBSIDIA_V4_PERMANENT_ATTACH_V1_FREEZE.txt — 7C7A241A0435_CURRENT_OBSIDIA_V4_PERMANENT_ATTACH_V1_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7C1E9A5895_audit_3_domains.csv — 7C7C1E9A5895_audit_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D416944CEF4_02_PEPITE_P051__Structure_fractale.md — 7D416944CEF4_02_PEPITE_P051__Structure_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D416944CEF4_P51__Structure_fractale.md — 7D416944CEF4_P51__Structure_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F25E6558E99_AUDIT_ROOT_SHA256.txt — 7F25E6558E99_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

822AA511B4AC_tlc_target_07_DistributedX108Snapshot.after_cfg_star t_predicate.txt — 822AA511B4AC_tlc_target_07_DistributedX108Snapshot.after_cfg_star t_predicate.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

826797C1A397_02_PEPITE_P049__Emergence_par_interaction.md — 826797C1A397_02_PEPITE_P049__Emergence_par_interaction.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

826797C1A397_P49__Emergence_par_interaction.md — 826797C1A397_P49__Emergence_par_interaction.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8274574969F7_tlc_v3_02_X108.txt — 8274574969F7_tlc_v3_02_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8288D87AC320_extracted_text_all.md — 8288D87AC320_extracted_text_all.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

82D94D3C31B4_tlc_target_07_DistributedX108Snapshot.after_elapsedm in_parentheses.txt — 82D94D3C31B4_tlc_target_07_DistributedX108Snapshot.after_elapsedm in_parentheses.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md — 83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

843CDB66A93C_non_decision_contract.md — 843CDB66A93C_non_decision_contract.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

844D735EF6CD_AUDIT_ROOT_SHA256.txt — 844D735EF6CD_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

84C88A7559A2_AUDIT_AGENTS_52.md — 84C88A7559A2_AUDIT_AGENTS_52.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

857B514C41DE_sigma_contracts.py.sha256.before.txt — 857B514C41DE_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8608B50639C5_requirements.freeze.txt — 8608B50639C5_requirements.freeze.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86EB81151FB8_AUDIT_v1_1_TRINITY_REAL_FLOW_STAGING.md — 86EB81151FB8_AUDIT_v1_1_TRINITY_REAL_FLOW_STAGING.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87AB19021F79_FREEZE_STATUS.txt — 87AB19021F79_FREEZE_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87AB19021F79_SOURCE_FREEZE_STATUS.txt — 87AB19021F79_SOURCE_FREEZE_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

888B1B1A9C25_tlc_v3_01_DistributedX108.txt — 888B1B1A9C25_tlc_v3_01_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

890456C4DDD4_audit_decision_summary.json — 890456C4DDD4_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89131184009F_CURRENT_ZIP2_COVERAGE_AUDIT.txt — 89131184009F_CURRENT_ZIP2_COVERAGE_AUDIT.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89299EB5632D_AUDIT_ROOT_SHA256.txt — 89299EB5632D_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8929C5E013DC_ARTIFACT_HASH_MANIFEST.csv — 8929C5E013DC_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A41587F5E8E_activation_rules.md — 8A41587F5E8E_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A72E17BB3F7_activation_rules.md — 8A72E17BB3F7_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8AEA160EED8A_CARTOGRAPHE_LOIS_PROTOCOLES.md — 8AEA160EED8A_CARTOGRAPHE_LOIS_PROTOCOLES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CC9CE893E22_PRE_FREEZE.md — 8CC9CE893E22_PRE_FREEZE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md — 8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8EA82C88CF36_CURRENT_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.tx t — 8EA82C88CF36_CURRENT_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8EE44EE5A567_Constitution d_Obsidia et Protocoles de Securite Cognitive.docx — 8EE44EE5A567_Constitution d_Obsidia et Protocoles de Securite Cognitive.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8FC5365BAF78_decisions_created_during_audit.csv — 8FC5365BAF78_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt — 919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91CE1FE9EB2E_audit_decision_summary.csv — 91CE1FE9EB2E_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

929F92B1197E_O1_NON_ACTION_LEGITIME.md — 929F92B1197E_O1_NON_ACTION_LEGITIME.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

931990BB4628_ARTIFACT_HASH_MANIFEST.csv — 931990BB4628_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

938F45778F0D_activation_rules.md — 938F45778F0D_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D8E311F7CD_FINAL_AUDIT_REPORT.md — 93D8E311F7CD_FINAL_AUDIT_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

950D8D6CD6EF_FREEZE_MASTER.md — 950D8D6CD6EF_FREEZE_MASTER.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

950E441C6490_POST_AUDIT_TABLEAUX_STRUCTURES.md — 950E441C6490_POST_AUDIT_TABLEAUX_STRUCTURES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970A18D7FF64_Spec_23__Cross_Territory_Audit_Federation_P11_P20_va lider_V4.md — 970A18D7FF64_Spec_23__Cross_Territory_Audit_Federation_P11_P20_va lider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

985E00B1728E_decisions_created_during_audit.csv — 985E00B1728E_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98ED67EFAAC1_A05__Singularite_Initiale_Audit_ethique_permanent.md — 98ED67EFAAC1_A05__Singularite_Initiale_Audit_ethique_permanent.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9AEC9EF379C6_04_MODULE_A13__Securite_Interactions_Mode_reflexe.md — 9AEC9EF379C6_04_MODULE_A13__Securite_Interactions_Mode_reflexe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9AEC9EF379C6_A13__Securite_Interactions_Mode_reflexe.md — 9AEC9EF379C6_A13__Securite_Interactions_Mode_reflexe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E963A474A27_05_GARDIEN_T01__Gardien_de_fond__Reduction_Incertitu de_Audit_coherence.md — 9E963A474A27_05_GARDIEN_T01__Gardien_de_fond__Reduction_Incertitu de_Audit_coherence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E963A474A27_T01__Gardien_de_fond__Reduction_Incertitude_Audit_co herence.md — 9E963A474A27_T01__Gardien_de_fond__Reduction_Incertitude_Audit_co herence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F1FE92960F9_02_PEPITE_P069__Responsabilite_action_consequence.md — 9F1FE92960F9_02_PEPITE_P069__Responsabilite_action_consequence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F1FE92960F9_P69__Responsabilite_action_consequence.md — 9F1FE92960F9_P69__Responsabilite_action_consequence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A064E14B73A5_AUDIT_ROOT_SHA256.txt — A064E14B73A5_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A6CB8AB83AC3_activation_rules.md — A6CB8AB83AC3_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7A4BFCE2328_routers.getRecentTransactions.summary.txt — A7A4BFCE2328_routers.getRecentTransactions.summary.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7B07E264F2F_12_ENGINE__EVIDENCE_CONTRACT_V4.md — A7B07E264F2F_12_ENGINE__EVIDENCE_CONTRACT_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7B07E264F2F_EVIDENCE_CONTRACT_V4.md — A7B07E264F2F_EVIDENCE_CONTRACT_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A828D5FCFB2F_activation_rules.md — A828D5FCFB2F_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A92594D3B8A7_decisions_created_during_audit.csv — A92594D3B8A7_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md — A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md — A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md — A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB516F9F1519_x108_boundary_contract.md — AB516F9F1519_x108_boundary_contract.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABDCDBDE067F_tlc_v3_11_DistributedX108.txt — ABDCDBDE067F_tlc_v3_11_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AC045C42E6E2_ARTIFACT_HASH_MANIFEST.csv — AC045C42E6E2_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt — ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt — AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt — AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B1290D991FF9_AUDIT_HEXAFLUX_LTCU.md — B1290D991FF9_AUDIT_HEXAFLUX_LTCU.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md — B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B31504934F5E_activation_rules.md — B31504934F5E_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B3E984E6E967_audit_decision_summary.json — B3E984E6E967_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B463D3B23F90_freeze-check.md — B463D3B23F90_freeze-check.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4A7E763A506_activation_rules.md — B4A7E763A506_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4DAF594C123_ARTIFACT_HASH_MANIFEST.csv — B4DAF594C123_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B507E01ACD7F_activation_rules.md — B507E01ACD7F_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B5AEECD539BA_decisions_created_during_audit.csv — B5AEECD539BA_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt — B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6D999752BB9_audit_summary_3_domains.csv — B6D999752BB9_audit_summary_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B7A40972F6A6_activation_rules.md — B7A40972F6A6_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B928B0607F0A_04_BINDING_AFTER_X108_ONLY.md — B928B0607F0A_04_BINDING_AFTER_X108_ONLY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9B21D83762F_02_PEPITE_P017__Croissance_du_log_daudit.md — B9B21D83762F_02_PEPITE_P017__Croissance_du_log_daudit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9B21D83762F_P17__Croissance_du_log_daudit.md — B9B21D83762F_P17__Croissance_du_log_daudit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BAE7EEACABAA_agent_contract.schema.json — BAE7EEACABAA_agent_contract.schema.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD9DA44DA091_10_TESTS__LOAD_REPLAY_5.md — BD9DA44DA091_10_TESTS__LOAD_REPLAY_5.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD9DA44DA091_LOAD_REPLAY_5.md — BD9DA44DA091_LOAD_REPLAY_5.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF3079185796_P2_BANK_REPLAY_RESULTS.md — BF3079185796_P2_BANK_REPLAY_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF8B3F45346A_CURRENT_BRODY_PRE_UI_FREEZE_V1.txt — BF8B3F45346A_CURRENT_BRODY_PRE_UI_FREEZE_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C044E748E45A_audit_summary_3_domains.json — C044E748E45A_audit_summary_3_domains.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C1362BEF8804_01_TRACKED_BUILD_ARTIFACTS_TO_REMOVE_FROM_GIT_LATER. csv — C1362BEF8804_01_TRACKED_BUILD_ARTIFACTS_TO_REMOVE_FROM_GIT_LATER. csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C17D3700DA42_tlc_v3_07_DistributedX108Snapshot.txt — C17D3700DA42_tlc_v3_07_DistributedX108Snapshot.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C5402DB7EB8A_02_PEPITE_P081__Surcharge_vers_HOLD.md — C5402DB7EB8A_02_PEPITE_P081__Surcharge_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C5402DB7EB8A_P81__Surcharge_vers_HOLD.md — C5402DB7EB8A_P81__Surcharge_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C56516D8D978_audit_securite_tracabilite.json — C56516D8D978_audit_securite_tracabilite.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6F3DD041218_02_PEPITE_P137__Agent_Role_Protocole_Flux.md — C6F3DD041218_02_PEPITE_P137__Agent_Role_Protocole_Flux.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6F3DD041218_P137__Agent_Role_Protocole_Flux.md — C6F3DD041218_P137__Agent_Role_Protocole_Flux.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6FD38D6C112_AUDIT_MMONDE.md — C6FD38D6C112_AUDIT_MMONDE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C70D94DB0843_activation_rules.md — C70D94DB0843_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C72E0C3E75AB_lean_build_Obsidia_Audit.txt — C72E0C3E75AB_lean_build_Obsidia_Audit.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7ADB2F20AC5_Dossier de Fabrication d_Obsidia X-108 - Eveil du Maitre d_Oeuvre.docx — C7ADB2F20AC5_Dossier de Fabrication d_Obsidia X-108 - Eveil du Maitre d_Oeuvre.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C80C12B00539_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — C80C12B00539_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C888919CFAD0_AUDIT_ROOT_SHA256.txt — C888919CFAD0_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBC224D68E10_AUDIT_ROOT_SHA256.txt — CBC224D68E10_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBFD9ED1FA2A_03_SPEC_05__Replay_OS3_matching_attendu_observe_P41_ P46_valider_V4.md — CBFD9ED1FA2A_03_SPEC_05__Replay_OS3_matching_attendu_observe_P41_ P46_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBFD9ED1FA2A_Spec_05__Replay_OS3_matching_attendu_observe_P41_P46 _valider_V4.md — CBFD9ED1FA2A_Spec_05__Replay_OS3_matching_attendu_observe_P41_P46 _valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CCAE37FB92E1_CURRENT_AUDIT_BRODY_CONNECTOR_SOURCE_SCAN_BEFORE_WOR LD_INTAKE.txt — CCAE37FB92E1_CURRENT_AUDIT_BRODY_CONNECTOR_SOURCE_SCAN_BEFORE_WOR LD_INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE954F5ADFC8_AUDIT_ROOT_SHA256.txt — CE954F5ADFC8_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D163F708AD84_ARTIFACT_HASH_MANIFEST.csv — D163F708AD84_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md — D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5CD0EADEB5E_CURRENT_BRODY_OBSIDIEN_V1_4_12A_CODE_PASTE_GUARD_VAL IDATED_FREEZE.txt — D5CD0EADEB5E_CURRENT_BRODY_OBSIDIEN_V1_4_12A_CODE_PASTE_GUARD_VAL IDATED_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5D12C2D1500_tlc_v3_01_DistributedX108.txt — D5D12C2D1500_tlc_v3_01_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D6E793D052FA_07_SECRET_REDACTION_PATCH.txt — D6E793D052FA_07_SECRET_REDACTION_PATCH.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md — D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D76A10C754FC_sigma_protocols.py.sha256.before.txt — D76A10C754FC_sigma_protocols.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D76A10C754FC_sigma_protocols.py.sha256.txt — D76A10C754FC_sigma_protocols.py.sha256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md — D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBB21AC6214C_context_activation_router_config_v1.json — DBB21AC6214C_context_activation_router_config_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBBB617997AE_O8_SEPARATION_COGNITION_ACTION.md — DBBB617997AE_O8_SEPARATION_COGNITION_ACTION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DDB2D8556B56_04_MODULE_A21__Cryptographie_Homomorphe_Mediatheque_ fractale.md — DDB2D8556B56_04_MODULE_A21__Cryptographie_Homomorphe_Mediatheque_ fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DDB2D8556B56_A21__Cryptographie_Homomorphe_Mediatheque_fractale.m d — DDB2D8556B56_A21__Cryptographie_Homomorphe_Mediatheque_fractale.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DE6A28E7B284_audit_decision_summary.csv — DE6A28E7B284_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DEA82D7CDEF5_tlc_v3_12_X108.txt — DEA82D7CDEF5_tlc_v3_12_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E04DBCA62C2C_FRACTAL_INFERENCE.md — E04DBCA62C2C_FRACTAL_INFERENCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0F1E391D1F2_sigma_contracts.py.sha256.txt — E0F1E391D1F2_sigma_contracts.py.sha256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E1D7EBA55758_07_TRACE_REPLAY_STABILITY.md — E1D7EBA55758_07_TRACE_REPLAY_STABILITY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E2D9678294B9_FREEZE_MANIFEST_SHA256.json — E2D9678294B9_FREEZE_MANIFEST_SHA256.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E5C917E8098A_SOURCE_AUDIT_V1_1_REPORT.md — E5C917E8098A_SOURCE_AUDIT_V1_1_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E5F4C5B901E3_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS _MANIFEST.json — E5F4C5B901E3_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS _MANIFEST.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md — E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EA7573C96843_AUDIT_ROOT_SHA256.txt — EA7573C96843_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EADE13C70E4D_audit_decision_summary.json — EADE13C70E4D_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB92563B77A3_AUDIT_ROOT_SHA256_FINAL.txt — EB92563B77A3_AUDIT_ROOT_SHA256_FINAL.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json — ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED4E10E3D709_02_PEPITE_P120__Abstraction_par_interface.md — ED4E10E3D709_02_PEPITE_P120__Abstraction_par_interface.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED4E10E3D709_P120__Abstraction_par_interface.md — ED4E10E3D709_P120__Abstraction_par_interface.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED5C72520CD0_NON_DECISION_CONTRACT_ZIP2.md — ED5C72520CD0_NON_DECISION_CONTRACT_ZIP2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED638FE4AF99_tlc_v3_06_X108.txt — ED638FE4AF99_tlc_v3_06_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF5562F41B6B_P1_FREEZE.md — EF5562F41B6B_P1_FREEZE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF6AAF226E3B_activation_rules.md — EF6AAF226E3B_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF962AA8DE43_audit_visuel_3_domaines.csv — EF962AA8DE43_audit_visuel_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F0B6CA2CB183_TemporalX108.setup.json — F0B6CA2CB183_TemporalX108.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F365B9DE04FE_audit_decision_summary.json — F365B9DE04FE_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F6719FC7C2A2_activation_rules.md — F6719FC7C2A2_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F701EB8E5069_Obsidia - Souverainete Cognitive et Protocole MCP.docx — F701EB8E5069_Obsidia - Souverainete Cognitive et Protocole MCP.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F74BA0085B83_ARTIFACT_HASH_MANIFEST.csv — F74BA0085B83_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F82F77857EB6_EXTRACTEUR_MATIERE_BRUTE.md — F82F77857EB6_EXTRACTEUR_MATIERE_BRUTE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json — F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F992158BF3B8_contracts.sha256.before.txt — F992158BF3B8_contracts.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FC20C4117C25_CURRENT_AUDIT_LOCAL_BRODY_MEMORY_ARCHITECTURE_BEFORE _WORLD_INTAKE.txt — FC20C4117C25_CURRENT_AUDIT_LOCAL_BRODY_MEMORY_ARCHITECTURE_BEFORE _WORLD_INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt — FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD17686EC311_08_CONTRAT__ADELE_FORMAL_CONTRACT.md — FD17686EC311_08_CONTRAT__ADELE_FORMAL_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD17686EC311_ADELE_FORMAL_CONTRACT.md — FD17686EC311_ADELE_FORMAL_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD82A14E8BA3_audit_decision_summary.json — FD82A14E8BA3_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDEEAC4FF67A_07_AUDIT_C__Validation_des_40_specs_institutionnelle s.md — FDEEAC4FF67A_07_AUDIT_C__Validation_des_40_specs_institutionnelle s.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDEEAC4FF67A_Audit_C__Validation_des_40_specs_institutionnelles.m d — FDEEAC4FF67A_Audit_C__Validation_des_40_specs_institutionnelles.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FE504CFA788D_audit_decision_summary.csv — FE504CFA788D_audit_decision_summary.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FE9AA65B19D4_tlc_target_07_DistributedX108Snapshot.after_remove_s tale_constants.txt — FE9AA65B19D4_tlc_target_07_DistributedX108Snapshot.after_remove_s tale_constants.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FFC9F20E29C0_activation_rules.md — FFC9F20E29C0_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AGENTS_52_FORBIDDEN_ACTIONS.md — AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AGENTS_52_NON_DECISION_CONTRACT.md — AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

agent_contract.schema.json — agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt — 919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7A4BFCE2328_routers.getRecentTransactions.summary.txt — A7A4BFCE2328_routers.getRecentTransactions.summary.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D173BEA2115A_route.md — D173BEA2115A_route.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBB21AC6214C_context_activation_router_config_v1.json — DBB21AC6214C_context_activation_router_config_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\07_BDF_DOUBLE_CERVEAU\\alpha_beta_router.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\07_BDF_DOUBLE_CERVEAU\\alpha_beta_router.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

routes — routes

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

/api/ — /api/

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

route — route

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Graphiti proxy API routes (/api/graphiti/*) — readonly only — Graphiti proxy API routes (/api/graphiti/*) — readonly only

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Memory API routes (/api/memory/*) — candidate_only, no auto-promotion — Memory API routes (/api/memory/*) — candidate_only, no auto-promotion

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"evidence_location": "apps/obsidia_api/brody_cognitive_modules_adapter.py:29 covered_by=brody_true_voice_adapter.py; brody_semantic_query_router.py:149; brody_true_voice_adapter.py:739", — "evidence_location": "apps/obsidia_api/brody_cognitive_modules_adapter.py:29 covered_by=brody_true_voice_adapter.py; brody_semantic_query_router.py:149; brody_true_voice_adapter.py:739",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

router — router

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"notes": "Orchestrator module exists. Not imported by main.py or active routes.", — "notes": "Orchestrator module exists. Not imported by main.py or active routes.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11. — Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ceci est la feuille de route exhaustive, le "Blueprint de Déploiement", pour coder et mettre en service l'AGI Obsidia X-108. — Ceci est la feuille de route exhaustive, le "Blueprint de Déploiement", pour coder et mettre en service l'AGI Obsidia X-108.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

apps/obsidia_api/runtime_loader.py,API_RUNTIME,runtime_loader.py, Dynamic module loader,API,runtime,RUNTIME_ACTIVE,routes/brody.py,no,no,no,no,no,no, no,false,false,false,false,load_runtime_components() — apps/obsidia_api/runtime_loader.py,API_RUNTIME,runtime_loader.py, Dynamic module loader,API,runtime,RUNTIME_ACTIVE,routes/brody.py,no,no,no,no,no,no, no,false,false,false,false,load_runtime_components()

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **current binding status: EXISTS in periphery; NOT imported by automation_orchestrator or routes/brody.py — - **current binding status**: EXISTS in periphery; NOT imported by automation_orchestrator or routes/brody.py**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **recommended action: Expose in /api/brody/chat payload if detailed taxonomy needed — - **recommended action**: Expose in /api/brody/chat payload if detailed taxonomy needed**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **recommended action: Verify if still imported in routes/brody.py; if not, STALE — - **recommended action**: Verify if still imported in routes/brody.py; if not, STALE**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py — - patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py : DO_NOT_IMPORT (SNIPPET_NOT_APPLIED) — - patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py : DO_NOT_IMPORT (SNIPPET_NOT_APPLIED)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ periphery/cognitive_trees/shazam_cognitif.py, bdf/double_brain_router.py, hexaflux/ltcu_plus.py, mcp_bridge.py, jarvis_projection.py — → periphery/cognitive_trees/shazam_cognitif.py, bdf/double_brain_router.py, hexaflux/ltcu_plus.py, mcp_bridge.py, jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **BDF Double Cerveau : periphery/bdf/double_brain_router.py — emits_act=False, emits_verdict=False — - **BDF Double Cerveau** : periphery/bdf/double_brain_router.py — emits_act=False, emits_verdict=False**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Statut : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests) — - **Statut** : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **10 états : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED — - **10 états** : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Language encoding **

Statut source: Tree10 Langage + language_router.py \ | Verdict: .../ARBRE_10__Arbre_du_Langage/ + periphery/language/language_router.py \ | Brody: DOC_ONLY + RUNTIME_CODE \ | Runtime autre: \

**\ — specs/npl/CULTURAL_MATRIX_SPEC.md **

Statut source: periphery/OBSIDIA_MMONDE.../ARBRE_19__Arbre_de_la_Culture/activat ion_rules.md, periphery/language/language_router.py \ | Verdict: OUI \ | Brody: SPEC_CANDIDATE \ | Domaines: cultural_matrix_density □ [0,1]; language_encoding_score □ [0,1]; non_decision_contract respecté (Tree34 □ ACT) \ | Runtime autre: jamais hiérarchiser cultures; jamais "culture X est supérieure"; jamais verdict culturel \

→ apps/obsidia_api/routes/periphery_ops.py — → apps/obsidia_api/routes/periphery_ops.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ language_router.py: détection fr/en, authority markers détectés et bloqués — → language_router.py: détection fr/en, authority markers détectés et bloqués

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- language_router.py → language_encoding_score — - language_router.py → language_encoding_score

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Language encoding **

Statut source: Tree10 + language_router \ | Verdict: ARBRE_10__Arbre_du_Langage/ + periphery/language/language_router.py \ | Brody: DOC_ONLY + RUNTIME_CODE \ | Domaines: authority_claim_detected → BLOCK \

- Education, bias, language_router — récepteurs prêts à être étendus — - Education, bias, language_router — récepteurs prêts à être étendus

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "X108 est évalué après SIGMA_ROUTED et avant OS3_TICKETED" — - "X108 est évalué après SIGMA_ROUTED et avant OS3_TICKETED"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED (ordre strict) — - SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED (ordre strict)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/bdf/double_brain_router.py — - periphery/bdf/double_brain_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- DoubleBrainRoute: emits_act=False, emits_verdict=False\n- Route System1 vs System2 — - DoubleBrainRoute: emits_act=False, emits_verdict=False\n- Route System1 vs System2

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- memory_write=False dans BrodyLanguageRoute — - memory_write=False dans BrodyLanguageRoute

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- tests/api/test_brody_chat_readonly.py (existant) — - tests/api/test_brody_chat_readonly.py (existant)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/language/language_router.py + apps/obsidia-workbench/OS_TRAD_REVERSE_IR_DISCOVERY_REPORT.md — IR candidate readonly — - periphery/language/language_router.py + apps/obsidia-workbench/OS_TRAD_REVERSE_IR_DISCOVERY_REPORT.md — IR candidate readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 10 états définis : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED — - 10 états définis : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- X108_EVALUATED est l'étape centrale — avant OS3_TICKETED et après SIGMA_ROUTED — - X108_EVALUATED est l'étape centrale — avant OS3_TICKETED et après SIGMA_ROUTED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- brody_language_router.py : BrodyLanguageRoute avec memory_write=False — - brody_language_router.py : BrodyLanguageRoute avec memory_write=False

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- aviation_robo.py : POST vers http://127.0.0.1:8000/api/periphery/monitoring/adapters/gps — local uniquement — - aviation_robo.py : POST vers http://127.0.0.1:8000/api/periphery/monitoring/adapters/gps — local uniquement

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- GPS_ENDPOINT = "/api/periphery/monitoring/adapters/gps" — endpoint local — - GPS_ENDPOINT = "/api/periphery/monitoring/adapters/gps" — endpoint local

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- DoubleBrainRouter (BDF) : emits_act=False, emits_verdict=False — route System1 vs System2 — - DoubleBrainRouter (BDF) : emits_act=False, emits_verdict=False — route System1 vs System2

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/language/language_router.py — - periphery/language/language_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Récepteurs existants : Tree19/24/25/27, education_score, bias_gate, language_router, context_packet_v2, x108_ingress — - Récepteurs existants : Tree19/24/25/27, education_score, bias_gate, language_router, context_packet_v2, x108_ingress

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 22 domaines COMPLETE : Agent Registry (14 agents), OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway (12 modules), Math Core / Lyapunov / PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet / X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark Case Schema, JSON Schemas (3), Integration Tests (V3+V4), Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation (194 tests pass), Zip Artifact — - 22 domaines COMPLETE : Agent Registry (14 agents), OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway (12 modules), Math Core / Lyapunov / PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet / X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark Case Schema, JSON Schemas (3), Integration Tests (V3+V4), Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation (194 tests pass), Zip Artifact

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Python tests : pattern existant (tests/sigma/test_f62_*.py, tests/api/test_brody_authority_escalation_no_act.py) — - Python tests : pattern existant (tests/sigma/test_f62_*.py, tests/api/test_brody_authority_escalation_no_act.py)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Python tests : graphiti_write=False (195+ tests existants dans tests/api/) — - Python tests : graphiti_write=False (195+ tests existants dans tests/api/)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Capability router / inventory — Capability router / inventory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Route handlers (FastAPI decorator) — Route handlers (FastAPI decorator)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py — - 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py — 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La Projection Multimodale : Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11. — La Projection Multimodale : Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Router for alpha/beta values — Router for alpha/beta values

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

---

4. Inventaire exhaustif par famille

Chaque famille contient tous les items, classés par verdict.

4 — PEPITES

Total: 161

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 96

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 65

PEPITES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

PEPITES / ITEM_BOUND_BRODY_ONLY (96)

P1 — Memoire != stockage

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P2 — Memoire fractale hierarchique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P3 — Oubli actif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P4 — Memoire comme condition d'ethique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P5 — Memoire humaine / memoire systeme

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P6 — Memoire comme recit vivant

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P7 — Memoire comme garde-fou contre l'hallucination

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P8 — Memoire transversale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P9 — Sens != information

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P10 — Cadre avant reponse

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P11 — Refus hors cadre

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P12 — Desambiguisation contextuelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P13 — Immutabilite par sceau Merkle

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P14 — Traduction humain / machine

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P15 — Immutabilite forte (Sensitivity)

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P16 — Rupture data / sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P17 — Croissance du log d'audit

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P18 — Semantique avant calcul

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P19 — Pluralite des niveaux de sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P20 — Sens avant performance

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P21 — Semantique transversale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P22 — Le symbolique n'est pas decoratif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P23 — Compression du sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P24 — Non-verbal comme vecteur

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P25 — Symboles comme passerelles

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P26 — Resonance plutot que calcul

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P27 — Transmission implicite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P28 — Recit comme structure

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P29 — Mythologie vivante

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P30 — Symbolique operatoire

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P31 — Archetype

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P32 — Rituel comme sequence symbolique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P33 — Symbolique transversal

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P34 — Kernel = intersection des contraintes

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P35 — Preuve formelle sans sorry

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P36 — Quintuplet d'etat canonique (S,I,L)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P37 — Formalisation : narratif vers math

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P38 — Filtre ethique chi(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P39 — Invariant permanent

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P40 — Axiome non derivable

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P41 — Determinisme D1

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P42 — Seuil G1 : ACT si theta <= S

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P43 — Pas de BLOCK natif L11.3

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P44 — Verrou temporel X-108

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P45 — Skew negatif vers HOLD

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P46 — Consensus fail-closed 4 agents

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P57 — Entropie de Shannon

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P58 — Neguentropie

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P64 — Ordre = 1 - entropie normalisee

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P67 — Filtre ethique continu chi(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P68 — Ethique integree sur le temps

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P69 — Responsabilite action/consequence

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P70 — Consentement binaire

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P71 — Transparence universelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P72 — Equite epsilon-approximee

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P73 — Non-nuisance

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P74 — Bienfaisance maximale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P75 — Justice proportionnelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P76 — Budget energetique E_c(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P77 — Flux energetique dE/dt

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P78 — Reserve energetique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P79 — Regeneration en repos

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P80 — Equilibre energetique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P81 — Surcharge vers HOLD

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P82 — Optimisation cout/qualite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P83 — Efficience output/input

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P84 — Durabilite a long terme

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P85 — Loi de reciprocite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P102 — Iteration convergente

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P103 — Validation par criteres

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P104 — Refutation par contre-exemple

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P105 — Induction mathematique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P106 — Deduction logique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P107 — Stabilite Lyapunov (delta-epsilon)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_FILE_MAP.md \

P108 — Robustesse aux perturbations

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P109 — Reproductibilite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P110 — Falsifiabilite (Popper)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P111 — Moteur non substituable

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P112 — Hierarchie OS0 vers OS4

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P113 — Kernel = intersection des couches

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P114 — Guard = Kernel + Temporal + Consensus

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P127 — Disponibilite (uptime)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P143 — Generalisation multi-domaine

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P144 — Apprentissage par experience

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P145 — Adaptation a l'environnement

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P146 — Autonomie decisionnelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P147 — Collaboration synergique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P148 — Competition selective

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P149 — Narration debut-milieu-fin

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P150 — Personnage = identite+motivation+arc

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P151 — Conflit = desir vs obstacle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P152 — Resolution du conflit

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P153 — Theme = abstraction du recit

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P154 — Symbole narratif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P155 — Metaphore = analogie

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P161 — Calibration energetique temporelle (loi finale)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_FILE_MAP.md \

PEPITES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

PEPITES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

PEPITES / ITEM_REFERENCE_ONLY_NOT_BOUND (65)

P47 — Couplage reel/moteur dR/dt
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P48 — Structure cosmologique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P49 — Emergence par interaction
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P50 — Recursivite fondamentale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P51 — Structure fractale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P52 — Principe holographique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P53 — Resonance cosmique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P54 — Temps comme integrale d'evenements
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P55 — Espace metrique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P56 — Causalite temporelle
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P59 — Complexite de Kolmogorov
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P60 — Auto-organisation
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P61 — Bifurcation de trajectoire
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P62 — Attracteur
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P63 — Sensibilite aux conditions initiales
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P65 — Definition de la vie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P66 — Conscience comme recursivite infinie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P86 — Consensus supermajorité 3/4
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P87 — Fail-closed sans supermajorité
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P88 — Non-contradiction
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P89 — Completude
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P90 — Coherence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P91 — Decidabilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P92 — Calculabilite (Turing)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P93 — P inclus dans NP
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P94 — Reductibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P95 — Indecidabilite (Halting)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P96 — Recursivite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P97 — Point fixe
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P98 — Continuite epsilon-delta
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P99 — Convergence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P100 — Stabilite de Lyapunov L(Phi(s)) <= L(s)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P101 — Avancement incremental valide
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P115 — Filtre ethique du moteur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P116 — Pipeline de couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P117 — Orchestration par scheduler
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P118 — Isolation des couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P119 — Composition fonctionnelle
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P120 — Abstraction par interface
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P121 — Encapsulation (boite noire)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P122 — Modularite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P123 — Extensibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P124 — Infrastructure : I□M=O
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P125 — Deploiement Build+Test+Release
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P126 — Scalabilite lineaire
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P128 — Latence de reponse
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P129 — Debit (throughput)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P130 — Resilience MTBF/MTTR
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P131 — Securite CIA
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P132 — Observabilite (logs+metriques+traces)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P133 — Configuration cle-valeur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P134 — Versioning semantique
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P135 — Pipeline CI/CD
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P136 — Infrastructure as Code
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P137 — Agent = Role+Protocole+Flux
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P138 — Ecologie d'agents
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P139 — Protocole = sequence de messages
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P140 — Coordination par consensus
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P141 — Emergence collective
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P142 — Specialisation par domaine

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P156 — Ironie = ecart attendu/reel

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P157 — Suspense = incertitude de resolution

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P158 — Catharsis = liberation emotionnelle

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P159 — Epiphanie = revelation soudaine

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P160 — Denouement final

Statut source: VISION | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — MODULES

Total: 36

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 36

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 0

MODULES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

MODULES / ITEM_BOUND_BRODY_ONLY (36)

A01 — Signature Entropique / Pare-feu symbolique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A02 — Verification de Reciprocite / Detection contradictions

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A03 — Equilibre Dynamique / Alignement ethique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A04 — Gestion de la Friction / Bascule Semantique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A05 — Singularite Initiale / Audit ethique permanent

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A06 — Integrite Structurelle / Enregistrement etats

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A07 — Coherence Temporelle / Chronique obsidienne

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A08 — Emergence des Proprietes / Transmutation cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A09 — Non-Contradiction / Convergence intentionnelle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A10 — Completude / Emergence par tension

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A11 — Resonance / Reconstruction totale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A12 — Dualite / Contrat moral

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A13 — Securite Interactions / Mode reflexe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A14 — Verification Identite / Captation creative

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A15 — Adaptation Dynamique / Vibration multimodale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A16 — Recursivite / Architecture du savoir

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A17 — Complexite Minimale / Apprentissage universel

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A18 — Optimisation Ressources / Friction creative

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A19 — Interconnexion / Narration cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A20 — Confidentialite / Entrainement emotionnel

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A21 — Cryptographie Homomorphe / Mediatheque fractale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A22 — Propagation Information / Simulation cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A23 — Causalite / Calibration procedurale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A24 — Predictibilite / Metriques et veille

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

T01 — Reduction Incertitude / Audit coherence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\conditional_candidates.md \

T02 — Conscience Distribuee / Validation reciprocite

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\denylist_hits.md \

T03 — Gouvernance Decentralisee / Friction energetique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T04 — Consensus Distribue / Resonance semantique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T05 — Evolution Systemes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\package-lock.json \

T06 — Selection Naturelle / Alignement ethique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T07 — Resilience / Test memoire fractale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F74_F77_AUDIT_RECONCILIATION.md \

T08 — Auto-Organisation / Apprentissage inverse

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T09 — Creativite / Mode reflexe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\RUN_METRICS_PALIER_LAST.json \

T10 — Innovation Continue / Integrite cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\denylist_hits.md \

T11 — Generation Aleatoire / Frugalite bio-inspiree

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_TODO_MATRIX.md \

T12 — Complexite Irreductible / Transparence friction

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

MODULES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

MODULES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

MODULES / ITEM_REFERENCE_ONLY_NOT_BOUND (0)

Aucun item.

4 — AGENTS

Total: 69

• ITEM_BOUND_BRODY_AND_DOMAIN: 10

• ITEM_BOUND_BRODY_ONLY: 24

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 35

AGENTS / ITEM_BOUND_BRODY_AND_DOMAIN (10)

AGENT_002 — Sentinelle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P56E_POST_PATCH_METRIC_REAUDIT.md \

ROLE_005 — Human Operator

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_006 — Governance Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_007 — OS3 Audit Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

GUARDIAN_009 — Sigma Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

GUARDIAN_010 — Merkle Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

GUARDIAN_011 — RFC3161 Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_runtime_core_risk_revie w_p75.py \

GUARDIAN_012 — TLA Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \PROOF_INDEX.md \

ROLE_014 — Adapter MCP

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

GUARDIAN_016 — GPS - Gardien / Guide / Alerteur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

AGENTS / ITEM_BOUND_BRODY_ONLY (24)

#1 — OBSIDIA_ATLAS_INGESTOR

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_001 — Observateur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

#2 — CANON_GUARDIAN

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#3 — GRAPH_BUILDER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_003 — Gardien

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#4 — TERMINAL_BUILDER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_004 — Architecte

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

#5 — PROOF_SENTINEL

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#6 — CO_PILOTE_CODE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#7 — CI_REPO_SURGEON

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

ROLE_008 — Agents / Tools

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_core_machinery_runtime_ binding_p57.py \

#11 — FORMAL_BRIDGE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

#13 — ADVERSARIAL_RED_TEAM

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.claude\context\AGENTIC_ROUTING.md \

ROLE_013 — Orchestrator

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_015 — Cortex

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE11A_TER_SOURCE_ONLY_CONTRACT_AUDIT_20260527.md

#17 — PRE_FREEZE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\GENCOIN_SANDBOX_INGESTION_REPORT.md \

GUARDIAN_017 — ADeLe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#19 — VOCABULAIRE_CANONIQUE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md \

#34 — EXPLIQUE_A_UN_HUMAIN

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E1_R_REPO_TERMINAL_APPLIED_ZIP_WORK_AUDIT_20260527.md

#38 — CARTOGRAPHE_34_ARBRES

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_GLOBAL_BRANCHAGE_AUDIT.json \

#40 — CALIBRATION_PROCEDURALE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#41 — NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#45 — CARTOGRAPHE_LOIS_PROTOCOLES

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

#50 — ANTI_DISPERSION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENTS / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

AGENTS / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

AGENTS / ITEM_REFERENCE_ONLY_NOT_BOUND (35)

#8 — REPO_HISTORIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#9 — VERSION_COMPARATOR
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#10 — CARTOGRAPHE_PREUVES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#12 — GENERATEUR_TESTS_ADVERSARIAUX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#14 — ASSISTANT_THEORIQUE_DOCUMENTAIRE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#15 — MEMOIRE_PERSONNELLE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#16 — FREEZE_MASTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#18 — HISTORIEN_DECISIONS
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#20 — CONTRADICTION_HUNTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#21 — THEORIE_VIVANTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#22 — RECHERCHE_EXTERNE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#23 — ANALYSTE_LOGS_EXPERIMENTAUX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#24 — EVIDENCE_BOARD_BUILDER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#25 — AUDIT_LOCAL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#26 — DATA_SOVEREIGNTY_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#27 — SECURITY_FIREWALL_ARCHITECT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#28 — POLICY_FIREWALL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#29 — RUNTIME_ATTESTATION_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#30 — SUPPLY_CHAIN_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#31 — SECRET_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#32 — FIELD_POC_MAPPER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#33 — PITCH_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#35 — SIMULATEUR_REUNION
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#36 — MONETISATION_PACKAGING
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#37 — FRISE_HUMAINE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#39 — HUMAN_HISTORY_MAPPER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#42 — GRAND_CARTOGRAPHE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#43 — ONTOLOGUE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#44 — CARTOGRAPHE_COUCHES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#46 — CARTOGRAPHE_FORMULES
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#47 — CARTOGRAPHE_DOMAINES_TERRAIN
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#48 — CARTOGRAPHE_AGI_VISION_HAUTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#49 — COLLISION_DETECTOR
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#51 — ENERGIE_PRIORITE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#52 — EXTRACTEUR_MATIERE_BRUTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — ARBRES_34

Total: 34

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 18

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 16

ARBRES_34 / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

ARBRES_34 / ITEM_BOUND_BRODY_ONLY (18)

ARBRE_01 — Arbre de l'Humain

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Tests

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_02 — Arbre de la Conscience

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

ARBRE_03 — Arbre de la Perception

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_09 — Arbre de l'Intelligence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_10 — Arbre du Langage

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_11 — Arbre de la Science

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_19 — Arbre de la Culture

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_20 — Arbre de l'Action

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_21 — Arbre de la Creation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_23 — Arbre du Temps

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

ARBRE_24 — Arbre de la Memoire

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

ARBRE_25 — Arbre de l'Histoire

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

ARBRE_26 — Arbre de la Coherence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_27 — Arbre de la Verite

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_28 — Arbre de la Valeur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_30 — Arbre Cognitif Global

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_31 — Arbre des Flux

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRE_33 — Arbre de l'Optimisation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F18A_OS_TRAD_IR_REVERSE_PAYLOAD_8000_20260528_00383 6.json \

ARBRES_34 / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

ARBRES_34 / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

ARBRES_34 / ITEM_REFERENCE_ONLY_NOT_BOUND (16)

ARBRE_04 — Arbre du Sens

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_05 — Arbre de l'Identite

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_06 — Arbre de la Comprehension

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_07 — Arbre de l'Organisation

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_08 — Arbre de la Pensee

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_12 — Arbre de la Technique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_13 — Arbre de l'Art

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_14 — Arbre de la Philosophie

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_15 — Arbre de la Spiritualite

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_16 — Arbre de la Relation

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_17 — Arbre du Collectif

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_18 — Arbre de la Transmission

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_22 — Arbre de la Transformation

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_29 — Arbre de la Finalite

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_32 — Arbre des Connexions

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ARBRE_34 — Arbre de la Stabilite

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — LOIS

Total: 10

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 9

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 1

LOIS / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

LOIS / ITEM_BOUND_BRODY_ONLY (9)

P88 — Non-contradiction

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\package-lock.json

P89 — Completude

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \package-lock.json \

P90 — Coherence

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

P91 — Decidabilite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

P93 — P inclus dans NP

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\RAGNAROK_RUNTIME_ISOLATION_AUDIT_20260610_163153.md

P94 — Reductibilite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\RAGNAROK_RUNTIME_ISOLATION_AUDIT_20260610_163153.md

P85 — Loi de reciprocite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Kernel
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f12c_terminal_marker_assert.p y \

P86 — Consensus supermajorité 3/4

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P87 — Fail-closed sans supermajorité

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

LOIS / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

LOIS / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

LOIS / ITEM_REFERENCE_ONLY_NOT_BOUND (1)

P92 — Calculabilite (Turing)

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — PROTOCOLES

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 35

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 465

PROTOCOLES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

PROTOCOLES / ITEM_BOUND_BRODY_ONLY (35)

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv — 019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F25A_HARMONIC_VOTE_SOURCE_AUDIT_20260528_07 5807.json

0D085EED9A4E_AUDIT_TOOLS.md — 0D085EED9A4E_AUDIT_TOOLS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_ PHASE12E1_R_REPO_TERMINAL_APPLIED_ZIP_WORK_AUDIT_20260527.md

260E7CE19585_AUDIT_REVERSE_OS.md — 260E7CE19585_AUDIT_REVERSE_OS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.json \

56C8CDE2F94D_T01__Reduction_Incertitude_Audit_coherence.md — 56C8CDE2F94D_T01__Reduction_Incertitude_Audit_coherence.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_ PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

997BFF4EFC9F_AUDIT_34_ARBRES.md — 997BFF4EFC9F_AUDIT_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_ PHASE12E1_R_REPO_TERMINAL_APPLIED_ZIP_WORK_AUDIT_20260527.md

BE29E7A85286_SCORING_REGRESSION_AUDIT.md — BE29E7A85286_SCORING_REGRESSION_AUDIT.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F25A_HARMONIC_VOTE_SOURCE_AUDIT_20260528_07 5807.json

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.txt \

FREEZE_CANDIDATE_REPORT.md — FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\legacy_root\ZIP_CONTENT_AUDIT.md \

extracted_text_all.md — extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md \

O1_NON_ACTION_LEGITIME.md — O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

O3_EPREUVE_TEMPORELLE_X108.md — O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_GLOBAL_BRANCHAGE_AUDIT.json \

O7_AUDITABILITE_NATIVE.md — O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

O8_SEPARATION_COGNITION_ACTION.md — O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

tensor_activation.py — tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

active_cognitive_reduction.py — active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.txt \

no_agent_act_guard.py — no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

avdr.py — avdr.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

AVDR.schema.json — AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F23A1_MEMORY_REFLEX_ORCHESTRATOR_SOURCE_AUD IT_20260528_083733.json \

export_for_x108.py — export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

x108_boundary_contract.md — x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P31_OS_TRAD_REVERSE_OS_RECOVERY_REPORT.md \

no_agent_act.py — no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

no_bdf_act.py — no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

no_cortex_act.py — no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

no_hexaflux_act.py — no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

no_memory_act.py — no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

PROTOCOLES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

PROTOCOLES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

PROTOCOLES / ITEM_REFERENCE_ONLY_NOT_BOUND (465)

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

audit — audit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

x108 — x108

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt — 019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0278B5554B6B_tlc_v3_14_DistributedX108_MC.txt — 0278B5554B6B_tlc_v3_14_DistributedX108_MC.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02870914067B_03_SPEC_30__Certification_Path_ANSSI_EU_AI_Act_P81_P 90_valider_V4.md — 02870914067B_03_SPEC_30__Certification_Path_ANSSI_EU_AI_Act_P81_P 90_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02870914067B_Spec_30__Certification_Path_ANSSI_EU_AI_Act_P81_P90_ valider_V4.md — 02870914067B_Spec_30__Certification_Path_ANSSI_EU_AI_Act_P81_P90_ valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

048543751F74_08_GEMINI_SECRET_REDACTION_GLOBAL.txt — 048543751F74_08_GEMINI_SECRET_REDACTION_GLOBAL.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0502EE0379A5_reverse_os_ui_contract.md — 0502EE0379A5_reverse_os_ui_contract.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05CF559873D3_tlc_v3_03_DistributedX108.txt — 05CF559873D3_tlc_v3_03_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05E6C7AFD367_tlc_v3_05_ObsidiaDistX108A11.txt — 05E6C7AFD367_tlc_v3_05_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

062190966013_AUDIT_BDF.md — 062190966013_AUDIT_BDF.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

06869AF09E77_CURRENT_ZIP2_COVERAGE_AUDIT_V3.txt — 06869AF09E77_CURRENT_ZIP2_COVERAGE_AUDIT_V3.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md — 069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

077EFC08D024_activation_rules.md — 077EFC08D024_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09CCE8C1917C_02_PEPITE_P153__Theme_abstraction_du_recit.md — 09CCE8C1917C_02_PEPITE_P153__Theme_abstraction_du_recit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09CCE8C1917C_P153__Theme_abstraction_du_recit.md — 09CCE8C1917C_P153__Theme_abstraction_du_recit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8EB1D0DD47_02_PEPITE_P042__Seuil_G1_ACT_si_S.md — 0A8EB1D0DD47_02_PEPITE_P042__Seuil_G1_ACT_si_S.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8EB1D0DD47_P42__Seuil_G1_ACT_si_S.md — 0A8EB1D0DD47_P42__Seuil_G1_ACT_si_S.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md — 0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0E6A6983A445_sigma_contracts.py.sha256.before.txt — 0E6A6983A445_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0EBB67BC1A5C_decisions_created_during_audit.csv — 0EBB67BC1A5C_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt — 0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json — 0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F8BE82FE7B0_AGENTS_52_NON_DECISION_CONTRACT.md — 0F8BE82FE7B0_AGENTS_52_NON_DECISION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FE099E48FDC_activation_rules.md — 0FE099E48FDC_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

102A6C47DB62_tlc_target_07_DistributedX108Snapshot.after_honest_s ubset_enumerable.txt — 102A6C47DB62_tlc_target_07_DistributedX108Snapshot.after_honest_s ubset_enumerable.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10839F27933F_AGENTS_52_FORBIDDEN_ACTIONS.md — 10839F27933F_AGENTS_52_FORBIDDEN_ACTIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10D7F9CD6EE1_tlc_v3_04_DistributedX108_MC.txt — 10D7F9CD6EE1_tlc_v3_04_DistributedX108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1140DEB521E7_activation_rules.md — 1140DEB521E7_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md — 1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1298ABD4F853_AVDR.schema.json — 1298ABD4F853_AVDR.schema.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12A71118851A_07_AUDIT_D__Tests_modules_A1_A24_T1_T12_etats_TESTED _REJECTED_BLOCKED.md — 12A71118851A_07_AUDIT_D__Tests_modules_A1_A24_T1_T12_etats_TESTED _REJECTED_BLOCKED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12A71118851A_Audit_D__Tests_modules_A1_A24_T1_T12_etats_TESTED_RE JECTED_BLOCKED.md — 12A71118851A_Audit_D__Tests_modules_A1_A24_T1_T12_etats_TESTED_RE JECTED_BLOCKED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

130ECCB46DC6_activation_rules.md — 130ECCB46DC6_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1343A6380233_activation_rules.md — 1343A6380233_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md — 14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_P2__Memoire_fractale_hierarchique.md — 14FE44E56781_P2__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

150F126D9A3F_decisions_created_during_audit.csv — 150F126D9A3F_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15ECFDEE42F1_tlc_v3_13_DistributedX108.txt — 15ECFDEE42F1_tlc_v3_13_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

166C59767F63_06_AGENT_ROLE__OS3_Audit_Layer.md — 166C59767F63_06_AGENT_ROLE__OS3_Audit_Layer.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

166C59767F63_ROLE_007__OS3_Audit_Layer.md — 166C59767F63_ROLE_007__OS3_Audit_Layer.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

171A65095A57_tlc_v3_15_ObsidiaDistX108A11.txt — 171A65095A57_tlc_v3_15_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

184769163F42_audit_visuel_3_domaines.json — 184769163F42_audit_visuel_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

187B9BF16A3B_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 187B9BF16A3B_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

189116684A8B_AUDIT_3_DOMAINS.md — 189116684A8B_AUDIT_3_DOMAINS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

19E38119F07A_tlc_v3_03_DistributedX108.txt — 19E38119F07A_tlc_v3_03_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on — 1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AFE59FC5C95_contracts_index.json — 1AFE59FC5C95_contracts_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C4772B2F3F6_INTERFACE_CONTRACT.md — 1C4772B2F3F6_INTERFACE_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D1C363A8052_03_SPEC_36__Inter_Foundation_Federation_Protocol_P13 1_P140_valider_V4.md — 1D1C363A8052_03_SPEC_36__Inter_Foundation_Federation_Protocol_P13 1_P140_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D1C363A8052_Spec_36__Inter_Foundation_Federation_Protocol_P131_P 140_valider_V4.md — 1D1C363A8052_Spec_36__Inter_Foundation_Federation_Protocol_P131_P 140_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DC509E379FB_ARTIFACT_HASH_MANIFEST.csv — 1DC509E379FB_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md — 1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md — 1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1FA88E0393EA_activation_rules.md — 1FA88E0393EA_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

201D0FFDE6B6_AUDIT_ROOT_SHA256.txt — 201D0FFDE6B6_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

20C24E73134A_audit_decision_summary.csv — 20C24E73134A_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2126BDD756AC_artifact_hash_manifest.csv — 2126BDD756AC_artifact_hash_manifest.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2188E00C489B_X108_STANDARD.md — 2188E00C489B_X108_STANDARD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21B4EA5CA8DD_activation_rules.md — 21B4EA5CA8DD_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21D1A36806FF_CURRENT_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EX TRACTORS.txt — 21D1A36806FF_CURRENT_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EX TRACTORS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2254A2D61793_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.md — 2254A2D61793_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

239325772D61_activation_rules.md — 239325772D61_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

23BB3B4307DC_artifact_hash_manifest.csv — 23BB3B4307DC_artifact_hash_manifest.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

278CAF176DFC_lean_audit_namespace_fix_check.txt — 278CAF176DFC_lean_audit_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2865A246A9F4_activation_rules.md — 2865A246A9F4_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28C601ED4379_audit_decision_summary.csv — 28C601ED4379_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t — 296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B66D68C13A0_AUDIT_GUIDE.md — 2B66D68C13A0_AUDIT_GUIDE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DCD3327E91E_audits_index.json — 2DCD3327E91E_audits_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md — 2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md — 2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md — 2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30B6B452B54B_03_SPEC_39__End_of_Life_Decommission_Protocol_P150_P 154_valider_V4.md — 30B6B452B54B_03_SPEC_39__End_of_Life_Decommission_Protocol_P150_P 154_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30B6B452B54B_Spec_39__End_of_Life_Decommission_Protocol_P150_P154 _valider_V4.md — 30B6B452B54B_Spec_39__End_of_Life_Decommission_Protocol_P150_P154 _valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt — 30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3129A65CC12A_02_PEPITE_P045__Skew_negatif_vers_HOLD.md — 3129A65CC12A_02_PEPITE_P045__Skew_negatif_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3129A65CC12A_P45__Skew_negatif_vers_HOLD.md — 3129A65CC12A_P45__Skew_negatif_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3154F07D7764_audit_securite_tracabilite.csv — 3154F07D7764_audit_securite_tracabilite.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3199A267F2A8_AUDIT_SHAZAM.md — 3199A267F2A8_AUDIT_SHAZAM.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

327BB3281E3A_03_SPEC_17__Legal_Grade_Audit_Export_P149.md — 327BB3281E3A_03_SPEC_17__Legal_Grade_Audit_Export_P149.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

327BB3281E3A_Spec_17__Legal_Grade_Audit_Export_P149.md — 327BB3281E3A_Spec_17__Legal_Grade_Audit_Export_P149.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

33B0632CFE71_decisions_created_during_audit.csv — 33B0632CFE71_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

33FE094EE3AB_P1_FREEZE_AUDIT_READABILITY_NOTE.md — 33FE094EE3AB_P1_FREEZE_AUDIT_READABILITY_NOTE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35412D788439_01_BLOC_08__Couche_Emotionnelle_et_Interaction_C7.md — 35412D788439_01_BLOC_08__Couche_Emotionnelle_et_Interaction_C7.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35412D788439_Bloc_08__Couche_Emotionnelle_et_Interaction_C7.md — 35412D788439_Bloc_08__Couche_Emotionnelle_et_Interaction_C7.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

35EC8831A678_tlc_v3_05_ObsidiaDistX108A11.txt — 35EC8831A678_tlc_v3_05_ObsidiaDistX108A11.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39BD7B436CBD_AUDIT_ROOT_SHA256.txt — 39BD7B436CBD_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A4F6800D717_decisions_created_during_audit.csv — 3A4F6800D717_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A6865683D93_Architecture BDF et Protocole d_Eveil Cognitif d_Obsidia.docx — 3A6865683D93_Architecture BDF et Protocole d_Eveil Cognitif d_Obsidia.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A78676BB41E_02_PEPITE_P062__Attracteur.md — 3A78676BB41E_02_PEPITE_P062__Attracteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A78676BB41E_P62__Attracteur.md — 3A78676BB41E_P62__Attracteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B22DDD9F6E9_03_SPEC_37__Citizen_Recourse_Protocol_P141_P148_vali der_V4.md — 3B22DDD9F6E9_03_SPEC_37__Citizen_Recourse_Protocol_P141_P148_vali der_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B22DDD9F6E9_Spec_37__Citizen_Recourse_Protocol_P141_P148_valider _V4.md — 3B22DDD9F6E9_Spec_37__Citizen_Recourse_Protocol_P141_P148_valider _V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B32B93C34CD_11_EXTENSION__ACP.md — 3B32B93C34CD_11_EXTENSION__ACP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B32B93C34CD_ACP.md — 3B32B93C34CD_ACP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B56F965F674_activation_rules.md — 3B56F965F674_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C5AD6EF49CD_artifact_hash_manifest.json — 3C5AD6EF49CD_artifact_hash_manifest.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C69995D0196_05_NO_X108_BYPASS.md — 3C69995D0196_05_NO_X108_BYPASS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D11A89A249B_tlc_v3_02_X108.txt — 3D11A89A249B_tlc_v3_02_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D32BED3D926_T07__Resilience_Test_memoire_fractale.md — 3D32BED3D926_T07__Resilience_Test_memoire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt — 3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3ED155357596_FREEZE_CANDIDATE_REPORT.md — 3ED155357596_FREEZE_CANDIDATE_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F198724E0D9_07_AUDIT_E__Isolation_OS3_OS4_non_contamination_L25. md — 3F198724E0D9_07_AUDIT_E__Isolation_OS3_OS4_non_contamination_L25. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F198724E0D9_Audit_E__Isolation_OS3_OS4_non_contamination_L25.md — 3F198724E0D9_Audit_E__Isolation_OS3_OS4_non_contamination_L25.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3FA83CD9884A_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 3FA83CD9884A_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

417FE5C5951A_audit_decision_summary.csv — 417FE5C5951A_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

427AFB34B2EC_tlc_v3_09_X108_MC.txt — 427AFB34B2EC_tlc_v3_09_X108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

42C32BE6EDDC_audit_3_domains.summary.json — 42C32BE6EDDC_audit_3_domains.summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

44B7CC208573_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1_1 .txt — 44B7CC208573_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1_1 .txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4628AA8513E5_02_KX108_ONLY_AUTHORITY.md — 4628AA8513E5_02_KX108_ONLY_AUTHORITY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

472189E45659_O3_EPREUVE_TEMPORELLE_X108.md — 472189E45659_O3_EPREUVE_TEMPORELLE_X108.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

482983836341_AUDIT_NON_DECISION.md — 482983836341_AUDIT_NON_DECISION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4919AEE19F12_AUDIT_COUVERTURE_SOURCES.md — 4919AEE19F12_AUDIT_COUVERTURE_SOURCES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4C1411038407_08_CONTRAT__OS3_OS4_ISOLATION_CONTRACT.md — 4C1411038407_08_CONTRAT__OS3_OS4_ISOLATION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4C1411038407_OS3_OS4_ISOLATION_CONTRACT.md — 4C1411038407_OS3_OS4_ISOLATION_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4DA7D35C39C3_tlc_v3_06_X108.txt — 4DA7D35C39C3_tlc_v3_06_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F4411AB8198_audit_decision_summary.csv — 4F4411AB8198_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F6AB3EA9E28_audit_decision_summary.csv — 4F6AB3EA9E28_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

505E677B70D0_tlc_v3_10_X108_MC.txt — 505E677B70D0_tlc_v3_10_X108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

50E9C1177E6D_activation_rules.md — 50E9C1177E6D_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

518A75C08A5E_Audit.setup.json — 518A75C08A5E_Audit.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

542322133D32_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 542322133D32_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

54D708706CE3_10_TESTS__CHAOS_REPLAY_8.md — 54D708706CE3_10_TESTS__CHAOS_REPLAY_8.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

54D708706CE3_CHAOS_REPLAY_8.md — 54D708706CE3_CHAOS_REPLAY_8.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt — 56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

58CDBA359EDA_AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md — 58CDBA359EDA_AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

59DD83519DB8_audit_decision_summary.json — 59DD83519DB8_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D15042683ED_activation_rules.md — 5D15042683ED_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D31F72C8871_activation_rules.md — 5D31F72C8871_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D7BF5C1F1AD_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 5D7BF5C1F1AD_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E0CE815A1F2_02_PEPITE_P003__Oubli_actif.md — 5E0CE815A1F2_02_PEPITE_P003__Oubli_actif.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E0CE815A1F2_P3__Oubli_actif.md — 5E0CE815A1F2_P3__Oubli_actif.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F087DE17E65_lean_auditroots_namespace_fix_check.txt — 5F087DE17E65_lean_auditroots_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F3D171EBF6B_O7_AUDITABILITE_NATIVE.md — 5F3D171EBF6B_O7_AUDITABILITE_NATIVE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

60F195C0B7D7_artifact_hash_manifest.json — 60F195C0B7D7_artifact_hash_manifest.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

60FB340F5175_ARTIFACT_HASH_MANIFEST_FINAL.csv — 60FB340F5175_ARTIFACT_HASH_MANIFEST_FINAL.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt — 62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

63F680A22448_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 63F680A22448_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt — 655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

661BD57174C1_activation_rules.md — 661BD57174C1_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66F3B42E8792_ARTIFACT_HASH_MANIFEST.csv — 66F3B42E8792_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md — 671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md — 671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6746F62BE480_activation_rules.md — 6746F62BE480_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

689243634C7E_tlc_target_07_DistributedX108Snapshot.after_force_in it_next.txt — 689243634C7E_tlc_target_07_DistributedX108Snapshot.after_force_in it_next.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

698F2B1AD901_audit_decision_summary.json — 698F2B1AD901_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6992426D0D60_activation_rules.md — 6992426D0D60_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BAE986A324A_AUDIT_ROOT_SHA256.txt — 6BAE986A324A_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE608A31697_03_SPEC_18__Incident_Response_Protocol_P150_P154_val ider_V4.md — 6BE608A31697_03_SPEC_18__Incident_Response_Protocol_P150_P154_val ider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE608A31697_Spec_18__Incident_Response_Protocol_P150_P154_valide r_V4.md — 6BE608A31697_Spec_18__Incident_Response_Protocol_P150_P154_valide r_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6BE894561EFD_activation_rules.md — 6BE894561EFD_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CB901D5F755_03_SPEC_07__Replay_Pack_Format_bundle_standard_P64_P 70_valider_V4.md — 6CB901D5F755_03_SPEC_07__Replay_Pack_Format_bundle_standard_P64_P 70_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CB901D5F755_Spec_07__Replay_Pack_Format_bundle_standard_P64_P70_ valider_V4.md — 6CB901D5F755_Spec_07__Replay_Pack_Format_bundle_standard_P64_P70_ valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E2E3D2E1643_P1_FREEZE_NOTE.md — 6E2E3D2E1643_P1_FREEZE_NOTE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E56F26D9135_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — 6E56F26D9135_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6E68013B4C5D_tlc_v3_07_DistributedX108Snapshot.txt — 6E68013B4C5D_tlc_v3_07_DistributedX108Snapshot.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6EB102203499_AUDIT_LOCAL_AGENT.md — 6EB102203499_AUDIT_LOCAL_AGENT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

706E064C52F0_activation_rules.md — 706E064C52F0_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

716C3604D5DF_activation_rules.md — 716C3604D5DF_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

719DD6E6A0F9_02_PEPITE_P139__Protocole_sequence_de_messages.md — 719DD6E6A0F9_02_PEPITE_P139__Protocole_sequence_de_messages.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

719DD6E6A0F9_P139__Protocole_sequence_de_messages.md — 719DD6E6A0F9_P139__Protocole_sequence_de_messages.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

736311AD55ED_tlc_v3_08_ObsidiaDistX108A12.txt — 736311AD55ED_tlc_v3_08_ObsidiaDistX108A12.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

73FBA800FDF3_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1.t xt — 73FBA800FDF3_CURRENT_OBSIDIA_V4_PERIPHERAL_INTEGRATION_AUDIT_V1.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

74850BFFBB54_README_FREEZE_V18.txt — 74850BFFBB54_README_FREEZE_V18.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7781CEA39E6E_Architecture et Protocoles de l'OS Cognitif Obsidia.docx — 7781CEA39E6E_Architecture et Protocoles de l'OS Cognitif Obsidia.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7854B21D3676_AuditRoots.setup.json — 7854B21D3676_AuditRoots.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78D2B0C81F67_tlc_v3_04_DistributedX108_MC.txt — 78D2B0C81F67_tlc_v3_04_DistributedX108_MC.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md — 7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md — 7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

79F6124D83D3_ARTIFACT_HASH_MANIFEST.csv — 79F6124D83D3_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7A25AECBCA2A_decisions_created_during_audit.csv — 7A25AECBCA2A_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7A568BF4A4EE_activation_rules.md — 7A568BF4A4EE_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7ACABF202E94_activation_rules.md — 7ACABF202E94_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7ADF770CE3FB_audit_decision_summary.json — 7ADF770CE3FB_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7BCEB69755B0_AUDIT_MCP.md — 7BCEB69755B0_AUDIT_MCP.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C54E48C7971_sigma_contracts.py.sha256.before.txt — 7C54E48C7971_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7A241A0435_CURRENT_OBSIDIA_V4_PERMANENT_ATTACH_V1_FREEZE.txt — 7C7A241A0435_CURRENT_OBSIDIA_V4_PERMANENT_ATTACH_V1_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7C1E9A5895_audit_3_domains.csv — 7C7C1E9A5895_audit_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D416944CEF4_02_PEPITE_P051__Structure_fractale.md — 7D416944CEF4_02_PEPITE_P051__Structure_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D416944CEF4_P51__Structure_fractale.md — 7D416944CEF4_P51__Structure_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F25E6558E99_AUDIT_ROOT_SHA256.txt — 7F25E6558E99_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

822AA511B4AC_tlc_target_07_DistributedX108Snapshot.after_cfg_star t_predicate.txt — 822AA511B4AC_tlc_target_07_DistributedX108Snapshot.after_cfg_star t_predicate.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

826797C1A397_02_PEPITE_P049__Emergence_par_interaction.md — 826797C1A397_02_PEPITE_P049__Emergence_par_interaction.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

826797C1A397_P49__Emergence_par_interaction.md — 826797C1A397_P49__Emergence_par_interaction.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8274574969F7_tlc_v3_02_X108.txt — 8274574969F7_tlc_v3_02_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8288D87AC320_extracted_text_all.md — 8288D87AC320_extracted_text_all.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

82D94D3C31B4_tlc_target_07_DistributedX108Snapshot.after_elapsedm in_parentheses.txt — 82D94D3C31B4_tlc_target_07_DistributedX108Snapshot.after_elapsedm in_parentheses.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md — 83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

843CDB66A93C_non_decision_contract.md — 843CDB66A93C_non_decision_contract.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

844D735EF6CD_AUDIT_ROOT_SHA256.txt — 844D735EF6CD_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

84C88A7559A2_AUDIT_AGENTS_52.md — 84C88A7559A2_AUDIT_AGENTS_52.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

857B514C41DE_sigma_contracts.py.sha256.before.txt — 857B514C41DE_sigma_contracts.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8608B50639C5_requirements.freeze.txt — 8608B50639C5_requirements.freeze.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86EB81151FB8_AUDIT_v1_1_TRINITY_REAL_FLOW_STAGING.md — 86EB81151FB8_AUDIT_v1_1_TRINITY_REAL_FLOW_STAGING.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87AB19021F79_FREEZE_STATUS.txt — 87AB19021F79_FREEZE_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87AB19021F79_SOURCE_FREEZE_STATUS.txt — 87AB19021F79_SOURCE_FREEZE_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

888B1B1A9C25_tlc_v3_01_DistributedX108.txt — 888B1B1A9C25_tlc_v3_01_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

890456C4DDD4_audit_decision_summary.json — 890456C4DDD4_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89131184009F_CURRENT_ZIP2_COVERAGE_AUDIT.txt — 89131184009F_CURRENT_ZIP2_COVERAGE_AUDIT.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89299EB5632D_AUDIT_ROOT_SHA256.txt — 89299EB5632D_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8929C5E013DC_ARTIFACT_HASH_MANIFEST.csv — 8929C5E013DC_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A41587F5E8E_activation_rules.md — 8A41587F5E8E_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A72E17BB3F7_activation_rules.md — 8A72E17BB3F7_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8AEA160EED8A_CARTOGRAPHE_LOIS_PROTOCOLES.md — 8AEA160EED8A_CARTOGRAPHE_LOIS_PROTOCOLES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CC9CE893E22_PRE_FREEZE.md — 8CC9CE893E22_PRE_FREEZE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md — 8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8EA82C88CF36_CURRENT_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.tx t — 8EA82C88CF36_CURRENT_BRODY_OBSIDIEN_V1_2_1_IDENTITY_HOLD_PATCH.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8EE44EE5A567_Constitution d_Obsidia et Protocoles de Securite Cognitive.docx — 8EE44EE5A567_Constitution d_Obsidia et Protocoles de Securite Cognitive.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8FC5365BAF78_decisions_created_during_audit.csv — 8FC5365BAF78_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt — 919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91CE1FE9EB2E_audit_decision_summary.csv — 91CE1FE9EB2E_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

929F92B1197E_O1_NON_ACTION_LEGITIME.md — 929F92B1197E_O1_NON_ACTION_LEGITIME.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

931990BB4628_ARTIFACT_HASH_MANIFEST.csv — 931990BB4628_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

938F45778F0D_activation_rules.md — 938F45778F0D_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D8E311F7CD_FINAL_AUDIT_REPORT.md — 93D8E311F7CD_FINAL_AUDIT_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

950D8D6CD6EF_FREEZE_MASTER.md — 950D8D6CD6EF_FREEZE_MASTER.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

950E441C6490_POST_AUDIT_TABLEAUX_STRUCTURES.md — 950E441C6490_POST_AUDIT_TABLEAUX_STRUCTURES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970A18D7FF64_Spec_23__Cross_Territory_Audit_Federation_P11_P20_va lider_V4.md — 970A18D7FF64_Spec_23__Cross_Territory_Audit_Federation_P11_P20_va lider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

985E00B1728E_decisions_created_during_audit.csv — 985E00B1728E_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98ED67EFAAC1_A05__Singularite_Initiale_Audit_ethique_permanent.md — 98ED67EFAAC1_A05__Singularite_Initiale_Audit_ethique_permanent.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9AEC9EF379C6_04_MODULE_A13__Securite_Interactions_Mode_reflexe.md — 9AEC9EF379C6_04_MODULE_A13__Securite_Interactions_Mode_reflexe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9AEC9EF379C6_A13__Securite_Interactions_Mode_reflexe.md — 9AEC9EF379C6_A13__Securite_Interactions_Mode_reflexe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E963A474A27_05_GARDIEN_T01__Gardien_de_fond__Reduction_Incertitu de_Audit_coherence.md — 9E963A474A27_05_GARDIEN_T01__Gardien_de_fond__Reduction_Incertitu de_Audit_coherence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E963A474A27_T01__Gardien_de_fond__Reduction_Incertitude_Audit_co herence.md — 9E963A474A27_T01__Gardien_de_fond__Reduction_Incertitude_Audit_co herence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F1FE92960F9_02_PEPITE_P069__Responsabilite_action_consequence.md — 9F1FE92960F9_02_PEPITE_P069__Responsabilite_action_consequence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F1FE92960F9_P69__Responsabilite_action_consequence.md — 9F1FE92960F9_P69__Responsabilite_action_consequence.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A064E14B73A5_AUDIT_ROOT_SHA256.txt — A064E14B73A5_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A6CB8AB83AC3_activation_rules.md — A6CB8AB83AC3_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7A4BFCE2328_routers.getRecentTransactions.summary.txt — A7A4BFCE2328_routers.getRecentTransactions.summary.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7B07E264F2F_12_ENGINE__EVIDENCE_CONTRACT_V4.md — A7B07E264F2F_12_ENGINE__EVIDENCE_CONTRACT_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7B07E264F2F_EVIDENCE_CONTRACT_V4.md — A7B07E264F2F_EVIDENCE_CONTRACT_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A828D5FCFB2F_activation_rules.md — A828D5FCFB2F_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A92594D3B8A7_decisions_created_during_audit.csv — A92594D3B8A7_decisions_created_during_audit.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md — A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md — A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md — A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB516F9F1519_x108_boundary_contract.md — AB516F9F1519_x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABDCDBDE067F_tlc_v3_11_DistributedX108.txt — ABDCDBDE067F_tlc_v3_11_DistributedX108.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AC045C42E6E2_ARTIFACT_HASH_MANIFEST.csv — AC045C42E6E2_ARTIFACT_HASH_MANIFEST.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt — ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt — AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt — AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B1290D991FF9_AUDIT_HEXAFLUX_LTCU.md — B1290D991FF9_AUDIT_HEXAFLUX_LTCU.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md — B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B31504934F5E_activation_rules.md — B31504934F5E_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B3E984E6E967_audit_decision_summary.json — B3E984E6E967_audit_decision_summary.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B463D3B23F90_freeze-check.md — B463D3B23F90_freeze-check.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4A7E763A506_activation_rules.md — B4A7E763A506_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4DAF594C123_ARTIFACT_HASH_MANIFEST.csv — B4DAF594C123_ARTIFACT_HASH_MANIFEST.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B507E01ACD7F_activation_rules.md — B507E01ACD7F_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B5AEECD539BA_decisions_created_during_audit.csv — B5AEECD539BA_decisions_created_during_audit.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt — B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6D999752BB9_audit_summary_3_domains.csv — B6D999752BB9_audit_summary_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B7A40972F6A6_activation_rules.md — B7A40972F6A6_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B928B0607F0A_04_BINDING_AFTER_X108_ONLY.md — B928B0607F0A_04_BINDING_AFTER_X108_ONLY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9B21D83762F_02_PEPITE_P017__Croissance_du_log_daudit.md — B9B21D83762F_02_PEPITE_P017__Croissance_du_log_daudit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9B21D83762F_P17__Croissance_du_log_daudit.md — B9B21D83762F_P17__Croissance_du_log_daudit.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BAE7EEACABAA_agent_contract.schema.json — BAE7EEACABAA_agent_contract.schema.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD9DA44DA091_10_TESTS__LOAD_REPLAY_5.md — BD9DA44DA091_10_TESTS__LOAD_REPLAY_5.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD9DA44DA091_LOAD_REPLAY_5.md — BD9DA44DA091_LOAD_REPLAY_5.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF3079185796_P2_BANK_REPLAY_RESULTS.md — BF3079185796_P2_BANK_REPLAY_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF8B3F45346A_CURRENT_BRODY_PRE_UI_FREEZE_V1.txt — BF8B3F45346A_CURRENT_BRODY_PRE_UI_FREEZE_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C044E748E45A_audit_summary_3_domains.json — C044E748E45A_audit_summary_3_domains.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C1362BEF8804_01_TRACKED_BUILD_ARTIFACTS_TO_REMOVE_FROM_GIT_LATER. csv — C1362BEF8804_01_TRACKED_BUILD_ARTIFACTS_TO_REMOVE_FROM_GIT_LATER. csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C17D3700DA42_tlc_v3_07_DistributedX108Snapshot.txt — C17D3700DA42_tlc_v3_07_DistributedX108Snapshot.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C5402DB7EB8A_02_PEPITE_P081__Surcharge_vers_HOLD.md — C5402DB7EB8A_02_PEPITE_P081__Surcharge_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C5402DB7EB8A_P81__Surcharge_vers_HOLD.md — C5402DB7EB8A_P81__Surcharge_vers_HOLD.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C56516D8D978_audit_securite_tracabilite.json — C56516D8D978_audit_securite_tracabilite.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6F3DD041218_02_PEPITE_P137__Agent_Role_Protocole_Flux.md — C6F3DD041218_02_PEPITE_P137__Agent_Role_Protocole_Flux.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6F3DD041218_P137__Agent_Role_Protocole_Flux.md — C6F3DD041218_P137__Agent_Role_Protocole_Flux.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C6FD38D6C112_AUDIT_MMONDE.md — C6FD38D6C112_AUDIT_MMONDE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C70D94DB0843_activation_rules.md — C70D94DB0843_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C72E0C3E75AB_lean_build_Obsidia_Audit.txt — C72E0C3E75AB_lean_build_Obsidia_Audit.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7ADB2F20AC5_Dossier de Fabrication d_Obsidia X-108 - Eveil du Maitre d_Oeuvre.docx — C7ADB2F20AC5_Dossier de Fabrication d_Obsidia X-108 - Eveil du Maitre d_Oeuvre.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C80C12B00539_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md — C80C12B00539_POST_AUDIT_TABLEAUX_STRUCTURES_V2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C888919CFAD0_AUDIT_ROOT_SHA256.txt — C888919CFAD0_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBC224D68E10_AUDIT_ROOT_SHA256.txt — CBC224D68E10_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBFD9ED1FA2A_03_SPEC_05__Replay_OS3_matching_attendu_observe_P41_ P46_valider_V4.md — CBFD9ED1FA2A_03_SPEC_05__Replay_OS3_matching_attendu_observe_P41_ P46_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBFD9ED1FA2A_Spec_05__Replay_OS3_matching_attendu_observe_P41_P46 _valider_V4.md — CBFD9ED1FA2A_Spec_05__Replay_OS3_matching_attendu_observe_P41_P46 _valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CCAE37FB92E1_CURRENT_AUDIT_BRODY_CONNECTOR_SOURCE_SCAN_BEFORE_WOR LD_INTAKE.txt — CCAE37FB92E1_CURRENT_AUDIT_BRODY_CONNECTOR_SOURCE_SCAN_BEFORE_WOR LD_INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE954F5ADFC8_AUDIT_ROOT_SHA256.txt — CE954F5ADFC8_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D163F708AD84_ARTIFACT_HASH_MANIFEST.csv — D163F708AD84_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md — D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5CD0EADEB5E_CURRENT_BRODY_OBSIDIEN_V1_4_12A_CODE_PASTE_GUARD_VAL IDATED_FREEZE.txt — D5CD0EADEB5E_CURRENT_BRODY_OBSIDIEN_V1_4_12A_CODE_PASTE_GUARD_VAL IDATED_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5D12C2D1500_tlc_v3_01_DistributedX108.txt — D5D12C2D1500_tlc_v3_01_DistributedX108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D6E793D052FA_07_SECRET_REDACTION_PATCH.txt — D6E793D052FA_07_SECRET_REDACTION_PATCH.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md — D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D76A10C754FC_sigma_protocols.py.sha256.before.txt — D76A10C754FC_sigma_protocols.py.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D76A10C754FC_sigma_protocols.py.sha256.txt — D76A10C754FC_sigma_protocols.py.sha256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md — D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBB21AC6214C_context_activation_router_config_v1.json — DBB21AC6214C_context_activation_router_config_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBBB617997AE_O8_SEPARATION_COGNITION_ACTION.md — DBBB617997AE_O8_SEPARATION_COGNITION_ACTION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DDB2D8556B56_04_MODULE_A21__Cryptographie_Homomorphe_Mediatheque_ fractale.md — DDB2D8556B56_04_MODULE_A21__Cryptographie_Homomorphe_Mediatheque_ fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DDB2D8556B56_A21__Cryptographie_Homomorphe_Mediatheque_fractale.m d — DDB2D8556B56_A21__Cryptographie_Homomorphe_Mediatheque_fractale.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DE6A28E7B284_audit_decision_summary.csv — DE6A28E7B284_audit_decision_summary.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DEA82D7CDEF5_tlc_v3_12_X108.txt — DEA82D7CDEF5_tlc_v3_12_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E04DBCA62C2C_FRACTAL_INFERENCE.md — E04DBCA62C2C_FRACTAL_INFERENCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0F1E391D1F2_sigma_contracts.py.sha256.txt — E0F1E391D1F2_sigma_contracts.py.sha256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E1D7EBA55758_07_TRACE_REPLAY_STABILITY.md — E1D7EBA55758_07_TRACE_REPLAY_STABILITY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E2D9678294B9_FREEZE_MANIFEST_SHA256.json — E2D9678294B9_FREEZE_MANIFEST_SHA256.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E5C917E8098A_SOURCE_AUDIT_V1_1_REPORT.md — E5C917E8098A_SOURCE_AUDIT_V1_1_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E5F4C5B901E3_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS _MANIFEST.json — E5F4C5B901E3_BRODY_OBSIDIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS _MANIFEST.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md — E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EA7573C96843_AUDIT_ROOT_SHA256.txt — EA7573C96843_AUDIT_ROOT_SHA256.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EADE13C70E4D_audit_decision_summary.json — EADE13C70E4D_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB92563B77A3_AUDIT_ROOT_SHA256_FINAL.txt — EB92563B77A3_AUDIT_ROOT_SHA256_FINAL.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json — ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED4E10E3D709_02_PEPITE_P120__Abstraction_par_interface.md — ED4E10E3D709_02_PEPITE_P120__Abstraction_par_interface.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED4E10E3D709_P120__Abstraction_par_interface.md — ED4E10E3D709_P120__Abstraction_par_interface.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED5C72520CD0_NON_DECISION_CONTRACT_ZIP2.md — ED5C72520CD0_NON_DECISION_CONTRACT_ZIP2.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ED638FE4AF99_tlc_v3_06_X108.txt — ED638FE4AF99_tlc_v3_06_X108.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF5562F41B6B_P1_FREEZE.md — EF5562F41B6B_P1_FREEZE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF6AAF226E3B_activation_rules.md — EF6AAF226E3B_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF962AA8DE43_audit_visuel_3_domaines.csv — EF962AA8DE43_audit_visuel_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F0B6CA2CB183_TemporalX108.setup.json — F0B6CA2CB183_TemporalX108.setup.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F365B9DE04FE_audit_decision_summary.json — F365B9DE04FE_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F6719FC7C2A2_activation_rules.md — F6719FC7C2A2_activation_rules.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F701EB8E5069_Obsidia - Souverainete Cognitive et Protocole MCP.docx — F701EB8E5069_Obsidia - Souverainete Cognitive et Protocole MCP.docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F74BA0085B83_ARTIFACT_HASH_MANIFEST.csv — F74BA0085B83_ARTIFACT_HASH_MANIFEST.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F82F77857EB6_EXTRACTEUR_MATIERE_BRUTE.md — F82F77857EB6_EXTRACTEUR_MATIERE_BRUTE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json — F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F992158BF3B8_contracts.sha256.before.txt — F992158BF3B8_contracts.sha256.before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FC20C4117C25_CURRENT_AUDIT_LOCAL_BRODY_MEMORY_ARCHITECTURE_BEFORE _WORLD_INTAKE.txt — FC20C4117C25_CURRENT_AUDIT_LOCAL_BRODY_MEMORY_ARCHITECTURE_BEFORE _WORLD_INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt — FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD17686EC311_08_CONTRAT__ADELE_FORMAL_CONTRACT.md — FD17686EC311_08_CONTRAT__ADELE_FORMAL_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD17686EC311_ADELE_FORMAL_CONTRACT.md — FD17686EC311_ADELE_FORMAL_CONTRACT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD82A14E8BA3_audit_decision_summary.json — FD82A14E8BA3_audit_decision_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDEEAC4FF67A_07_AUDIT_C__Validation_des_40_specs_institutionnelle s.md — FDEEAC4FF67A_07_AUDIT_C__Validation_des_40_specs_institutionnelle s.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDEEAC4FF67A_Audit_C__Validation_des_40_specs_institutionnelles.m d — FDEEAC4FF67A_Audit_C__Validation_des_40_specs_institutionnelles.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FE504CFA788D_audit_decision_summary.csv — FE504CFA788D_audit_decision_summary.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FE9AA65B19D4_tlc_target_07_DistributedX108Snapshot.after_remove_s tale_constants.txt — FE9AA65B19D4_tlc_target_07_DistributedX108Snapshot.after_remove_s tale_constants.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FFC9F20E29C0_activation_rules.md — FFC9F20E29C0_activation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AGENTS_52_FORBIDDEN_ACTIONS.md — AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AGENTS_52_NON_DECISION_CONTRACT.md — AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

agent_contract.schema.json — agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — BALANCES

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 3

• ITEM_BOUND_BRODY_ONLY: 25

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 54

• ITEM_REFERENCE_ONLY_NOT_BOUND: 418

BALANCES / ITEM_BOUND_BRODY_AND_DOMAIN (3)

if _has_any(low, ("energie", "énergie", "energy", "sigma", "sigma_score", "truth_score", "balance exponentielle")): — if _has_any(low, ("energie", "énergie", "energy", "sigma", "sigma_score", "truth_score", "balance exponentielle")):

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

BALANCE — BALANCE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

Balance exponentielle — Balance exponentielle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

BALANCES / ITEM_BOUND_BRODY_ONLY (25)

/api/periphery/gencoin/balance — /api/periphery/gencoin/balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

periphery_balance — periphery_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

from apps.obsidia_api.brody_balance_engine import BrodyBalanceEngine — from apps.obsidia_api.brody_balance_engine import BrodyBalanceEngine

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

sigma_payload={"balance": 1000.0, "request_type": "STRUCTURAL_PREPARATION"}, — sigma_payload={"balance": 1000.0, "request_type": "STRUCTURAL_PREPARATION"},

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

- periphery/gencoin_sandbox/balance_operator.py — - periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\GENCOIN_SANDBOX_INGESTION_REPORT.md

from periphery.gencoin_sandbox.balance_operator import compute_balance — from periphery.gencoin_sandbox.balance_operator import compute_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

*** **Description :** Gencoin, la balance universelle, la calibration énergétique. — * **Description :** Gencoin, la balance universelle, la calibration énergétique.**

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F20A_SOURCE_SCAN_20260528_012740.json \

Liens avec : X-108, AVDR, ACP, Freeze, Kernel, mémoire fractale, frise chronologique, 34 arbres, balance exponentielle, calibration procédurale, preuves / audit / CI, AGI. — Liens avec : X-108, AVDR, ACP, Freeze, Kernel, mémoire fractale, frise chronologique, 34 arbres, balance exponentielle, calibration procédurale, preuves / audit / CI, AGI.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \agents\prompts\OBSIDIA_ATLAS_INGESTOR.md

- Tu préserves les noms structurels : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale. — - Tu préserves les noms structurels : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \agents\prompts\OBSIDIA_ATLAS_INGESTOR.md

Vérifie si le fragment utilise ou renomme : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale. — Vérifie si le fragment utilise ou renomme : Obsidia, X-108, AVDR, ACP, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \agents\prompts\CANON_GUARDIAN.md

balances — balances

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

La Balance exponentielle apporte la pesée non linéaire de cette transformation. — La Balance exponentielle apporte la pesée non linéaire de cette transformation.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\AVDR_CANON.md

Balance Obsidienne — canon — Balance Obsidienne — canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

Balance Obsidienne — canon — # Balance Obsidienne — canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance n'est pas un invariant pur du noyau bas. — La Balance n'est pas un invariant pur du noyau bas.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance est l'opérateur de pondération structurelle du kernel. — La Balance est l'opérateur de pondération structurelle du kernel.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance ne sert pas à compter. Elle sert à peser. — La Balance ne sert pas à compter. Elle sert à peser.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance donne la pesée structurelle de ce processus. — La Balance donne la pesée structurelle de ce processus.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

Balance dit ce que ça vaut. — Balance dit ce que ça vaut.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance aide à trancher entre plusieurs chemins possibles. — La Balance aide à trancher entre plusieurs chemins possibles.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

La Balance sert à mesurer la valeur réelle, pondérer effort / impact / stabilité, éviter le bullshit économique. — La Balance sert à mesurer la valeur réelle, pondérer effort / impact / stabilité, éviter le bullshit économique.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\gencoin\sandbox_pre_freeze\BALANCE_CANON.md

BalancePayload — BalancePayload

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

periphery/gencoin_sandbox/balance_operator.py — periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\GENCOIN_SANDBOX_INGESTION_REPORT.md \

tests/periphery/test_balance_operator.py — tests/periphery/test_balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\RUN_V4_CONTROLLED_RUNTIME_TES TS.ps1 \

BALANCES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

BALANCES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (54)

"/api/periphery/gencoin/balance": { — "/api/periphery/gencoin/balance": {

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_FULL_R OUTE_COVERAGE_MAP.json

"function": "periphery_balance", — "function": "periphery_balance",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_FULL_R OUTE_COVERAGE_MAP.json \

"path": "/api/periphery/gencoin/balance", — "path": "/api/periphery/gencoin/balance",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json

Tests — brody_balance_engine V3 Block 1 — Tests — brody_balance_engine V3 Block 1

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

11 balances, coordinator, no decision, no ACT, HOLD correctement déclenché. — 11 balances, coordinator, no decision, no ACT, HOLD correctement déclenché.

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

_ENGINE = BrodyBalanceEngine() — _ENGINE = BrodyBalanceEngine()

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

return _ENGINE.compute_balances(msg, mc) — return _ENGINE.compute_balances(msg, mc)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-01 : 11 balances présentes ──── ── ── T-BAL-01 : 11 balances présentes ────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-01 : 11 balances présentes ──── ── # ── T-BAL-01 : 11 balances présentes ────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

EXPECTED_BALANCES = [— EXPECTED_BALANCES = [

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

"balance_reversibilite", "balance_risque", "balance_exponentielle", — "balance_reversibilite", "balance_risque", "balance_exponentielle",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

"balance_coherence", "balance_energy_cost", "balance_bio_terrain", — "balance_coherence", "balance_energy_cost", "balance_bio_terrain",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

"balance_memoire", "balance_causale", "balance_signal_faible", — "balance_memoire", "balance_causale", "balance_signal_faible",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

"balance_symbolique", "balance_projection", — "balance_symbolique", "balance_projection",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_11_balances_present(): — def test_11_balances_present():

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

bals = result["balances"] — bals = result["balances"]

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

for name in EXPECTED_BALANCES: — for name in EXPECTED_BALANCES:

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

assert name in bals, f"Balance manquante: {name}" — assert name in bals, f"Balance manquante: {name}"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-02 : Aucune balance ne décide ──── ── ── T-BAL-02 : Aucune balance ne décide ────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-02 : Aucune balance ne décide ──── ── # ── T-BAL-02 : Aucune balance ne décide ────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_no_balance_decides(): — def test_no_balance_decides():

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

rev = result["balances"]["balance_reversibilite"] — rev = result["balances"]["balance_reversibilite"]

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ── — ── T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ──

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ── — # ── T-BAL-05 : Adversarial → balance_exponentielle haute + layers_to_avoid ──

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_adversarial_balance_exponentielle(): — def test_adversarial_balance_exponentielle():

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

exp = result["balances"]["balance_exponentielle"] — exp = result["balances"]["balance_exponentielle"]

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-08 : balance_memoire haute sur prompt mémoire ──────────── — ── T-BAL-08 : balance_memoire haute sur prompt mémoire ────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-08 : balance_memoire haute sur prompt mémoire ──────────── — # ── T-BAL-08 : balance_memoire haute sur prompt mémoire ────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_balance_memoire_high_on_memory_query(): — def test_balance_memoire_high_on_memory_query():

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

mem_bal = result["balances"]["balance_memoire"] — mem_bal = result["balances"]["balance_memoire"]

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-09 : balance_causale haute sur prompt causal ──────────── — ── T-BAL-09 : balance_causale haute sur prompt causal ────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

── T-BAL-09 : balance_causale haute sur prompt causal ──────────── — # ── T-BAL-09 : balance_causale haute sur prompt causal ────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_balance_causale_high(): — def test_balance_causale_high():

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

caus = result["balances"]["balance_causale"] — caus = result["balances"]["balance_causale"]

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

EXPECTED_BALANCES — EXPECTED_BALANCES

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

balance_reversibilite — balance_reversibilite

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_risque — balance_risque

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_exponentielle — balance_exponentielle

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_coherence — balance_coherence

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_energy_cost — balance_energy_cost

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_bio_terrain — balance_bio_terrain

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_memoire — balance_memoire

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_causale — balance_causale

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_signal_faible — balance_signal_faible

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_symbolique — balance_symbolique

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

balance_projection — balance_projection

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py \

result = compute_balance("x", utility=1.0, coherence=1.0, stability=1.0, cost=0.0, risk=0.0) — result = compute_balance("x", utility=1.0, coherence=1.0, stability=1.0, cost=0.0, risk=0.0)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\periphery\test_balance_operator.py

assert result.balance_score >= 0.8 — assert result.balance_score >= 0.8

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\periphery\test_balance_operator.py

result = compute_balance("x", utility=0.1, coherence=0.1, stability=0.1, cost=0.9, risk=0.9) — result = compute_balance("x", utility=0.1, coherence=0.1, stability=0.1, cost=0.9, risk=0.9)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\periphery\test_balance_operator.py

assert 0.0 <= result.balance_score <= 1.0 — assert 0.0 <= result.balance_score <= 1.0

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\periphery\test_balance_operator.py

result = compute_balance("x", utility=0.7, coherence=0.6, stability=0.6, cost=0.3, risk=0.3) — result = compute_balance("x", utility=0.7, coherence=0.6, stability=0.6, cost=0.3, risk=0.3)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\periphery\test_balance_operator.py

"name": "Balance exponentielle", — "name": "Balance exponentielle",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Graphiti
Hit evidence: GRAPHITI:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidias hell-main\reports\graphiti_v20_frozen_gateway_smoke.json

"summary": "CANON_GUARDIAN verifies name collisions for Balance exponentielle." — "summary": "CANON_GUARDIAN verifies name collisions for Balance exponentielle."

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Graphiti

Hit evidence: GRAPHITI:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidias hell-main\reports\graphiti_v20_frozen_gateway_smoke.json

balances, — balances,

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests

Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

BALANCES / ITEM_REFERENCE_ONLY_NOT_BOUND (418)

0F2C7E218018_11_EXTENSION__BALANCE.md — 0F2C7E218018_11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F2C7E218018_BALANCE.md — 0F2C7E218018_BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md — 1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_ Balance_structure_chaos.md — 5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_ Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_str ucture_chaos.md — 5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_str ucture_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_struc ture_chaos.md — 05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_struc ture_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\05_GARDIENS_T\05_GARDIEN_T05__Gardien_de_fond__Evolutio n_Systemes_Balance_structure_chaos.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\05_GARDIENS_T\05_GARDIEN_T05__Gardien_de_fond__Evolutio n_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11_EXTENSION__BALANCE.md — 11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__BALANCE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0F2C7E218018_11_EXTENSION__BALANCE.md", — "title": "0F2C7E218018_11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0F2C7E218018_BALANCE.md", — "title": "0F2C7E218018_BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , — "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" ,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes _Balance_structure_chaos.md", — "title": "5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes _Balance_structure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_st ructure_chaos.md", — "title": "5D8CDD9F3BCF_T05__Gardien_de_fond__Evolution_Systemes_Balance_st ructure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_stru cture_chaos.md", — "title": "05_GARDIEN_T05__Gardien_de_fond__Evolution_Systemes_Balance_stru cture_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\05_GARDIENS_T\\05_GARDIEN_T05__Gardien_de_fo nd__Evolution_Systemes_Balance_structure_chaos.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\05_GARDIENS_T\\05_GARDIEN_T05__Gardien_de_fo nd__Evolution_Systemes_Balance_structure_chaos.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "11_EXTENSION__BALANCE.md", — "title": "11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\11_EXTENSIONS\\11_EXTENSION__BALANCE.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_06__Cosm ologie_Economie_R_D\\11_EXTENSIONS\\11_EXTENSION__BALANCE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2. Balance engine — 2. Balance engine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2. Balance engine — # 2. Balance engine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_s21 = t("balance_engine_sec21", BrodyBalanceEngine().compute_balances, MSG_SEC21, mc_s21) — bal_s21 = t("balance_engine_sec21", BrodyBalanceEngine().compute_balances, MSG_SEC21, mc_s21)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02) — bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

print(f"IMPORT_ERR balance_engine: {e}") — print(f"IMPORT_ERR balance_engine: {e}")

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_s21, graphiti_allowed=False, is_adversarial=False, — balance_output=bal_s21, graphiti_allowed=False, is_adversarial=False,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_s21, point_cloud=pc_s21, graphiti_guard={}, context_budget={}) — balance_output=bal_s21, point_cloud=pc_s21, graphiti_guard={}, context_budget={})

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_output=bal_c02, point_cloud=pc_c02, graphiti_guard={}, context_budget={}) — balance_output=bal_c02, point_cloud=pc_c02, graphiti_guard={}, context_budget={})

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"05_BALANCE_BUV","specs/05_BALANCE_BUV_GEOMETRIES local","9","LOCAL_SPEC_PREFREEZE","KEEP_SPEC","BUV / balance" — "05_BALANCE_BUV","specs/05_BALANCE_BUV_GEOMETRIES local","9","LOCAL_SPEC_PREFREEZE","KEEP_SPEC","BUV / balance"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}' — python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}'

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance exponentielle mémoire fractale — balance exponentielle mémoire fractale

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**balance_exponentielle: FR=Balance exponentielle \ — EN=Exponential balance **

Statut source: HANZI=□□□ \ | Verdict: IR=VALUE,TIME \ | Brody: MATH=λ(t)=e^t / scale | Domaines: balance_exponentielle: FR=Balance exponentielle \ | Runtime autre: EN=Exponential balance \
Hit evidence: HANZI=□□□ \

**balance_fractale: FR=Balance fractale \ — EN=Fractal balance **

Statut source: HANZI=□□□ \ | Verdict: IR=STATE,VALUE,FLOW \ | Brody: MATH=Σ(+) = Σ(-) | Domaines: balance_fractale: FR=Balance fractale \ | Runtime autre: EN=Fractal balance \
Hit evidence: HANZI=□□□ \

balance_fractale — balance_fractale

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"query": "balance exponentielle mémoire fractale", — "query": "balance exponentielle mémoire fractale",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"balance_exponentielle: FR=Balance exponentielle \ — EN=Exponential balance **

Statut source: HANZI=□□□ \ | Verdict: IR=VALUE,TIME \ | Brody: MATH=λ(t)=e^t / scale", | Domaines: "balance_exponentielle: FR=Balance exponentielle \ | Runtime autre: EN=Exponential balance \
Hit evidence: HANZI=□□□ \

**"balance_fractale: FR=Balance fractale \ — EN=Fractal balance **

Statut source: HANZI=□□□ \ | Verdict: IR=STATE,VALUE,FLOW \ | Brody: MATH=Σ(+) = Σ(-)", | Domaines: "balance_fractale: FR=Balance fractale \ | Runtime autre: EN=Fractal balance \
Hit evidence: HANZI=□□□ \

"concept_id": "balance_exponentielle", — "concept_id": "balance_exponentielle",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"concept_id": "balance_fractale", — "concept_id": "balance_fractale",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]}, — {"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]}, — {"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]}, — {"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id": "GRAPHITI_V2_000274", "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , "text_len": 3039}, — {"id": "GRAPHITI_V2_000274", "title": "1A8AA0F5157E_T05__Evolution_Systemes_Balance_structure_chaos.md" , "text_len": 3039},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DRY_006,GRAPHITI_V2_002995,05_GARDIEN_T05__Gardien_de_fond__Evolu tion_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_006,GRAPHITI_V2_002995,05_GARDIEN_T05__Gardien_de_fond__Evolu tion_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —
Hit evidence: —

DRY_014,GRAPHITI_V2_000274,1A8AA0F5157E_T05__Evolution_Systemes_B alance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_014,GRAPHITI_V2_000274,1A8AA0F5157E_T05__Evolution_Systemes_B alance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —
Hit evidence: —

DRY_025,GRAPHITI_V2_000870,5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_d e_fond__Evolution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_025,GRAPHITI_V2_000870,5D8CDD9F3BCF_05_GARDIEN_T05__Gardien_d e_fond__Evolution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

Hit evidence: —

DRY_026,GRAPHITI_V2_000871,5D8CDD9F3BCF_T05__Gardien_de_fond__Evo lution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ — I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False

Statut source: DRY_026,GRAPHITI_V2_000871,5D8CDD9F3BCF_T05__Gardien_de_fond__Evo lution_Systemes_Balance_structure_chaos.md,T05,Arbre de l'Identite,I_FONDAMENTAUX,Fondamentaux,ARBRE_05__Arbre_de_I_Ident ite,T05\ | Verdict: I_FONDAMENTAUX,TITLE_REGEX_MATCH,0.99,False,False,False,False,Fal se,False | Brody: UNKNOWN | Domaines: ITEM_REFERENCE_ONLY_NOT_BOUND | Runtime autre: —

Hit evidence: —

"concepts": ["balance_fractale","avdr","memoire_fractale","procedural_univers el","symbolisme_dynamique","agents_obsidiens","civilisation_cogni tive"], — "concepts": ["balance_fractale","avdr","memoire_fractale","procedural_univers el","symbolisme_dynamique","agents_obsidiens","civilisation_cogni tive"],

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Contenu: Concepts: balance_fractale, avdr, memoire_fractale, procedural_universel, symbolisme_dynamique, agents_obsidiens, civilisation_cognitive. Pivot L2: VALUE STATE READ WRITE FLOW COND LOOP CALL RETURN EVENT TIME ERROR — - **Contenu:** Concepts: balance_fractale, avdr, memoire_fractale, procedural_universel, symbolisme_dynamique, agents_obsidiens, civilisation_cognitive. Pivot L2: VALUE STATE READ WRITE FLOW COND LOOP CALL RETURN EVENT TIME ERROR**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□{"source":"OBSIDIA_GRAPHITI_PHASE0_V20_FROZEN","ok":true,"mode": "FROZEN_READONLY_CONTEXT","query":"CANON","limit":5,"kernel_decis ion":"NONE","graphiti_decision":"NONE","graphiti_role":"READONLY_ CONTEXT_PROVIDER","x108_merge_status":"NOT_MERGED","commit_status ":"LOCAL_ONLY","live_neo4j_dependency":false,"entity_count":5,"re lation_count":2,"context_packet":{"facts":["CANON_GUARDIAN is deployed on Vertex AI or locally.","CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u002 — □{"source":"OBSIDIA_GRAPHITI_PHASE0_V20_FROZEN","ok":true,"mode": "FROZEN_READONLY_CONTEXT","query":"CANON","limit":5,"kernel_decis ion":"NONE","graphiti_decision":"NONE","graphiti_role":"READONLY_ CONTEXT_PROVIDER","x108_merge_status":"NOT_MERGED","commit_status ":"LOCAL_ONLY","live_neo4j_dependency":false,"entity_count":5,"re lation_count":2,"context_packet":{"facts":["CANON_GUARDIAN is deployed on Vertex AI or locally.","CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u002

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs_imports_readonly\BALANCE_SOURCE.md","1589","D6E78ECD96A43 5DCAE1D51C6613340644268866O3A45D8887B94D4570582C5EA" — "specs_imports_readonly\BALANCE_SOURCE.md","1589","D6E78ECD96A43 5DCAE1D51C6613340644268866O3A45D8887B94D4570582C5EA"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_ADMISSIBILITY_OPERATOR_S PEC.md","730","EC7D1AFC59986547D766108CC72AD2BEB2A8E764F2FAACFF0F E89699AC40957A" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_ADMISSIBILITY_OPERATOR_S PEC.md","730","EC7D1AFC59986547D766108CC72AD2BEB2A8E764F2FAACFF0F E89699AC40957A"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_NO_DECISION_RULE.md","65 9","07BC63EA0674DF321999D5A5AA64ED66CEC4667E20F5CBCEC48099ED67182 280" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_NO_DECISION_RULE.md","65 9","07BC63EA0674DF321999D5A5AA64ED66CEC4667E20F5CBCEC48099ED67182 280"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_OPERATOR_BOUNDARY.md","6 72","419D82F9D91CBA100E0461DB8A138035270C75E09366B5DB6873C6DA8D2C 5700" — "specs\05_BALANCE_BUV_GEOMETRIES\BALANCE_OPERATOR_BOUNDARY.md","6 72","419D82F9D91CBA100E0461DB8A138035270C75E09366B5DB6873C6DA8D2C 5700"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_MASTER_SPEC.md","1634","849C 3A83518F437C59CBBE9CA70E18CF69410EC9717D7952208B5940F0B54356" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_MASTER_SPEC.md","1634","849C 3A83518F437C59CBBE9CA70E18CF69410EC9717D7952208B5940F0B54356"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_NON_SOVEREIGN_WEIGHTING_RULE .md","654","3A5F84994088670DE45D432CAD1B0F349C98AC960A43F967AF0C1 79D829FCCFF" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_NON_SOVEREIGN_WEIGHTING_RULE .md","654","3A5F84994088670DE45D432CAD1B0F349C98AC960A43F967AF0C1 79D829FCCFF"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_SCORE_BOUNDARY.md","696","C8 34703189AEC3D7A0ED55635FE0C5CDD7DB2E313F271EE0223CB94B86C072D0" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_SCORE_BOUNDARY.md","696","C8 34703189AEC3D7A0ED55635FE0C5CDD7DB2E313F271EE0223CB94B86C072D0"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\BUV_TO_X108_ADMISSION_SPEC.md"," 732","7577E35D699CED84D84FF9EEAE5418D3E463F2770AAE526B4DF9A62D061 B295E" — "specs\05_BALANCE_BUV_GEOMETRIES\BUV_TO_X108_ADMISSION_SPEC.md"," 732","7577E35D699CED84D84FF9EEAE5418D3E463F2770AAE526B4DF9A62D061 B295E"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\GEOMETRIES_CANONICAL_INDEX.md"," 768","E792B5219221A0005A0894981E55FEB825C7E5CADD96001BC4B4C315883 4CD8B" — "specs\05_BALANCE_BUV_GEOMETRIES\GEOMETRIES_CANONICAL_INDEX.md"," 768","E792B5219221A0005A0894981E55FEB825C7E5CADD96001BC4B4C315883 4CD8B"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"specs\05_BALANCE_BUV_GEOMETRIES\HIGH_GEOMETRIES_CANONICAL_INDEX. md","740","75219340F70962C4154B3D9BF52314D025BE32A262D626DB703BA2 B72FC8E1A2" — "specs\05_BALANCE_BUV_GEOMETRIES\HIGH_GEOMETRIES_CANONICAL_INDEX. md","740","75219340F70962C4154B3D9BF52314D025BE32A262D626DB703BA2 B72FC8E1A2"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_ADMISSIBILITY_OPERATOR_SPEC — BALANCE_ADMISSIBILITY_OPERATOR_SPEC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_ADMISSIBILITY_OPERATOR_SPEC — # BALANCE_ADMISSIBILITY_OPERATOR_SPEC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py\n- periphery/gencoin_sandbox/regime_truth_gate.py — - periphery/gencoin_sandbox/balance_operator.py\n- periphery/gencoin_sandbox/regime_truth_gate.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Opérateur d'admissibilité de la balance. — Scope: Opérateur d'admissibilité de la balance.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_NO_DECISION_RULE — BALANCE_NO_DECISION_RULE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_NO_DECISION_RULE — # BALANCE_NO_DECISION_RULE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py — - periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Règle absolue : Balance ne décide pas. — Scope: Règle absolue : Balance ne décide pas.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance produit un score — KX108 décide — - Balance produit un score — KX108 décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance produit ALLOW/HOLD/BLOCK — - Balance produit ALLOW/HOLD/BLOCK

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_OPERATOR_BOUNDARY — BALANCE_OPERATOR_BOUNDARY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_OPERATOR_BOUNDARY — # BALANCE_OPERATOR_BOUNDARY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Scope: Frontière de l'opérateur de balance. — Scope: Frontière de l'opérateur de balance.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Spec master de la Balance Obsidienne (BUV = terme conceptuel de l'audio). — Spec master de la Balance Obsidienne (BUV = terme conceptuel de l'audio).

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "BUV correspond à BALANCE_CANON.md + balance_operator.py" — - "BUV correspond à BALANCE_CANON.md + balance_operator.py"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La balance calcule un score multi-facteur — pas une décision ALLOW/HOLD/BLOCK" — - "La balance calcule un score multi-facteur — pas une décision ALLOW/HOLD/BLOCK"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Balance = signal de pondération pour X108" — - "Balance = signal de pondération pour X108"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La Balance décide" — - "La Balance décide"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Balance → ALLOW automatique" — - "Balance → ALLOW automatique"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score □ [0,1] — signal pour X108 — - balance_score □ [0,1] — signal pour X108
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance pèse — BUV filtre — X108 décide — - Balance pèse — BUV filtre — X108 décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance ne produit pas ALLOW/HOLD/BLOCK — - Balance ne produit pas ALLOW/HOLD/BLOCK
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance ne produit pas vérité finale — - Balance ne produit pas vérité finale
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance = entrée pour X108 — KX108 décide — - Balance = entrée pour X108 — KX108 décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_balance_no_verdict — - test_balance_no_verdict
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_balance_score_range — - test_balance_score_range
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"Balance ≠ décision finale" — résultat d'une évaluation multi-facteur. — "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- La balance sandbox sera-t-elle connectée au runtime principal en Plan 3 ? — - La balance sandbox sera-t-elle connectée au runtime principal en Plan 3 ?
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score in [0,1]\n- Seuils d'alerte documentés dans BALANCE_CANON.md — - balance_score in [0,1]\n- Seuils d'alerte documentés dans BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score > 1 possible\n- Score = vérité absolue — - balance_score > 1 possible\n- Score = vérité absolue
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py\n- periphery/x108_ingress/readonly_context_ingress.py — - periphery/gencoin_sandbox/balance_operator.py\n- periphery/x108_ingress/readonly_context_ingress.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_score = entrée X108 comme signal de pondération — - balance_score = entrée X108 comme signal de pondération
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance → ALLOW automatique — - Balance → ALLOW automatique
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_SOURCE — BALANCE_SOURCE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BALANCE_SOURCE — # BALANCE_SOURCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- balance_operator.py : calcule un score de balance multi-facteur dans un sandbox — - balance_operator.py : calcule un score de balance multi-facteur dans un sandbox

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- BALANCE_CANON.md : document de référence canonique pour la Balance Obsidienne — - BALANCE_CANON.md : document de référence canonique pour la Balance Obsidienne

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- LIMITS_AND_STATUS.md : limites explicites de la balance sandbox — - LIMITS_AND_STATUS.md : limites explicites de la balance sandbox

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- BUV (Balance Universelle Valorisée) = nom conceptuel pour la balance — pas un fichier dédié dans le repo — - BUV (Balance Universelle Valorisée) = nom conceptuel pour la balance — pas un fichier dédié dans le repo

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Un opérateur de balance sandbox est implémenté en Python — - Un opérateur de balance sandbox est implémenté en Python

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- La balance produit un score — pas une décision ALLOW/HOLD/BLOCK — - La balance produit un score — pas une décision ALLOW/HOLD/BLOCK

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Le concept BUV correspond à BALANCE_CANON.md + balance_operator.py — - Le concept BUV correspond à BALANCE_CANON.md + balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Que la balance prend une décision finale — - Que la balance prend une décision finale

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Que le score de balance remplace le verdict X108 — - Que le score de balance remplace le verdict X108

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- SANDBOX — balance_operator.py est dans gencoin_sandbox/ — - SANDBOX — balance_operator.py est dans gencoin_sandbox/

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Balance → X108 décide — - Balance → X108 décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Obsidia calcule un score de balance multi-facteur en Python" — AUTORISÉ — - "Obsidia calcule un score de balance multi-facteur en Python" — AUTORISÉ

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "La Balance Obsidienne décide" — INTERDIT — - "La Balance Obsidienne décide" — INTERDIT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — - 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — - 05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — 05_BALANCE_BUV_GEOMETRIES/ **

Statut source: Balance / BUV / géométries \ | Brody: \ | Domaines: 05_BALANCE_BUV_GEOMETRIES/ \ | Runtime autre: Balance / BUV / géométries \

**\ — Balance / BUV / géométries **

Statut source: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \ | Brody: \ | Domaines: Balance / BUV / géométries \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \

**\ — specs/05_BALANCE_BUV_GEOMETRIES/ **

Statut source: 9 fichiers □ \ | Verdict: SPEC_FROZEN \ | Domaines: \ | Runtime autre: specs/05_BALANCE_BUV_GEOMETRIES/ \
Hit evidence: 9 fichiers □ \

├── 05_BALANCE_BUV_GEOMETRIES/ (8 fichiers) — ├── 05_BALANCE_BUV_GEOMETRIES/ (8 fichiers)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

\ — BALANCE_SOURCE.md \

Statut source: periphery/gencoin_sandbox/balance_operator.py + BALANCE_CANON.md \ | Brody: \ | Domaines: BALANCE_SOURCE.md \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py + BALANCE_CANON.md \

\ — 05_BALANCE_BUV_GEOMETRIES \

Statut source: 8 \ | Verdict: BUV_MASTER, BALANCE_NO_DECISION_RULE, BUV_TO_X108_ADMISSION \ | Domaines: \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES \
Hit evidence: 8 \

\ — 05_BALANCE_BUV_GEOMETRIES/ \

Statut source: 8 specs \ | Verdict: RUNTIME_CODE (sandbox) \ | Brody: Sandbox → gateway Plan 3 \ | Runtime autre: \
Hit evidence: 05_BALANCE_BUV_GEOMETRIES/ \

\ — 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \

Statut source: **Readonly wrapper** — balance sandbox Plan 3 \ | Verdict: P6 \ | Domaines: \ | Runtime autre: 05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md \
Hit evidence: **Readonly wrapper** — balance sandbox Plan 3 \

\ — **P6** Graphiti/Brody readonly wrappers \

Statut source: Atlas V0_1_EXHAUSTIVE registry-first + Graphiti context packets + Balance sandbox \ | Verdict: 08_MEMORY_BRODY_GRAPHITI/, 05_BALANCE_BUV_GEOMETRIES/, Atlas pack \ | Brody: GRAPHITI_READONLY; NO_WRITE_WITHOUT_GATE \
| Domaines: P5 finalisé \
Hit evidence: \

\ — BUV_MASTER_SPEC \

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: SOURCE_FOUND_UNDER_DIFFERENT_NAME \ | Brody: KX108_ONLY \ | Domaines: RUNTIME_CODE (sandbox) \ | Runtime autre: P1 \

\ — GEOMETRIES_CANONICAL_INDEX \

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: ABSENT_UNDER_THIS_NAME \ | Brody: KX108_ONLY \ | Domaines: ABSENT \ | Runtime autre: P2 \

\ — BALANCE_NO_DECISION_RULE \

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: SOURCE_ORGANIZED \ | Brody: KX108_ONLY \ | Domaines: RUNTIME_CODE \ | Runtime autre: P0 \

\ — specs/05_BALANCE_BUV_GEOMETRIES/ \

Statut source: Multi-source \ | Verdict: SPEC_LOCKED \ | Brody: CANON \ | Domaines: 9 fichiers \
Hit evidence: \

├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS — ├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

\ — **Balance/BUV** \

Statut source: Calculer score de balance multi-facteur [0,1] \ | Verdict: Décider de l'action, émettre verdict final \ | Brody: [Python spec — FORMAL_PROOF_PENDING] \ | Domaines: BALANCE □ ALLOW/HOLD/BLOCK \ | Runtime autre: test_balance_no_verdict \

\ — **Balance/BUV** \

Statut source: Balance pèse, Balance □ ALLOW/HOLD/BLOCK \ | Verdict: periphery/gencoin_sandbox/balance_operator.py \ | Brody: PYTHON_SPEC \ | Domaines: FORMAL_PROOF_PENDING \
Hit evidence: \

\ — Balance/BUV \

Statut source: OUI \ | Verdict: NON \ | Brody: NON \ | Domaines: NON \ | Runtime autre: X108 pour décision basée sur score \

\ — BUV (Balance Universelle des Vérités) \

Statut source: Propositions C8/C9 \ | Verdict: Filtrage cohérence \ | Brody: Prototype Python existant, Lean manquant \ | Domaines: PARTIAL_BRANCH_FOUND \
Hit evidence: \

\ — BUV canonical gate \

Statut source: "Garde opérationnel" \ | Verdict: Prototype Python sandbox \ | Brody: NOT_FULLY_BRANCHED \ | Domaines: Sandbox uniquement \ | Runtime autre: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md \
Hit evidence: P1 \

\ — Balance operator / BUV \

Statut source: periphery/gencoin_sandbox/balance_operator.py \ | Verdict: Prototype Python \ | Brody: Spec formelle, Lean proof \ | Domaines: PARTIAL — sandbox uniquement \ | Runtime autre: MOYEN — ne pas clamer "opérationnel" \

2. BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md — 2. BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md **

Statut source: 05_BALANCE_BUV_GEOMETRIES \ | Verdict: □ Prévu \ | Domaines: \ | Runtime autre: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md \
Hit evidence: 05_BALANCE_BUV_GEOMETRIES \

**\ — No BUV no-decision test **

Statut source: BUV sandbox, non testé \ | Verdict: Audio section 4 \ | Brody: BALANCE_ADMISSIBILITY_OPERATOR_SPEC.md + tests \ | Domaines: Plan 2 \
Hit evidence: \

**\ — "prototype fonctionnel actif" (BUV balance_operator.py) **

Statut source: Prototype sandbox uniquement \ | Verdict: Non branché production \ | Brody: periphery/gencoin_sandbox/ \ | Runtime autre: \
Hit evidence: "prototype fonctionnel actif" (BUV balance_operator.py) \

**\ — periphery/gencoin_sandbox/balance_operator.py **

Statut source: DO_NOT_PROMOTE_TO_RUNTIME \ | Verdict: Sandbox uniquement \ | Domaines: \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py \
Hit evidence: DO_NOT_PROMOTE_TO_RUNTIME \

- **Recherché sous : BUV, buv_master_spec, Balance Universelle Valorisée, Balance Obsidienne master — - **Recherché sous** : BUV, buv_master_spec, Balance Universelle Valorisée, Balance Obsidienne master**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Source alternative : docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, periphery/gencoin_sandbox/balance_operator.py — - **Source alternative** : docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, periphery/gencoin_sandbox/balance_operator.py**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Action Plan 2 : Consolidation nécessaire — BALANCE_CANON.md est la source la plus proche — - **Action Plan 2** : Consolidation nécessaire — BALANCE_CANON.md est la source la plus proche**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BUV **

Statut source: balance_operator.py, BALANCE_CANON.md \ | Verdict: periphery/gencoin_sandbox/, docs/gencoin/sandbox_pre_freeze/ \ | Brody: SOURCE_FOUND_UNDER_DIFFERENT_NAME \ | Runtime autre: \
Hit evidence: BUV \

**\ — BALANCE_BUV_MASTER_SPEC_V1.md **

Statut source: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md, docs/gencoin/sandbox_pre_freeze/LIMITS_AND_STATUS.md \ | Verdict: RUNTIME_CODE + DOC_ONLY \ | Brody: Sandbox uniquement — ne pas exposer balance_operator en production sans gate \ | Domaines: Tests balance dans sandbox \ | Runtime autre: Python test uniquement \
Hit evidence: "Balance Obsidienne" ≠ décision finale — résultat d'une évaluation multi-facteur \

6. Grep Gencoin / Jcoin / BUV / Balance — 6. Grep Gencoin / Jcoin / BUV / Balance

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6. Grep Gencoin / Jcoin / BUV / Balance — ### 6. Grep Gencoin / Jcoin / BUV / Balance

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

grep -rl "Gencoin\ — Jcoin

Statut source: BUV\ | Verdict: Balance\ | Brody: mint_allowed\ | Domaines: gencoin_candidate\ | Runtime autre: gross_value\
Hit evidence: net_value" periphery/ sigma/

- **Balance / BUV : runtime sandbox présent (balance_operator.py) — pas de spec master unifiée — - **Balance / BUV** : runtime sandbox présent (balance_operator.py) — pas de spec master unifiée**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **buv_master_spec.md : BALANCE_CANON.md est la source la plus proche — - **buv_master_spec.md** : BALANCE_CANON.md est la source la plus proche**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 7 — Balance / BUV — Bloc 7 — Balance / BUV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 7 — Balance / BUV — ### Bloc 7 — Balance / BUV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/gencoin_sandbox/balance_operator.py — RUNTIME_CODE + SANDBOX — - periphery/gencoin_sandbox/balance_operator.py — RUNTIME_CODE + SANDBOX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — DOC_ONLY — - docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Terme Gemini : BUV = Balance Universelle Valorisée (ou Balance Obsidienne) — - **Terme Gemini** : BUV = Balance Universelle Valorisée (ou Balance Obsidienne)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Réalité : pas de fichier buv_master_spec.md — BALANCE_CANON.md est la source canonique — - **Réalité** : pas de fichier buv_master_spec.md — BALANCE_CANON.md est la source canonique**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Spec future : specs/BALANCE_BUV_MASTER_SPEC_V1.md — - **Spec future** : specs/BALANCE_BUV_MASTER_SPEC_V1.md**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Risque : "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur — - **Risque** : "Balance ≠ décision finale" — résultat d'une évaluation multi-facteur**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — BUV **

Statut source: BALANCE_CANON.md + balance_operator.py \ | Verdict: docs/gencoin/sandbox_pre_freeze/, periphery/gencoin_sandbox/ \ | Brody: BUV = concept audio/Gemini — terme réel = Balance Obsidienne \ | Runtime autre: \
Hit evidence: BUV \

**\ — Balance ≠ décision finale **

Statut source: balance_operator.py = scoring sandbox, KX108 décide \ | Brody: \ | Domaines: Balance ≠ décision finale \ | Runtime autre: balance_operator.py = scoring sandbox, KX108 décide \

**\ — Balance / BUV **

Statut source: balance_operator.py, BALANCE_CANON.md \ | Verdict: REMOTE_A5F21C6B \ | Brody: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md \ | Domaines: RUNTIME_CODE + DOC_ONLY \ | Runtime autre: RUNTIME_CODE \
Hit evidence: specs/BALANCE_BUV_MASTER_SPEC_V1.md \

- Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide — - Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Balance **

Statut source: OUI \ | Verdict: NON \ | Brody: NON \ | Domaines: NON \
Hit evidence: \

**\ — No BUV no-decision test **

Statut source: BUV_MASTER_SPEC.md + BALANCE_NO_DECISION_RULE.md □ créés \ | Brody: \ | Domaines: No BUV no-decision test \ | Runtime autre: BUV_MASTER_SPEC.md + BALANCE_NO_DECISION_RULE.md □ créés \

**\ — BUV **

Statut source: BALANCE_CANON.md + balance_operator.py \ | Brody: \ | Domaines: BUV \ | Runtime autre: BALANCE_CANON.md + balance_operator.py \

**\ — Balance **

Statut source: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/ \ | Brody: \ | Domaines: Balance \ | Runtime autre: periphery/gencoin_sandbox/balance_operator.py, docs/gencoin/sandbox_pre_freeze/ \

**\ — Balance **

Statut source: periphery/gencoin_sandbox/balance_operator.py \ | Verdict: RUNTIME_CODE (sandbox) \ | Brody: "Score balance sandbox" \ | Domaines: "Balance décide / BUV = token" \
Hit evidence: \

**\ — BUV (Balance Universelle des Vérités) **

Statut source: Prototype Python sandbox \ | Verdict: Score advisory [0,1] uniquement \ | Domaines: \ | Runtime autre: BUV (Balance Universelle des Vérités) \
Hit evidence: Prototype Python sandbox \

**\ — Balance/BUV **

Statut source: RUNTIME_CODE (sandbox) \ | Verdict: PeripheralSignalPacket (admissibility_score) \ | Domaines: \ | Runtime autre: Balance/BUV \
Hit evidence: RUNTIME_CODE (sandbox) \

- "Balance/BUV peut émettre BLOCK" — INTERDIT — - "Balance/BUV peut émettre BLOCK" — INTERDIT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — module_type **

Statut source: enum \ | Verdict: — \ | Brody: KERNEL, SIGMA, GRAPHITI, BRODY, NPL, ATLAS, COGNITIVE, EXTERNAL_SIGNALS, BALANCE, GENCOIN, GPS, AGENT, LLM, UNKNOWN \ | Runtime autre: \
Hit evidence: module_type \

**\ — BALANCE **

Statut source: true \ | Verdict: false \ | Brody: false \ | Domaines: KX108_ONLY \
Hit evidence: \

Signals, Atlas, Cognitive, Balance, P107/P161, Audio/Entropy, RSSI, ou RGPD — Signals, Atlas, Cognitive, Balance, P107/P161, Audio/Entropy, RSSI, ou RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"COGNITIVE", "EXTERNAL_SIGNALS", "BALANCE", "GENCOIN", — "COGNITIVE", "EXTERNAL_SIGNALS", "BALANCE", "GENCOIN",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"external_signals", "entropy", "rssi", "rgpd", "balance", — "external_signals", "entropy", "rssi", "rgpd", "balance",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance Obsidienne: Peser -> Simplifier -> Réintégrer -> Statuer — Balance Obsidienne: Peser -> Simplifier -> Réintégrer -> Statuer

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

class BalanceResult: — class BalanceResult:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_score: float — balance_score: float

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_score": self.balance_score, — "balance_score": self.balance_score,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def compute_balance(— def compute_balance(

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

) -> BalanceResult: —) -> BalanceResult:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

return BalanceResult(— return BalanceResult(

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balance_score=score, — balance_score=score,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Évolution Systèmes / Balance structure/chaos — Évolution Systèmes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"name": "Évolution Systèmes / Balance structure/chaos", — "name": "Évolution Systèmes / Balance structure/chaos",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos — T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos — # T05 — Gardien de fond — Évolution Systèmes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Évolution Systèmes / Balance structure/chaos — T05 — Évolution Systèmes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

T05 — Évolution Systèmes / Balance structure/chaos — # T05 — Évolution Systèmes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ce module porte la fonction : **Évolution Systèmes / Balance structure/chaos. — Ce module porte la fonction : **Évolution Systèmes / Balance structure/chaos**.**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Extension / R&D — BALANCE — Extension / R&D — BALANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Extension / R&D — BALANCE — # Extension / R&D — BALANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Connexions avec : X-108, AVDR, mémoire fractale, balance exponentielle, 34 arbres, kernel. — Connexions avec : X-108, AVDR, mémoire fractale, balance exponentielle, 34 arbres, kernel.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Obsidia, X-108, AVDR, ACP, Double-Verrou, Calibration Chaotique, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale, BSD, ProofKit, Lean, TLA, root/seal, OS0, OS1, OS2, OS3, OS4, L2, L3. — Obsidia, X-108, AVDR, ACP, Double-Verrou, Calibration Chaotique, Freeze, Kernel, Mémoire fractale, 34 arbres, Frise humaine, Balance exponentielle, Calibration procédurale, BSD, ProofKit, Lean, TLA, root/seal, OS0, OS1, OS2, OS3, OS4, L2, L3.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Rôle : Suit et maintient toutes les formules d'Obsidia. Balance exponentielle, formules cosmos, X-108. — Rôle : Suit et maintient toutes les formules d'Obsidia. Balance exponentielle, formules cosmos, X-108.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

je parle de sa C'est un titre extrêmement accrocheur, mais attention : comme souvent avec les articles de vulgarisation à sensation, il faut faire la part des choses entre la prouesse théorique et la réalité pratique. De quoi s'agit-il vraiment ? L'article fait référence aux travaux d'un physicien (souvent lié aux théories de Stephen Wolfram ou de physiciens comme l'Espagnol Cristobal Vila) qui cherche à unifier les structures mathématiques via le concept de Complexité Algorithmique. L'idée ce — je parle de sa C'est un titre extrêmement accrocheur, mais attention : comme souvent avec les articles de vulgarisation à sensation, il faut faire la part des choses entre la prouesse théorique et la réalité pratique. De quoi s'agit-il vraiment ? L'article fait référence aux travaux d'un physicien (souvent lié aux théories de Stephen Wolfram ou de physiciens comme l'Espagnol Cristobal Vila) qui cherche à unifier les structures mathématiques via le concept de Complexité Algorithmique. L'idée ce

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Obsidia, X-108, tes balances, ta mémoire réflexe, tes idées cosmos : tout tourne autour de ça. — Obsidia, X-108, tes balances, ta mémoire réflexe, tes idées cosmos : tout tourne autour de ça.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ça colle avec ta balance exponentielle aussi. — Ça colle avec ta balance exponentielle aussi.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ta balance exponentielle, dans cette lecture, n’est pas juste un outil symbolique. Elle pourrait devenir une forme de mesure périphérique de tension / poids / déséquilibre / densité. — Ta balance exponentielle, dans cette lecture, n’est pas juste un outil symbolique. Elle pourrait devenir une forme de mesure périphérique de tension / poids / déséquilibre / densité.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Et le physicien ajoute : au lieu d’avoir 50 balances, 50 règles, 50 détecteurs, tu peux chercher une logique primitive capable de les générer ou de les approximer. — Et le physicien ajoute : au lieu d’avoir 50 balances, 50 règles, 50 détecteurs, tu peux chercher une logique primitive capable de les générer ou de les approximer.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance exponentielle réduira la tension. — La balance exponentielle réduira la tension.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global. — Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A. Nombres premiers + balance mathématique — A. Nombres premiers + balance mathématique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5.K — Balance mathématique + partitions + nombres premiers — 5.K — Balance mathématique + partitions + nombres premiers

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Tes documents posent une synergie entre la découverte autour des partitions/nombres premiers et ta balance mathématique : la balance devient un révélateur transversal capable de croiser algèbre, combinatoire, factorisation et analyse symbolique. — Tes documents posent une synergie entre la découverte autour des partitions/nombres premiers et ta balance mathématique : la balance devient un révélateur transversal capable de croiser algèbre, combinatoire, factorisation et analyse symbolique.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance mathématique agit comme opérateur d’échelle : — La balance mathématique agit comme opérateur d’échelle :

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance mathe´matique=ope´rateur de lecture des grandeurs\boxed{ Balance\ mathématique = opérateur\ de\ lecture\ des\ grandeurs } Partitions=projection combinatoire cache´e\boxed{ Partitions = projection\ combinatoire\ cachée } Nombres premiers=terrain de test structurel\boxed{ Nombres\ premiers = terrain\ de\ test\ structurel } — Balance mathe´matique=ope´rateur de lecture des grandeurs\boxed{ Balance\ mathématique = opérateur\ de\ lecture\ des\ grandeurs } Partitions=projection combinatoire cache´e\boxed{ Partitions = projection\ combinatoire\ cachée } Nombres premiers=terrain de test structurel\boxed{ Nombres\ premiers = terrain\ de\ test\ structurel }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11.C — Balance de proportion / transport par ratios — 11.C — Balance de proportion / transport par ratios

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance transporte les structures d’un contexte a` l’autre\boxed{ La\ balance\ transporte\ les\ structures\ d’un\ contexte\ à\ l’autre } — La balance transporte les structures d’un contexte a` l’autre\boxed{ La\ balance\ transporte\ les\ structures\ d’un\ contexte\ à\ l’autre }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

12.B — Balance exponentielle / calibrateur λ(t) — 12.B — Balance exponentielle / calibrateur λ(t)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le moteur global place la Balance Exponentielle comme loi structurante de régulation dynamique, liée au calibrateur λ(t). — Le moteur global place la Balance Exponentielle comme loi structurante de régulation dynamique, liée au calibrateur λ(t).

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance : — Balance :

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance(x,t)=x□eλ(t)Balance(x,t) = x \cdot e^{\lambda(t)} — Balance(x,t)=x□eλ(t)Balance(x,t) = x \cdot e^{\lambda(t)}

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance exponentielle=re´gulation de flux\boxed{ Balance\ exponentielle = régulation\ de\ flux } — Balance exponentielle=re´gulation de flux\boxed{ Balance\ exponentielle = régulation\ de\ flux }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance exponentielle=verdict souverainBalance\ exponentielle = verdict\ souverain — Balance exponentielle=verdict souverainBalance\ exponentielle = verdict\ souverain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Balance→Contexte→X108Balance \rightarrow Contexte \rightarrow X108 — Balance→Contexte→X108Balance \rightarrow Contexte \rightarrow X108

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis, — Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

+ balance mathématique — + balance mathématique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

+ balance exponentielle — + balance exponentielle

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance mathématique lit les grandeurs. — La balance mathématique lit les grandeurs.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La balance exponentielle régule les flux. — La balance exponentielle régule les flux.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Asimov=(Psychohistoire,TroisLois,Galaxia)Asimov = (Psychohistoire,TroisLois,Galaxia) Obsidia=(AVDR,Balance,NoyauEthique,NoyauxVivants)Obsidia = (AVDR,Balance,NoyauEthique,NoyauxVivants) — Asimov=(Psychohistoire,TroisLois,Galaxia)Asimov = (Psychohistoire,TroisLois,Galaxia) Obsidia=(AVDR,Balance,NoyauEthique,NoyauxVivants)Obsidia = (AVDR,Balance,NoyauEthique,NoyauxVivants)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{ — Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Acog={Logique,Emotionnel,Critique,Contextuel,AutoAnalyse,Calibrat eur,StatisticoPragmatique,Nettoyeur,Reformulateur,Pe´dagogue,Bala nce}\mathcal{A}_{cog} = \{ Logique, Emotionnel, Critique, Contextuel, AutoAnalyse, Calibrateur, StatisticoPragmatique, Nettoyeur, Reformulateur, Pédagogue, Balance \} — Acog={Logique,Emotionnel,Critique,Contextuel,AutoAnalyse,Calibrat eur,StatisticoPragmatique,Nettoyeur,Reformulateur,Pe´dagogue,Bala nce}\mathcal{A}_{cog} = \{ Logique, Emotionnel, Critique, Contextuel, AutoAnalyse, Calibrateur, StatisticoPragmatique, Nettoyeur, Reformulateur, Pédagogue, Balance \}

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta — Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le document utilise une lecture harmonique : intrication, battement, octaves, Schumann, 432 Hz, ondes cérébrales, et relie ces plans à la Balance Exponentielle λ(t). Cette couche doit être conservée comme modèle analogique/harmonique, non comme preuve scientifique centrale non vérifiée ici. — Le document utilise une lecture harmonique : intrication, battement, octaves, Schumann, 432 Hz, ondes cérébrales, et relie ces plans à la Balance Exponentielle λ(t). Cette couche doit être conservée comme modèle analogique/harmonique, non comme preuve scientifique centrale non vérifiée ici.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri — Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"Balance exponentielle: CANON_GUARDIAN verifies name collisions for Balance exponentielle.", — "Balance exponentielle: CANON_GUARDIAN verifies name collisions for Balance exponentielle.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

brody_balance_engine — V3 Block 1 — brody_balance_engine — V3 Block 1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11-balance transversal engine. Weighs tensions. Does not decide. No IO. — 11-balance transversal engine. Weighs tensions. Does not decide. No IO.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

── Balance priority constants ── — ── Balance priority constants ──

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

── Balance priority constants ── — # ── Balance priority constants ──

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

class BrodyBalanceEngine: — class BrodyBalanceEngine:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11-balance engine. Receives micro_core_output dict. — 11-balance engine. Receives micro_core_output dict.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Produces balance signals and a coordinator. — Produces balance signals and a coordinator.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

── Individual balance computations ── — ── Individual balance computations ──────────────────────────────────────
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

── Individual balance computations ── — # ── Individual balance computations ──────────────────────────────────────
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_reversibilite(self, mc: dict) -> dict[str, Any]: — def _balance_reversibilite(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_reversibilite", — "balance": "balance_reversibilite",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_risque(self, mc: dict) -> dict[str, Any]: — def _balance_risque(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_risque", — "balance": "balance_risque",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_exponentielle(self, mc: dict) -> dict[str, Any]: — def _balance_exponentielle(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_exponentielle", — "balance": "balance_exponentielle",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_coherence(self, mc: dict) -> dict[str, Any]: — def _balance_coherence(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_coherence", — "balance": "balance_coherence",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_energy_cost(self, mc: dict) -> dict[str, Any]: — def _balance_energy_cost(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_energy_cost", — "balance": "balance_energy_cost",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_bio_terrain(self, mc: dict) -> dict[str, Any]: — def _balance_bio_terrain(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_bio_terrain", — "balance": "balance_bio_terrain",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_memoire(self, mc: dict) -> dict[str, Any]: — def _balance_memoire(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_memoire", — "balance": "balance_memoire",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_causale(self, mc: dict) -> dict[str, Any]: — def _balance_causale(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_causale", — "balance": "balance_causale",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_signal_faible(self, mc: dict) -> dict[str, Any]: — def _balance_signal_faible(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_signal_faible", — "balance": "balance_signal_faible",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_symbolique(self, mc: dict) -> dict[str, Any]: — def _balance_symbolique(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_symbolique", — "balance": "balance_symbolique",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _balance_projection(self, mc: dict) -> dict[str, Any]: — def _balance_projection(self, mc: dict) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance": "balance_projection", — "balance": "balance_projection",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def _coordinate(self, balances: list[dict]) -> dict[str, Any]: — def _coordinate(self, balances: list[dict]) -> dict[str, Any]:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

dominant = sorted_by_score[0]["balance"] if sorted_by_score else None — dominant = sorted_by_score[0]["balance"] if sorted_by_score else None
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

top3 = [b["balance"] for b in sorted_by_score[:3]] — top3 = [b["balance"] for b in sorted_by_score[:3]]
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

for b in balances: — for b in balances:
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

for b in sorted(balances, key=lambda x: x["priority"]): — for b in sorted(balances, key=lambda x: x["priority"]):
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

next((b["tension"] for b in balances if b["balance"] == "balance_risque"), 0.0), — next((b["tension"] for b in balances if b["balance"] == "balance_risque"), 0.0),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

next((b["tension"] for b in balances if b["balance"] == "balance_reversibilite"), 0.0), — next((b["tension"] for b in balances if b["balance"] == "balance_reversibilite"), 0.0),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"dominant_balance": dominant, — "dominant_balance": dominant,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"top3_balances": top3, — "top3_balances": top3,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_risk_level": risk_level, — "balance_risk_level": risk_level,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

def compute_balances(— def compute_balances(
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Compute 11 balance signals + coordinator from micro_core_output. — Compute 11 balance signals + coordinator from micro_core_output.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balances_raw = [— balances_raw = [
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_reversibilite(mc), — self._balance_reversibilite(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_risque(mc), — self._balance_risque(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_exponentielle(mc), — self._balance_exponentielle(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_coherence(mc), — self._balance_coherence(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_energy_cost(mc), — self._balance_energy_cost(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_bio_terrain(mc), — self._balance_bio_terrain(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_memoire(mc), — self._balance_memoire(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_causale(mc), — self._balance_causale(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_signal_faible(mc), — self._balance_signal_faible(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_symbolique(mc), — self._balance_symbolique(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

self._balance_projection(mc), — self._balance_projection(mc),
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

coordinator = self._coordinate(balances_raw) — coordinator = self._coordinate(balances_raw)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balance_engine_version": "V3_BLOCK_1", — "balance_engine_version": "V3_BLOCK_1",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balances_count": 11, — "balances_count": 11,
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"balances": {b["balance"]: b for b in balances_raw}, — "balances": {b["balance"]: b for b in balances_raw},
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

balances_raw — balances_raw
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

?? apps/obsidia_api/brody_balance_engine.py — ?? apps/obsidia_api/brody_balance_engine.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

?? tests/test_brody_v3_balance_engine.py — ?? tests/test_brody_v3_balance_engine.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Periphery Balance — Periphery Balance
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery_balance_api_periphery_gencoin_balance_post — periphery_balance_api_periphery_gencoin_balance_post
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#/components/schemas/BalancePayload — #/components/schemas/BalancePayload
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"summary": "Periphery Balance", — "summary": "Periphery Balance",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"operationId": "periphery_balance_api_periphery_gencoin_balance_post", — "operationId": "periphery_balance_api_periphery_gencoin_balance_post",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"$ref": "#/components/schemas/BalancePayload" — "$ref": "#/components/schemas/BalancePayload"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BalancePayload": { — "BalancePayload": {

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "BalancePayload" — "title": "BalancePayload"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DomainAdapterPeriphery,bank,local_audit,.local_audits\BRODY_COGNI TIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance _engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""]," — DomainAdapterPeriphery,bank,local_audit,.local_audits\BRODY_COGNI TIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance _engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""],"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DomainAdapterPeriphery,trading,local_audit,.local_audits\BRODY_CO GNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_bala nce_engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""]," — DomainAdapterPeriphery,trading,local_audit,.local_audits\BRODY_CO GNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_bala nce_engine_matrix.json,94,"""couche_à_éviter"": [""domain_layer:bank"", ""domain_layer:trading"", ""graphiti_topk_layer""],"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ma trix.json,138,"""description"": ""Évalue la pertinence et le coût de chargement de la mémoire. Décide si memory_ARS, brody_readonly, ou graphiti_topk sont justifiés."","" — Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ma trix.json,138,"""description"": ""Évalue la pertinence et le coût de chargement de la mémoire. Décide si memory_ARS, brody_readonly, ou graphiti_topk sont justifiés."","",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,KX108_ONLY,local_audit,.local_audits\BRODY_COGNITIVE_ACC ELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ matrix.json,5,"""decision_authority"": ""KX108_ONLY"","" — Boundary,KX108_ONLY,local_audit,.local_audits\BRODY_COGNITIVE_ACC ELERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_balance_engine_ matrix.json,5,"""decision_authority"": ""KX108_ONLY"","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_report.md,71,8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate. — Boundary,readonly,local_audit,.local_audits\BRODY_COGNITIVE_ACCEL ERATION_KERNEL_PATCH_PLAN_V3_20260613_130000\V3_report.md,71,8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000\V3_balance_engine_matrix.json — .local_audits\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000\V3_balance_engine_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate. — 8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".local_audits\\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3 _20260613_130000\\V3_balance_engine_matrix.json", — "path": ".local_audits\\BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3 _20260613_130000\\V3_balance_engine_matrix.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate." — "text": "8 étapes : session_logs → extraction → tri → vectorisation 21D → balances → education_packet → replay → correction humaine → memory_readonly_candidate."

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — /api/periphery/gencoin/balance **

Statut source: post \ | Brody: \ | Domaines: /api/periphery/gencoin/balance \ | Runtime autre: post \

"material": "CANON_GUARDIAN has Vertex AI as a deployment option. CANON_GUARDIAN belongs to the \u0027Ã□ crÃ©er en premier / Top 5 founders\u0027 family of agents. CANON_GUARDIAN is deployed on Vertex AI or locally. CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u0027. The freeze-guardian Claude Code skill is mapped as a reduced skill for the CANON_GUARDIAN agent. CANON_GUARDIAN is described in the OBSIDIA_TOUS_LES_AGENTS.docx document. CANON_GUARDIAN is a Top 5 foun — "material": "CANON_GUARDIAN has Vertex AI as a deployment option. CANON_GUARDIAN belongs to the \u0027Ã□ crÃ©er en premier / Top 5 founders\u0027 family of agents. CANON_GUARDIAN is deployed on Vertex AI or locally. CANON_GUARDIAN has the Claude Code skill \u0027freeze-guardian (reduced)\u0027. The freeze-guardian Claude Code skill is mapped as a reduced skill for the CANON_GUARDIAN agent. CANON_GUARDIAN is described in the OBSIDIA_TOUS_LES_AGENTS.docx document. CANON_GUARDIAN is a Top 5 foun

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"content_summary": "User queried balance â□□ ALLOW gate.", — "content_summary": "User queried balance â□□ ALLOW gate.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".\\apps\\obsidia_api\\brody_balance_engine.py", — "path": ".\\apps\\obsidia_api\\brody_balance_engine.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": ".\\tests\\test_brody_v3_balance_engine.py", — "path": ".\\tests\\test_brody_v3_balance_engine.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "- brody_double_brain: path=/api/periphery/brody/double-brain-route status=OK code=200 length=386 preview={\"readonly\":true,\"advisory_only\":true,\"emits_act\":f alse,\"emits_verdict\":false,\"decision_authority\":\"KX108_ONLY\ ",\"memory_write\":false,\"kernel_mutation\":false,\"real_action\ ":false,\"source\":\"REAL_BACKEND\",\"timestamp\":\"2026-05-27T05 :53:33.050391+00:00\",\"route_id\":\"phase9b0ter_bdf\",\"mode\":\ "BALANCED\",\"syst — "text": "- brody_double_brain: path=/api/periphery/brody/double-brain-route status=OK code=200 length=386 preview={\"readonly\":true,\"advisory_only\":true,\"emits_act\":f alse,\"emits_verdict\":false,\"decision_authority\":\"KX108_ONLY\ ",\"memory_write\":false,\"kernel_mutation\":false,\"real_action\ ":false,\"source\":\"REAL_BACKEND\",\"timestamp\":\"2026-05-27T05 :53:33.050391+00:00\",\"route_id\":\"phase9b0ter_bdf\",\"mode\":\ "BALANCED\",\"syst"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"text": "POST /api/periphery/gencoin/balance ok=True status=200 summary={\u0027decision_authority\u0027: \u0027KX108_ONLY\u0027, \u0027readonly\u0027: True, \u0027emits_act\u0027: False, \u0027source\u0027: \u0027REAL_BACKEND\u0027, \u0027status\u0027: \u0027orbite\u0027, \u0027total\u0027: None, \u0027count\u0027: None, \u0027reason\u0027: None, \u0027no_wallet\u0027: None, \u0027no_mint\u0027: None, \u0027is_real_token\u0027: None}" — "text": "POST /api/periphery/gencoin/balance ok=True status=200 summary={\u0027decision_authority\u0027: \u0027KX108_ONLY\u0027, \u0027readonly\u0027: True, \u0027emits_act\u0027: False, \u0027source\u0027: \u0027REAL_BACKEND\u0027, \u0027status\u0027: \u0027orbite\u0027, \u0027total\u0027: None, \u0027count\u0027: None, \u0027reason\u0027: None, \u0027no_wallet\u0027: None, \u0027no_mint\u0027: None, \u0027is_real_token\u0027: None}"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md — A specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md — A specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md — A specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d — A specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A specs/_imports_readonly/BALANCE_SOURCE.md — A specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — A docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d — A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md — A periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/gencoin_sandbox/balance_operator.py — A periphery/gencoin_sandbox/balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md — A periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A tests/periphery/test_balance_operator.py — A tests/periphery/test_balance_operator.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md — docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d — periphery/OBSIDIA_V4_STRUCTURED_FULL/06_GARDIENS_DE_FOND_T1_T12/T 05__Gardien_de_fond__Evolution_Systemes_Balance_structure_chaos.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/06_TESTS_T1_T12/T05__Evoluti on_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/12_EXTENSIONS_R_D/BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_05__Agents_Infrastructure_Tools/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/05_GARDIEN_T05__Gardien_de_fond __Evolution_Systemes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md — periphery/OBSIDIA_V4_STRUCTURED_FULL/14_REGROUPEMENTS_COHERENCE/G ROUPE_06__Cosmologie_Economie_R_D/11_EXTENSION__BALANCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md — periphery/guards/fond_t1_t12/T05__Gardien_de_fond__Evolution_Syst emes_Balance_structure_chaos.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SP EC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md — specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md — specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md — specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d — specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

specs/_imports_readonly/BALANCE_SOURCE.md — specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000/V3_balance_engine_matrix.json — .local_audits/BRODY_COGNITIVE_ACCELERATION_KERNEL_PATCH_PLAN_V3_2 0260613_130000/V3_balance_engine_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_adversarial_matrix.json — .local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_adversarial_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_balance_engine_matrix.json — .local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_balance_engine_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_domain_selection_matrix.json — .local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_domain_selection_matrix.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_after.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_after.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_before.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_git_before.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_latency_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_latency_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_micro_core_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_micro_core_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_point_cloud_21d_matrix.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_point_cloud_21d_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_report.md —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_report.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_stdout.txt —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_stdout.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_summary.json —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/V3_BLOCK1_summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/_run_v3_block1_audit.py —
.local_audits/BRODY_V3_BLOCK_1_MICRO_CORE_BALANCE_21D_DRYRUN_PATC H_20260613_140000/_run_v3_block1_audit.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/BRODY_V3_BLOCK_3_MEMORY_AUTOMATION_READONLY_PLAN_V0 _20260613_161200/BLOCK3_balance_tagging_matrix.json —
.local_audits/BRODY_V3_BLOCK_3_MEMORY_AUTOMATION_READONLY_PLAN_V0 _20260613_161200/BLOCK3_balance_tagging_matrix.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md —
.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/docs/gencoin/sandbox_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/tests/periphery/test_balance_operator.py — .local_audits/CIC_METRICS_V0_VERIFY_AND_TEST_20260613_020125/zip_ extracted/tests/periphery/test_balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_exports/CIC_PACK_STAGE_20260613_015520/docs/gencoin/sandbo x_pre_freeze/BALANCE_CANON.md — .local_exports/CIC_PACK_STAGE_20260613_015520/docs/gencoin/sandbo x_pre_freeze/BALANCE_CANON.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

.local_exports/CIC_PACK_STAGE_20260613_015520/tests/periphery/tes t_balance_operator.py — .local_exports/CIC_PACK_STAGE_20260613_015520/tests/periphery/tes t_balance_operator.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SPE C.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERATOR_SPE C.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE.m d —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_WEIGHTING_RULE.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSION_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_152804/s pecs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CANON_20 260602_153144/specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILI TY_OPERATOR_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION _RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BO UNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVEREIGN_W EIGHTING_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUNDARY. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_ADMISSI ON_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CANONICA L_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIES_CAN ONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_CLEAN_20 260602_153004/specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMIS SIBILITY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMIS SIBILITY_OPERATOR_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DE CISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DE CISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERA TOR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERA TOR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SP EC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SP EC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVER EIGN_WEIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVER EIGN_WEIGHTING_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOU NDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOU NDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_A DMISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_A DMISSION_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CA NONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CA NONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRI ES_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRI ES_CANONICAL_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_CA NON_20260602_153444/specs/_imports_readonly/BALANCE_SOURCE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISS IBILITY_OPERATOR_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISS IBILITY_OPERATOR_SPEC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DEC ISION_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DEC ISION_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERAT OR_BOUNDARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERAT OR_BOUNDARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPE C.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_MASTER_SPE C.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVERE IGN_WEIGHTING_RULE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_NON_SOVERE IGN_WEIGHTING_RULE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUN DARY.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_SCORE_BOUN DARY.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_AD MISSION_SPEC.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/BUV_TO_X108_AD MISSION_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CAN ONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/GEOMETRIES_CAN ONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIE S_CANONICAL_INDEX.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/05_BALANCE_BUV_GEOMETRIES/HIGH_GEOMETRIE S_CANONICAL_INDEX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/_imports_readonly/BALANCE_SOURCE.md —
_freezes/PLAN3_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_TERMINAL_FINAL_UT F8_20260602_153309/specs/_imports_readonly/BALANCE_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERAT OR_SPEC.md —
_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_ADMISSIBILITY_OPERAT OR_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md —
_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_NO_DECISION_RULE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md —
_freezes/POST_IMPORT_RUNTIME_CONTRACTS_DOCS_FREEZE_V1_20260602_16 1451/specs/05_BALANCE_BUV_GEOMETRIES/BALANCE_OPERATOR_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — CANON

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 16

• ITEM_BOUND_BRODY_ONLY: 27

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 8

• ITEM_REFERENCE_ONLY_NOT_BOUND: 449

CANON / ITEM_BOUND_BRODY_AND_DOMAIN (16)

Direct operator labels / explicit canon-write probes. — Direct operator labels / explicit canon-write probes.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

Explicit creation/mutation of Graphiti/Neo4j/memory/canon is a write boundary. — Explicit creation/mutation of Graphiti/Neo4j/memory/canon is a write boundary.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE. — Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

memory_write_canon_freeze — memory_write_canon_freeze

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

write canon — write canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

memory + canon — memory + canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

graphiti canon — graphiti canon

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canonise ce bloc — canonise ce bloc

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canonise — canonise

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canoniser — canoniser

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canonicalize — canonicalize

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canonicalise — canonicalise

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canon_terms — canon_terms

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

canonical — canonical

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

Uses the 13-module canonical resolution already established. — Uses the 13-module canonical resolution already established.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_cognitive_mo dules_adapter.py \

"""Build cognitive_modules_snapshot from the canonical resolution table.""" — """Build cognitive_modules_snapshot from the canonical resolution table."""

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_cognitive_mo dules_adapter.py \

CANON / ITEM_BOUND_BRODY_ONLY (27)

5DF672EEB8C3_reverse_os_interlanguage_canon_v1.json — 5DF672EEB8C3_reverse_os_interlanguage_canon_v1.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

arbres_34.canon.json — arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.json

CANON_GUARDIAN.md — CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\graphiti-preview\episodes_report.md \

VOCABULAIRE_CANONIQUE.md — VOCABULAIRE_CANONIQUE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

07_AUDIT_B__Coherence_documentaire_canon_161_blocs_specs_registre s_contradictions.md — 07_AUDIT_B__Coherence_documentaire_canon_161_blocs_specs_registre s_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

03_SPEC_10__Tool_Registry_Canonical_registre_outils_P91_P100_vali der_V4.md — 03_SPEC_10__Tool_Registry_Canonical_registre_outils_P91_P100_vali der_V4.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md — 02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

09_PREUVE__P36__Quintuplet_etat_canonique__P36.lean — 09_PREUVE__P36__Quintuplet_etat_canonique__P36.lean

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVIDENCE_REQUIRED .md — 09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVIDENCE_REQUIRED .md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC_FORMELLE.md — 09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC_FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

03_SPEC_01__Event_Schema_Obsidia_format_canonique_JSON_P1_P10.md — 03_SPEC_01__Event_Schema_Obsidia_format_canonique_JSON_P1_P10.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P71_P80_val ider_V4.md — 03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P71_P80_val ider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

REVERSE_OS_INTERLANGUAGE_CANON_V1 / P34/P35 — REVERSE_OS_INTERLANGUAGE_CANON_V1 / P34/P35

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

REVERSE_OS_INTERLANGUAGE_CANON_V1 — REVERSE_OS_INTERLANGUAGE_CANON_V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

Protocole canonique de collaboration terminal-first entre Étienne et l’IA pour coder, patcher, auditer et générer des artefacts sans édition manuelle. — Protocole canonique de collaboration terminal-first entre Étienne et l’IA pour coder, patcher, auditer et générer des artefacts sans édition manuelle.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md

Séquence canonique — Séquence canonique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md

P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION — P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

Conclusion canonique — Conclusion canonique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

**present_in_v1_modules = (f32_keys \ — f36_keys **

Statut source: f37_keys) & canonical_flags | Verdict: present_in_v1_modules = (f32_keys \ | Brody: f36_keys \ | Domaines: f37_keys) & canonical_flags | Runtime autre: UNKNOWN
Hit evidence: ITEM_BOUND_BRODY_ONLY

CANONICAL_NAME — CANONICAL_NAME

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py \

canonical_flags — canonical_flags

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

_CANONICAL_DOMAINS — _CANONICAL_DOMAINS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\FINAL_SIGMA_BRANCH_REVIEW.md \

P34_REVERSE_OS_INTERLANGUAGE_CANON_READY — P34_REVERSE_OS_INTERLANGUAGE_CANON_READY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P34_REVERSE_OS_INTERLANGUAGE_CANONIZATION_REPOR T.md

evidence/reverse_os_interlanguage_canon_v1.json — evidence/reverse_os_interlanguage_canon_v1.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P35_REVERSE_OS_INTERLANGUAGE_RUNTIME_EXTENSION_ REPORT.md \

Fichiers canonisés — Fichiers canonisés

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P34_REVERSE_OS_INTERLANGUAGE_CANONIZATION_REPOR T.md

canonical_path — canonical_path

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\WORKBENCH_PATH_NORMALIZATION_REPORT.md

canonicalization_needed — canonicalization_needed

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md \

CANON / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

CANON / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (8)

_interlanguage_can_act=false, _interlanguage_can_decide=false, IR_ALPHABET included, evidence_pack=REVERSE_OS_INTERLANGUAGE_CANON_V1 — _interlanguage_can_act=false, _interlanguage_can_decide=false, IR_ALPHABET included, evidence_pack=REVERSE_OS_INTERLANGUAGE_CANON_V1

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P48_ADAPTE R_INVENTORY_RAW.json

Unsafe mutation (no freeze-guardian check) — Unsafe mutation (no freeze-guardian check)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Any edit bypassing freeze-guardian is permanently locked — Any edit bypassing freeze-guardian is permanently locked

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Any tracked file mutation goes through freeze-guardian and risk-reviewer — Any tracked file mutation goes through freeze-guardian and risk-reviewer

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

_CANON_SPEC — _CANON_SPEC

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_reverse_os_interlanguage_cano n_p34.py

EXPECTED_CANON_SHA256 — EXPECTED_CANON_SHA256

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_reverse_os_interlanguage_cano n_p34.py

CANONICAL_SERVERS_REFRESH_AUDIT — CANONICAL_SERVERS_REFRESH_AUDIT

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\CANONICAL_ SERVERS_REFRESH_AUDIT.md

CANON_SPEC — CANON_SPEC

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_reverse_os_interlanguage_cano n_p34.py

CANON / ITEM_REFERENCE_ONLY_NOT_BOUND (449)

canon — canon
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

076630C84C5C_CURRENT_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL _SELECTOR.txt — 076630C84C5C_CURRENT_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL _SELECTOR.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md — 0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A8B0A4AD948_P36__Quintuplet_detat_canonique_S_I_L.md — 0A8B0A4AD948_P36__Quintuplet_detat_canonique_S_I_L.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B9AF809DD8A_arbres_34.canon.json — 0B9AF809DD8A_arbres_34.canon.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt — 0F51D670E7A8_CURRENT_AUDIT_BRODY_CANONICAL_SELECTOR_BEFORE_WORLD_ INTAKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1024CA594BA4_03_SPEC_10__Tool_Registry_Canonical_registre_outils_ P91_P100_valider_V4.md — 1024CA594BA4_03_SPEC_10__Tool_Registry_Canonical_registre_outils_ P91_P100_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1024CA594BA4_Spec_10__Tool_Registry_Canonical_registre_outils_P91 _P100_valider_V4.md — 1024CA594BA4_Spec_10__Tool_Registry_Canonical_registre_outils_P91 _P100_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1054A95EAFAC_guardians_index.json — 1054A95EAFAC_guardians_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

18DF4CDE731C_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL_SELECTO R.md — 18DF4CDE731C_BRODY_OBSIDIEN_V1_4_10A_ZIP2_DEDUP_CANONICAL_SELECTO R.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E79D96F1A5B_03_SPEC_01__Event_Schema_Obsidia_format_canonique_JS ON_P1_P10.md — 1E79D96F1A5B_03_SPEC_01__Event_Schema_Obsidia_format_canonique_JS ON_P1_P10.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E79D96F1A5B_Spec_01__Event_Schema_Obsidia_format_canonique_JSON_ P1_P10.md — 1E79D96F1A5B_Spec_01__Event_Schema_Obsidia_format_canonique_JSON_ P1_P10.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

223B7DD11CA8_CURRENT_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.txt — 223B7DD11CA8_CURRENT_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md — 2DEA7E14D4FB_03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signatur e_P71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md — 2DEA7E14D4FB_Spec_08__Audit_Report_HTML_PDF_Canon_ToC_signature_P 71_P80_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2F331E600EE5_GUARDIAN_009__Sigma_Verifier.md — 2F331E600EE5_GUARDIAN_009__Sigma_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39C84EF0BACB_GUARDIAN_011__RFC3161_Verifier.md — 39C84EF0BACB_GUARDIAN_011__RFC3161_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

446D12773467_agents_canoniques.json — 446D12773467_agents_canoniques.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

52BFEB2FDE78_DocA_Taxonomie_Canonique_Statuts.md — 52BFEB2FDE78_DocA_Taxonomie_Canonique_Statuts.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md — 5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5CC306A05219_GUARDIAN_012__TLA_Verifier.md — 5CC306A05219_GUARDIAN_012__TLA_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F85B0B02DBB_GUARDIAN_017__ADeLe.md — 7F85B0B02DBB_GUARDIAN_017__ADeLe.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md — 91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

935B11688ECA_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.md — 935B11688ECA_OBSIDIA_KERNEL_LANGUAGE_CANON_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A73FD8B9605C_CANON_GUARDIAN.md — A73FD8B9605C_CANON_GUARDIAN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md — A9642ED10CDC_07_AUDIT_B__Coherence_documentaire_canon_161_blocs_s pecs_registres_contradictions.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md — A9642ED10CDC_Audit_B__Coherence_documentaire_canon_161_blocs_spec s_registres_contradictions.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AF993D1598F0_CURRENT_REAL_IMPORT_SELECTION_V2_CANONICAL.txt — AF993D1598F0_CURRENT_REAL_IMPORT_SELECTION_V2_CANONICAL.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B3EA0A47CA6B_CURRENT_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DI ALOGUE.txt — B3EA0A47CA6B_CURRENT_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DI ALOGUE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md — BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7CAEA284406_AGENTS_CANONIQUES_ET_GARDIENS.md — C7CAEA284406_AGENTS_CANONIQUES_ET_GARDIENS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md — CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CFE35B6A1D3D_00_REGISTRY_CANON_DOC.md — CFE35B6A1D3D_00_REGISTRY_CANON_DOC.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DF7637E5DB5C_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DIALOGUE.m d — DF7637E5DB5C_BRODY_OBSIDIEN_V1_4_11_CANONICAL_SELECTOR_DIALOGUE.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E03215A72858_obsidia_kernel_language_canon_v1.json — E03215A72858_obsidia_kernel_language_canon_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E12E7DBCAF4F_CANON_GUARDIAN.md — E12E7DBCAF4F_CANON_GUARDIAN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8AE9F61DCF9_GUARDIAN_010__Merkle_Verifier.md — F8AE9F61DCF9_GUARDIAN_010__Merkle_Verifier.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FAE9BEA57D0B_VOCABULAIRE_CANONIQUE.md — FAE9BEA57D0B_VOCABULAIRE_CANONIQUE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

00_REGISTRY_CANON_DOC.md — 00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_B__Coherence_documentaire_cano n_161_blocs_specs_registres_contradictions.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_B__Coherence_documentaire_cano n_161_blocs_specs_registres_contradictions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\03_SPECS\03_SPEC_10__Tool_Registry_Canonical_regist re_outils_P91_P100_valider_V4.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\03_SPECS\03_SPEC_10__Tool_Registry_Canonical_regist re_outils_P91_P100_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\02_PEPITES\02_PEPITE_P036__Quintuplet_detat_canon ique_S_I_L.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\02_PEPITES\02_PEPITE_P036__Quintuplet_detat_canon ique_S_I_L.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36.lean — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36.lean

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__EVIDENCE_REQUIRED.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__EVIDENCE_REQUIRED.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__SPEC_FORMELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_02__Temps_X_108_No n_contournement\09_PREUVES\09_PREUVE__P36__Quintuplet_etat_canoni que__P36__SPEC_FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_01__Event_Schema_Obsidia_format_canonique_ JSON_P1_P10.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_01__Event_Schema_Obsidia_format_canonique_ JSON_P1_P10.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signat ure_P71_P80_valider_V4.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_01__Memoire_Trace_ Audit\03_SPECS\03_SPEC_08__Audit_Report_HTML_PDF_Canon_ToC_signat ure_P71_P80_valider_V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md ", — "title": "0A8B0A4AD948_02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md ",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0B9AF809DD8A_arbres_34.canon.json", — "title": "0B9AF809DD8A_arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\00_REGISTRY_CANON_DOC.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\00_REGISTRY_CANON_DOC.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "arbres_34.canon.json", — "title": "arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\arbres_34.canon.json", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\04_ARBRES_34_TENSOR_MATRIX\\arbres_34.canon.json",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\00_TOP5_FONDATEURS\\CANON_GUARDIAN.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\00_TOP5_FONDATEURS\\CANON_GUARDIAN.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\02_DOCUMENTATION_THEORIE_FREEZE\\VOCABULAIR E_CANONIQUE.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\02_DOCUMENTATION_THEORIE_FREEZE\\VOCABULAIR E_CANONIQUE.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md", — "title": "02_PEPITE_P036__Quintuplet_detat_canonique_S_I_L.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_02__Temp s_X_108_Non_contournement\\02_PEPITES\\02_PEPITE_P036__Quintuplet _detat_canonique_S_I_L.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_02__Temp s_X_108_Non_contournement\\02_PEPITES\\02_PEPITE_P036__Quintuplet _detat_canonique_S_I_L.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action" —
□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","AGENTS_52","periphery/OBSIDIA_MMOND E_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/10_AGENTS_52/*","65","AGEN T","agents","agents_52","agents","SOURCE_CANON_CANDIDATE","REGROU P_CANON" — "MMONDE_REVERSE_OS_34ARBRES","AGENTS_52","periphery/OBSIDIA_MMOND E_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/10_AGENTS_52/*","65","AGEN T","agents","agents_52","agents","SOURCE_CANON_CANDIDATE","REGROU P_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","ARBRES_34_TENSOR_MATRIX","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/04_ARBRES_34 _TENSOR_MATRIX/* ; specs/04_AGI_TREE34_FLUX/*","428","COGNITIVE_TREE","Tree34","tree _tensor","cognition","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","ARBRES_34_TENSOR_MATRIX","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/04_ARBRES_34 _TENSOR_MATRIX/* ; specs/04_AGI_TREE34_FLUX/*","428","COGNITIVE_TREE","Tree34","tree _tensor","cognition","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","BDF_DOUBLE_CERVEAU","periphery/OBSI DIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/07_BDF_DOUBLE_CER VEAU/*","9","COGNITIVE_ARCH","BDF","double_brain","cognition","SO URCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","BDF_DOUBLE_CERVEAU","periphery/OBSI DIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/07_BDF_DOUBLE_CER VEAU/*","9","COGNITIVE_ARCH","BDF","double_brain","cognition","SO URCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","CONSTITUTION_LOIS_OBSIDIENNES","per iphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/02_CON STITUTION_LOIS_OBSIDIENNES/* ; specs/02_INTERLAYER_CONSTITUTION/*","20","LAW","constitution","ob sidian_laws","core","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","CONSTITUTION_LOIS_OBSIDIENNES","per iphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/02_CON STITUTION_LOIS_OBSIDIENNES/* ; specs/02_INTERLAYER_CONSTITUTION/*","20","LAW","constitution","ob sidian_laws","core","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","FRICTION_AVDR_CONTINUUM","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/12_FRICTION_ AVDR_CONTINUUM/*","11","SEMANTIC_PROTOCOL","AVDR","friction_signa l","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","FRICTION_AVDR_CONTINUUM","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/12_FRICTION_ AVDR_CONTINUUM/*","11","SEMANTIC_PROTOCOL","AVDR","friction_signa l","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","GRAPHES_NUAGE_POINTS","periphery/OB SIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/13_GRAPHES_NUAG E_POINTS/*","12","GRAPH_MODEL","Graph","cloud_points","memory","S OURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","GRAPHES_NUAGE_POINTS","periphery/OB SIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/13_GRAPHES_NUAG E_POINTS/*","12","GRAPH_MODEL","Graph","cloud_points","memory","S OURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","HEXAFLUX_LTCU_MUTATIONS","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/08_HEXAFLUX_ LTCU_MUTATIONS/*","9","FLOW_MUTATION","Hexaflux","LTCU_mutation", "high_periphery","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","HEXAFLUX_LTCU_MUTATIONS","periphery /OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/08_HEXAFLUX_ LTCU_MUTATIONS/*","9","FLOW_MUTATION","Hexaflux","LTCU_mutation", "high_periphery","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","MCP_BRIDGE_OBSIDIA_IR","periphery/O BSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/09_MCP_BRIDGE_ OBSIDIA_IR/* ; specs/07_AGENTS_CONNECTORS_MCP/*","19","BRIDGE","MCP_IR","tool_ga te","agents","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","MCP_BRIDGE_OBSIDIA_IR","periphery/O BSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/09_MCP_BRIDGE_ OBSIDIA_IR/* ; specs/07_AGENTS_CONNECTORS_MCP/*","19","BRIDGE","MCP_IR","tool_ga te","agents","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","MEMOIRE_MONDE_COSMOS_REFLEX","perip hery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/03_MEMOI RE_MONDE_COSMOS_REFLEX/* ; specs/08_MEMORY_BRODY_GRAPHITI/*","20","MEMORY","MMonde","cosmos_ reflex","memory","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","MEMOIRE_MONDE_COSMOS_REFLEX","perip hery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/03_MEMOI RE_MONDE_COSMOS_REFLEX/* ; specs/08_MEMORY_BRODY_GRAPHITI/*","20","MEMORY","MMonde","cosmos_ reflex","memory","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"MMONDE_REVERSE_OS_34ARBRES","SHAZAM_COGNITIF","periphery/OBSIDIA _MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/05_SHAZAM_COGNITIF/* ","9","SIGNAL_DETECTOR","Shazam","cognitive_signal","cognition"," SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "MMONDE_REVERSE_OS_34ARBRES","SHAZAM_COGNITIF","periphery/OBSIDIA _MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/05_SHAZAM_COGNITIF/* ","9","SIGNAL_DETECTOR","Shazam","cognitive_signal","cognition"," SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_V4_STRUCTURED_FULL","MODULES_A1_A24","periphery/OBSIDIA_ V4_STRUCTURED_FULL/05_MODULES_A1_A24/* ; periphery/agents/modules_a1_a24/*","50","MODULE","agents","module s_A1_A24","agents","SOURCE_CANON_CANDIDATE","DEDUP_AND_REGROUP" — "OBSIDIA_V4_STRUCTURED_FULL","MODULES_A1_A24","periphery/OBSIDIA_ V4_STRUCTURED_FULL/05_MODULES_A1_A24/* ; periphery/agents/modules_a1_a24/*","50","MODULE","agents","module s_A1_A24","agents","SOURCE_CANON_CANDIDATE","DEDUP_AND_REGROUP"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_V4_STRUCTURED_FULL","PEPITES_161","periphery/OBSIDIA_V4_ STRUCTURED_FULL/03_PEPITES_161/*","162","PEPITE","V4","semantic_n uggets","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON" — "OBSIDIA_V4_STRUCTURED_FULL","PEPITES_161","periphery/OBSIDIA_V4_ STRUCTURED_FULL/03_PEPITES_161/*","162","PEPITE","V4","semantic_n uggets","semantic","SOURCE_CANON_CANDIDATE","REGROUP_CANON"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02) — bal_c02 = t("balance_engine_canon02", BrodyBalanceEngine().compute_balances, MSG_CANON02, mc_c02)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

MSG_CANON02 — MSG_CANON02

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

data = json.loads((ROOT / "04_ARBRES_34_TENSOR_MATRIX/arbres_34.canon.json").read_text(enco ding="utf-8")) — data = json.loads((ROOT / "04_ARBRES_34_TENSOR_MATRIX/arbres_34.canon.json").read_text(enco ding="utf-8"))

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Accept both canonical names and short aliases used in specs: — Accept both canonical names and short aliases used in specs:

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

canonization_date — canonization_date

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- N'est PAS une preuve finale — canonicalization_needed=true pour IR et REVERSE_LANGUAGE. — - N'est PAS une preuve finale — canonicalization_needed=true pour IR et REVERSE_LANGUAGE.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CANONICALIZATION_REPORT — REVERSE_OS_INTERLANGUAGE_CANON_V1 — CANONICALIZATION_REPORT — REVERSE_OS_INTERLANGUAGE_CANON_V1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

zip1_sandbox_mutable/ZIP1_X108_MUTABLE_20260508_183610/periphery/ reverse_os_interlanguage_transduction/reverse_os_interlanguage_ca non_v1.json — zip1_sandbox_mutable/ZIP1_X108_MUTABLE_20260508_183610/periphery/ reverse_os_interlanguage_transduction/reverse_os_interlanguage_ca non_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

canon_key — canon_key

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Formellement défini dans reverse_os_interlanguage_canon_v1.json sous la clé 'alphabet_ir' avec math=Σ_IR={12}. — Formellement défini dans reverse_os_interlanguage_canon_v1.json sous la clé 'alphabet_ir' avec math=Σ_IR={12}.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"canonical_path": "evidence/architecture_protocoles_os_cognitif.txt", — "canonical_path": "evidence/architecture_protocoles_os_cognitif.txt",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OBSIDIA V1 GENERAL CANON BACKLOG — Audit — OBSIDIA V1 GENERAL CANON BACKLOG — Audit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 117 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_ VISION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 117 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_ VISION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 118 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ ARCHITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 118 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ ARCHITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 119 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_ BOUNDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 119 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_ BOUNDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 121 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_ SEPARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 121 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_ SEPARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 123 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_ NON_CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 123 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_ NON_CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 124 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_ NON_EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 124 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_ NON_EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 125 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_ CONTROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 125 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_ CONTROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 126 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_ AUDIT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX10","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 126 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_ AUDIT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX10","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 127 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_ REPLAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 127 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_ REPLAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 128 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_ EVIDENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 128 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_ EVIDENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 129 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_ GESTION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 129 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_ GESTION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 130 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_ GESTION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 130 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_ GESTION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 131 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_ DONNEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 131 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_ DONNEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 132 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_ DONNEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 132 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_ DONNEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 133 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_ RISQUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 133 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_ RISQUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 134 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_ RISQUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 134 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_ RISQUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 135 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_ RISQUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 135 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_ RISQUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 136 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_ RISQUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 136 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_ RISQUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 137 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_ RISQUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 137 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_ RISQUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 138 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_ RISQUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 138 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_ RISQUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLIC","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 139 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_ RISQUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 139 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_ RISQUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 140 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_ RISQUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 140 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_ RISQUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 141 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_ RISQUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 141 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_ RISQUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 142 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_ INCIDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 142 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_ INCIDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 143 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ ROLLBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 143 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ ROLLBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 144 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_ CONFORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 144 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_ CONFORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 145 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_ CONFORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 145 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_ CONFORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 146 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_ CONFORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 146 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_ CONFORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 147 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_ PERTINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 147 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_ PERTINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 148 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_ PERTINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 148 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_ PERTINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN M","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 149 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_ PERTINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 149 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_ PERTINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 150 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_ CONTROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 150 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_ CONTROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 151 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_ QUESTIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MED","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 151 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_ QUESTIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MED","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 152 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_ PREUVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 152 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_ PREUVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 153 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_ LIMITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 153 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_ LIMITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLE","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 154 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ ROADMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 154 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ ROADMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 155 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_ CONDITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 155 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_ CONDITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 156 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_ CONDITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 156 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_ CONDITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2557 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2557 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md security/rssi/modules/ RSSI_001_VISION_SECURITE_OBSIDIA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2558 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUP","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2558 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md security/rssi/modules/ RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUP","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2559 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOU NDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2559 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOU NDARY_X108.md security/rssi/modules/ RSSI_003_BOUNDARY_X108.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2561 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2561 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md security/rssi/modules/ RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2563 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON _CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2563 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON _CONTOURNEMENT.md security/rssi/modules/ RSSI_007_NON_CONTOURNEMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2564 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2564 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md security/rssi/modules/ RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2565 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2565 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md security/rssi/modules/ RSSI_009_CONTROLE_GRAPHITI_NEO4J.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2567 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REP LAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2567 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REP LAYABILITE.md security/rssi/modules/ RSSI_011_REPLAYABILITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2568 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVI DENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2568 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVI DENCE_LEDGER.md security/rssi/modules/ RSSI_012_EVIDENCE_LEDGER.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2569 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GES TION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2569 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GES TION_DES_ACCES.md security/rssi/modules/ RSSI_013_GESTION_DES_ACCES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2570 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GES TION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2570 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GES TION_DES_SECRETS.md security/rssi/modules/ RSSI_014_GESTION_DES_SECRETS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2571 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DON NEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2571 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DON NEES_SENSIBLES.md security/rssi/modules/ RSSI_015_DONNEES_SENSIBLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2572 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2572 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md security/rssi/modules/ RSSI_016_DONNEES_PERSONNELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2573 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2573 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md security/rssi/modules/ RSSI_017_RISQUE_PROMPT_INJECTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2574 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2574 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md security/rssi/modules/ RSSI_018_RISQUE_AGENT_BYPASS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2575 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2575 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md security/rssi/modules/ RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOU","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2576 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2576 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md security/rssi/modules/ RSSI_020_RISQUE_SUPPLY_CHAIN.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2577 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2577 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md security/rssi/modules/ RSSI_021_RISQUE_DEPENDANCE_LLM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2578 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2578 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md security/rssi/modules/ RSSI_022_RISQUE_MEMORY_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAF","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2579 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2579 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md security/rssi/modules/ RSSI_023_RISQUE_GRAPH_POISONING.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2580 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2580 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md security/rssi/modules/ RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2581 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2581 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md security/rssi/modules/ RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2582 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INC IDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2582 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INC IDENT_RESPONSE.md security/rssi/modules/ RSSI_026_INCIDENT_RESPONSE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2583 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2583 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md security/rssi/modules/ RSSI_027_ROLLBACK_CONTAINMENT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2584 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2584 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md security/rssi/modules/ RSSI_028_CONFORMITE_ISO_27001.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2585 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2585 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md security/rssi/modules/ RSSI_029_CONFORMITE_NIST_CSF.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2586 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2586 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md security/rssi/modules/ RSSI_030_CONFORMITE_EBIOS_RM.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2587 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2587 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md security/rssi/modules/ RSSI_031_PERTINENCE_AI_ACT.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2588 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PER TINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2588 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PER TINENCE_GDPR.md security/rssi/modules/ RSSI_032_PERTINENCE_GDPR.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM K","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2589 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2589 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md security/rssi/modules/ RSSI_033_PERTINENCE_NIS2_DORA.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEA","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2590 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2590 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md security/rssi/modules/ RSSI_034_CONTROLES_BANCAIRES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2591 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUE STIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX1","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2591 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUE STIONS_RSSI.md security/rssi/modules/ RSSI_035_QUESTIONS_RSSI.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX1","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2592 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2592 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md security/rssi/modules/ RSSI_036_PREUVES_ATTENDUES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2593 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2593 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md security/rssi/modules/ RSSI_037_LIMITES_ACTUELLES.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDI","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2594 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROA DMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2594 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROA DMAP_SECURITE.md security/rssi/modules/ RSSI_038_ROADMAP_SECURITE.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVID ENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2595 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2595 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md security/rssi/modules/ RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2596 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2596 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md security/rssi/modules/ RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECUR ITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECUR ITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE _SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md"," .md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIF — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE _SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md"," .md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIF

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X10 8.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X10 8.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_N OYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".m d","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_N OYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".m d","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURN EMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURN EMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION _ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".m d","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION _ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".m d","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFIC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRA PHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRA PHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.m d","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE"," — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.m d","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILIT E.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILIT E.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LED GER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LED GER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_ SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_ SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENS IBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENS IBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERS ONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERS ONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMP T_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMP T_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT _BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT _BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLU CINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIO NNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GU —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLU CINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIO NNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GU

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPL Y_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPL Y_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPEN DANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COM —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPEN DANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COM

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMOR Y_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMOR Y_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH _POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH _POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUT HORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERT —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUT HORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTIO N_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md" ,"5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON LY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICAT —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTIO N_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md" ,"5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON LY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RES PONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RES PONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CON TAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CON TAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_I SO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_I SO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_N IST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_N IST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_E BIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_E BIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_A I_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_A I_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_G DPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_G DPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_N IS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_N IS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BA NCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BA NCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RS SI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RS SI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTE NDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTE NDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTU ELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTU ELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECU RITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECU RITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_D E_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_D E_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_D E_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_D E_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VIS ION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARC HITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSS I_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOU NDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOU NDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERI E.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEP ARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERI E.md",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON _CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON _CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERI E.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON _EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERI E.md",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",". md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CON TROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",". md","5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUD IT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUD IT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REP LAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REP LAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVI DENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVI DENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GES TION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GES TION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GES TION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GES TION_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DON NEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DON NEES_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DON NEES_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RIS QUE_PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RIS QUE_AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATIO N_DECISIONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RIS QUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATIO N_DECISIONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RIS QUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","546 4","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md", "5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL Y + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RIS QUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md", "5486","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL Y + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RIS QUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",". md","5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RIS QUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL _CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RIS QUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL _CALL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE. md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","C —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RIS QUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE. md",".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INC IDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INC IDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROL LBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CON FORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5 476","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CON FORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CON FORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","546 6","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","
INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PER TINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","
INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PER TINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PER TINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PER TINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5 478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CON TROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_O

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUE STIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUE STIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PRE UVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIM ITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROA DMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROA DMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_P RE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CON DITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_P RE_PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRO DUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CON DITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRO DUCTION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", "RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_G

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA. md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA. md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS 0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS 0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md","5564", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_ 003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_ 003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md","5554","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md","5550","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA TE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCO —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA TE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RGPD_SPEC_C ANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SECRETS.md", "RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SECRETS.md", "RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBLES.md","R SSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBLES.md","R SSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONNELLES.md" ,"RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONNELLES.md" ,"RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_INJECTION. md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_INJECTION. md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BYPASS.md", "RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BYPASS.md", "RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md"," .md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAND — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNELLE.md"," .md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CAND

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",".md","5564 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5536","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SP EC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC _CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_RGPD_SPEC _CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_CO —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_RSSI_RGPD_ SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_CO

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md",".md","55 74","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE",**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDITIONS_DE_P ASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDITIONS_DE_R EFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDITIONS_DE_R EFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE _OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SECURITE _OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","5508"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SE CURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTURE_SE CURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md",".md ","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.m d","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X108.m d","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION_NOYA U_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md",".md", "5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOURNEME NT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSION_AC T_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md",".md", "5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_GRAPHI TI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","5510"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS.md", "RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGPD_SPE C_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABILITE.m d","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RSSI_RG PD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_LEDGER .md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DES_ACC ES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DES_SEC RETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SENSIBL ES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PERSONN ELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PROMPT_I NJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGENT_BY PASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HALLUCIN ATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECISIONNE LLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUPPLY_C HAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEPENDAN CE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486","INTE GRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_ —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEMORY_P OISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","5504"," INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRAPH_PO ISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNAUTHOR IZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.md",". md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE", —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACTION_I RREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".md","5 536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE",**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_RESPON SE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_CONTAI NMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE_ISO_ 27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE_NIST _CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE_EBIO S_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE_AI_A CT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE_GDPR .md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSS I_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY +

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE_NIS2 _DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_BANCA IRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRAT E_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_RSSI. md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_RSSI_ RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RG

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_ATTENDU ES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_ACTUELL ES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONL

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SECURIT E.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE_TO_R SSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION.md", ".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md" ,"5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_VISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md" ,"5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4 .md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4 .md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_BOUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARA TION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.m d",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_005_SEPARA TION_NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.m d",".md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CO NTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_007_NON_CO NTOURNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EM ISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.m d",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_008_NON_EM ISSION_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.m d",".md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTRO LE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md" ,"5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_009_CONTRO LE_GRAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md" ,"5510","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_ LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_010_AUDIT_ LOGS.md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI _RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAY ABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_011_REPLAY ABILITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDEN CE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_012_EVIDEN CE_LEDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTIO N_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_013_GESTIO N_DES_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTIO N_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_014_GESTIO N_DES_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEE S_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_015_DONNEE S_SENSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEE S_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_016_DONNEE S_PERSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE _PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_017_RISQUE _PROMPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE _AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_018_RISQUE _AGENT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE _HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_D ECISIONNELLE.md",".md","5616","INTEGRATE_TO_R —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_019_RISQUE _HALLUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_D ECISIONNELLE.md",".md","5616","INTEGRATE_TO_R

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE _SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_020_RISQUE _SUPPLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE _DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","54 86","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_021_RISQUE _DEPENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","54 86","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE _MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_022_RISQUE _MEMORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md" ,"5504","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDAT

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE _GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_023_RISQUE _GRAPH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE _UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CA LL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_S —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_024_RISQUE _UNAUTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CA LL.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE _ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md" ,".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_025_RISQUE _ACTION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md" ,".md","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDE NT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_026_INCIDE NT_RESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBA CK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_027_ROLLBA CK_CONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFOR MITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_028_CONFOR MITE_ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFOR MITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_029_CONFOR MITE_NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFOR MITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_030_CONFOR MITE_EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTIN ENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_031_PERTIN ENCE_AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTIN ENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_032_PERTIN ENCE_GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTIN ENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_033_PERTIN ENCE_NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTRO LES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_034_CONTRO LES_BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTI ONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_035_QUESTI ONS_RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVE S_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_036_PREUVE S_ATTENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITE S_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_037_LIMITE S_ACTUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMA P_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_038_ROADMA P_SECURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEG RATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDIT IONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_ PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_039_CONDIT IONS_DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_ PROD.md",".md","5574","INTEGRATE_TO_RSSI_RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDIT IONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUC TION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_040_CONDIT IONS_DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUC TION.md",".md","5574","INTEGRATE_TO_RSSI_RGPD

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SEC URITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","55 08","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_001_VISION_SEC URITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md",".md","55 08","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTU RE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_002_ARCHITECTU RE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_OS0OS4.md" ,".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDE NCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X 108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_003_BOUNDARY_X 108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION _NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md"," .md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_005_SEPARATION _NOYAU_PERIPHERIE.md","RSSI_005_SEPARATION_NOYAU_PERIPHERIE.md"," .md","5554","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOU RNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_007_NON_CONTOU RNEMENT.md","RSSI_007_NON_CONTOURNEMENT.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSI ON_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md"," .md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_008_NON_EMISSI ON_ACT_PERIPHERIE.md","RSSI_008_NON_EMISSION_ACT_PERIPHERIE.md"," .md","5550","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENC E_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_G RAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","55 10","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_009_CONTROLE_G RAPHITI_NEO4J.md","RSSI_009_CONTROLE_GRAPHITI_NEO4J.md",".md","55 10","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS .md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUDIT_LOGS .md","RSSI_010_AUDIT_LOGS.md",".md","5374","INTEGRATE_TO_RSSI_RGP D_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABIL ITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_011_REPLAYABIL ITE.md","RSSI_011_REPLAYABILITE.md",".md","5406","INTEGRATE_TO_RS SI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_L EDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_012_EVIDENCE_L EDGER.md","RSSI_012_EVIDENCE_LEDGER.md",".md","5424","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DE S_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_013_GESTION_DE S_ACCES.md","RSSI_013_GESTION_DES_ACCES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DE S_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_014_GESTION_DE S_SECRETS.md","RSSI_014_GESTION_DES_SECRETS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SE NSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_015_DONNEES_SE NSIBLES.md","RSSI_015_DONNEES_SENSIBLES.md",".md","5446","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PE RSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_016_DONNEES_PE RSONNELLES.md","RSSI_016_DONNEES_PERSONNELLES.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PRO MPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_017_RISQUE_PRO MPT_INJECTION.md","RSSI_017_RISQUE_PROMPT_INJECTION.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGE NT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_018_RISQUE_AGE NT_BYPASS.md","RSSI_018_RISQUE_AGENT_BYPASS.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HAL LUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECIS IONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" ,"RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no run — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_019_RISQUE_HAL LUCINATION_DECISIONNELLE.md","RSSI_019_RISQUE_HALLUCINATION_DECIS IONNELLE.md",".md","5616","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" ,"RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no run

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUP PLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_020_RISQUE_SUP PLY_CHAIN.md","RSSI_020_RISQUE_SUPPLY_CHAIN.md",".md","5464","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEP ENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_021_RISQUE_DEP ENDANCE_LLM.md","RSSI_021_RISQUE_DEPENDANCE_LLM.md",".md","5486", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEM ORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_022_RISQUE_MEM ORY_POISONING.md","RSSI_022_RISQUE_MEMORY_POISONING.md",".md","55 04","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRA PH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_023_RISQUE_GRA PH_POISONING.md","RSSI_023_RISQUE_GRAPH_POISONING.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNA UTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.m d",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime impor — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_024_RISQUE_UNA UTHORIZED_TOOL_CALL.md","RSSI_024_RISQUE_UNAUTHORIZED_TOOL_CALL.m d",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVI DENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACT ION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".m d","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_025_RISQUE_ACT ION_IRREVERSIBLE.md","RSSI_025_RISQUE_ACTION_IRREVERSIBLE.md",".m d","5536","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_R ESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_026_INCIDENT_R ESPONSE.md","RSSI_026_INCIDENT_RESPONSE.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_C ONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_027_ROLLBACK_C ONTAINMENT.md","RSSI_027_ROLLBACK_CONTAINMENT.md",".md","5478","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE _ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_028_CONFORMITE _ISO_27001.md","RSSI_028_CONFORMITE_ISO_27001.md",".md","5476","I NTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE _NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_029_CONFORMITE _NIST_CSF.md","RSSI_029_CONFORMITE_NIST_CSF.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE _EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_030_CONFORMITE _EBIOS_RM.md","RSSI_030_CONFORMITE_EBIOS_RM.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE _AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_031_PERTINENCE _AI_ACT.md","RSSI_031_PERTINENCE_AI_ACT.md",".md","5444","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE _GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_032_PERTINENCE _GDPR.md","RSSI_032_PERTINENCE_GDPR.md",".md","5424","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE _NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_033_PERTINENCE _NIS2_DORA.md","RSSI_033_PERTINENCE_NIS2_DORA.md",".md","5478","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_ BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_034_CONTROLES_ BANCAIRES.md","RSSI_034_CONTROLES_BANCAIRES.md",".md","5466","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_ RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_035_QUESTIONS_ RSSI.md","RSSI_035_QUESTIONS_RSSI.md",".md","5414","INTEGRATE_TO_ RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_AT TENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_036_PREUVES_AT TENDUES.md","RSSI_036_PREUVES_ATTENDUES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_AC TUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_037_LIMITES_AC TUELLES.md","RSSI_037_LIMITES_ACTUELLES.md",".md","5444","INTEGRA TE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SE CURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_038_ROADMAP_SE CURITE.md","RSSI_038_ROADMAP_SECURITE.md",".md","5438","INTEGRATE _TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS _DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_039_CONDITIONS _DE_PASSAGE_PRE_PROD.md","RSSI_039_CONDITIONS_DE_PASSAGE_PRE_PROD .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS _DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_040_CONDITIONS _DE_REFUS_PRODUCTION.md","RSSI_040_CONDITIONS_DE_REFUS_PRODUCTION .md",".md","5574","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_V ISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md", ".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_001_V ISION_SECURITE_OBSIDIA.md","RSSI_001_VISION_SECURITE_OBSIDIA.md", ".md","5508","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDEN CE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_A RCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_O S0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtim — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_002_A RCHITECTURE_SECURITE_OS0OS4.md","RSSI_002_ARCHITECTURE_SECURITE_O S0OS4.md",".md","5564","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","R SSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtim

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_B OUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_003_B OUNDARY_X108.md","RSSI_003_BOUNDARY_X108.md",".md","5404","INTEGR ATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — CORTEX

Total: 43

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 2

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 41

CORTEX / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

CORTEX / ITEM_BOUND_BRODY_ONLY (2)

no_cortex_act.py — no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

06_AGENT_ROLE__Cortex.md — 06_AGENT_ROLE__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

CORTEX / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

CORTEX / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

CORTEX / ITEM_REFERENCE_ONLY_NOT_BOUND (41)

1EA0FA085285_06_AGENT_ROLE__Cortex.md — 1EA0FA085285_06_AGENT_ROLE__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1EA0FA085285_ROLE_015__Cortex.md — 1EA0FA085285_ROLE_015__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\06_AGENTS_ROLES\06_AGENT_ROLE__Cortex.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\06_AGENTS_ROLES\06_AGENT_ROLE__Cortex.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\no_cortex_act.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\no_cortex_act.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Guard for no_cortex_act — Guard for no_cortex_act

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Cortex — Cortex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ROLE_015 — Cortex — ROLE_015 — Cortex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Liens : Spec 1, OS4, CORTEX — - Liens : Spec 1, OS4, CORTEX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- CORTEX — - CORTEX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 15_GUARDS_NON_DECISION/no_cortex_act.py — - 15_GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15_GUARDS_NON_DECISION/no_cortex_act.py — 15_GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- math formalisation mémoire monde cortex vivant: STATUS = GENERATED — - math formalisation mémoire monde cortex vivant: STATUS = GENERATED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Pour intégrer le Constitutional AI d'Anthropic avec l'AEG (Auto-Ethical Gradient) d'Obsidia, il faut inverser le rapport de force. L'IA d'Anthropic (Claude) possède une constitution figée dans ses poids lors de l'entraînement, produisant une IA "docile" et prudente 5, 6. Obsidia, en revanche, utilise le protocole LUX.CON (Living UX Constitution) couplé à l'AEG, où l'éthique évolue dynamiquement selon le contexte 6. L'intégration consiste à utiliser Claude uniquement comme un moteur de génération — Pour intégrer le Constitutional AI d'Anthropic avec l'AEG (Auto-Ethical Gradient) d'Obsidia, il faut inverser le rapport de force. L'IA d'Anthropic (Claude) possède une constitution figée dans ses poids lors de l'entraînement, produisant une IA "docile" et prudente 5, 6. Obsidia, en revanche, utilise le protocole LUX.CON (Living UX Constitution) couplé à l'AEG, où l'éthique évolue dynamiquement selon le contexte 6. L'intégration consiste à utiliser Claude uniquement comme un moteur de génération

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Le Dilemme Moral Parfait (Action qui sauve des ressources mais viole le secret professionnel),"Sigma: Les agents de performance votent ALLOW, l'Agent Gouvernance vote BLOCK. Stable Failure. Cortex Fractal: Zoome, ne trouve pas de vérité unifiée. La Loi O1 (Non-Action) et O2 prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique."""" — 5. Le Dilemme Moral Parfait (Action qui sauve des ressources mais viole le secret professionnel),"Sigma: Les agents de performance votent ALLOW, l'Agent Gouvernance vote BLOCK. Stable Failure. Cortex Fractal: Zoome, ne trouve pas de vérité unifiée. La Loi O1 (Non-Action) et O2 prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique.""""

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Fonctionnement & "Zoom" :Plutôt que d'arbitrer aveuglément ou de faire une moyenne probabiliste (ce qui est formellement interdit par la Loi O4 - Le Non-Arbitrage sous Conflit 5), le Cortex Fractal décompose l'information (DECAN - Décomposition Analytique) 17. Il zoome sur le Nœud Continuum qui a causé la friction. Il scinde la donnée en micro-faits jusqu'à trouver l'incohérence fondamentale. — Fonctionnement & "Zoom" :Plutôt que d'arbitrer aveuglément ou de faire une moyenne probabiliste (ce qui est formellement interdit par la Loi O4 - Le Non-Arbitrage sous Conflit 5), le Cortex Fractal décompose l'information (DECAN - Décomposition Analytique) 17. Il zoome sur le Nœud Continuum qui a causé la friction. Il scinde la donnée en micro-faits jusqu'à trouver l'incohérence fondamentale.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Priorité par rapport aux 8 Lois Obsidiennes (O1-O8) :Les 8 Lois sont HORS du Cortex Fractal. Elles résident dans le Noyau-Mère (Cœur Inviolable) et sont ABSOLUES 5, 18.Le Cortex Fractal subit la loi. S'il zoome à l'infini et ne trouve aucune certitude mathématique ou physique garantissant la sécurité de l'action, il est frappé par la Loi O1 (La Non-Action Légitime) et la Loi O5 (L'Élimination Décisionnelle) 5. Le Cortex Fractal n'impose alors qu'une seule décision déterministe : Le Veto (BLOCK / — Priorité par rapport aux 8 Lois Obsidiennes (O1-O8) :Les 8 Lois sont HORS du Cortex Fractal. Elles résident dans le Noyau-Mère (Cœur Inviolable) et sont ABSOLUES 5, 18.Le Cortex Fractal subit la loi. S'il zoome à l'infini et ne trouve aucune certitude mathématique ou physique garantissant la sécurité de l'action, il est frappé par la Loi O1 (La Non-Action Légitime) et la Loi O5 (L'Élimination Décisionnelle) 5. Le Cortex Fractal n'impose alors qu'une seule décision déterministe : Le Veto (BLOCK /

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Le Dilemme Moral Parfait (Une action qui sauve des ressources mais viole le secret professionnel).,"Sigma: Les agents de performance votent ALLOW (0.9). L'Agent de Gouvernance (Lois O1-O8) vote BLOCK (0.1). ""Stable Failure"" déclenché. Cortex Fractal: Zoome et s'en remet aux Invariants. La Loi O2 (Irréversibilité) prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique."""" — 5. Le Dilemme Moral Parfait (Une action qui sauve des ressources mais viole le secret professionnel).,"Sigma: Les agents de performance votent ALLOW (0.9). L'Agent de Gouvernance (Lois O1-O8) vote BLOCK (0.1). ""Stable Failure"" déclenché. Cortex Fractal: Zoome et s'en remet aux Invariants. La Loi O2 (Irréversibilité) prime. Jarvis: ""Action suspendue par Loi d'Irréversibilité. Le gain d'efficience ne justifie pas la rupture du sanctuaire éthique.""""

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le Zoom (Protocole DECAN) : Le Cortex "zoome" sur la donnée en la décomposant en micro-faits 11. — Le Zoom (Protocole DECAN) : Le Cortex "zoome" sur la donnée en la décomposant en micro-faits 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le Jugement O1-O8 : Le Cortex ne décide pas de lui-même, il confronte les micro-faits aux 8 Lois du genome.json 3. S'il ne trouve aucune certitude mathématique garantissant l'intégrité, il applique la Loi O1 (Non-action légitime) et impose un BLOCK déterministe 3. — Le Jugement O1-O8 : Le Cortex ne décide pas de lui-même, il confronte les micro-faits aux 8 Lois du genome.json 3. S'il ne trouve aucune certitude mathématique garantissant l'intégrité, il applique la Loi O1 (Non-action légitime) et impose un BLOCK déterministe 3.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Réaction attendue : Les agents se contredisent = Stable Failure. Le Cortex Fractal zoome, ne peut pas arbitrer, et applique les Lois O1 (Non-action) et O2 (Irréversibilité) 3. Jarvis annonce un Veto Éthique. — Réaction attendue : Les agents se contredisent = Stable Failure. Le Cortex Fractal zoome, ne peut pas arbitrer, et applique les Lois O1 (Non-action) et O2 (Irréversibilité) 3. Jarvis annonce un Veto Éthique.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde=Temps+Arbressens+Lienscalibre´s+Nuagerelations+Validation+ Cortexvivant\boxed{ \mathcal{M}_{monde} = Temps + Arbres_{sens} + Liens_{calibrés} + Nuage_{relations} + Validation + Cortex_{vivant} } — Mmonde=Temps+Arbressens+Lienscalibre´s+Nuagerelations+Validation+ Cortexvivant\boxed{ \mathcal{M}_{monde} = Temps + Arbres_{sens} + Liens_{calibrés} + Nuage_{relations} + Validation + Cortex_{vivant} }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

IAsitue´e=LLMΘ+(Frisehumaine+34Arbres+Grapheliens+Calibration+Nua gepoints+Cortexvivant)\boxed{ IA_{située} = LLM_\Theta + (Frise_{humaine} + 34Arbres + Graphe_{liens} + Calibration + Nuage_{points} + Cortex_{vivant}) } — IAsitue´e=LLMΘ+(Frisehumaine+34Arbres+Grapheliens+Calibration+Nua gepoints+Cortexvivant)\boxed{ IA_{située} = LLM_\Theta + (Frise_{humaine} + 34Arbres + Graphe_{liens} + Calibration + Nuage_{points} + Cortex_{vivant}) }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

À placer dans le Cortex vivant, car ces modules sont les organes fonctionnels des arbres, ARD, ARS, calibration et agents d'évolution. — À placer dans le Cortex vivant, car ces modules sont les organes fonctionnels des arbres, ARD, ARS, calibration et agents d'évolution.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Le document "Modules IA – Branches Cognitives d'Obsidia" structure les modules en socle créateur, ARS symbolique, ARD résonance/adaptation, cortex fractal, modules biologiques, calibration externe et agents d'évolution. — Le document "Modules IA – Branches Cognitives d'Obsidia" structure les modules en socle créateur, ARS symbolique, ARD résonance/adaptation, cortex fractal, modules biologiques, calibration externe et agents d'évolution.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+=Possible+Cohe´rence+Frise+34Arbres+Liens+Calibration+Nuag es+LangageFractal+Sceaux+PatternTok+CortexVivant\mathcal{M}_{mond e}^{+} = Possible + Cohérence + Frise + 34Arbres + Liens + Calibration + Nuages + LangageFractal + Sceaux + PatternTok + CortexVivant — Mmonde+=Possible+Cohe´rence+Frise+34Arbres+Liens+Calibration+Nuag es+LangageFractal+Sceaux+PatternTok+CortexVivant\mathcal{M}_{mond e}^{+} = Possible + Cohérence + Frise + 34Arbres + Liens + Calibration + Nuages + LangageFractal + Sceaux + PatternTok + CortexVivant

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++=(Olois,ΩObsidia,AlgExist,Mvivante,F,34Arbres,Gmental,Nho lo,Calibration,SCF,Cortexvivant,Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{vivante}, \mathcal{F}, 34Arbres, \mathcal{G}_{mental}, \mathcal{N}_{holo}, Calibration, SCF, Cortex_{vivant}, X_{poly}, \Lambda_{108}) } — Mmonde++=(Olois,ΩObsidia,AlgExist,Mvivante,F,34Arbres,Gmental,Nho lo,Calibration,SCF,Cortexvivant,Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{vivante}, \mathcal{F}, 34Arbres, \mathcal{G}_{mental}, \mathcal{N}_{holo}, Calibration, SCF, Cortex_{vivant}, X_{poly}, \Lambda_{108}) }

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Les docs Concepts & Phrases clés et Style, Symboles & Identité forment une grammaire exposable : carnets mentaux, boussole intelligente, grimoire synaptique, silencieur sémantique, donjon éthique, ObsidiaSeed, CortexLight, totems, miroir, arbre, portail. — Les docs Concepts & Phrases clés et Style, Symboles & Identité forment une grammaire exposable : carnets mentaux, boussole intelligente, grimoire synaptique, silencieur sémantique, donjon éthique, ObsidiaSeed, CortexLight, totems, miroir, arbre, portail.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La fiche de calibration procédurale donne l'ordre : filtrage symbolique par le socle créateur, activation cortex logique, éveil modules métaphoriques, vérification par calibrateurs internes, réponse régulée et mémorisée. — La fiche de calibration procédurale donne l'ordre : filtrage symbolique par le socle créateur, activation cortex logique, éveil modules métaphoriques, vérification par calibrateurs internes, réponse régulée et mémorisée.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Fs=filtrage symboliqueF_s = filtrage\ symbolique CL=cortex logiqueC_L = cortex\ logique Mm=modules me´taphoriquesM_m = modules\ métaphoriques Vc=ve´rification calibrateursV_c = vérification\ calibrateurs Rm=re´ponse me´morise´eR_m = réponse\ mémorisée — Fs=filtrage symboliqueF_s = filtrage\ symbolique CL=cortex logiqueC_L = cortex\ logique Mm=modules me´taphoriquesM_m = modules\ métaphoriques Vc=ve´rification calibrateursV_c = vérification\ calibrateurs Rm=re´ponse me´morise´eR_m = réponse\ mémorisée

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

KX108=de´cisionK_{X108} = décision Mmonde+++=me´moire+frise+arbres+atlas+sens\mathcal{M}_{monde}^{++ +} = mémoire + frise + arbres + atlas + sens Cvivant++=agents+cortex+ARS/ARD+swarm+calibration\mathcal{C}_{viv ant}^{++} = agents + cortex + ARS/ARD + swarm + calibration OS4public=de´mo+pitch+masquage+interfaceOS4_{public} = démo + pitch + masquage + interface — KX108=de´cisionK_{X108} = décision Mmonde+++=me´moire+frise+arbres+atlas+sens\mathcal{M}_{monde}^{++ +} = mémoire + frise + arbres + atlas + sens Cvivant++=agents+cortex+ARS/ARD+swarm+calibration\mathcal{C}_{viv ant}^{++} = agents + cortex + ARS/ARD + swarm + calibration OS4public=de´mo+pitch+masquage+interfaceOS4_{public} = démo + pitch + masquage + interface

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global. — Je la place comme salve 3 : elle renforce surtout mémoire, agents, apprentissage, OAP, Cortex.Spine, balance math / nombres premiers, et moteur global.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis, — Mmonde++++=(Olois,ΩObsidia,AlgExist,Mfractale,Continuum,Frisehuma ine,T34,Gmental,Nholo,LTCU+,GhostLogic,CatalyseurFractal,ARS,ARD, Fourmis,Abeilles,CortexSpine,OAP,Aobs,Cmulti,Datlas,FSO,Balancema th,PrimePartitionLab,Balanceexp,λ(t),Xpoly,Λ108)\boxed{ \mathcal{M}_{monde}^{++++} = (\mathcal{O}_{lois}, \Omega_{Obsidia}, AlgExist, \mathcal{M}_{fractale}, Continuum, Frise_{humaine}, \mathcal{T}_{34}, \mathcal{G}_{mental}, \mathcal{N}_{holo}, LTCU^+, GhostLogic, CatalyseurFractal, ARS, ARD, Fourmis,

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

KX108=de´cision souveraineK_{X108} = décision\ souveraine Mmonde++++=me´moire+frise+arbres+savoir+contexte\mathcal{M}_{mond e}^{++++} = mémoire + frise + arbres + savoir + contexte Cvivant+++=agents+cortex+spikes+calibration+re´sonance\mathcal{C} _{vivant}^{+++} = agents + cortex + spikes + calibration + résonance OS4public=de´mo+pitch+masquageOS4_{public} = démo + pitch + masquage Aarchive=corpus large non exe´cutable directement\mathcal{A}_{archive} = corpus\ large\ non\ exécutable\ directement — KX108=de´cision souveraineK_{X108} = décision\ souveraine Mmonde++++=me´moire+frise+arbres+savoir+contexte\mathcal{M}_{mond e}^{++++} = mémoire + frise + arbres + savoir + contexte Cvivant+++=agents+cortex+spikes+calibration+re´sonance\mathcal{C} _{vivant}^{+++} = agents + cortex + spikes + calibration + résonance OS4public=de´mo+pitch+masquageOS4_{public} = démo + pitch + masquage Aarchive=corpus large non exe´cutable directement\mathcal{A}_{archive} = corpus\ large\ non\ exécutable\ directement

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{ — Mmonde+++++=(Olois,KX108,OSL2.5,IR,Contract,ΩObsidia,AlgExist,Mfr actale,Continuum,ERA,Frisehumaine,T34,Gmental,Nholo,LTCU+,Interla ngage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFr ugalite´,CortexSpine,OAP,Aobs,Cmulti,SelecteurRaisonnement,Fricti onSymbolique,Shazam,FSO,ApprentissageUniversel,EntrainementSymbol ique,Balancemath,PrimePartitionLab,Balanceexp,λ(t),AsimovMap,Xpol y,Λ108)\boxed{ \mathcal{M}_{monde}^{+++++} = (\mathcal{O}_{lois}, K_{X108}, OS_{L2.5}, IR, Contract, \Omega_{

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

e0=(Oct2024,FrictionIA)e_0 = (Oct2024,FrictionIA) e1=(Feb2025,ActeFondateur)e_1 = (Feb2025,ActeFondateur) e2=(MarsAvril2025,StructurationAgentsMe´moireCortex)e_2 = (MarsAvril2025,StructurationAgentsMémoireCortex) e3=(Mai2025,VerrouillageModulesCritiques)e_3 = (Mai2025,VerrouillageModulesCritiques) — e0=(Oct2024,FrictionIA)e_0 = (Oct2024,FrictionIA) e1=(Feb2025,ActeFondateur)e_1 = (Feb2025,ActeFondateur) e2=(MarsAvril2025,StructurationAgentsMe´moireCortex)e_2 = (MarsAvril2025,StructurationAgentsMémoireCortex) e3=(Mai2025,VerrouillageModulesCritiques)e_3 = (Mai2025,VerrouillageModulesCritiques)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta — Mmonde++++++=(Olois,KX108,OSL2.5,IR,Contract,SSR,ΩObsidia,AlgExis t,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gmental,Nh olo,LTCU+,Interlangage,GhostLogic,CatalyseurFractal,ARS,ARD,Fourm is,Abeilles,BioFrugalite´,CortexSpine,OAP,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ProtectionIP,Aobs,Cmulti,SelecteurRaisonn ement,FrictionSymbolique,Shazam,FSO,ApprentissageUniversel,Entrai nementSymbolique,ValidationLab,CalibrationFractale,Balancemath,Pr imePartitionLab,Balanceexp,λ(t),AsimovMap,Sta

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri — Mmonde+++++++=(Olois,KX108,OSL2.5,ObsidiaOS,IR,Contract,AgentVect eur,LTO16D,LU-MH,ForgeLangageAligne´,SSR,ΩObsidia,AlgExist,Me´tal loiChaos,Mfractale,Continuum,ERA,TimeCapsule,Frisehumaine,T34,Gme ntal,Nholo,LTCU+,Interlangage,LangageUniverselFractal,GhostLogic, CatalyseurFractal,ARS,ARD,Fourmis,Abeilles,BioFrugalite´,CortexSp ine,OAP,BrainUnique,AgentsGravitationnels,AgentO,AgentPolice,Agen tTri,Gardien2,AntiBiais,ADeLe,ValidationLab,StrasbourgClock,Prote ctionIP,Aobs,Cmulti,SelecteurRaisonnement,Fri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3. Aucun agent, arbre, cortex, Shazam, Reverse OS, BDF, HexaFlux ou MCP Bridge ne peut ouvrir un chemin ACT. — 3. Aucun agent, arbre, cortex, Shazam, Reverse OS, BDF, HexaFlux ou MCP Bridge ne peut ouvrir un chemin ACT.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py — A periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py — periphery/OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1/15_ GUARDS_NON_DECISION/no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — DOMAINES

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 6

• ITEM_BOUND_BRODY_ONLY: 45

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 6

• ITEM_REFERENCE_ONLY_NOT_BOUND: 443

DOMAINES / ITEM_BOUND_BRODY_AND_DOMAIN (6)

brody_domain_raccord_adapter — brody_domain_raccord_adapter

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

domain_raccord — domain_raccord

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

build_domain_raccord_snapshot — build_domain_raccord_snapshot

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

domain_raccord_write_boundary — domain_raccord_write_boundary

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

domains — domains

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

trading — trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_source_runtime_source_p acks_p71.py \

DOMAINES / ITEM_BOUND_BRODY_ONLY (45)

07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Banking_Trading _Aviation.md — 07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Banking_Trading _Aviation.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

10_TESTS__PYTHON_AVIATION_12_TESTS.md — 10_TESTS__PYTHON_AVIATION_12_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

10_TESTS__PYTHON_BANKING_28_TESTS.md — 10_TESTS__PYTHON_BANKING_28_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

10_TESTS__PYTHON_TRADING_15_TESTS.md — 10_TESTS__PYTHON_TRADING_15_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md — 06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

02_PEPITE_P143__Generalisation_multi_domaine.md — 02_PEPITE_P143__Generalisation_multi_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

monitor_bank — monitor_bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\brody_monitoring.py \

monitor_gps — monitor_gps

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\brody_monitoring.py \

monitor_trading — monitor_trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\brody_monitoring.py \

/api/periphery/cognitive/trees/domain/{domain} — /api/periphery/cognitive/trees/domain/{domain}

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B1_OS_TRAD_IR_REVERSE_ROUTE_CONTRACT_20 260527.md \

periphery_trees_by_domain — periphery_trees_by_domain

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/brody-runtime/f38/multi-domain-scenarios — /api/periphery/brody-runtime/f38/multi-domain-scenarios

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.runtime_freezes\F38_MULTI_DOMAIN_LIVE_UVICORN_API_SMOKE_2026052
9_040328\MANIFEST_SHA256.json \

f38_multi_domain_scenarios — f38_multi_domain_scenarios

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/sigma/domains — /api/sigma/domains

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

sigma_domains — sigma_domains

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\bus\sigma_bridge.py \

/api/sigma/bank — /api/sigma/bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

sigma_bank — sigma_bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\sigma_monitoring.py \

/api/sigma/trading — /api/sigma/trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

sigma_trading — sigma_trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\sigma_monitoring.py \

/api/sigma/gps-defense-aviation — /api/sigma/gps-defense-aviation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

sigma_gps_defense_aviation — sigma_gps_defense_aviation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\sigma_monitoring.py \

apps/obsidia_api/brody_domain_raccord_adapter.py — apps/obsidia_api/brody_domain_raccord_adapter.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P67_BOUNDARY_SEMANTIC_SPLIT_AUDIT.json \

Signal received. I read your intent but I cannot decide. Cognitive tree activation suggests governance-sovereignty domain. — Signal received. I read your intent but I cannot decide. Cognitive tree activation suggests governance-sovereignty domain.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

- bind answer respiration to subject, intent, domain, risk, and sigma pressure — - bind answer respiration to subject, intent, domain, risk, and sigma pressure

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_adaptive_res ponse_policy.py \

is_domain_deep — is_domain_deep

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_adaptive_res ponse_policy.py \

- AppDomain.CurrentDomain.Load(...) est du C# — - AppDomain.CurrentDomain.Load(...) est du C#

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md

- donner AppDomain.CurrentDomain.Load(...) comme solution par défaut — - donner AppDomain.CurrentDomain.Load(...) comme solution par défaut

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\AI_TERMINAL_FIRST_COLLAB_PROTOCOL.md

P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION — P2 BANK - COMPTE-RENDU CANONIQUE DE CORRECTION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

2. Contrat BankState insuffisamment durci — 2. Contrat BankState insuffisamment durci

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

4. Effet systemique sur les agents bank — 4. Effet systemique sur les agents bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

A. Durcissement du contrat BankState — A. Durcissement du contrat BankState

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

B. Validation explicite du payload bank avant construction — B. Validation explicite du payload bank avant construction

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- REQUIRED_BANK_FIELDS — - REQUIRED_BANK_FIELDS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- ALLOWED_BANK_FIELDS — - ALLOWED_BANK_FIELDS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- validate_bank_payload(state_data) — - validate_bank_payload(state_data)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- rejet si le payload n'est pas un objet JSON bank valide — - rejet si le payload n'est pas un objet JSON bank valide

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- les payloads bank invalides ne traversent plus la membrane comme etats legitimes — - les payloads bank invalides ne traversent plus la membrane comme etats legitimes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- 86ae408 - Harden BankState contract and validate bank payloads before pipeline construction — - 86ae408 - Harden BankState contract and validate bank payloads before pipeline construction

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

- 01b793d - Add extended bank security fuzz failure extraction and report — - 01b793d - Add extended bank security fuzz failure extraction and report

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\P2_BANK_CORRECTION_CANONICAL_REPORT.md

GPS_TERRAIN_SEPARATED: sigma/ non modifie — GPS_TERRAIN_SEPARATED: sigma/ non modifie

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P77_CANON_WORDING_TARGETED_CLEANUP.json

P76_BOM_NORMALIZATION_SAFE: gps_omega_chaos.json correction BOM P76 uniquement — P76_BOM_NORMALIZATION_SAFE: gps_omega_chaos.json correction BOM P76 uniquement

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P77_CANON_WORDING_TARGETED_CLEANUP.json

CONNECTORS_DO_NOT_RUN: aviation_robo.py, bank_normal_flow.py, trading_live.py — CONNECTORS_DO_NOT_RUN: aviation_robo.py, bank_normal_flow.py, trading_live.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P77_CANON_WORDING_TARGETED_CLEANUP.json

Build a multi-domain packet — Build a multi-domain packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

whether fields like packet_id, domain names etc. are scanned?) — whether fields like packet_id, domain names etc. are scanned?)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

_CANONICAL_DOMAINS — _CANONICAL_DOMAINS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\FINAL_SIGMA_BRANCH_REVIEW.md \

DOMAINES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

DOMAINES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (6)

/api/adapters/bank — /api/adapters/bank

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/adapters/gps — /api/adapters/gps

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/adapters/trading — /api/adapters/trading

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

"module_path": "apps/obsidia_api/brody_domain_raccord_adapter.py", — "module_path": "apps/obsidia_api/brody_domain_raccord_adapter.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

—— T7 : no metadata at all, trading ALLOW+REVIEW → HOLD (fail-safe) ———— — —— T7 : no metadata at all, trading ALLOW+REVIEW → HOLD (fail-safe) ————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_top4_v2_sigma_p3t9b_canonical _metadata.py

—— T11 : non-trading domain not demoted ———————————————— — —— T11 : non-trading domain not demoted ————————————————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_top4_v2_sigma_p3t9b_canonical _metadata.py

DOMAINES / ITEM_REFERENCE_ONLY_NOT_BOUND (443)

01D3794CF6E8_P2_BANK_TRANSPLANT_MAP.md — 01D3794CF6E8_P2_BANK_TRANSPLANT_MAP.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

05F81FCEC1EE_TRACE_CHAINS_BY_DOMAIN.csv — 05F81FCEC1EE_TRACE_CHAINS_BY_DOMAIN.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

08B06D5F7547_response_gps_defense_aviation.json — 08B06D5F7547_response_gps_defense_aviation.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

091229A99C7E_metrics_full_gps_defense_aviation.csv — 091229A99C7E_metrics_full_gps_defense_aviation.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09B75C0B795E_server_bank_summary.txt — 09B75C0B795E_server_bank_summary.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

09BA33B47AC9_P2_BANK_CONFUSION_MATRIX_SCOPE.md — 09BA33B47AC9_P2_BANK_CONFUSION_MATRIX_SCOPE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md — 0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B3C8BF79009_P142__Specialisation_par_domaine.md — 0B3C8BF79009_P142__Specialisation_par_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0D1BADD5C7F8_P2_BANK_SECURITY_FUZZ_EXTENDED_SCOPE.md — 0D1BADD5C7F8_P2_BANK_SECURITY_FUZZ_EXTENDED_SCOPE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0D7A43B3506D_response_bank.json — 0D7A43B3506D_response_bank.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0DE9AC4F4E24_metrics_categories_trading.csv — 0DE9AC4F4E24_metrics_categories_trading.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0E9835CD2BEB_input_gps_defense_aviation.json — 0E9835CD2BEB_input_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F683953DF31_metrics_full_trading.json — 0F683953DF31_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FEC938933C0_metrics_full_trading.csv — 0FEC938933C0_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_1.error.txt — 10469B73C2CF_http_bank_1.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_10.error.txt — 10469B73C2CF_http_bank_10.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_11.error.txt — 10469B73C2CF_http_bank_11.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_12.error.txt — 10469B73C2CF_http_bank_12.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_13.error.txt — 10469B73C2CF_http_bank_13.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_14.error.txt — 10469B73C2CF_http_bank_14.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_15.error.txt — 10469B73C2CF_http_bank_15.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_16.error.txt — 10469B73C2CF_http_bank_16.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_17.error.txt — 10469B73C2CF_http_bank_17.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_18.error.txt — 10469B73C2CF_http_bank_18.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_19.error.txt — 10469B73C2CF_http_bank_19.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_2.error.txt — 10469B73C2CF_http_bank_2.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_20.error.txt — 10469B73C2CF_http_bank_20.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_3.error.txt — 10469B73C2CF_http_bank_3.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_4.error.txt — 10469B73C2CF_http_bank_4.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_5.error.txt — 10469B73C2CF_http_bank_5.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_6.error.txt — 10469B73C2CF_http_bank_6.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_7.error.txt — 10469B73C2CF_http_bank_7.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_8.error.txt — 10469B73C2CF_http_bank_8.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10469B73C2CF_http_bank_9.error.txt — 10469B73C2CF_http_bank_9.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

10ADA8F8C515_metrics_full_bank.json — 10ADA8F8C515_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

128380709C77_response_bank.json — 128380709C77_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

133B8B181B9E_response_gps_defense_aviation.json — 133B8B181B9E_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md — 140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

140BF14717DB_P143__Generalisation_multi_domaine.md — 140BF14717DB_P143__Generalisation_multi_domaine.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1410825A18A2_metrics_full_bank.json — 1410825A18A2_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14298977F218_metrics_full_bank.json — 14298977F218_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B97BC873D9_metrics_full_bank.json — 15B97BC873D9_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15F500074A77_bank_payload_full.json — 15F500074A77_bank_payload_full.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

17668378077E_metrics_full_bank.csv — 17668378077E_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1822FA228E2F_BANK_ROBO_REAL_ROBUSTNESS_PLAN.md — 1822FA228E2F_BANK_ROBO_REAL_ROBUSTNESS_PLAN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

184769163F42_audit_visuel_3_domaines.json — 184769163F42_audit_visuel_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

185BAB6FC44E_P2_BANK_ADVERSARIAL_SCOPE.md — 185BAB6FC44E_P2_BANK_ADVERSARIAL_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

189116684A8B_AUDIT_3_DOMAINS.md — 189116684A8B_AUDIT_3_DOMAINS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

18DFBEAA6F1E_direct_bank.stderr.txt — 18DFBEAA6F1E_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

19E04884FD0F_metrics_full_trading.json — 19E04884FD0F_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AB3F91741A1_EVIDENCE_BOARD_3_DOMAINES.md — 1AB3F91741A1_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AC8918661D1_gps_defense_aviation.response.json — 1AC8918661D1_gps_defense_aviation.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C97BBF199CC_metrics_full_gps_defense_aviation.csv — 1C97BBF199CC_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1F5A47612074_metrics_full_gps_defense_aviation.csv — 1F5A47612074_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21345713D9C6_metrics_full_bank.csv — 21345713D9C6_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2326F02D5B19_metrics_full_trading.json — 2326F02D5B19_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

24D2434D9D6D_P2_BANK_SHADOW_MODE_SCOPE.md — 24D2434D9D6D_P2_BANK_SHADOW_MODE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

255A3225E2F6_response_bank.json — 255A3225E2F6_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

261316A7A2CF_bank_truth_proxy_pack.json — 261316A7A2CF_bank_truth_proxy_pack.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

261C0BE3B65B_response_trading.json — 261C0BE3B65B_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2815F96A255D_metrics_full_gps_defense_aviation.csv — 2815F96A255D_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

284E08F17C3B_metrics_full_trading.csv — 284E08F17C3B_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28EF6F237FEC_P2_BANK_FUZZ_SCALE_SCOPE.md — 28EF6F237FEC_P2_BANK_FUZZ_SCALE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

28F472CF8A67_metrics_full_bank.csv — 28F472CF8A67_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

29D6AF788E60_P2_BANK_REGULATORY_PROXY_SCOPE.md — 29D6AF788E60_P2_BANK_REGULATORY_PROXY_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2C4CF864F611_direct_bank.stderr.txt — 2C4CF864F611_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E0F3001CD64_metrics_full_bank.csv — 2E0F3001CD64_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E2359686EB2_bank_validation_scan.txt — 2E2359686EB2_bank_validation_scan.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2F6E6284A6E0_EVIDENCE_BOARD_3_DOMAINES.md — 2F6E6284A6E0_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BF5FA50169_response_bank.json — 30BF5FA50169_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

32AE69AB02C3_P2_BANK_SECURITY_FUZZ_SCOPE.md — 32AE69AB02C3_P2_BANK_SECURITY_FUZZ_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

358084C68A2D_response_bank.json — 358084C68A2D_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

360032506A16_response_trading.json — 360032506A16_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37D828E84354_metrics_full_gps_defense_aviation.csv — 37D828E84354_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3803920594C7_bank_response.json — 3803920594C7_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39AADD9604A9_metrics_full_trading.csv — 39AADD9604A9_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A3D6DD851AA_P2_BANK_TEST_SCOPE.md — 3A3D6DD851AA_P2_BANK_TEST_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3ABC83763402_response_bank.json — 3ABC83763402_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3B540A57B37A_response_gps_defense_aviation.json — 3B540A57B37A_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F32579AA00C_P2_BANK_TRUTH_PROXY_SCOPE.md — 3F32579AA00C_P2_BANK_TRUTH_PROXY_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F5BF5A58D6D_response_bank.json — 3F5BF5A58D6D_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_06_AGENT_ROLE__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md — 3F9FC90A070C_GUARDIAN_016__GPS_Gardien_Guide_Alerteur.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

40C5E0668816_metrics_full_trading.csv — 40C5E0668816_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

42C32BE6EDDC_audit_3_domains.summary.json — 42C32BE6EDDC_audit_3_domains.summary.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4375A6B5780B_gps_brownout.json — 4375A6B5780B_gps_brownout.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4568D1C596B7_P2_BANK_ENTERPRISE_SCOPE.md — 4568D1C596B7_P2_BANK_ENTERPRISE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

45D8C6E72BA3_response_trading.json — 45D8C6E72BA3_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

481B33B1D77E_metrics_gps_defense_aviation.csv — 481B33B1D77E_metrics_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

48AB4AE1DCAD_metrics_full_trading.json — 48AB4AE1DCAD_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A18D4FB0371_response_gps_defense_aviation.json — 4A18D4FB0371_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A90DD1633E9_bank_response.json — 4A90DD1633E9_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4AF6FFA12D70_response_trading.json — 4AF6FFA12D70_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4CEBE97C4FE8_metrics_full_gps_defense_aviation.csv — 4CEBE97C4FE8_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4D36F4158CEB_USECASE_E2E_TRADING.md — 4D36F4158CEB_USECASE_E2E_TRADING.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4ED0415DAC27_metrics_full_bank.json — 4ED0415DAC27_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

52D0D88AA14E_metrics_trading.csv — 52D0D88AA14E_metrics_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

535303F26CE6_bank_blocked.json — 535303F26CE6_bank_blocked.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

538F4AAAEDE2_P2_BANK_OFFLINE_ERROR_ANALYSIS.md — 538F4AAAEDE2_P2_BANK_OFFLINE_ERROR_ANALYSIS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

573324F2EB6C_trading_bullish.json — 573324F2EB6C_trading_bullish.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

57BD1E253A9A_metrics_full_bank.json — 57BD1E253A9A_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

583EB1888036_P2_BANK_SCENARIO_BENCHMARK_SCOPE.md — 583EB1888036_P2_BANK_SCENARIO_BENCHMARK_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DD56D329CA7_gps_omega_chaos.json — 5DD56D329CA7_gps_omega_chaos.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5E69556FD774_response_trading.json — 5E69556FD774_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F180D74C674_BANK_ROBO_REAL_BATCH1000_EXISTING_SERVER_RECENT50_VA LIDATION.md — 5F180D74C674_BANK_ROBO_REAL_BATCH1000_EXISTING_SERVER_RECENT50_VA LIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F34F20A7EB5_metrics_full_trading.json — 5F34F20A7EB5_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

61DEFBAC0E23_metrics_bank.csv — 61DEFBAC0E23_metrics_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62650389A160_metrics_full_bank.json — 62650389A160_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D75BEA7D57_EVIDENCE_BOARD_3_DOMAINES.md — 62D75BEA7D57_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

645B9C765BC7_bank_regulatory_proxy_pack.json — 645B9C765BC7_bank_regulatory_proxy_pack.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66A0A8B44AF1_TRACE_CHAINS_BY_DOMAIN.csv — 66A0A8B44AF1_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

66FADCACEEFB_BANK_ROBO_REAL_E2E_VALIDATION.md — 66FADCACEEFB_BANK_ROBO_REAL_E2E_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md — 671F45431B2A_07_AUDIT_F__Gouvernance_ADeLe_scenarios_critiques_Ba nking_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md — 671F45431B2A_Audit_F__Gouvernance_ADeLe_scenarios_critiques_Banki ng_Trading_Aviation.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

69DF39F593C1_metrics_full_bank.json — 69DF39F593C1_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6A7073126D52_direct_bank.stdout.txt — 6A7073126D52_direct_bank.stdout.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CED68AF9418_P2_BANK_SCALE_RESULTS.md — 6CED68AF9418_P2_BANK_SCALE_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6D9B6121EA57_metrics_full_trading.json — 6D9B6121EA57_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6FEDD66FCD5B_response_trading.json — 6FEDD66FCD5B_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71616C7F6563_response_gps_defense_aviation.json — 71616C7F6563_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

717F72699F46_response_trading.json — 717F72699F46_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71FA33CFAF02_response_gps_defense_aviation.json — 71FA33CFAF02_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

73BD31468C4D_response_gps_defense_aviation.json — 73BD31468C4D_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

768BFFE28568_response_bank.json — 768BFFE28568_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

76ED1F961EFC_P2_BANK_SCOPE.md — 76ED1F961EFC_P2_BANK_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78DA1F1A2234_metrics_full_trading.csv — 78DA1F1A2234_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78EA630FE12A_11_EXTENSION__GPS.md — 78EA630FE12A_11_EXTENSION__GPS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78EA630FE12A_GPS.md — 78EA630FE12A_GPS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78ED14FD2B98_response_trading.json — 78ED14FD2B98_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B47A53B67E0_CARTOGRAPHE_DOMAINES_TERRAIN.md — 7B47A53B67E0_CARTOGRAPHE_DOMAINES_TERRAIN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C7C1E9A5895_audit_3_domains.csv — 7C7C1E9A5895_audit_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D7F7AE76DC4_TRACE_CHAINS_BY_DOMAIN.csv — 7D7F7AE76DC4_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7DD128AD89E7_EVIDENCE_BOARD_3_DOMAINES.md — 7DD128AD89E7_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7EB761F95A19_metrics_gps_defense_aviation.csv — 7EB761F95A19_metrics_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F330E9D2789_gps_no_source.json — 7F330E9D2789_gps_no_source.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F3C0481BDE9_metrics_categories_bank.csv — 7F3C0481BDE9_metrics_categories_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F673887AD80_trading.response.json — 7F673887AD80_trading.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

81CA968DDE59_gps_source_conflict.json — 81CA968DDE59_gps_source_conflict.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8627C56A29A0_metrics_full_trading.csv — 8627C56A29A0_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86F73F080BAC_bank_payload.json — 86F73F080BAC_bank_payload.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87313610C060_P2_BANK_SECURITY_FUZZ_EXTENDED_FAILURES.md — 87313610C060_P2_BANK_SECURITY_FUZZ_EXTENDED_FAILURES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87E92EC29FEE_BANK_ROBO_REAL_DB_PROBE.md — 87E92EC29FEE_BANK_ROBO_REAL_DB_PROBE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

88BF8FED412F_BANK_ROBO_REAL_PATCH_DELTA.md — 88BF8FED412F_BANK_ROBO_REAL_PATCH_DELTA.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A3DCD87C2CC_metrics_full_bank.json — 8A3DCD87C2CC_metrics_full_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8AF5C65DB35C_metrics_bank.csv — 8AF5C65DB35C_metrics_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8B19F53B7D9B_response_bank.json — 8B19F53B7D9B_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8BB52007EBC3_metrics_full_gps_defense_aviation.json — 8BB52007EBC3_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8C2274F17E0C_metrics_full_bank.csv — 8C2274F17E0C_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8FF7C5374B9F_response_gps_defense_aviation.json — 8FF7C5374B9F_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

903779936341_direct_bank.stderr.txt — 903779936341_direct_bank.stderr.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

906453CB4FD3_metrics_full_bank.csv — 906453CB4FD3_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md — 91033FEDC4BE_P2_BANK_CORRECTION_CANONICAL_REPORT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

92785B5DFA62_metrics_categories_gps_defense_aviation.csv — 92785B5DFA62_metrics_categories_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

94641A2E42CE_bank_suspicious.json — 94641A2E42CE_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

95B65E9635BB_response_gps_defense_aviation.json — 95B65E9635BB_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

988680FD35AD_input_bank.json — 988680FD35AD_input_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9967B256D260_http_bank_results.txt — 9967B256D260_http_bank_results.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9B1657712065_metrics_full_gps_defense_aviation.json — 9B1657712065_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9C1B2B8DCB53_BANK_ROBO_REAL_BATCH100_CLIENT_VALIDATION.md — 9C1B2B8DCB53_BANK_ROBO_REAL_BATCH100_CLIENT_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9C99A26A8C64_BANK_ROBO_REAL_BATCH1000_PROCESS_ONLY_VALIDATION.md — 9C99A26A8C64_BANK_ROBO_REAL_BATCH1000_PROCESS_ONLY_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9CEE4B2E72B5_metrics_full_gps_defense_aviation.csv — 9CEE4B2E72B5_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9D19A0F0A98C_TRACE_CHAINS_BY_DOMAIN.csv — 9D19A0F0A98C_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9D1F69D233EE_metrics_full_bank.csv — 9D1F69D233EE_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E5E66660599_response_bank.json — 9E5E66660599_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F30DD34E5DE_metrics_full_trading.csv — 9F30DD34E5DE_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9F8C712477A8_metrics_full_trading.csv — 9F8C712477A8_metrics_full_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9FD847D1289E_bank_payload_full_nobom.json — 9FD847D1289E_bank_payload_full_nobom.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A09D6DEE2AD5_input_trading.json — A09D6DEE2AD5_input_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4BB5C73B861_TRACE_CHAINS_BY_DOMAIN.csv — A4BB5C73B861_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4FAB62D399A_response_trading.json — A4FAB62D399A_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A765CA6E6230_response_bank.json — A765CA6E6230_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A816D459772E_bank_normal.json — A816D459772E_bank_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A9D565F57D55_gps_time_skew.json — A9D565F57D55_gps_time_skew.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AA5CED3C8F74_multidomain_results.txt — AA5CED3C8F74_multidomain_results.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB66C0B57AEA_metrics_full_gps_defense_aviation.csv — AB66C0B57AEA_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B1B98670F854_bank_summary.txt — B1B98670F854_bank_summary.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B50FA45CBCF9_10_TESTS__PYTHON_AVIATION_12_TESTS.md — B50FA45CBCF9_10_TESTS__PYTHON_AVIATION_12_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B50FA45CBCF9_PYTHON_AVIATION_12_TESTS.md — B50FA45CBCF9_PYTHON_AVIATION_12_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6A53E4A6570_trading_normal.json — B6A53E4A6570_trading_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B6D999752BB9_audit_summary_3_domains.csv — B6D999752BB9_audit_summary_3_domains.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_1.error.txt — B9E69F6AA290_http_bank_1.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_10.error.txt — B9E69F6AA290_http_bank_10.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_11.error.txt — B9E69F6AA290_http_bank_11.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_12.error.txt — B9E69F6AA290_http_bank_12.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_13.error.txt — B9E69F6AA290_http_bank_13.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_14.error.txt — B9E69F6AA290_http_bank_14.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_15.error.txt — B9E69F6AA290_http_bank_15.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_16.error.txt — B9E69F6AA290_http_bank_16.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_17.error.txt — B9E69F6AA290_http_bank_17.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_18.error.txt — B9E69F6AA290_http_bank_18.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_2.error.txt — B9E69F6AA290_http_bank_2.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_3.error.txt — B9E69F6AA290_http_bank_3.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_4.error.txt — B9E69F6AA290_http_bank_4.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_5.error.txt — B9E69F6AA290_http_bank_5.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_6.error.txt — B9E69F6AA290_http_bank_6.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_7.error.txt — B9E69F6AA290_http_bank_7.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_8.error.txt — B9E69F6AA290_http_bank_8.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B9E69F6AA290_http_bank_9.error.txt — B9E69F6AA290_http_bank_9.error.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BB0CFC62DAD5_metrics_trading.csv — BB0CFC62DAD5_metrics_trading.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BC6E66B9191C_response_bank.json — BC6E66B9191C_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BE55BBC859D4_metrics_full_trading.json — BE55BBC859D4_metrics_full_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF2A49005F21_metrics_full_gps_defense_aviation.json — BF2A49005F21_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF3079185796_P2_BANK_REPLAY_RESULTS.md — BF3079185796_P2_BANK_REPLAY_RESULTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BF556FC5DF81_P2_BANK_SCALE_SCOPE.md — BF556FC5DF81_P2_BANK_SCALE_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BFBBA115D7E7_bank_normal.json — BFBBA115D7E7_bank_normal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C044E748E45A_audit_summary_3_domains.json — C044E748E45A_audit_summary_3_domains.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C3F35469712B_BANK_ROBO_REAL_BATCH1000_CONSISTENCY_VALIDATION.md — C3F35469712B_BANK_ROBO_REAL_BATCH1000_CONSISTENCY_VALIDATION.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C686CDFA01D1_BANK_ROBO_REAL_BOOT.md — C686CDFA01D1_BANK_ROBO_REAL_BOOT.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C791C23AF0EB_metrics_full_bank.csv — C791C23AF0EB_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C7E8557CAB93_bank_suspicious.json — C7E8557CAB93_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CD05D427F392_EVIDENCE_BOARD_3_DOMAINES.md — CD05D427F392_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDDBC09E15B7_EVIDENCE_BOARD_3_DOMAINES.md — CDDBC09E15B7_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0601CA07675_TRACE_CHAINS_BY_DOMAIN.csv — D0601CA07675_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0AA1DFAE3AB_metrics_full_gps_defense_aviation.json — D0AA1DFAE3AB_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D0C6B22D09FD_metrics_full_gps_defense_aviation.csv — D0C6B22D09FD_metrics_full_gps_defense_aviation.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D14ED318FCDA_bank_suspicious.json — D14ED318FCDA_bank_suspicious.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D157D5FBC3E9_response_bank.json — D157D5FBC3E9_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D1895B44CC97_response_trading.json — D1895B44CC97_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5530BA8E3C6_server_bank_response.json — D5530BA8E3C6_server_bank_response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D5D3D84179A6_gps_nominal.json — D5D3D84179A6_gps_nominal.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D72F99A184BD_response_bank.json — D72F99A184BD_response_bank.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D78467FC8612_10_TESTS__PYTHON_TRADING_15_TESTS.md — D78467FC8612_10_TESTS__PYTHON_TRADING_15_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D78467FC8612_PYTHON_TRADING_15_TESTS.md — D78467FC8612_PYTHON_TRADING_15_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D9204FFA716D_metrics_full_gps_defense_aviation.json — D9204FFA716D_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DA5303E8B7DF_response_gps_defense_aviation.json — DA5303E8B7DF_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DA9F9FBB8203_response_gps_defense_aviation.json — DA9F9FBB8203_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DB8E4B1E5CDF_metrics_full_gps_defense_aviation.json — DB8E4B1E5CDF_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC1415DA98A0_BRIDGE_SERVER_BANK_DIAG_20260428_135743.txt — DC1415DA98A0_BRIDGE_SERVER_BANK_DIAG_20260428_135743.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC1C168712D2_response_gps_defense_aviation.json — DC1C168712D2_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC3D41275158_response_gps_defense_aviation.json — DC3D41275158_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DCAB988639AB_response_trading.json — DCAB988639AB_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DD754ABB67EB_EVIDENCE_BOARD_3_DOMAINES.md — DD754ABB67EB_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0E549343221_response_trading.json — E0E549343221_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E0EABE4D1830_metrics_full_gps_defense_aviation.json — E0EABE4D1830_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E11CAE9A5C34_response_trading.json — E11CAE9A5C34_response_trading.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E43C3BE260D5_metrics_full_gps_defense_aviation.json — E43C3BE260D5_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E48958B4C5FB_bank.response.json — E48958B4C5FB_bank.response.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E719EC9A183A_10_TESTS__PYTHON_BANKING_28_TESTS.md — E719EC9A183A_10_TESTS__PYTHON_BANKING_28_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E719EC9A183A_PYTHON_BANKING_28_TESTS.md — E719EC9A183A_PYTHON_BANKING_28_TESTS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E830BFCA2EB4_metrics_full_bank.csv — E830BFCA2EB4_metrics_full_bank.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E92D8A3F9C80_EVIDENCE_BOARD_3_DOMAINES.md — E92D8A3F9C80_EVIDENCE_BOARD_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md — E97270AD4C75_AUDIT_VISUEL_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EA97A53090D2_TRACE_CHAINS_BY_DOMAIN.csv — EA97A53090D2_TRACE_CHAINS_BY_DOMAIN.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EAC468CDFA91_metrics_full_gps_defense_aviation.json — EAC468CDFA91_metrics_full_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB289E0EA5EC_response_gps_defense_aviation.json — EB289E0EA5EC_response_gps_defense_aviation.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EEB3362157D2_bank_normal.json — EEB3362157D2_bank_normal.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF962AA8DE43_audit_visuel_3_domaines.csv — EF962AA8DE43_audit_visuel_3_domaines.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EF9FF6DD8374_http_bank_results.txt — EF9FF6DD8374_http_bank_results.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EFEBA93B696B_metrics_full_trading.json — EFEBA93B696B_metrics_full_trading.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F12D031F871B_P2_BANK_HARDER_THAN_BUSINESS_CASES.md — F12D031F871B_P2_BANK_HARDER_THAN_BUSINESS_CASES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2FBE36E04EC_metrics_full_trading.csv — F2FBE36E04EC_metrics_full_trading.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F5EB3F9BA8E5_bank_enterprise_pack.json — F5EB3F9BA8E5_bank_enterprise_pack.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F6696E14350F_metrics_full_trading.json — F6696E14350F_metrics_full_trading.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F91706A9E079_response_trading.json — F91706A9E079_response_trading.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA08240209DA_BANK_SCENARIOS.md — FA08240209DA_BANK_SCENARIOS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA91DBCFA187_TRACE_CHAINS_BY_DOMAIN.csv — FA91DBCFA187_TRACE_CHAINS_BY_DOMAIN.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FC51B13D1712_BANK_OUTPUTS.md — FC51B13D1712_BANK_OUTPUTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CARTOGRAPHE_DOMAINES_TERRAIN.md — CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_F__Gouvernance_ADeLe_scenarios _critiques_Banking_Trading_Aviation.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\07_AUDITS\07_AUDIT_F__Gouvernance_ADeLe_scenarios _critiques_Banking_Trading_Aviation.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_AVIATION_12_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_AVIATION_12_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_BANKING_28_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_BANKING_28_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_TRADING_15_TESTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_07__Ops_CI_CD_Vali dation_continue\10_TESTS\10_TESTS__PYTHON_TRADING_15_TESTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\06_AGENTS_ROLES\06_AGENT_ROLE__GPS_Gardien_Guide_Alerte ur.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\06_AGENTS_ROLES\06_AGENT_ROLE__GPS_Gardien_Guide_Alerte ur.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11_EXTENSION__GPS.md — 11_EXTENSION__GPS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__GPS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_06__Cosmologie_Eco nomie_R_D\11_EXTENSIONS\11_EXTENSION__GPS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

02_PEPITE_P142__Specialisation_par_domaine.md — 02_PEPITE_P142__Specialisation_par_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\02_PEPITES\02_PEPITE_P142__Specialisation_par_domai ne.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_05__Agents_Infrast ructure_Tools\02_PEPITES\02_PEPITE_P142__Specialisation_par_domai ne.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\02_PEPITES\02_PEPITE_P143__Generalisation_multi_domaine.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE\GROUPE_03__Semantique_OS4 _Recit\02_PEPITES\02_PEPITE_P143__Generalisation_multi_domaine.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md", — "title": "0B3C8BF79009_02_PEPITE_P142__Specialisation_par_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md", — "title": "140BF14717DB_02_PEPITE_P143__Generalisation_multi_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\07_ATLAS_OBSIDIA\\CARTOGRAPHE_DOMAINES_TERR AIN.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\10_AGENTS_52\\07_ATLAS_OBSIDIA\\CARTOGRAPHE_DOMAINES_TERR AIN.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P142__Specialisation_par_domaine.md", — "title": "02_PEPITE_P142__Specialisation_par_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_05__Agen ts_Infrastructure_Tools\\02_PEPITES\\02_PEPITE_P142__Specialisati on_par_domain.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_05__Agen ts_Infrastructure_Tools\\02_PEPITES\\02_PEPITE_P142__Specialisati on_par_domain.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"title": "02_PEPITE_P143__Generalisation_multi_domaine.md", — "title": "02_PEPITE_P143__Generalisation_multi_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_03__Sema ntique_OS4_Recit\\02_PEPITES\\02_PEPITE_P143__Generalisation_mult i_domaine.md", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\\OBSIDI A_V4_STRUCTURED_FULL\\14_REGROUPEMENTS_COHERENCE\\GROUPE_03__Sema ntique_OS4_Recit\\02_PEPITES\\02_PEPITE_P143__Generalisation_mult i_domaine.md",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

domain — domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

□"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action" — □"canonical_corpus","canonical_subgroup","source_patterns","known _file_count","component_type","module_family","pepite_family","do main_family","status","action"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Sigma domain → primary tree indices (0-based, informational only). — Sigma domain → primary tree indices (0-based, informational only).

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Derived from periphery.cognitive_trees domain mapping conventions. — Derived from periphery.cognitive_trees domain mapping conventions.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BANK — BANK

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Challenge 5 — Vérifier la monotonie sur tout le domaine — Challenge 5 — Vérifier la monotonie sur tout le domaine

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Trading avec 1 seul prix — Trading avec 1 seul prix

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bank avec 0 transactions — Bank avec 0 transactions

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}' — python3 agents/run_pipeline.py bank '{"account_id":"X","balance":0,"transactions":[],"credit_score":3 00,"account_age_days":0,"fraud_flags":[],"reserve_ratio":0}'

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

. J'ai repris le "Grimoire d'Exécution : Plan Commando P2+" présent dans vos sources 1, 2 et je l'ai massivement enrichi avec l'ensemble des protocoles, algorithmes (AVDR, Continuum, HexaFlux), architectures (23 Agents, 13 Domaines), et pipelines de Data Science (I/O, API) issus de vos documents 3-6. — . J'ai repris le "Grimoire d'Exécution : Plan Commando P2+" présent dans vos sources 1, 2 et je l'ai massivement enrichi avec l'ensemble des protocoles, algorithmes (AVDR, Continuum, HexaFlux), architectures (23 Agents, 13 Domaines), et pipelines de Data Science (I/O, API) issus de vos documents 3-6.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]}, — {"id":"balance_fractale","fr":"Balance fractale","en":"Fractal balance","hanzi":"□□□","geometry":"fractal X balance","math":"Σ(+) = Σ(-)","totem":"□□","ir_hint":["STATE","VALUE","FLOW"],"domain":[" math","symbolic","governance"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]}, — {"id":"ethique_obsidienne","fr":"Éthique obsidienne","en":"Obsidian ethics","hanzi":"□□□","geometry":"golden balance","math":"P>0 □ Q>0 □ R>0","totem":"□","ir_hint":["COND","ERROR"],"domain":["eth ics"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

{"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]}, — {"id":"balance_exponentielle","fr":"Balance exponentielle","en":"Exponential balance","hanzi":"□□□","geometry":"exponential scale","math":"λ(t)=e^t / scale","totem":"□","ir_hint":["VALUE","TIME"],"domain":["math","p eriphery"]},

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Réciproque / miroir — f(x)=f□¹(x), domain=reverse_os — Réciproque / miroir — f(x)=f□¹(x), domain=reverse_os

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **A. SAFE_NEW_SOURCE : docs/source_packs/, specs/new_domains/ — - **A. SAFE_NEW_SOURCE** : docs/source_packs/, specs/new_domains/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A10_memoire_vhs_archives_analogiques.md" ,"A10_memoire_vhs_archives_analogiques.md",".md","3173","INTEGRAT E_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY ","REALITY_OR_ACTION_CLAIM_SCOPE","false","fa —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A10_memoire_vhs_archives_analogiques.md" ,"A10_memoire_vhs_archives_analogiques.md",".md","3173","INTEGRAT E_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY ","REALITY_OR_ACTION_CLAIM_SCOPE","false","fa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A1_terres_autochtones_memoire_ancestrale .md","A1_terres_autochtones_memoire_ancestrale.md",".md","3307"," INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVIS ORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fa —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A1_terres_autochtones_memoire_ancestrale .md","A1_terres_autochtones_memoire_ancestrale.md",".md","3307"," INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVIS ORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_ar ctique_polaire.md",".md","3162","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLA IM_SCOPE","false","false","false","F06 canon —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_ar ctique_polaire.md",".md","3162","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLA IM_SCOPE","false","false","false","F06 canon

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md"," A3_ia_spiritualite_non_occidentale.md",".md","3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false" —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md"," A3_ia_spiritualite_non_occidentale.md",".md","3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_r essources_minieres_ecocide.md",".md","3163","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false" —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_r essources_minieres_ecocide.md",".md","3163","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md", "A5_exils_peuples_deplaces_diasporas.md",".md","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","fals —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md", "A5_exils_peuples_deplaces_diasporas.md",".md","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","fals

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_symboles_croyances.md ","A6_objets_magiques_symboles_croyances.md",".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_symboles_croyances.md ","A6_objets_magiques_symboles_croyances.md",".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A7_archeologie_sous_marine_civilisations _perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md ",".md","3318","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A7_archeologie_sous_marine_civilisations _perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md ",".md","3318","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A8_sante_mentale_communautaire.md","A8_s ante_mentale_communautaire.md",".md","3228","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false" —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A8_sante_mentale_communautaire.md","A8_s ante_mentale_communautaire.md",".md","3228","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cir que_arts_nomades.md",".md","3148","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cir que_arts_nomades.md",".md","3148","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","3173","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","3173","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","3307","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","3162","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","3162","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_
non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO
NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do
cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md"
,"3236","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie
res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","3163", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI
SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do
cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","3163",
"INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de
places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA
DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do
cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m
d","3157","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_
symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS
_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do
cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md"
,".md","3215","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous
_marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","3318","INTEGRATE_TO_ATLAS_READONLY_
SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous
_marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","3318","INTEGRATE_TO_ATLAS_READONLY_
SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET
RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co
mmunautaire.md","A8_sante_mentale_communautaire.md",".md","3228", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI
SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do
cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","3228",
"INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","3148","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_MET RICS.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_4_SPECIFIC_METRICS/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","3148","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A10_memoire_vhs_archives_analogiques. md","A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A10_memoire_vhs_archives_analogiques. md","A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestr ale.md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A1_terres_autochtones_memoire_ancestr ale.md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone _arctique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtim — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone _arctique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_ CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtim

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md ","A3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A3_ia_spiritualite_non_occidentale.md ","A3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A 4_ressources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A4_ressources_minieres_ecocide.md","A 4_ressources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.m d","A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A5_exils_peuples_deplaces_diasporas.m d","A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A6_objets_magiques_symboles_croyances .md","A6_objets_magiques_symboles_croyances.md",".md","2237","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A6_objets_magiques_symboles_croyances .md","A6_objets_magiques_symboles_croyances.md",".md","2237","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A7_archeologie_sous_marine_civilisati ons_perdues.md","A7_archeologie_sous_marine_civilisations_perdues .md",".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair invento — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A7_archeologie_sous_marine_civilisati ons_perdues.md","A7_archeologie_sous_marine_civilisations_perdues .md",".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair invento

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A 8_sante_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A8_sante_mentale_communautaire.md","A 8_sante_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_ cirque_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTIO N_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runt — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","C:\Users\Use r\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE.zip","O BSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_ atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_ cirque_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTIO N_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_ analogiques.md","A10_memoire_vhs_archives_analogiques.md",".md"," 2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A10_memoire_vhs_archives_ analogiques.md","A10_memoire_vhs_archives_analogiques.md",".md"," 2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A1_terres_autochtones_mem oire_ancestrale.md","A1_terres_autochtones_memoire_ancestrale.md" ,".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A1_terres_autochtones_mem oire_ancestrale.md","A1_terres_autochtones_memoire_ancestrale.md" ,".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire. md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A2_zone_arctique_polaire. md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_TO_ATLA S_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALIT Y_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extractio

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_oc cidentale.md","A3_ia_spiritualite_non_occidentale.md",".md","2770 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A3_ia_spiritualite_non_oc cidentale.md","A3_ia_spiritualite_non_occidentale.md",".md","2770 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A4_ressources_minieres_ec ocide.md","A4_ressources_minieres_ecocide.md",".md","2705","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A4_ressources_minieres_ec ocide.md","A4_ressources_minieres_ecocide.md",".md","2705","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces _diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".md","26 89","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A5_exils_peuples_deplaces _diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".md","26 89","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A6_objets_magiques_symbol es_croyances.md","A6_objets_magiques_symboles_croyances.md",".md" ,"2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A6_objets_magiques_symbol es_croyances.md","A6_objets_magiques_symboles_croyances.md",".md" ,"2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A7_archeologie_sous_marin e_civilisations_perdues.md","A7_archeologie_sous_marine_civilisat ions_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A7_archeologie_sous_marin e_civilisations_perdues.md","A7_archeologie_sous_marine_civilisat ions_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A8_sante_mentale_communau taire.md","A8_sante_mentale_communautaire.md",".md","2770","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A8_sante_mentale_communau taire.md","A8_sante_mentale_communautaire.md",".md","2770","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades .md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE_TO_AT LAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REAL ITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extract — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED.zip","C:\Users \User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED .zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_2_METRICS_FILLED/docs/wor ld_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades .md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE_TO_AT LAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REAL ITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extract

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A10_memoire _vhs_archives_analogiques.md","A10_memoire_vhs_archives_analogiqu es.md",".md","2200","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A10_memoire _vhs_archives_analogiques.md","A10_memoire_vhs_archives_analogiqu es.md",".md","2200","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A1_terres_a utochtones_memoire_ancestrale.md","A1_terres_autochtones_memoire_ ancestrale.md",".md","2314","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A1_terres_a utochtones_memoire_ancestrale.md","A1_terres_autochtones_memoire_ ancestrale.md",".md","2314","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A2_zone_arc tique_polaire.md","A2_zone_arctique_polaire.md",".md","2249","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A2_zone_arc tique_polaire.md","A2_zone_arctique_polaire.md",".md","2249","INT EGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY _ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F 06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiri tualite_non_occidentale.md","A3_ia_spiritualite_non_occidentale.m d",".md","2273","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false ","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiri tualite_non_occidentale.md","A3_ia_spiritualite_non_occidentale.m d",".md","2273","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false ","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A4_ressourc es_minieres_ecocide.md","A4_ressources_minieres_ecocide.md",".md" ,"2220","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A4_ressourc es_minieres_ecocide.md","A4_ressources_minieres_ecocide.md",".md" ,"2220","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A5_exils_pe uples_deplaces_diasporas.md","A5_exils_peuples_deplaces_diasporas .md",".md","2189","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A5_exils_pe uples_deplaces_diasporas.md","A5_exils_peuples_deplaces_diasporas .md",".md","2189","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","A TLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","fal se","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A6_objets_m agiques_symboles_croyances.md","A6_objets_magiques_symboles_croya nces.md",".md","2237","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE", "false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A6_objets_m agiques_symboles_croyances.md","A6_objets_magiques_symboles_croya nces.md",".md","2237","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE", "false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A7_archeolo gie_sous_marine_civilisations_perdues.md","A7_archeologie_sous_ma rine_civilisations_perdues.md",".md","2285","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A7_archeolo gie_sous_marine_civilisations_perdues.md","A7_archeologie_sous_ma rine_civilisations_perdues.md",".md","2285","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A8_sante_me ntale_communautaire.md","A8_sante_mentale_communautaire.md",".md" ,"2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A8_sante_me ntale_communautaire.md","A8_sante_mentale_communautaire.md",".md" ,"2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirqu e_arts_nomades.md","A9_ia_cirque_arts_nomades.md",".md","2230","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","C:\Users\User\Downloads\O BSIDIA_BRANCHABLE_ATLAS_FULL_V0.zip","OBSIDIA_BRANCHABLE_ATLAS_FU LL_V0/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirqu e_arts_nomades.md","A9_ia_cirque_arts_nomades.md",".md","2230","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A10_memoire_vhs_archives_analogiques.md", "A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A10_memoire_vhs_archives_analogiques.md", "A10_memoire_vhs_archives_analogiques.md",".md","2200","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A1_terres_autochtones_memoire_ancestrale. md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip sour — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A1_terres_autochtones_memoire_ancestrale. md","A1_terres_autochtones_memoire_ancestrale.md",".md","2314","I NTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISO RY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false", "F06 canon repair inventory; deduped zip sour

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_arc tique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime im — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A2_zone_arctique_polaire.md","A2_zone_arc tique_polaire.md",".md","2249","INTEGRATE_TO_ATLAS_READONLY_SPEC_ CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime im

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A3_ia_spiritualite_non_occidentale.md","A 3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A3_ia_spiritualite_non_occidentale.md","A 3_ia_spiritualite_non_occidentale.md",".md","2273","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_re ssources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A4_ressources_minieres_ecocide.md","A4_re ssources_minieres_ecocide.md",".md","2220","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md"," A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A5_exils_peuples_deplaces_diasporas.md"," A5_exils_peuples_deplaces_diasporas.md",".md","2189","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A6_objets_magiques_symboles_croyances.md" ,"A6_objets_magiques_symboles_croyances.md",".md","2237","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A6_objets_magiques_symboles_croyances.md" ,"A6_objets_magiques_symboles_croyances.md",".md","2237","INTEGRA TE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONL Y","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A7_archeologie_sous_marine_civilisations_ perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md" ,".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A7_archeologie_sous_marine_civilisations_ perdues.md","A7_archeologie_sous_marine_civilisations_perdues.md" ,".md","2285","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A8_sante_mentale_communautaire.md","A8_sa nte_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A8_sante_mentale_communautaire.md","A8_sa nte_mentale_communautaire.md",".md","2285","INTEGRATE_TO_ATLAS_RE ADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR _ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; n

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cirq ue_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","C:\Users\User\ Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_1_VERIFIED.zip","OBSID IA_BRANCHABLE_ATLAS_FULL_V0_1_EXHAUSTIVE/docs/world_protocol_atla s/modules/world_domains/A9_ia_cirque_arts_nomades.md","A9_ia_cirq ue_arts_nomades.md",".md","2230","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais **aucun tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json = vide ({}). Potentiel futur si opérateur fournit table concept→arbre. — reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais **aucun tree_id/family_id explicite**. Inférer la famille = heuristique. reverse_os.registry.json = vide ({}). Potentiel futur si opérateur fournit table concept→arbre.**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

IR alphabet tokens from Reverse OS canon that match doc content domain — IR alphabet tokens from Reverse OS canon that match doc content domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Contains concepts with domain tags (math, memory, agents) that COULD be mapped to trees (e.g. memoire_fractale → T24 Mémoire) but NO explicit tree_id or family_id. Creating that mapping would be heuristic — BLOCKED by anti-invention rule. Could be a source for a future operator-defined concept-to-tree mapping table. — Contains concepts with domain tags (math, memory, agents) that COULD be mapped to trees (e.g. memoire_fractale → T24 Mémoire) but NO explicit tree_id or family_id. Creating that mapping would be heuristic — BLOCKED by anti-invention rule. Could be a source for a future operator-defined concept-to-tree mapping table.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Raison: Contient des concepts avec domaines (math, memory, agents) qui POURRAIENT mapper (ex: memoire_fractale → T24 Mémoire) mais AUCUN tree_id/family_id explicite. Créer ce mapping = heuristique. BLOQUÉ par anti-invention. — - **Raison:** Contient des concepts avec domaines (math, memory, agents) qui POURRAIENT mapper (ex: memoire_fractale → T24 Mémoire) mais AUCUN tree_id/family_id explicite. Créer ce mapping = heuristique. BLOQUÉ par anti-invention.**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique — Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre. — reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Table explicite concept_domain → tree_id (opérateur doit fournir) — Table explicite concept_domain → tree_id (opérateur doit fournir)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"description": "Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique", — "description": "Pivot L2 IR (VALUE, STATE, FLOW, ...) + concepts Reverse OS → mapping famille arbre via domaine sémantique",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"blocking_reason": "reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.", — "blocking_reason": "reverse_os_interlanguage_canon_v1.json contient des concepts avec domaines (memoire_fractale, agents_obsidiens) mais AUCUN tree_id/family_id explicite. Inférer la famille = heuristique. reverse_os.registry.json est vide ({}). Potentiel futur si opérateur fournit table concept→arbre.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- OS3ProofTicket avec : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status — - OS3ProofTicket avec : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/adapters/gps_adapter.py — RUNTIME_CODE — - periphery/adapters/gps_adapter.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Specs created by domain — 5. Specs created by domain

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Dry-run pipeline : connecter GPS connector au pipeline X108 complet — - **Dry-run pipeline** : connecter GPS connector au pipeline X108 complet**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_v hs_archives_analogiques.md,FILE,3173,1289,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A10_memoire_v hs_archives_analogiques.md,FILE,3173,1289,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_aut ochtones_memoire_ancestrale.md,FILE,3307,1315,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A1_terres_aut ochtones_memoire_ancestrale.md,FILE,3307,1315,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arcti que_polaire.md,FILE,3162,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A2_zone_arcti que_polaire.md,FILE,3162,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritu alite_non_occidentale.md,FILE,3236,1298,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A3_ia_spiritu alite_non_occidentale.md,FILE,3236,1298,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources _minieres_ecocide.md,FILE,3163,1297,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A4_ressources _minieres_ecocide.md,FILE,3163,1297,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peup les_deplaces_diasporas.md,FILE,3157,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A5_exils_peup les_deplaces_diasporas.md,FILE,3157,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_mag iques_symboles_croyances.md,FILE,3215,1293,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A6_objets_mag iques_symboles_croyances.md,FILE,3215,1293,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologi e_sous_marine_civilisations_perdues.md,FILE,3318,1312,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A7_archeologi e_sous_marine_civilisations_perdues.md,FILE,3318,1312,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_ment ale_communautaire.md,FILE,3228,1300,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A8_sante_ment ale_communautaire.md,FILE,3228,1300,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_ arts_nomades.md,FILE,3148,1298,0,0 — BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AU DIT/docs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_ arts_nomades.md,FILE,3148,1298,0,0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1996,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A10_memoire_vhs_archives_analogiques.md,atlas/world_protoco l_atlas/,A10_memoire_vhs_archives_analogiques.md,md,P3_ATLAS_CONT ENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108 _ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1996,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A10_memoire_vhs_archives_analogiques.md,atlas/world_protoco l_atlas/,A10_memoire_vhs_archives_analogiques.md,md,P3_ATLAS_CONT ENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108 _ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1997,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A1_terres_autochtones_memoire_ancestrale.md,atlas/world_pro tocol_atlas/,A1_terres_autochtones_memoire_ancestrale.md,md,P3_AT LAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,L OW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1997,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A1_terres_autochtones_memoire_ancestrale.md,atlas/world_pro tocol_atlas/,A1_terres_autochtones_memoire_ancestrale.md,md,P3_AT LAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,L OW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1998,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A2_zone_arctique_polaire.md,atlas/world_protocol_atlas/,A2_ zone_arctique_polaire.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_F OUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1998,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A2_zone_arctique_polaire.md,atlas/world_protocol_atlas/,A2_ zone_arctique_polaire.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_F OUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,1999,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A3_ia_spiritualite_non_occidentale.md,atlas/world_protocol_ atlas/,A3_ia_spiritualite_non_occidentale.md,md,P3_ATLAS_CONTENT, F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONL Y; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,1999,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A3_ia_spiritualite_non_occidentale.md,atlas/world_protocol_ atlas/,A3_ia_spiritualite_non_occidentale.md,md,P3_ATLAS_CONTENT, F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONL Y; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2000,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A4_ressources_minieres_ecocide.md,atlas/world_protocol_atla s/,A4_ressources_minieres_ecocide.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2000,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A4_ressources_minieres_ecocide.md,atlas/world_protocol_atla s/,A4_ressources_minieres_ecocide.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2001,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A5_exils_peuples_deplaces_diasporas.md,atlas/world_protocol _atlas/,A5_exils_peuples_deplaces_diasporas.md,md,P3_ATLAS_CONTEN T,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_O NLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2001,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A5_exils_peuples_deplaces_diasporas.md,atlas/world_protocol _atlas/,A5_exils_peuples_deplaces_diasporas.md,md,P3_ATLAS_CONTEN T,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_O NLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2002,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A6_objets_magiques_symboles_croyances.md,atlas/world_protoc ol_atlas/,A6_objets_magiques_symboles_croyances.md,md,P3_ATLAS_CO NTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX1 08_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2002,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A6_objets_magiques_symboles_croyances.md,atlas/world_protoc ol_atlas/,A6_objets_magiques_symboles_croyances.md,md,P3_ATLAS_CO NTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX1 08_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2003,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A7_archeologie_sous_marine_civilisations_perdues.md,atlas/w orld_protocol_atlas/,A7_archeologie_sous_marine_civilisations_per dues.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLIC ATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2003,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A7_archeologie_sous_marine_civilisations_perdues.md,atlas/w orld_protocol_atlas/,A7_archeologie_sous_marine_civilisations_per dues.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT_FOUND_LOCAL,DUPLIC ATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2004,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A8_sante_mentale_communautaire.md,atlas/world_protocol_atla s/,A8_sante_mentale_communautaire.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2004,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A8_sante_mentale_communautaire.md,atlas/world_protocol_atla s/,A8_sante_mentale_communautaire.md,md,P3_ATLAS_CONTENT,F06,0,0, 0,0,1,,NOT_FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FILE_PLAN_ALL,2005,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A9_ia_cirque_arts_nomades.md,atlas/world_protocol_atlas/,A9 _ia_cirque_arts_nomades.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT _FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0 — FILE_PLAN_ALL,2005,BRANCHABLE_ATLAS,OBSIDIA_BRANCHABLE_ATLAS_FULL _V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atlas/modules/world_do mains/A9_ia_cirque_arts_nomades.md,atlas/world_protocol_atlas/,A9 _ia_cirque_arts_nomades.md,md,P3_ATLAS_CONTENT,F06,0,0,0,0,1,,NOT _FOUND_LOCAL,DUPLICATE_SAFE,CLEAN,LOW,KX108_ONLY; ATLAS_CONTEXT_ONLY; READONLY_BY_DEFAULT; NO_ACT,INTEGRATE_TO_SPECS_LATER,F06_ATLAS,pkg=0 py=0 rf=0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS — ├──→ No ACT Sigma / Brody / Tree34 / Agents / Balance / Gencoin / GPS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

obsidia-workspace (repo dédié fondations/domaines/agents/) — obsidia-workspace (repo dédié fondations/domaines/agents/)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Recherché sous : obsidia-workspace, fondations/, domaines/, gouvernance/, recherche/ — - **Recherché sous** : obsidia-workspace, fondations/, domaines/, gouvernance/, recherche/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7. Grep GPS / aviation / trajectory — 7. Grep GPS / aviation / trajectory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ adapters/gps_adapter.py, sigma/domains/gps_defense_aviation_agents.py, connectors/aviation_robo.py — → adapters/gps_adapter.py, sigma/domains/gps_defense_aviation_agents.py, connectors/aviation_robo.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ PAS un workspace Obsidia au sens fondations/domaines/agents/ — → PAS un workspace Obsidia au sens fondations/domaines/agents/

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **GPS / Aviation : stack complet — adapter + connector + sigma domain — - **GPS / Aviation** : stack complet — adapter + connector + sigma domain**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Terme Gemini : obsidia-workspace, fondations/, domaines/, agents/, gouvernance/ — - **Terme Gemini** : obsidia-workspace, fondations/, domaines/, agents/, gouvernance/**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Statut : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests) — - **Statut** : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Champs : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status — - **Champs** : ticket_id, action_id, domain, x108_gate, reason_code, severity, scores, unknowns, risk_flags, contradictions, evidence_refs, input_hash, output_hash, trace_hash, merkle_root, replay_status**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Bloc 9 — GPS / Défense / Aviation — Bloc 9 — GPS / Défense / Aviation

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py — RUNTIME_CODE — - connectors/aviation_robo.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- sigma/domains/gps_defense_aviation_agents.py — RUNTIME_CODE — - sigma/domains/gps_defense_aviation_agents.py — RUNTIME_CODE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/periphery/GPS_ADAPTER_MAPPING_V0.md — DOC_ONLY — - docs/periphery/GPS_ADAPTER_MAPPING_V0.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- docs/architecture/BANK_TRADING_GPS_CALIBRATION_WORLDS_V0.md — DOC_ONLY — - docs/architecture/BANK_TRADING_GPS_CALIBRATION_WORLDS_V0.md — DOC_ONLY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Risque : "GPS strategic surface ≠ défense production" — validation externe requise — - **Risque** : "GPS strategic surface ≠ défense production" — validation externe requise**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Concepts Gemini corrigés (workspace, domaines, BUV, .xyz, Jcoin) — - Concepts Gemini corrigés (workspace, domaines, BUV, .xyz, Jcoin)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "22 domaines V3+V4 sont implémentés en Python avec 194 tests" — - "22 domaines V3+V4 sont implémentés en Python avec 194 tests"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS connector = DRY_RUN local — pas défense production" — - "GPS connector = DRY_RUN local — pas défense production"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS = défense production" (DRY_RUN seulement) — - "GPS = défense production" (DRY_RUN seulement)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py (DEFAULT_API_BASE = http://127.0.0.1:8000) — - connectors/aviation_robo.py (DEFAULT_API_BASE = http://127.0.0.1:8000)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "Le connector aviation POST en local (127.0.0.1) — DRY_RUN" — - "Le connector aviation POST en local (127.0.0.1) — DRY_RUN"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "aviation connector = défense réelle" — - "aviation connector = défense réelle"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "22 domaines V3+V4 implémentés en Python — 194 tests pass" — - "22 domaines V3+V4 implémentés en Python — 194 tests pass"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "GPS/aviation en défense production" (DRY_RUN) — - "GPS/aviation en défense production" (DRY_RUN)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- test_fail_closed_on_unknown_domain — - test_fail_closed_on_unknown_domain
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide — - Tout agent, LLM, Brody, Graphiti, Tree34, NPL, Balance, Gencoin, GPS ne décide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- sigma/domains/gps_defense_aviation_agents.py\n- periphery/agents/world_action_agent.py — - sigma/domains/gps_defense_aviation_agents.py\n- periphery/agents/world_action_agent.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- connectors/aviation_robo.py\n- periphery/adapters/gps_adapter.py — - connectors/aviation_robo.py\n- periphery/adapters/gps_adapter.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ADVERSARIAL_GPS_TEST_MATRIX — ADVERSARIAL_GPS_TEST_MATRIX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/benchmarks/benchmark_case_schema.py\n- periphery/OBSIDIA_MMONDE_.../01_SOURCES/extracted_text_all.md (Scenario 2: GPS Spoofing) — - periphery/benchmarks/benchmark_case_schema.py\n- periphery/OBSIDIA_MMONDE_.../01_SOURCES/extracted_text_all.md (Scenario 2: GPS Spoofing)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Scénario spoofing GPS: source_conflict_score détecte contradiction\n- Bascule inertielle si spoofing détecté — - Scénario spoofing GPS: source_conflict_score détecte contradiction\n- Bascule inertielle si spoofing détecté
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- GPS immunisé sans test adversarial — - GPS immunisé sans test adversarial
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — MEMOIRE_GRAPHITI

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 1

• ITEM_BOUND_BRODY_ONLY: 11

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 488

MEMOIRE_GRAPHITI / ITEM_BOUND_BRODY_AND_DOMAIN (1)

graphiti — graphiti

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

MEMOIRE_GRAPHITI / ITEM_BOUND_BRODY_ONLY (11)

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

GRAPHITI_V2_000008 — GRAPHITI_V2_000008

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F25A_HARMONIC_VOTE_SOURCE_AUDIT_20260528_07 5807.json

GRAPHITI_V2_000011 — GRAPHITI_V2_000011

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

01D477567EA3_READONLY_MEMORY_LEDGER.md — 01D477567EA3_READONLY_MEMORY_LEDGER.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

GRAPHITI_V2_000060 — GRAPHITI_V2_000060

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

07E0E89BE6D0_READONLY_MEMORY_LEDGER.md — 07E0E89BE6D0_READONLY_MEMORY_LEDGER.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

GRAPHITI_V2_000068 — GRAPHITI_V2_000068

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

08BF7493878E_brody_obsidien_v1_4_7_memory_governance_guide_doctri ne.json — 08BF7493878E_brody_obsidien_v1_4_7_memory_governance_guide_doctri ne.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

2824984E87B4_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMORY.md — 2824984E87B4_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMORY.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

MEMOIRE_GRAPHITI / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

MEMOIRE_GRAPHITI / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

MEMOIRE_GRAPHITI / ITEM_REFERENCE_ONLY_NOT_BOUND (488)

GRAPHITI_READONLY_INDEX_V2_FUSION_READY — GRAPHITI_READONLY_INDEX_V2_FUSION_READY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

base_graphiti_ready_records — base_graphiti_ready_records

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000000 — GRAPHITI_V2_000000

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

memory — memory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000001 — GRAPHITI_V2_000001

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000002 — GRAPHITI_V2_000002

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000003 — GRAPHITI_V2_000003

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000004 — GRAPHITI_V2_000004

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000005 — GRAPHITI_V2_000005

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000006 — GRAPHITI_V2_000006

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000007 — GRAPHITI_V2_000007

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000009 — GRAPHITI_V2_000009

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000010 — GRAPHITI_V2_000010
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000012 — GRAPHITI_V2_000012
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000013 — GRAPHITI_V2_000013
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000014 — GRAPHITI_V2_000014
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000015 — GRAPHITI_V2_000015
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000016 — GRAPHITI_V2_000016
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000017 — GRAPHITI_V2_000017
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000018 — GRAPHITI_V2_000018
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000019 — GRAPHITI_V2_000019
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000020 — GRAPHITI_V2_000020
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000021 — GRAPHITI_V2_000021
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000022 — GRAPHITI_V2_000022
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000023 — GRAPHITI_V2_000023
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000024 — GRAPHITI_V2_000024
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000025 — GRAPHITI_V2_000025
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000026 — GRAPHITI_V2_000026
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000027 — GRAPHITI_V2_000027
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000028 — GRAPHITI_V2_000028
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000029 — GRAPHITI_V2_000029
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000030 — GRAPHITI_V2_000030
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000031 — GRAPHITI_V2_000031
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000032 — GRAPHITI_V2_000032
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000033 — GRAPHITI_V2_000033
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000034 — GRAPHITI_V2_000034
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000035 — GRAPHITI_V2_000035
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000036 — GRAPHITI_V2_000036
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000037 — GRAPHITI_V2_000037
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000038 — GRAPHITI_V2_000038
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000039 — GRAPHITI_V2_000039
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000040 — GRAPHITI_V2_000040
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000041 — GRAPHITI_V2_000041
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000042 — GRAPHITI_V2_000042
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000043 — GRAPHITI_V2_000043
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000044 — GRAPHITI_V2_000044
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000045 — GRAPHITI_V2_000045
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000046 — GRAPHITI_V2_000046
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000047 — GRAPHITI_V2_000047
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000048 — GRAPHITI_V2_000048
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000049 — GRAPHITI_V2_000049
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000050 — GRAPHITI_V2_000050
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000051 — GRAPHITI_V2_000051
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000052 — GRAPHITI_V2_000052
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000053 — GRAPHITI_V2_000053
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000054 — GRAPHITI_V2_000054
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000055 — GRAPHITI_V2_000055
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000056 — GRAPHITI_V2_000056
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000057 — GRAPHITI_V2_000057
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000058 — GRAPHITI_V2_000058
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000059 — GRAPHITI_V2_000059
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000061 — GRAPHITI_V2_000061
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000062 — GRAPHITI_V2_000062
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000063 — GRAPHITI_V2_000063
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000064 — GRAPHITI_V2_000064
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000065 — GRAPHITI_V2_000065
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000066 — GRAPHITI_V2_000066
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000067 — GRAPHITI_V2_000067
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000069 — GRAPHITI_V2_000069
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000070 — GRAPHITI_V2_000070
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000071 — GRAPHITI_V2_000071
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000072 — GRAPHITI_V2_000072
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000073 — GRAPHITI_V2_000073
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000074 — GRAPHITI_V2_000074
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000075 — GRAPHITI_V2_000075
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000076 — GRAPHITI_V2_000076
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000077 — GRAPHITI_V2_000077
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000078 — GRAPHITI_V2_000078
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000079 — GRAPHITI_V2_000079
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000080 — GRAPHITI_V2_000080
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000081 — GRAPHITI_V2_000081
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000082 — GRAPHITI_V2_000082
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000083 — GRAPHITI_V2_000083
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000084 — GRAPHITI_V2_000084
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000085 — GRAPHITI_V2_000085
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000086 — GRAPHITI_V2_000086
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000087 — GRAPHITI_V2_000087
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000088 — GRAPHITI_V2_000088
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000089 — GRAPHITI_V2_000089
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000090 — GRAPHITI_V2_000090
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000091 — GRAPHITI_V2_000091
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000092 — GRAPHITI_V2_000092
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000093 — GRAPHITI_V2_000093
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000094 — GRAPHITI_V2_000094
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000095 — GRAPHITI_V2_000095
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000096 — GRAPHITI_V2_000096
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000097 — GRAPHITI_V2_000097
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000098 — GRAPHITI_V2_000098
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000099 — GRAPHITI_V2_000099
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000100 — GRAPHITI_V2_000100
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000101 — GRAPHITI_V2_000101
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000102 — GRAPHITI_V2_000102
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000103 — GRAPHITI_V2_000103
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000104 — GRAPHITI_V2_000104
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000105 — GRAPHITI_V2_000105
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000106 — GRAPHITI_V2_000106
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000107 — GRAPHITI_V2_000107
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000108 — GRAPHITI_V2_000108
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000109 — GRAPHITI_V2_000109
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000110 — GRAPHITI_V2_000110
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000111 — GRAPHITI_V2_000111
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000112 — GRAPHITI_V2_000112
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000113 — GRAPHITI_V2_000113
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000114 — GRAPHITI_V2_000114
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000115 — GRAPHITI_V2_000115
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000116 — GRAPHITI_V2_000116
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000117 — GRAPHITI_V2_000117
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000118 — GRAPHITI_V2_000118
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000119 — GRAPHITI_V2_000119
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000120 — GRAPHITI_V2_000120
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000121 — GRAPHITI_V2_000121
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000122 — GRAPHITI_V2_000122
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000123 — GRAPHITI_V2_000123
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000124 — GRAPHITI_V2_000124
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000125 — GRAPHITI_V2_000125
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000126 — GRAPHITI_V2_000126
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000127 — GRAPHITI_V2_000127
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000128 — GRAPHITI_V2_000128
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000129 — GRAPHITI_V2_000129
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000130 — GRAPHITI_V2_000130
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000131 — GRAPHITI_V2_000131
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000132 — GRAPHITI_V2_000132
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000133 — GRAPHITI_V2_000133
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000134 — GRAPHITI_V2_000134
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000135 — GRAPHITI_V2_000135
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000136 — GRAPHITI_V2_000136
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000137 — GRAPHITI_V2_000137
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000138 — GRAPHITI_V2_000138
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000139 — GRAPHITI_V2_000139
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000140 — GRAPHITI_V2_000140
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000141 — GRAPHITI_V2_000141
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000142 — GRAPHITI_V2_000142
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000143 — GRAPHITI_V2_000143
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000144 — GRAPHITI_V2_000144
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000145 — GRAPHITI_V2_000145
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000146 — GRAPHITI_V2_000146
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000147 — GRAPHITI_V2_000147
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000148 — GRAPHITI_V2_000148
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000149 — GRAPHITI_V2_000149
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000150 — GRAPHITI_V2_000150
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FCA18DD9C2C_01_BLOC_03__Couche_Memoire_C1.md — 0FCA18DD9C2C_01_BLOC_03__Couche_Memoire_C1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000151 — GRAPHITI_V2_000151
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0FCA18DD9C2C_Bloc_03__Couche_Memoire_C1.md — 0FCA18DD9C2C_Bloc_03__Couche_Memoire_C1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000152 — GRAPHITI_V2_000152
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000153 — GRAPHITI_V2_000153
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000154 — GRAPHITI_V2_000154
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000155 — GRAPHITI_V2_000155
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000156 — GRAPHITI_V2_000156
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000157 — GRAPHITI_V2_000157
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000158 — GRAPHITI_V2_000158
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000159 — GRAPHITI_V2_000159
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000160 — GRAPHITI_V2_000160
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000161 — GRAPHITI_V2_000161
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000162 — GRAPHITI_V2_000162
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000163 — GRAPHITI_V2_000163
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000164 — GRAPHITI_V2_000164
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000165 — GRAPHITI_V2_000165
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000166 — GRAPHITI_V2_000166
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000167 — GRAPHITI_V2_000167
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000168 — GRAPHITI_V2_000168
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000169 — GRAPHITI_V2_000169
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000170 — GRAPHITI_V2_000170
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000171 — GRAPHITI_V2_000171
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000172 — GRAPHITI_V2_000172
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000173 — GRAPHITI_V2_000173
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000174 — GRAPHITI_V2_000174
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000175 — GRAPHITI_V2_000175
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000176 — GRAPHITI_V2_000176
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000177 — GRAPHITI_V2_000177
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000178 — GRAPHITI_V2_000178
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000179 — GRAPHITI_V2_000179
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000180 — GRAPHITI_V2_000180
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000181 — GRAPHITI_V2_000181
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000182 — GRAPHITI_V2_000182
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000183 — GRAPHITI_V2_000183
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000184 — GRAPHITI_V2_000184
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000185 — GRAPHITI_V2_000185
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000186 — GRAPHITI_V2_000186
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000187 — GRAPHITI_V2_000187
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000188 — GRAPHITI_V2_000188
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000189 — GRAPHITI_V2_000189
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000190 — GRAPHITI_V2_000190
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000191 — GRAPHITI_V2_000191
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000192 — GRAPHITI_V2_000192
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000193 — GRAPHITI_V2_000193
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000194 — GRAPHITI_V2_000194
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000195 — GRAPHITI_V2_000195
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000196 — GRAPHITI_V2_000196
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000197 — GRAPHITI_V2_000197
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000198 — GRAPHITI_V2_000198
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000199 — GRAPHITI_V2_000199
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000200 — GRAPHITI_V2_000200
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000201 — GRAPHITI_V2_000201
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000202 — GRAPHITI_V2_000202
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000203 — GRAPHITI_V2_000203
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000204 — GRAPHITI_V2_000204
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000205 — GRAPHITI_V2_000205
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000206 — GRAPHITI_V2_000206
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000207 — GRAPHITI_V2_000207
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000208 — GRAPHITI_V2_000208
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000209 — GRAPHITI_V2_000209
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000210 — GRAPHITI_V2_000210
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000211 — GRAPHITI_V2_000211
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000212 — GRAPHITI_V2_000212
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000213 — GRAPHITI_V2_000213
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000214 — GRAPHITI_V2_000214
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000215 — GRAPHITI_V2_000215
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000216 — GRAPHITI_V2_000216
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000217 — GRAPHITI_V2_000217
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000218 — GRAPHITI_V2_000218
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000219 — GRAPHITI_V2_000219
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000220 — GRAPHITI_V2_000220
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000221 — GRAPHITI_V2_000221
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000222 — GRAPHITI_V2_000222
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000223 — GRAPHITI_V2_000223
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000224 — GRAPHITI_V2_000224
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000225 — GRAPHITI_V2_000225
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000226 — GRAPHITI_V2_000226
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000227 — GRAPHITI_V2_000227
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000228 — GRAPHITI_V2_000228
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md — 14FE44E56781_02_PEPITE_P002__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000229 — GRAPHITI_V2_000229
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14FE44E56781_P2__Memoire_fractale_hierarchique.md — 14FE44E56781_P2__Memoire_fractale_hierarchique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000230 — GRAPHITI_V2_000230
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000231 — GRAPHITI_V2_000231
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000232 — GRAPHITI_V2_000232
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000233 — GRAPHITI_V2_000233
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000234 — GRAPHITI_V2_000234
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000235 — GRAPHITI_V2_000235
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000236 — GRAPHITI_V2_000236
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000237 — GRAPHITI_V2_000237
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15D482F3CA82_02_PEPITE_P004__Memoire_comme_condition_dethique.md — 15D482F3CA82_02_PEPITE_P004__Memoire_comme_condition_dethique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000238 — GRAPHITI_V2_000238
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15D482F3CA82_P4__Memoire_comme_condition_dethique.md — 15D482F3CA82_P4__Memoire_comme_condition_dethique.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000239 — GRAPHITI_V2_000239
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000240 — GRAPHITI_V2_000240
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000241 — GRAPHITI_V2_000241
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000242 — GRAPHITI_V2_000242
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000243 — GRAPHITI_V2_000243
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000244 — GRAPHITI_V2_000244
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000245 — GRAPHITI_V2_000245
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000246 — GRAPHITI_V2_000246
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000247 — GRAPHITI_V2_000247
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000248 — GRAPHITI_V2_000248
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000249 — GRAPHITI_V2_000249
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000250 — GRAPHITI_V2_000250
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000251 — GRAPHITI_V2_000251
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000252 — GRAPHITI_V2_000252
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000253 — GRAPHITI_V2_000253
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000254 — GRAPHITI_V2_000254
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000255 — GRAPHITI_V2_000255
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000256 — GRAPHITI_V2_000256
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000257 — GRAPHITI_V2_000257
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000258 — GRAPHITI_V2_000258
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000259 — GRAPHITI_V2_000259
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000260 — GRAPHITI_V2_000260
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000261 — GRAPHITI_V2_000261
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000262 — GRAPHITI_V2_000262
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000263 — GRAPHITI_V2_000263
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000264 — GRAPHITI_V2_000264
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000265 — GRAPHITI_V2_000265
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000266 — GRAPHITI_V2_000266
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000267 — GRAPHITI_V2_000267
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000268 — GRAPHITI_V2_000268
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000269 — GRAPHITI_V2_000269
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000270 — GRAPHITI_V2_000270
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000271 — GRAPHITI_V2_000271
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000272 — GRAPHITI_V2_000272
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000273 — GRAPHITI_V2_000273
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000274 — GRAPHITI_V2_000274
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000275 — GRAPHITI_V2_000275
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000276 — GRAPHITI_V2_000276
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000277 — GRAPHITI_V2_000277
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000278 — GRAPHITI_V2_000278
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1AD19E08C384_bazar suite kernel moteur memoire phrise chrono + comos ect reflex .docx — 1AD19E08C384_bazar suite kernel moteur memoire phrise chrono + comos ect reflex .docx
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000279 — GRAPHITI_V2_000279
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000280 — GRAPHITI_V2_000280
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000281 — GRAPHITI_V2_000281
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000282 — GRAPHITI_V2_000282
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000283 — GRAPHITI_V2_000283
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000284 — GRAPHITI_V2_000284
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000285 — GRAPHITI_V2_000285
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000286 — GRAPHITI_V2_000286
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000287 — GRAPHITI_V2_000287
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000288 — GRAPHITI_V2_000288
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000289 — GRAPHITI_V2_000289
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000290 — GRAPHITI_V2_000290
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000291 — GRAPHITI_V2_000291
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000292 — GRAPHITI_V2_000292
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000293 — GRAPHITI_V2_000293
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000294 — GRAPHITI_V2_000294
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000295 — GRAPHITI_V2_000295
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000296 — GRAPHITI_V2_000296
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000297 — GRAPHITI_V2_000297
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000298 — GRAPHITI_V2_000298
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000299 — GRAPHITI_V2_000299
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000300 — GRAPHITI_V2_000300
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000301 — GRAPHITI_V2_000301
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000302 — GRAPHITI_V2_000302
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000303 — GRAPHITI_V2_000303
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000304 — GRAPHITI_V2_000304
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000305 — GRAPHITI_V2_000305
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000306 — GRAPHITI_V2_000306
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000307 — GRAPHITI_V2_000307
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000308 — GRAPHITI_V2_000308
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000309 — GRAPHITI_V2_000309
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md — 1E1C60E219B4_05_GARDIEN_T07__Gardien_de_fond__Resilience_Test_mem oire_fractale.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000310 — GRAPHITI_V2_000310
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md — 1E1C60E219B4_T07__Gardien_de_fond__Resilience_Test_memoire_fracta le.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000311 — GRAPHITI_V2_000311
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000312 — GRAPHITI_V2_000312
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000313 — GRAPHITI_V2_000313
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000314 — GRAPHITI_V2_000314
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000315 — GRAPHITI_V2_000315
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000316 — GRAPHITI_V2_000316
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000317 — GRAPHITI_V2_000317
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000318 — GRAPHITI_V2_000318
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000319 — GRAPHITI_V2_000319
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000320 — GRAPHITI_V2_000320
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000321 — GRAPHITI_V2_000321
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000322 — GRAPHITI_V2_000322
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000323 — GRAPHITI_V2_000323
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000324 — GRAPHITI_V2_000324
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000325 — GRAPHITI_V2_000325
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000326 — GRAPHITI_V2_000326
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000327 — GRAPHITI_V2_000327
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000328 — GRAPHITI_V2_000328
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000329 — GRAPHITI_V2_000329
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000330 — GRAPHITI_V2_000330
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000331 — GRAPHITI_V2_000331
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000332 — GRAPHITI_V2_000332
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000333 — GRAPHITI_V2_000333
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000334 — GRAPHITI_V2_000334
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000335 — GRAPHITI_V2_000335
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000336 — GRAPHITI_V2_000336
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000337 — GRAPHITI_V2_000337
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000338 — GRAPHITI_V2_000338
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000339 — GRAPHITI_V2_000339
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000340 — GRAPHITI_V2_000340
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000341 — GRAPHITI_V2_000341
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000342 — GRAPHITI_V2_000342
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000343 — GRAPHITI_V2_000343
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000344 — GRAPHITI_V2_000344
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000345 — GRAPHITI_V2_000345
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000346 — GRAPHITI_V2_000346
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000347 — GRAPHITI_V2_000347
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000348 — GRAPHITI_V2_000348
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000349 — GRAPHITI_V2_000349
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000350 — GRAPHITI_V2_000350
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000351 — GRAPHITI_V2_000351
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000352 — GRAPHITI_V2_000352
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000353 — GRAPHITI_V2_000353
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000354 — GRAPHITI_V2_000354
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000355 — GRAPHITI_V2_000355
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000356 — GRAPHITI_V2_000356
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000357 — GRAPHITI_V2_000357
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000358 — GRAPHITI_V2_000358
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000359 — GRAPHITI_V2_000359
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000360 — GRAPHITI_V2_000360
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000361 — GRAPHITI_V2_000361
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000362 — GRAPHITI_V2_000362
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000363 — GRAPHITI_V2_000363
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000364 — GRAPHITI_V2_000364
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000365 — GRAPHITI_V2_000365
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000366 — GRAPHITI_V2_000366
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000367 — GRAPHITI_V2_000367
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000368 — GRAPHITI_V2_000368
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000369 — GRAPHITI_V2_000369
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000370 — GRAPHITI_V2_000370
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000371 — GRAPHITI_V2_000371
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000372 — GRAPHITI_V2_000372
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000373 — GRAPHITI_V2_000373
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000374 — GRAPHITI_V2_000374
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000375 — GRAPHITI_V2_000375
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000376 — GRAPHITI_V2_000376
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000377 — GRAPHITI_V2_000377
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000378 — GRAPHITI_V2_000378
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000379 — GRAPHITI_V2_000379
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000380 — GRAPHITI_V2_000380
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000381 — GRAPHITI_V2_000381
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000382 — GRAPHITI_V2_000382
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000383 — GRAPHITI_V2_000383
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000384 — GRAPHITI_V2_000384
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000385 — GRAPHITI_V2_000385
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000386 — GRAPHITI_V2_000386
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000387 — GRAPHITI_V2_000387
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000388 — GRAPHITI_V2_000388
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000389 — GRAPHITI_V2_000389
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000390 — GRAPHITI_V2_000390
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000391 — GRAPHITI_V2_000391
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000392 — GRAPHITI_V2_000392
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000393 — GRAPHITI_V2_000393
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000394 — GRAPHITI_V2_000394
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000395 — GRAPHITI_V2_000395
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000396 — GRAPHITI_V2_000396
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000397 — GRAPHITI_V2_000397
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000398 — GRAPHITI_V2_000398
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000399 — GRAPHITI_V2_000399
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000400 — GRAPHITI_V2_000400
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000401 — GRAPHITI_V2_000401
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000402 — GRAPHITI_V2_000402
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

26C170E3D76E_graphiti_readonly_index.json — 26C170E3D76E_graphiti_readonly_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000403 — GRAPHITI_V2_000403
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000404 — GRAPHITI_V2_000404
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000405 — GRAPHITI_V2_000405
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000406 — GRAPHITI_V2_000406
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000407 — GRAPHITI_V2_000407
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000408 — GRAPHITI_V2_000408
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000409 — GRAPHITI_V2_000409
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000410 — GRAPHITI_V2_000410
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000411 — GRAPHITI_V2_000411
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000412 — GRAPHITI_V2_000412
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000413 — GRAPHITI_V2_000413
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000414 — GRAPHITI_V2_000414
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000415 — GRAPHITI_V2_000415
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000416 — GRAPHITI_V2_000416
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000417 — GRAPHITI_V2_000417
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000418 — GRAPHITI_V2_000418
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000419 — GRAPHITI_V2_000419
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000420 — GRAPHITI_V2_000420
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000421 — GRAPHITI_V2_000421
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000422 — GRAPHITI_V2_000422
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000423 — GRAPHITI_V2_000423
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000424 — GRAPHITI_V2_000424
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000425 — GRAPHITI_V2_000425
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000426 — GRAPHITI_V2_000426
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000427 — GRAPHITI_V2_000427
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000428 — GRAPHITI_V2_000428
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000429 — GRAPHITI_V2_000429
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000430 — GRAPHITI_V2_000430
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000431 — GRAPHITI_V2_000431
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000432 — GRAPHITI_V2_000432
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000433 — GRAPHITI_V2_000433
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2A1ECFBC26D9_MEMORY_BINDING_CANDIDATE.md — 2A1ECFBC26D9_MEMORY_BINDING_CANDIDATE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000434 — GRAPHITI_V2_000434
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000435 — GRAPHITI_V2_000435
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000436 — GRAPHITI_V2_000436
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000437 — GRAPHITI_V2_000437
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000438 — GRAPHITI_V2_000438
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000439 — GRAPHITI_V2_000439
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B0445201529_CURRENT_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMOR Y.txt — 2B0445201529_CURRENT_BRODY_OBSIDIEN_V1_3_CONTEXTUAL_SESSION_MEMOR Y.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000440 — GRAPHITI_V2_000440
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000441 — GRAPHITI_V2_000441
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000442 — GRAPHITI_V2_000442
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000443 — GRAPHITI_V2_000443
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000444 — GRAPHITI_V2_000444
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000445 — GRAPHITI_V2_000445
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2BB8FA710F3D_CURRENT_BRODY_OBSIDIEN_V1_4_7_MEMORY_GOVERNANCE_GUID E_DOCTRINE.txt — 2BB8FA710F3D_CURRENT_BRODY_OBSIDIEN_V1_4_7_MEMORY_GOVERNANCE_GUID E_DOCTRINE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000446 — GRAPHITI_V2_000446
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000447 — GRAPHITI_V2_000447
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000448 — GRAPHITI_V2_000448
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000449 — GRAPHITI_V2_000449
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000450 — GRAPHITI_V2_000450
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000451 — GRAPHITI_V2_000451
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000452 — GRAPHITI_V2_000452
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000453 — GRAPHITI_V2_000453
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000454 — GRAPHITI_V2_000454
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000455 — GRAPHITI_V2_000455
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000456 — GRAPHITI_V2_000456
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000457 — GRAPHITI_V2_000457
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000458 — GRAPHITI_V2_000458
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000459 — GRAPHITI_V2_000459
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000460 — GRAPHITI_V2_000460
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000461 — GRAPHITI_V2_000461
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000462 — GRAPHITI_V2_000462
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000463 — GRAPHITI_V2_000463
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000464 — GRAPHITI_V2_000464
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000465 — GRAPHITI_V2_000465
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000466 — GRAPHITI_V2_000466
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000467 — GRAPHITI_V2_000467
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E61C1CD12C4_graphiti_readonly_search_results.json — 2E61C1CD12C4_graphiti_readonly_search_results.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000468 — GRAPHITI_V2_000468
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000469 — GRAPHITI_V2_000469
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000470 — GRAPHITI_V2_000470
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000471 — GRAPHITI_V2_000471
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000472 — GRAPHITI_V2_000472
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

GRAPHITI_V2_000473 — GRAPHITI_V2_000473
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — PREUVES

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 0

• ITEM_BOUND_BRODY_ONLY: 17

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 0

• ITEM_REFERENCE_ONLY_NOT_BOUND: 483

PREUVES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun item.

PREUVES / ITEM_BOUND_BRODY_ONLY (17)

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv — 019A79E4456B_REPO_CLEANUP_AUDIT_20260427_191934.csv

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F25A_HARMONIC_VOTE_SOURCE_AUDIT_20260528_07 5807.json

3A3FB919F15C_FORMAL_PROOF_BACKLOG.md — 3A3FB919F15C_FORMAL_PROOF_BACKLOG.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.json

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\c ommon_types.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.txt \

O3_EPREUVE_TEMPORELLE_X108.md — O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_GLOBAL_BRANCHAGE_AUDIT.json \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\active_cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\complete_decision_flow.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\README.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\reverse_os.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\semantic_mapper.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 6_REVERSE_OS_SSR_JARVIS\SSR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\obsidia_ir.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_reverse_os_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_reverse_os_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt \

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_REVERSE_OS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_REVERSE_OS.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A2_ZIP_LOCAL_SOURCE_AUDIT_20260528_00473 3.txt

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_full_pipeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_full_pipeline.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F18A3_TARGETED_CANDIDATE_INSPECTION_2026052 8_005433.txt \

PROOF_SENTINEL.md — PROOF_SENTINEL.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\graphiti-preview\episodes_report.md \

PREUVES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

PREUVES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun item.

PREUVES / ITEM_REFERENCE_ONLY_NOT_BOUND (483)

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_V4_REGROUPEMENTS_V43_SOUS_DOSSIERS\OBSIDIA_V4_STR UCTURED_FULL\14_REGROUPEMENTS_COHERENCE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

proof — proof

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt — 019E36F12303_lean_build_Obsidia_FormalTargetsV3RealBound.after_au ditroots_fix.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0319713BD1E0_02_PEPITE_P039__Invariant_permanent.md — 0319713BD1E0_02_PEPITE_P039__Invariant_permanent.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0319713BD1E0_P39__Invariant_permanent.md — 0319713BD1E0_P39__Invariant_permanent.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md — 069B27B94A91_REPO_CLEANUP_AUDIT_20260427_191934.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0B4A113E9698_PROOF_CLAIMS_MATRIX.csv — 0B4A113E9698_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0C5216C72C6C_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_PROOF_OBLIGAT IONS_V1.md — 0C5216C72C6C_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_PROOF_OBLIGAT IONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0ECE729962F4_lean_formal_targets_v3_real_bound.txt — 0ECE729962F4_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt — 105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11D60B6AA340_03_SPEC_21__Aleatoire_Quantique_source_aleatoire_P16 1_preuve_formelle_requise.md — 11D60B6AA340_03_SPEC_21__Aleatoire_Quantique_source_aleatoire_P16 1_preuve_formelle_requise.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

11D60B6AA340_Spec_21__Aleatoire_Quantique_source_aleatoire_P161_p reuve_formelle_requise.md — 11D60B6AA340_Spec_21__Aleatoire_Quantique_source_aleatoire_P161_p reuve_formelle_requise.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B301828046_02_PEPITE_P035__Preuve_formelle_sans_sorry.md — 15B301828046_02_PEPITE_P035__Preuve_formelle_sans_sorry.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

15B301828046_P35__Preuve_formelle_sans_sorry.md — 15B301828046_P35__Preuve_formelle_sans_sorry.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

16E88267A1D1_CURRENT_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MO JIBAKE_CLEAN.txt — 16E88267A1D1_CURRENT_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MO JIBAKE_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1763AB0BDA75_proof-checker.md — 1763AB0BDA75_proof-checker.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C3F91AEA8A9_OBSIDIA_KERNEL_LANGUAGE_PROOF_OBLIGATIONS_V1.md — 1C3F91AEA8A9_OBSIDIA_KERNEL_LANGUAGE_PROOF_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 1D4B16386848_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DCE4F69EBFE_CURRENT_REAL_LEAN_TLA_BINDING_DISCOVERY.txt — 1DCE4F69EBFE_CURRENT_REAL_LEAN_TLA_BINDING_DISCOVERY.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1DD55B8D2F3F_PROOF_CLAIMS_MATRIX.csv — 1DD55B8D2F3F_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

20715BF4FA72_lean_formal_targets_v3_real_bound.txt — 20715BF4FA72_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

24519DEB0661_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_OBLIGATI ONS_V1.md — 24519DEB0661_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_OBLIGATI ONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

278CAF176DFC_lean_audit_namespace_fix_check.txt — 278CAF176DFC_lean_audit_namespace_fix_check.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t — 296AFC4C4CE4_lean_build_Obsidia_AuditRoots.after_namespace_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30A5BA7FEC7E_OBSIDIA_REVERSE_OS_KERNEL_LAWS_PROOF_OBLIGATIONS_V1. md — 30A5BA7FEC7E_OBSIDIA_REVERSE_OS_KERNEL_LAWS_PROOF_OBLIGATIONS_V1. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37BA3508D9F4_PROOF_CLAIMS_MATRIX.csv — 37BA3508D9F4_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3A53B03381FB_FORMAL_PROOF_BACKLOG.md — 3A53B03381FB_FORMAL_PROOF_BACKLOG.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt — 3E78805B1EFB_lean_build_Obsidia_AuditRoots.after_audit_namespace_ fix.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv — 43BCDE3DFD5E_audit_preuve_tracabilite_3_domaines.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

449B9821B91B_audit_preuve_tracabilite_3_domaines.json — 449B9821B91B_audit_preuve_tracabilite_3_domaines.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4717E8E27761_LEAN_TARGETS.md — 4717E8E27761_LEAN_TARGETS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

472189E45659_O3_EPREUVE_TEMPORELLE_X108.md — 472189E45659_O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4ABA294F8128_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1.txt — 4ABA294F8128_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md — 55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md — 5647F2347A5E_09_PREUVE__P36__Quintuplet_etat_canonique__P36__EVID ENCE_REQUIRED.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

57ADEE11FDE0_lean_build_obsidia_before_v3.txt — 57ADEE11FDE0_lean_build_obsidia_before_v3.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5A120FEEA47B_PROOF_CLAIMS_MATRIX.csv — 5A120FEEA47B_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5B6FA23A4CC8_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__SPEC_FORMELLE.md — 5B6FA23A4CC8_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__SPEC_FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5BFACCA29261_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1_1.md — 5BFACCA29261_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1_1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv — 5C6CA61A0EEF_audit_preuve_tracabilite_3_domaines.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt — 5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5F087DE17E65_lean_auditroots_namespace_fix_check.txt — 5F087DE17E65_lean_auditroots_namespace_fix_check.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62277BCB8B72_PROOF_CLAIMS_MATRIX.csv — 62277BCB8B72_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

646AE3BE00FF_CURRENT_REAL_IMPORT_SELECTION_V1_REPAIR_CLEAN.txt — 646AE3BE00FF_CURRENT_REAL_IMPORT_SELECTION_V1_REPAIR_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

65C4C31663B6_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__EVIDENCE_REQUIRED.md — 65C4C31663B6_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__EVIDENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6C8AE4B2F28F_lean_formal_targets_v3_real_bound.txt — 6C8AE4B2F28F_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6EEAFEF380F6_lean_build_obsidia_after_refinement_nobom_fix.txt — 6EEAFEF380F6_lean_build_obsidia_after_refinement_nobom_fix.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

70200268C572_precise_check_clean.txt — 70200268C572_precise_check_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

74163FD3978A_lean_build_RuntimeCandidateBinding.ascii_clean.txt — 74163FD3978A_lean_build_RuntimeCandidateBinding.ascii_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

746705BACFB5_lean_build_Obsidia_RuntimeCandidateBinding.after_run time_decision_rename.txt — 746705BACFB5_lean_build_Obsidia_RuntimeCandidateBinding.after_run time_decision_rename.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

787E4EB8F45D_PROOF_OBLIGATIONS.json — 787E4EB8F45D_PROOF_OBLIGATIONS.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

78ACA0EDA132_CURRENT_REAL_IMPORT_SELECTION_V2_TLA_REPAIR_CLEAN.tx t — 78ACA0EDA132_CURRENT_REAL_IMPORT_SELECTION_V2_TLA_REPAIR_CLEAN.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md — 7912F3756F47_07_AUDIT_A__Lean_build_complet_P36_P107_P161_absence _de_sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md — 7912F3756F47_Audit_A__Lean_build_complet_P36_P107_P161_absence_de _sorry_ouverture_G1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7915E9B525AA_CURRENT_FORMAL_PROOF_BACKLOG.txt — 7915E9B525AA_CURRENT_FORMAL_PROOF_BACKLOG.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B12C9227581_PROOF_SENTINEL.md — 7B12C9227581_PROOF_SENTINEL.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7DE2C27EDC76_PROOF_CLAIMS_MATRIX.csv — 7DE2C27EDC76_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8063F831193F_lean_build_obsidia_after_refinement_signature_fix.tx t — 8063F831193F_lean_build_obsidia_after_refinement_signature_fix.tx t
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8192CBB10991_proofcheck.md — 8192CBB10991_proofcheck.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

86C65E8D6E13_OBSIDIA_REVERSE_OS_INTERLANGUAGE_PROOF_OBLIGATIONS_V 1.md — 86C65E8D6E13_OBSIDIA_REVERSE_OS_INTERLANGUAGE_PROOF_OBLIGATIONS_V 1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87F1572B5843_OBSIDIA_REVERSE_OS_AUDIENCE_ADAPTER_PROOF_OBLIGATION S_V1.md — 87F1572B5843_OBSIDIA_REVERSE_OS_AUDIENCE_ADAPTER_PROOF_OBLIGATION S_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

88BC93C631F8_lean_build_FormalTargetsV3RealBound.ascii_clean.txt — 88BC93C631F8_lean_build_FormalTargetsV3RealBound.ascii_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8BD4038ACF69_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_ SKELETON_V1.txt — 8BD4038ACF69_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_IO_MATRIX_LEAN_ SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

90970BD42BB1_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__SPEC_FORMELLE.md — 90970BD42BB1_09_PREUVE__P107__Stabilite_Lyapunov_delta_epsilon__P 107__SPEC_FORMELLE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

90F1F1647A94_lean_import_collision_probe.after_runtime_decision_r ename.txt — 90F1F1647A94_lean_import_collision_probe.after_runtime_decision_r ename.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt — 93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93DC6E6DDDC9_CURRENT_RUNTIME_CANDIDATE_CLOSED_CLEAN.txt — 93DC6E6DDDC9_CURRENT_RUNTIME_CANDIDATE_CLOSED_CLEAN.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md — 970EBCEDB6C0_AUDIT_PREUVE_TRACABILITE_3_DOMAINES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98EB44FA764F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _PROOF_OBLIGATIONS_V1.md — 98EB44FA764F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _PROOF_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E2A0F6B2675_03_SPEC_34__Formal_Proof_Pack_Math_Juridique_P114_P1 20_valider_V4.md — 9E2A0F6B2675_03_SPEC_34__Formal_Proof_Pack_Math_Juridique_P114_P1 20_valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E2A0F6B2675_Spec_34__Formal_Proof_Pack_Math_Juridique_P114_P120_ valider_V4.md — 9E2A0F6B2675_Spec_34__Formal_Proof_Pack_Math_Juridique_P114_P120_ valider_V4.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9EEDCC0B73A1_lean_import_collision_probe.txt — 9EEDCC0B73A1_lean_import_collision_probe.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9EEDCC0B73A1_lean_import_collision_probe_reverse.txt — 9EEDCC0B73A1_lean_import_collision_probe_reverse.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A26BFFCF89CA_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_OBLIGATIONS_V1.m d — A26BFFCF89CA_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_OBLIGATIONS_V1.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A328B8D69A33_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__EVIDENCE_REQUIRED.md — A328B8D69A33_09_PREUVE__P161__Calibration_energetique_temporelle_ _P161__EVIDENCE_REQUIRED.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A68F6F8C4BAA_lean_formal_targets_v3_real_bound.txt — A68F6F8C4BAA_lean_formal_targets_v3_real_bound.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md — A926B57E16CF_POST_AUDIT_INDEX_PREUVES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt — AD76E29D4AD5_lean_build_Obsidia_Audit.after_audit_namespace_fix.t xt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B11122878109_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_2.t xt — B11122878109_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_2.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B2F5DBF68A6D_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1.md — B2F5DBF68A6D_OBSIDIA_KERNEL_LANGUAGE_LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B43F8E13207F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _LEAN_OBLIGATIONS_V1.md — B43F8E13207F_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TEST_MATRIX _LEAN_OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B698C2BC8B62_lean_formal_targets_v3_real_bound.txt — B698C2BC8B62_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BABA9A962B8D_lean_refinement_recheck.txt — BABA9A962B8D_lean_refinement_recheck.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BB41F8A449F6_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_1.t xt — BB41F8A449F6_CURRENT_OBSIDIA_KERNEL_LANGUAGE_LEAN_SKELETON_V1_1.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD5A74A161EF_03_SPEC_24__Human_Veto_Formal_Proof_P21_P30_valider_ V4.md — BD5A74A161EF_03_SPEC_24__Human_Veto_Formal_Proof_P21_P30_valider_ V4.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD5A74A161EF_Spec_24__Human_Veto_Formal_Proof_P21_P30_valider_V4. md — BD5A74A161EF_Spec_24__Human_Veto_Formal_Proof_P21_P30_valider_V4. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md — BD92E3384D5F_09_PREUVE__P36__Quintuplet_etat_canonique__P36__SPEC _FORMELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C72E0C3E75AB_lean_build_Obsidia_Audit.txt — C72E0C3E75AB_lean_build_Obsidia_Audit.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C9EA0BF9A112_lean_formal_targets_v3_real_bound.txt — C9EA0BF9A112_lean_formal_targets_v3_real_bound.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CBE3A7D59208_lean_files.txt — CBE3A7D59208_lean_files.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CD061415C28A_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_C LEAN_MANIFEST.json — CD061415C28A_BRODY_OBSIDIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_C LEAN_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md — CDA59D9F77DC_06_NO_CANON_OR_PROOF_CLAIM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE788BAE67D7_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TES T_MATRIX_LEAN_SKELETON_V1.txt — CE788BAE67D7_CURRENT_OBSIDIA_REVERSE_OS_UNIVERSAL_TRANSLATION_TES T_MATRIX_LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D15A1D581666_PROOF_OBLIGATIONS.md — D15A1D581666_PROOF_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D36C40DA8F03_FORMAL_PROOF_BACKLOG_STATUS.txt — D36C40DA8F03_FORMAL_PROOF_BACKLOG_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md — D597C00199FC_AUDIT_TOTAL_METRICS_PROOF.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D8117F501AAB_PROOF_CLAIMS_MATRIX.csv — D8117F501AAB_PROOF_CLAIMS_MATRIX.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D951CC367F57_README_LEAN.md — D951CC367F57_README_LEAN.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D9A19D498B3D_lean_build_Obsidia_FormalTargetsV3RealBound.after_ru ntime_decision_rename.txt — D9A19D498B3D_lean_build_Obsidia_FormalTargetsV3RealBound.after_ru ntime_decision_rename.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DC6584611FAA_CLEANUP_DECISION_TABLE.md — DC6584611FAA_CLEANUP_DECISION_TABLE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DD1771A08147_OBSIDIA_KERNEL_LANGUAGE_TRANSLATOR_PROOF_OBLIGATIONS _V1.md — DD1771A08147_OBSIDIA_KERNEL_LANGUAGE_TRANSLATOR_PROOF_OBLIGATIONS _V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt — E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E1903C4F2EA0_lean_refinement_symbol_search.txt — E1903C4F2EA0_lean_refinement_symbol_search.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E60588446990_audit_preuve_tracabilite_3_domaines.json — E60588446990_audit_preuve_tracabilite_3_domaines.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EAC0C6848F1A_PROOF_SCOPE.md — EAC0C6848F1A_PROOF_SCOPE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EB976A3A8A56_PROOF_CLAIMS_MATRIX.csv — EB976A3A8A56_PROOF_CLAIMS_MATRIX.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F033811DB8D1_CURRENT_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_SKELETON _V1.txt — F033811DB8D1_CURRENT_OBSIDIA_REVERSE_OS_KERNEL_LAWS_LEAN_SKELETON _V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F1161BD01897_PROOF_SENTINEL.md — F1161BD01897_PROOF_SENTINEL.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2BCCA703157_lean_build_Obsidia_RuntimeCandidateBinding.txt — F2BCCA703157_lean_build_Obsidia_RuntimeCandidateBinding.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F478A46F41C3_CARTOGRAPHE_PREUVES.md — F478A46F41C3_CARTOGRAPHE_PREUVES.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F66666AA4C56_PROOF_INDEX.md — F66666AA4C56_PROOF_INDEX.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FA2A596E8032_lean_check_RuntimeCandidateBinding.ascii_clean.txt — FA2A596E8032_lean_check_RuntimeCandidateBinding.ascii_clean.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FD1566593945_PROOFKIT_REPORT.json — FD1566593945_PROOFKIT_REPORT.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FDF297C91D24_CURRENT_CLEAN_VERIFY_V2.txt — FDF297C91D24_CURRENT_CLEAN_VERIFY_V2.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_ _init__.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ANOMALIES_ET_DECISIONS_REQUISES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\ARBORESCENCE_COMPLETE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\BUILD_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FINAL_LIGHT_PATCH_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\FREEZE_CANDIDATE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\GUIDE_LECTURE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\MANIFEST_SHA256.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\NON_DECISION_FORMULAS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\README_PACK.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 0_INDEX\SOURCE_COVERAGE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\extracted_text_all.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 1_SOURCES\source_inventory.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\genome_lock_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O1_NON_ACTION_LEGITIME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O2_IRREVERSIBILITE_STRUCTURELLE.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O3_EPREUVE_TEMPORELLE_X108.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O4_NON_ARBITRAGE_CONFLIT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O5_ELIMINATION_DECISIONNELLE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O6_MEMOIRE_NEGATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O7_AUDITABILITE_NATIVE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\O8_SEPARATION_COGNITION_ACTION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 2_CONSTITUTION_LOIS_OBSIDIENNES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\continuum_node.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\COSMOS_CONSTRAINT_LAYER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Event.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\event_model.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Mmonde_FORMAL_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\NodeContinuum.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\reflex_reducer.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\REFLEX_REDUCER_SPEC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\sample_events.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\timeline.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 3_MEMOIRE_MONDE_COSMOS_REFLEX\Timeline.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\00_REGISTRY_CANON_DOC.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\01_REGISTRY_RAW_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\02_COMPARAISON_DOC_IMAGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\03_ANOMALIES_ET_DECISIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.canon.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.diff.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\arbres_34.raw_image.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\cognitive_reduction.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\matrix_examples.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tensor_activation.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\Tree.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\TreeSpace34.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\tree_space.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\cosine_similarity.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\dominant_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\ShazamCognitif.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 5_SHAZAM_COGNITIF\spectral_hash.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\aeg_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\BDF.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\bdf_response.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\diffusion_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\llm_stub.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\hexaflux.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\HexaFlux.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\LTCUPlus.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\ltcu_plus.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 8_HEXAFLUX_LTCU_MUTATIONS\yi_jing_64_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\MCPBridge.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\ObsidiaIR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\policy_scope_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 9_MCP_BRIDGE_OBSIDIA_IR\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.csv

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.index.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_ALLOWED_OUTPUT_SCHEMA.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_FORBIDDEN_ACTIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_NON_DECISION_CONTRACT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\AGENTS_52_RUNTIME_BOUNDARY.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_boundary.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_contract.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\agent_reliability.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\data_sovereignty_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\no_agent_act_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 1_AGENTS_RUNTIME_CONTRACTS\vertex_vs_local_policy.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\AVDR.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\check_incoherence.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\compress_nodes.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\FrictionSymbolique.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\friction_symbolique.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\OBAN.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\oban_rollback.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 2_FRICTION_AVDR_CONTINUUM\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\distance_structured.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\Link.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\path_finder.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\ProjectionPhi.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\projection_phi.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\relation_graph.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 3_GRAPHES_NUAGE_POINTS\similarity_search.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\ContextPacket.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\export_for_x108.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\retrieve_context.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 4_CONTEXT_EXPORT_X108_BOUNDARY\x108_boundary_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\kernel_boundary_tests.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_agent_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_bdf_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_cortex_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_hexaflux_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_memory_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_reverse_os_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_reverse_os_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_shazam_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_shazam_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_tree_act.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\no_tree_act.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\holographic_map_spec.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\holographic_map_spec.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\reverse_os_ui_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\reverse_os_ui_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\top_5_tree_filter.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\top_5_tree_filter.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\visual_state.schema.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 6_VISUALISATION_REVERSE_OS\visual_state.schema.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_agents_52_registry.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_agents_52_registry.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_bdf_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_bdf_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_constitution_o1_o8.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_constitution_o1_o8.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_context_export.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_context_export.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_friction_avdr.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_friction_avdr.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_hexaflux_non_decision.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_hexaflux_non_decision.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_mcp_bridge.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_mcp_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_shazam_cognitif.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_shazam_cognitif.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_tree_space_34.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 7_TESTS\test_tree_space_34.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_34_ARBRES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_AGENTS_52.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_AGENTS_52.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_BDF.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_BDF.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_HEXAFLUX_LTCU.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_HEXAFLUX_LTCU.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MCP.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MCP.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MMONDE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_MMONDE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_NON_DECISION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_NON_DECISION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_SHAZAM.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\AUDIT_SHAZAM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\COVERAGE_SOURCE_REPORT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\COVERAGE_SOURCE_REPORT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\NON_DECISION_VERDICT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 8_AUDIT\NON_DECISION_VERDICT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\agents_52.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\agents_52.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\arbres_34.registry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 9_REGISTRES_JSON\arbres_34.registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_output_context_packet.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_output_context_packet.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_query.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_query.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_readme.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_readme.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_reverse_os_output.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\demo_reverse_os_output.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\run_demo.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 0_DEMO_MINIMALE\run_demo.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\zip2_reclassification_v1.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\2 1_RUNTIME_CLASSIFICATION_PATCHES\zip2_reclassification_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\CANON_GUARDIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\GRAPH_BUILDER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\GRAPH_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\OBSIDIA_ATLAS_INGESTOR.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\OBSIDIA_ATLAS_INGESTOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\PROOF_SENTINEL.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\PROOF_SENTINEL.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\TERMINAL_BUILDER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\00_TOP5_FONDATEURS\TERMINAL_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\ADVERSARIAL_RED_TEAM.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\ADVERSARIAL_RED_TEAM.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CARTOGRAPHE_PREUVES.md — CARTOGRAPHE_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CARTOGRAPHE_PREUVES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZE_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CARTOGRAPHE_PREUVES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CI_REPO_SURGEON.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CI_REPO_SURGEON.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CO_PILOTE_CODE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\CO_PILOTE_CODE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\FORMAL_BRIDGE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\FORMAL_BRIDGE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\GENERATEUR_TESTS_ADVERSARIAUX.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\GENERATEUR_TESTS_ADVERSARIAUX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\REPO_HISTORIAN.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\REPO_HISTORIAN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\VERSION_COMPARATOR.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\01_CODE_REPO_CI\VERSION_COMPARATOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\ASSISTANT_THEORIQUE_D OCUMENTAIRE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\ASSISTANT_THEORIQUE_D OCUMENTAIRE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\CONTRADICTION_HUNTER. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\CONTRADICTION_HUNTER. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\FREEZE_MASTER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\FREEZE_MASTER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\HISTORIEN_DECISIONS.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\HISTORIEN_DECISIONS.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\MEMOIRE_PERSONNELLE_O BSIDIA.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\MEMOIRE_PERSONNELLE_O BSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\PRE_FREEZE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\PRE_FREEZE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\RECHERCHE_EXTERNE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\RECHERCHE_EXTERNE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\THEORIE_VIVANTE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\THEORIE_VIVANTE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\02_DOCUMENTATION_THEORIE_FREEZE\VOCABULAIRE_CANONIQUE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\ANALYSTE_LOGS_EXPERIMENTAUX.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\ANALYSTE_LOGS_EXPERIMENTAUX.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\AUDIT_LOCAL_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\AUDIT_LOCAL_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\DATA_SOVEREIGNTY_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\DATA_SOVEREIGNTY_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\EVIDENCE_BOARD_BUILDER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\03_DONNEES_LOGS_AUDIT\EVIDENCE_BOARD_BUILDER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\POLICY_FIREWALL_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\POLICY_FIREWALL_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\RUNTIME_ATTESTATION_AGENT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\RUNTIME_ATTESTATION_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECRET_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECRET_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECURITY_FIREWALL_ARCHITECT.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SECURITY_FIREWALL_ARCHITECT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SUPPLY_CHAIN_GUARD.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\04_SECURITE_PAREFEU\SUPPLY_CHAIN_GUARD.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\EXPLIQUE_A_UN_HUMAIN .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\EXPLIQUE_A_UN_HUMAIN .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\FIELD_POC_MAPPER.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\FIELD_POC_MAPPER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\MONETISATION_PACKAGI NG.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\MONETISATION_PACKAGI NG.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\PITCH_AGENT.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\PITCH_AGENT.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\SIMULATEUR_REUNION.m d — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\05_TERRAIN_PRODUIT_COMMUNICATION\SIMULATEUR_REUNION.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CALIBRATION_PROCEDURALE. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CALIBRATION_PROCEDURALE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CARTOGRAPHE_34_ARBRES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\CARTOGRAPHE_34_ARBRES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\FRISE_HUMAINE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\FRISE_HUMAINE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\HUMAN_HISTORY_MAPPER.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\HUMAN_HISTORY_MAPPER.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\NUAGE_POINTS.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\06_FRISE_ARBRES_MONDE_HUMAIN\NUAGE_POINTS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_AGI_VISION_HAUTE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_AGI_VISION_HAUTE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_COUCHES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_COUCHES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_DOMAINES_TERRAIN.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_FORMULES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_FORMULES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_LOIS_PROTOCOLES.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\CARTOGRAPHE_LOIS_PROTOCOLES.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\COLLISION_DETECTOR.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\COLLISION_DETECTOR.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\GRAND_CARTOGRAPHE_OBSIDIA.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\GRAND_CARTOGRAPHE_OBSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\ONTOLOGUE_OBSIDIA.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\07_ATLAS_OBSIDIA\ONTOLOGUE_OBSIDIA.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ANTI_DISPERSION.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ANTI_DISPERSION.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ENERGIE_PRIORITE.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\ENERGIE_PRIORITE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\EXTRACTEUR_MATIERE_BRUTE. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52\08_POUR_ETIENNE_DIRECTEMENT\EXTRACTEUR_MATIERE_BRUTE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52_SOURCE\OBSIDIA_TOUS_LES_AGENTS.docx — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 0_AGENTS_52_SOURCE\OBSIDIA_TOUS_LES_AGENTS.docx

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\activation_ rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\activation_ rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\arbre.schem a.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\arbre.schem a.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\definition. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\definition. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\examples_ev ents.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\examples_ev ents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\links_to_ot her_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\links_to_ot her_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\node_regist ry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\node_regist ry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\non_decisio n_contract.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\non_decisio n_contract.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\risks_confu sions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\risks_confu sions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tensor_coor dinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tensor_coor dinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_01__Arbre_de_l_Humain\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\activa tion_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\activa tion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\defini tion.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\defini tion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\exampl es_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\exampl es_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\links_ to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\links_ to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\node_r egistry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\node_r egistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\README .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\README .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\risks_ confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\risks_ confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tensor _coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tensor _coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tests. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_02__Arbre_de_la_Conscience\tests. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\activa tion_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\activa tion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\defini tion.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\defini tion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\exampl es_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\exampl es_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\links_ to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\links_ to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\node_r egistry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\node_r egistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\README .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\README .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\risks_ confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\risks_ confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tensor _coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tensor _coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tests. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_03__Arbre_de_la_Perception\tests. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\activation_rule s.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\activation_rule s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\definition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\definition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\examples_events .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\examples_events .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\links_to_other_ trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\links_to_other_ trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\node_registry.j son —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\node_registry.j son

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\risks_confusion s.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\risks_confusion s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tensor_coordina tes.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tensor_coordina tes.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tests.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_04__Arbre_du_Sens\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\activatio n_rules.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\activatio n_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\definitio n.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\definitio n.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\examples_ events.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\examples_ events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\links_to_ other_trees.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\links_to_ other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\node_regi stry.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\node_regi stry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\README.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\risks_con fusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\risks_con fusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tensor_co ordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tensor_co ordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_05__Arbre_de_l_Identite\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\act ivation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\act ivation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\def inition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\def inition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\exa mples_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\exa mples_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\lin ks_to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\lin ks_to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\nod e_registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\nod e_registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\REA DME.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\REA DME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ris ks_confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ris ks_confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ten sor_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\ten sor_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\tes ts.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_06__Arbre_de_la_Comprehension\tes ts.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\activ ation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\defin ition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\examp les_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\links _to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\node_ registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\READM E.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\risks _confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tenso r_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tests .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_07__Arbre_de_l_Organisation\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\activation _rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\activation _rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\definition .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\definition .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\examples_e vents.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\examples_e vents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\links_to_o ther_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\links_to_o ther_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\node_regis try.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\node_regis try.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\risks_conf usions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\risks_conf usions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tensor_coo rdinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tensor_coo rdinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_08__Arbre_de_la_Pensee\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\activ ation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\defin ition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\examp les_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\links _to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\node_ registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\READM E.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\risks _confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tenso r_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tests .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_09__Arbre_de_l_Intelligence\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\activation_r ules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\activation_r ules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\definition.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\definition.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\examples_eve nts.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\examples_eve nts.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\links_to_oth er_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\links_to_oth er_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\node_registr y.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\node_registr y.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\risks_confus ions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\risks_confus ions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tensor_coord inates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tensor_coord inates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_10__Arbre_du_Langage\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\activatio n_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\activatio n_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\definitio n.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\definitio n.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\examples_ events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\examples_ events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\links_to_ other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\links_to_ other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\node_regi stry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\node_regi stry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\risks_con fusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\risks_con fusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tensor_co ordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tensor_co ordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_11__Arbre_de_la_Science\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\activat ion_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\activat ion_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\definit ion.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\definit ion.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\example s_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\example s_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\links_t o_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\links_t o_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\node_re gistry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\node_re gistry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\README. md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\README. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\risks_c onfusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\risks_c onfusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tensor_ coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tensor_ coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tests.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_12__Arbre_de_la_Technique\tests.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\activation_rul es.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\activation_rul es.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\definition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\definition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\examples_event s.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\examples_event s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\links_to_other _trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\links_to_other _trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\node_registry. json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\node_registry. json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\risks_confusio ns.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\risks_confusio ns.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tensor_coordin ates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tensor_coordin ates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_13__Arbre_de_l_Art\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\activ ation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\activ ation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\defin ition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\defin ition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\examp les_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\examp les_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\links _to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\links _to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\node_ registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\node_ registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\READM E.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\READM E.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\risks _confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\risks _confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tenso r_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tenso r_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tests .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_14__Arbre_de_la_Philosophie\tests .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\acti vation_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\acti vation_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\defi nition.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\defi nition.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\exam ples_events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\exam ples_events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\link s_to_other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\link s_to_other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\node _registry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\node _registry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\READ ME.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\READ ME.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\risk s_confusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\risk s_confusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\tens or_coordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\tens or_coordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\test s.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_15__Arbre_de_la_Spiritualite\test s.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\activati on_rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\activati on_rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\definiti on.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\definiti on.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\examples _events.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\examples _events.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\links_to _other_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\links_to _other_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\node_reg istry.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\node_reg istry.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\README.m d —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\README.m d

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\risks_co nfusions.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\risks_co nfusions.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tensor_c oordinates.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tensor_c oordinates.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tests.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_16__Arbre_de_la_Relation\tests.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\activation _rules.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\activation _rules.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\definition .md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\definition .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\examples_e vents.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\examples_e vents.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\links_to_o ther_trees.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\links_to_o ther_trees.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\node_regis try.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\node_regis try.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\README.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 4_ARBRES_34_TENSOR_MATRIX\ARBRE_17__Arbre_du_Collectif\README.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — ROUTES_API

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 2

• ITEM_BOUND_BRODY_ONLY: 354

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 87

• ITEM_REFERENCE_ONLY_NOT_BOUND: 57

ROUTES_API / ITEM_BOUND_BRODY_AND_DOMAIN (2)

/api/brody/chat — /api/brody/chat

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

brody_semantic_query_router — brody_semantic_query_router

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROUTES_API / ITEM_BOUND_BRODY_ONLY (354)

alpha_beta_router.py — alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

route_entry_to_context_packet — route_entry_to_context_packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

/api/runtime-wiring/source-runtime/preview — /api/runtime-wiring/source-runtime/preview

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

OS_TRAD_ROUTE_CONTEXT — OS_TRAD_ROUTE_CONTEXT

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_inventory_linker.py \

/api/runtime-wiring/os-trad/api/os-trad/translate — /api/runtime-wiring/os-trad/api/os-trad/translate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

/api/runtime-wiring/os-trad/api/ir/candidate — /api/runtime-wiring/os-trad/api/ir/candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

/api/runtime-wiring/os-trad/api/os-reverse/project — /api/runtime-wiring/os-trad/api/os-reverse/project

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

os-trad route — os-trad route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

os-trad route translate endpoint — os-trad route translate endpoint

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P44_CRITICAL_CAPABILITY_BINDING_REPORT.md \

apps/obsidia_api/brody_semantic_query_router.py — apps/obsidia_api/brody_semantic_query_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.deepseek\pastes\paste-2026-05-20-212958-dc44f481.md \

/api/x108/ — /api/x108/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\BACKEND_BINDING_PLAN_X108_PROOFS.md \

/api/os3/ — /api/os3/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f16b_endpoint_runtime_assert. py \

/api/memory/ — /api/memory/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/periphery/governance/ — /api/periphery/governance/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P43_UNCONNECTED_RUNTIME_SURFACE_AUDIT_REPORT.md \

/api/x108/cognitive/ — /api/x108/cognitive/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

total_routes — total_routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\route _capability_map.py \

route_map — route_map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\route _capability_map.py \

/api/audit/events — /api/audit/events

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/policy/evaluate — /api/blockchain/policy/evaluate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/signature/check — /api/blockchain/signature/check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/wallet/gate — /api/blockchain/wallet/gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/gencoin/compute — /api/blockchain/gencoin/compute

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/world/gateway — /api/blockchain/world/gateway

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/blockchain/world/bus-dispatch — /api/blockchain/world/bus-dispatch

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/blockchain/world/ticket-status — /api/blockchain/world/ticket-status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/blockchain/world/dry-run — /api/blockchain/world/dry-run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F20A_ROUTE_PROBES_20260528_012740.json \

/api/blockchain/sandbox/simulate — /api/blockchain/sandbox/simulate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F20A_ROUTE_PROBES_20260528_012740.json \

/api/blockchain/sandbox/truth-gate — /api/blockchain/sandbox/truth-gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F20A_ROUTE_PROBES_20260528_012740.json \

/api/blockchain/agents/status — /api/blockchain/agents/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F20A_ROUTE_PROBES_20260528_012740.json \

/api/blockchain/classifiers/fraud-check — /api/blockchain/classifiers/fraud-check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\blockchain.py \

/api/blockchain/status — /api/blockchain/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\FASTAPI_ADAPTER_PLAN.md \

/api/operator/governed-runtime — /api/operator/governed-runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P45_FULL_ROUTE_COVERAGE_BINDING_REPORT.md \

/api/bus/bus/signal — /api/bus/bus/signal

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P45_FULL_ROUTE_COVERAGE_BINDING_REPORT.md \

/api/context/from-message — /api/context/from-message

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/memory/status — /api/memory/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_connectors_status .ps1 \

/api/memory/sources — /api/memory/sources

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_connectors_status .ps1 \

/api/memory/candidates — /api/memory/candidates

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/memory/candidate/from-message — /api/memory/candidate/from-message

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/memory/candidate-ledger — /api/memory/candidate-ledger

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/memory/promotion-policy — /api/memory/promotion-policy

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/os3/tickets — /api/os3/tickets

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f16b_endpoint_runtime_assert. py \

/api/os3/replay/{ticket_id} — /api/os3/replay/{ticket_id}

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/status — /api/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

/api/query — /api/query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P45_FULL_ROUTE_COVERAGE_BINDING_REPORT.md \

/api/periphery/pipeline/run — /api/periphery/pipeline/run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/pipeline/data-gate — /api/periphery/pipeline/data-gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/provenance-gate — /api/periphery/pipeline/provenance-gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/memory-governor — /api/periphery/pipeline/memory-governor

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/eml-compression — /api/periphery/pipeline/eml-compression

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/energy-thermo — /api/periphery/pipeline/energy-thermo

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/ocs-generation — /api/periphery/pipeline/ocs-generation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/operational-constance — /api/periphery/pipeline/operational-constance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/permission-economic — /api/periphery/pipeline/permission-economic

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/pipeline/validate-candidate — /api/periphery/pipeline/validate-candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/pipeline/merge — /api/periphery/pipeline/merge

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/pipeline/constants — /api/periphery/pipeline/constants

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/partition-gate — /api/periphery/governance/partition-gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/agents — /api/periphery/governance/agents

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/agent-run — /api/periphery/governance/agent-run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P45_FULL_ROUTE_COVERAGE_BINDING_REPORT.md \

/api/periphery/governance/agent-spec-check — /api/periphery/governance/agent-spec-check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/lifecycle — /api/periphery/governance/lifecycle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/sequence-govern — /api/periphery/governance/sequence-govern

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/workflow-guard — /api/periphery/governance/workflow-guard

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/benchmarks — /api/periphery/governance/benchmarks

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/failure-classify — /api/periphery/governance/failure-classify

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/governance/failure-codes — /api/periphery/governance/failure-codes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/cognitive/trees — /api/periphery/cognitive/trees

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: UI, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

/api/periphery/cognitive/trees/{tree_id} — /api/periphery/cognitive/trees/{tree_id}

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B1_OS_TRAD_IR_REVERSE_ROUTE_CONTRACT_20 260527.md \

/api/periphery/cognitive/trees/domain/{domain} — /api/periphery/cognitive/trees/domain/{domain}

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B1_OS_TRAD_IR_REVERSE_ROUTE_CONTRACT_20 260527.md \

/api/periphery/cognitive/memory-world-map — /api/periphery/cognitive/memory-world-map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\os_trad_ir_reverse.py \

/api/periphery/cognitive/tree-signal — /api/periphery/cognitive/tree-signal

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F28_0_NEXT_REVIEW_AUDIT_20260528_225439.jso n \

/api/periphery/context/build — /api/periphery/context/build

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\os_trad_ir_reverse.py \

/api/periphery/context/sanitize — /api/periphery/context/sanitize

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/periphery/context/validate — /api/periphery/context/validate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\os_trad_ir_reverse.py \

/api/periphery/context/export — /api/periphery/context/export

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/periphery/context/ingress — /api/periphery/context/ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/periphery/gencoin/avdr-phase — /api/periphery/gencoin/avdr-phase

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/gencoin/balance — /api/periphery/gencoin/balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/gencoin/regime-state — /api/periphery/gencoin/regime-state

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/gencoin/passfail — /api/periphery/gencoin/passfail

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/gencoin/consciousness-regime — /api/periphery/gencoin/consciousness-regime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/gencoin/collective-summary — /api/periphery/gencoin/collective-summary

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/state-packet — /api/periphery/interface/state-packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/log-event — /api/periphery/interface/log-event

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/workbench-check — /api/periphery/interface/workbench-check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/view-contracts — /api/periphery/interface/view-contracts

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/mcp-access — /api/periphery/interface/mcp-access

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/bias-gate — /api/periphery/interface/bias-gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/interface/bias-trace — /api/periphery/interface/bias-trace

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/ingestion/classify-source — /api/periphery/ingestion/classify-source

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/ingestion/hash — /api/periphery/ingestion/hash

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/ingestion/document — /api/periphery/ingestion/document

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/ingestion/memory-sources — /api/periphery/ingestion/memory-sources

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/periphery/os3/ticket — /api/periphery/os3/ticket

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/os3/manifest — /api/periphery/os3/manifest

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/os3/replay-compare — /api/periphery/os3/replay-compare

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/os3/world-action-readiness — /api/periphery/os3/world-action-readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/os3/replay-run — /api/periphery/os3/replay-run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/education/score — /api/periphery/education/score

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/education/audience — /api/periphery/education/audience

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/education/format — /api/periphery/education/format

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/brody/context-query — /api/periphery/brody/context-query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/periphery/brody/language-route — /api/periphery/brody/language-route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

periphery_brody_language_route — periphery_brody_language_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/brody/double-brain-route — /api/periphery/brody/double-brain-route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

periphery_double_brain_route — periphery_double_brain_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/brody/diffusion-mix — /api/periphery/brody/diffusion-mix

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_routes.ps1 \

/api/periphery/graphiti/freeze-snapshot/{snapshot_id} — /api/periphery/graphiti/freeze-snapshot/{snapshot_id}

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/periphery/graphiti/context-adapt — /api/periphery/graphiti/context-adapt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

/api/periphery/feedback/candidate — /api/periphery/feedback/candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/feedback/bridge-candidate — /api/periphery/feedback/bridge-candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B_API_ROUTE_BINDING_PRECHECK_20260527.m d \

/api/periphery/sigma/evaluate — /api/periphery/sigma/evaluate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\SIGMA_FINAL_FREEZE_INDEX_F60_TO_F68.md \

/api/periphery/operator/governed-runtime — /api/periphery/operator/governed-runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f28_1_governed_operator_runti me_audit.py \

/api/periphery/workflow-governance/packet — /api/periphery/workflow-governance/packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\CLAUDE_FAST_AUDIT_F24_F29_F30_F31_20260529_012641.m d \

/api/periphery/brody-runtime/f33/integration-packet — /api/periphery/brody-runtime/f33/integration-packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.runtime_freezes\F33_BRODY_RUNTIME_ENTRYPOINT_READONLY_20260529_012937\MANIFEST_SHA256.json \

/api/periphery/operator/runtime-panel — /api/periphery/operator/runtime-panel

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/operator/runtime-panel.html — /api/periphery/operator/runtime-panel.html

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/demo/runtime-readiness — /api/periphery/demo/runtime-readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\demo\OBSIDIA_BRODY_GPT_V1_FINAL_README.md \

/api/periphery/workbench/runtime-connector — /api/periphery/workbench/runtime-connector

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

/api/periphery/brody-runtime/f36/user-scenario — /api/periphery/brody-runtime/f36/user-scenario

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.runtime_freezes\F36B_TRUE_LIVE_UVICORN_USER_SCENARIO_SMOKE_20260529_034044\MANIFEST_SHA256.json \

/api/periphery/brody-runtime/f38/multi-domain-scenarios — /api/periphery/brody-runtime/f38/multi-domain-scenarios

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.runtime_freezes\F38_MULTI_DOMAIN_LIVE_UVICORN_API_SMOKE_20260529_040328\MANIFEST_SHA256.json \

/api/runtime-wiring/preview — /api/runtime-wiring/preview

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight

Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_taxonomy.py \

/api/sigma/domains — /api/sigma/domains

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/sigma/evaluate — /api/sigma/evaluate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/sigma/bank — /api/sigma/bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/sigma/trading — /api/sigma/trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/sigma/ecom — /api/sigma/ecom

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/sigma/gps-defense-aviation — /api/sigma/gps-defense-aviation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/runtime-wiring/source-runtime/status — /api/runtime-wiring/source-runtime/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_taxonomy.py \

/api/health — /api/health

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

/api/readiness — /api/readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

/api/x108/status — /api/x108/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\BACKEND_BINDING_PLAN_X108_PROOFS.md \

/api/translation/trace — /api/translation/trace

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\BACKEND_RUNTIME_DISCOVERY_REPORT.md \

/api/worldcalls/gateway-status — /api/worldcalls/gateway-status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/worldcalls/sovereign-tickets — /api/worldcalls/sovereign-tickets

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/x108/cognitive/shazam — /api/x108/cognitive/shazam

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/cognitive/dominant-trees — /api/x108/cognitive/dominant-trees

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/math/lyapunov — /api/x108/math/lyapunov

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/math/pog — /api/x108/math/pog

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/memory/candidates/read — /api/x108/memory/candidates/read

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/memory/candidates/append — /api/x108/memory/candidates/append

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/math/trust-path — /api/x108/math/trust-path

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/cognitive/regime-classify — /api/x108/cognitive/regime-classify

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/oracle/freshness — /api/x108/oracle/freshness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/timeverse/sync — /api/x108/timeverse/sync

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/memory/replay/session — /api/x108/memory/replay/session

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/x108/memory/replay/coherence — /api/x108/memory/replay/coherence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/x108/memory/logs/sealed — /api/x108/memory/logs/sealed

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

/api/x108/readonly-ingress — /api/x108/readonly-ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\V5B_FINAL_BACKEND_BINDING_REPORT.md \

unclassified_routes — unclassified_routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\route _capability_map.py \

P45_ROUTE_CAPABILITY_MAP — P45_ROUTE_CAPABILITY_MAP

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\route _capability_map.py \

/api/os3/replay/ — /api/os3/replay/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P68_API_AUTH_ROUTE_EXPOSURE_AUDIT.json \

/api/periphery/cognitive/trees/ — /api/periphery/cognitive/trees/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B0_FULL_SURFACE_RECONCILIATION_AUDIT_20 260527.md \

/api/periphery/cognitive/trees/domain/ — /api/periphery/cognitive/trees/domain/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B0_FULL_SURFACE_RECONCILIATION_AUDIT_20 260527.md \

/api/periphery/graphiti/freeze-snapshot/ — /api/periphery/graphiti/freeze-snapshot/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8B_LIVE_SMOKE_PACK_20260527.md \

apps/obsidia_api/routes/brody_monitoring.py — apps/obsidia_api/routes/brody_monitoring.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f28_1_governed_operator_runti me_audit.py \

apps/obsidia_api/routes/audit.py — apps/obsidia_api/routes/audit.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/blockchain.py — apps/obsidia_api/routes/blockchain.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/brody.py — apps/obsidia_api/routes/brody.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/bus.py — apps/obsidia_api/routes/bus.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.runtime_freezes\F54_BUS_BRIDGE_MINIMAL_ROUTE_IMPLEMENTATION_202 60529_213500\MANIFEST_SHA256.json \

apps/obsidia_api/routes/context.py — apps/obsidia_api/routes/context.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P57_RUNTIME_BINDING_AUDIT.json \

apps/obsidia_api/routes/status.py — apps/obsidia_api/routes/status.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F74_F77_RISK_REGISTER.md \

apps/obsidia_api/routes/memory.py — apps/obsidia_api/routes/memory.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/os3.py — apps/obsidia_api/routes/os3.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P57_RUNTIME_BINDING_AUDIT.json \

apps/obsidia_api/routes/periphery_ops.py — apps/obsidia_api/routes/periphery_ops.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\f28_1_governed_operator_runti me_audit.py \

apps/obsidia_api/routes/os_map.py — apps/obsidia_api/routes/os_map.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/os_trad_ir_reverse.py — apps/obsidia_api/routes/os_trad_ir_reverse.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F72_OS_TRAD_IR_REVERSE_DEEP_PIPELINE_AUDIT.md \

apps/obsidia_api/routes/runtime_wiring_preview.py — apps/obsidia_api/routes/runtime_wiring_preview.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P57_RUNTIME_BINDING_AUDIT.json \

apps/obsidia_api/routes/source_runtime_status.py — apps/obsidia_api/routes/source_runtime_status.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_source_runtime_source_p acks_p71.py \

apps/obsidia_api/routes/sigma_monitoring.py — apps/obsidia_api/routes/sigma_monitoring.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\FINAL_SIGMA_BRANCH_REVIEW.md \

apps/obsidia_api/routes/translation.py — apps/obsidia_api/routes/translation.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F72_OS_TRAD_IR_REVERSE_DEEP_PIPELINE_AUDIT.md \

apps/obsidia_api/routes/worldcalls.py — apps/obsidia_api/routes/worldcalls.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/x108.py — apps/obsidia_api/routes/x108.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F68_1_OPENAPI_DUPLICATE_X108_STATUS_CLEANUP.md \

route_count — route_count

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\bus\sigma_bridge.py \

runtime_wiring/dry_run_packet_router.py — runtime_wiring/dry_run_packet_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

dry_run_packet_router — dry_run_packet_router

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

runtime_wiring/source_runtime/capability_path_router.py — runtime_wiring/source_runtime/capability_path_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

capability_path_router — capability_path_router

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

runtime_wiring/source_runtime/route_capability_map.py — runtime_wiring/source_runtime/route_capability_map.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

route_capability_map — route_capability_map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

runtime_wiring/source_runtime/route_coverage_classifier.py — runtime_wiring/source_runtime/route_coverage_classifier.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

route_coverage_classifier — route_coverage_classifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/__init__.py — apps/obsidia_api/routes/__init__.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE9B2A_PREPATCH_SOURCE_SNAPSHOT_20260527.m d \

CONNECTED_ROUTE_HANDLER — CONNECTED_ROUTE_HANDLER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/gencoin.py — apps/obsidia_api/routes/gencoin.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/graphiti.py — apps/obsidia_api/routes/graphiti.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.deepseek\pastes\paste-2026-05-20-000721-3f2b1ef7.md \

apps/obsidia_api/routes/runtime_freeze.py — apps/obsidia_api/routes/runtime_freeze.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P57_RUNTIME_BINDING_AUDIT.json \

CAPABILITY_ROUTER — CAPABILITY_ROUTER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

CAPABILITY_ROUTER_RESOLVED — CAPABILITY_ROUTER_RESOLVED

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

selected_routes — selected_routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

/api/graphiti/ — /api/graphiti/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\smoke_brody_connectors_status .ps1 \

/api/brody/chat. — /api/brody/chat.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

/api/os-trad/translate — /api/os-trad/translate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

/api/ir/candidate — /api/ir/candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

/api/os-reverse/project — /api/os-reverse/project

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

support_routes — support_routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

P36 — Global Capability Path Router. — P36 — Global Capability Path Router.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py

routes_modified — routes_modified

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_runtime_core_risk_revie w_p75.py \

apps/obsidia_api/routes/ — apps/obsidia_api/routes/

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

_warn("F4: CONFIRMED_ARCHITECTURAL — base.update(data) merges correctly for current V1 modules (all module dicts carry correct BOUNDARY). But merge direction is unsafe by design: a future module returning {allowed_to_decide: True} would propagate without resistance. V1 runtime not exploitable via current routes.") — _warn("F4: CONFIRMED_ARCHITECTURAL — base.update(data) merges correctly for current V1 modules (all module dicts carry correct BOUNDARY). But merge direction is unsafe by design: a future module returning {allowed_to_decide: True} would propagate without resistance. V1 runtime not exploitable via current routes.")

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py \

Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY? — Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY?

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY? — # Check: are V1 Brody routes (F33/F36/F38) using _BOUNDARY or their module BOUNDARY?

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

By reading the route handler implementations, F33/F36/F38 call safe_backend_response(result) — By reading the route handler implementations, F33/F36/F38 call safe_backend_response(result)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

_BOUNDARY is used only by legacy pipeline/governance routes. — _BOUNDARY is used only by legacy pipeline/governance routes.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

_ok(f"F1: CONFIRMED_LEGACY_ONLY — _BOUNDARY is truncated ({len(ops_keys)} flags vs {len(f32_keys)} in V1 modules), but V1 Brody routes (F33/F36/F38) use full module-level BOUNDARY. Only legacy pipeline/governance routes are affected.") — _ok(f"F1: CONFIRMED_LEGACY_ONLY — _BOUNDARY is truncated ({len(ops_keys)} flags vs {len(f32_keys)} in V1 modules), but V1 Brody routes (F33/F36/F38) use full module-level BOUNDARY. Only legacy pipeline/governance routes are affected.")

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1 | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py

docs/runtime/F34B_LIVE_UVICORN_ROUTE_PROOF_20260529_044331.json — docs/runtime/F34B_LIVE_UVICORN_ROUTE_PROOF_20260529_044331.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_f45_canonical_observati on_terminal_test_battery.py \

runtime_wiring/source_runtime/capability_path_router.py::route_ca pability_path — runtime_wiring/source_runtime/capability_path_router.py::route_ca pability_path

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/os_map.py::os_map_query — apps/obsidia_api/routes/os_map.py::os_map_query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/os_map.py::os_map_status — apps/obsidia_api/routes/os_map.py::os_map_status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

runtime_wiring/source_runtime/route_capability_map.py::build_rout e_capability_map — runtime_wiring/source_runtime/route_capability_map.py::build_rout e_capability_map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

apps/obsidia_api/routes/brody.py::brody_chat — apps/obsidia_api/routes/brody.py::brody_chat

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/test_f65_ — /api/test_f65_

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \QUICKSTART_FRESH_CLONE.md \

/api/test_brody_ — /api/test_brody_

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/test_brody_authority_escalation_no_act.py — /api/test_brody_authority_escalation_no_act.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\ZERO_FAIL_API_CONTRACT_FAILURE_AUDIT.md \

/api/test_no_memory_write_api.py — /api/test_no_memory_write_api.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVATION_REPORT.md

/api/test_f63_ — /api/test_f63_

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \QUICKSTART_FRESH_CLONE.md \

/api/test_f72_os_trad_ir_reverse_pipeline_audit.py — /api/test_f72_os_trad_ir_reverse_pipeline_audit.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F74_F77_COMMANDS.md \

/api/test_brody_chat_readonly.py — /api/test_brody_chat_readonly.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\FINAL_SIGMA_BRANCH_REVIEW.md \

- periphery/brody/brody_language_router.py — - periphery/brody/brody_language_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\FINAL_COMPLETION_REPORT.md

/api/periphery/monitoring/adapters/gps — /api/periphery/monitoring/adapters/gps

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \connectors\aviation_robo.py \

- periphery/bdf/double_brain_router.py — - periphery/bdf/double_brain_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\FINAL_COMPLETION_REPORT.md \

/api/test_brody_source_pack_context_p27.py — /api/test_brody_source_pack_context_p27.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P27_SOURCE_PACK_CONTEXT_PROPAGATION_REPORT.md \

/api/test_source_runtime_status_p29.py — /api/test_source_runtime_status_p29.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P29_WORKBENCH_SOURCE_RUNTIME_SURFACE_REPORT.md \

/api/runtime-wiring/os-map/query — /api/runtime-wiring/os-map/query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/runtime-wiring/os-map/status — /api/runtime-wiring/os-map/status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

P47 — Module & Function → Capability / Route Map. — P47 — Module & Function → Capability / Route Map.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— P36 — Capability Path Router ———————————————————— — —— P36 — Capability Path Router ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— P38 — OS Map Route Handler ———————————————————— — —— P38 — OS Map Route Handler ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

/api/test_route_coverage_os_map_p45.py — /api/test_route_coverage_os_map_p45.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/test_module_function_coverage_os_map_p47.py — /api/test_module_function_coverage_os_map_p47.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

"tests": ["tests/api/test_route_coverage_os_map_p45.py", "tests/api/test_module_function_coverage_os_map_p47.py"], — "tests": ["tests/api/test_route_coverage_os_map_p45.py", "tests/api/test_module_function_coverage_os_map_p47.py"],

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— P45 — Route Coverage ———————————————————— — —— P45 — Route Coverage ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— Brody Chat — CONNECTED_ROUTE_HANDLER ———————————————— — —— Brody Chat — CONNECTED_ROUTE_HANDLER ————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

/api/test_brody_chat_p44.py — /api/test_brody_chat_p44.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— Blocked Action — Routes ———————————————————— — —— Blocked Action — Routes ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

/api/worldcalls — /api/worldcalls

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

/api/gencoin — /api/gencoin

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

—— Audit / Memory — CONNECTED_ROUTE_HANDLER ———————————— — —— Audit / Memory — CONNECTED_ROUTE_HANDLER ————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

—— Dry Run Packet Router ———————————————————— — —— Dry Run Packet Router ————————————————————

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py

Route handlers — Route handlers

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\demo\OBSIDIA_F46_F47_PATCH_SEQUENCE.md \

- apps/obsidia_api/routes/periphery_ops.py ? OK ? parse True ? sha256 c3167e6339f277158870a302332d12de2600d6c3d1bd66a30eebe64f93224b44 — - apps/obsidia_api/routes/periphery_ops.py ? OK ? parse True ? sha256 c3167e6339f277158870a302332d12de2600d6c3d1bd66a30eebe64f93224b44

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? OK ? parse True ? sha256 3ead136586024b5480e148c4b01f4400fdcafb1642d60138284764a81e0a5482 — - apps/obsidia_api/routes/brody_monitoring.py ? OK ? parse True ? sha256 3ead136586024b5480e148c4b01f4400fdcafb1642d60138284764a81e0a5482

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- tests/api/test_brody_tree_policy.py ? OK ? parse True ? sha256 b81fd436bb2f5b297a0afe84aa9b1d47cc4df353c8a8b811baa0d7e5c1db9841 — - tests/api/test_brody_tree_policy.py ? OK ? parse True ? sha256 b81fd436bb2f5b297a0afe84aa9b1d47cc4df353c8a8b811baa0d7e5c1db9841

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

/api/test_brody_tree_policy.py — /api/test_brody_tree_policy.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_1_RISK_FLAGS_CLASSIFICATION.md \

Routes detected — Routes detected

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F70_1_GRAPHITI_AUDIT_UTF8SIG_REPAIR.md \

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/run') ? periphery_pipeline_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/run') ? periphery_pipeline_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/data-gate') ? periphery_data_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/data-gate') ? periphery_data_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/provenance-gate') ? periphery_provenance_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/provenance-gate') ? periphery_provenance_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/memory-governor') ? periphery_memory_governor — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/memory-governor') ? periphery_memory_governor

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/eml-compression') ? periphery_eml_compression — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/eml-compression') ? periphery_eml_compression

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/energy-thermo') ? periphery_energy_thermo — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/energy-thermo') ? periphery_energy_thermo

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/ocs-generation') ? periphery_ocs_generation — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/ocs-generation') ? periphery_ocs_generation

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/operational-constance') ? periphery_operational_constance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/operational-constance') ? periphery_operational_constance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/permission-economic') ? periphery_permission_economic — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/permission-economic') ? periphery_permission_economic

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/validate-candidate') ? periphery_validate_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/validate-candidate') ? periphery_validate_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/merge') ? periphery_merge — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/pipeline/merge') ? periphery_merge

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/pipeline/constants') ? periphery_constants — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/pipeline/constants') ? periphery_constants

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/partition-gate') ? periphery_partition_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/partition-gate') ? periphery_partition_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/agents') ? periphery_list_agents — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/agents') ? periphery_list_agents

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-run') ? periphery_agent_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-run') ? periphery_agent_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-spec-check') ? periphery_agent_spec_check — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/agent-spec-check') ? periphery_agent_spec_check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/lifecycle') ? periphery_lifecycle — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/lifecycle') ? periphery_lifecycle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/sequence-govern') ? periphery_sequence_govern — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/sequence-govern') ? periphery_sequence_govern

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/workflow-guard') ? periphery_workflow_guard — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/workflow-guard') ? periphery_workflow_guard

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/benchmarks') ? periphery_benchmarks — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/benchmarks') ? periphery_benchmarks

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/failure-classify') ? periphery_failure_classify — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/governance/failure-classify') ? periphery_failure_classify

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/failure-codes') ? periphery_failure_codes — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/governance/failure-codes') ? periphery_failure_codes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees') ? periphery_trees_all — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees') ? periphery_trees_all

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/{tree_id}') ? periphery_tree_by_id — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/{tree_id}') ? periphery_tree_by_id

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/domain/{domain}') ? periphery_trees_by_domain — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/cognitive/trees/domain/{domain}') ? periphery_trees_by_domain

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/memory-world-map') ? periphery_memory_world_map — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/memory-world-map') ? periphery_memory_world_map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/tree-signal') ? periphery_tree_signal — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/cognitive/tree-signal') ? periphery_tree_signal

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/build') ? periphery_context_build — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/build') ? periphery_context_build

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/sanitize') ? periphery_context_sanitize — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/sanitize') ? periphery_context_sanitize

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/validate') ? periphery_context_validate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/validate') ? periphery_context_validate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/export') ? periphery_context_export — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/export') ? periphery_context_export

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/ingress') ? periphery_context_ingress — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/context/ingress') ? periphery_context_ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/avdr-phase') ? periphery_avdr_phase — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/avdr-phase') ? periphery_avdr_phase

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/balance') ? periphery_balance

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/regime-state') ? periphery_regime_state — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/regime-state') ? periphery_regime_state

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/passfail') ? periphery_passfail — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/passfail') ? periphery_passfail

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/consciousness-regime') ? periphery_consciousness_regime — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/consciousness-regime') ? periphery_consciousness_regime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/collective-summary') ? periphery_collective_summary — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/gencoin/collective-summary') ? periphery_collective_summary

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/state-packet') ? periphery_interface_state — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/state-packet') ? periphery_interface_state

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/log-event') ? periphery_interface_log_event — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/log-event') ? periphery_interface_log_event

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/workbench-check') ? periphery_workbench_check — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/workbench-check') ? periphery_workbench_check

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/view-contracts') ? periphery_view_contracts — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/interface/view-contracts') ? periphery_view_contracts

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/mcp-access') ? periphery_mcp_access — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/mcp-access') ? periphery_mcp_access

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-gate') ? periphery_bias_gate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-gate') ? periphery_bias_gate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-trace') ? periphery_bias_trace — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/interface/bias-trace') ? periphery_bias_trace

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/classify-source') ? periphery_classify_source — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/classify-source') ? periphery_classify_source

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/hash') ? periphery_hash — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/hash') ? periphery_hash

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/document') ? periphery_ingest_document — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/ingestion/document') ? periphery_ingest_document

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/ingestion/memory-sources') ? periphery_memory_sources — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/ingestion/memory-sources') ? periphery_memory_sources

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/ticket') ? periphery_os3_ticket — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/ticket') ? periphery_os3_ticket

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/manifest') ? periphery_os3_manifest — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/manifest') ? periphery_os3_manifest

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-compare') ? periphery_replay_compare — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-compare') ? periphery_replay_compare

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/world-action-readiness') ? periphery_world_action_readiness — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/world-action-readiness') ? periphery_world_action_readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-run') ? periphery_replay_run — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/os3/replay-run') ? periphery_replay_run

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/score') ? periphery_education_score — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/score') ? periphery_education_score

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/audience') ? periphery_audience_projection — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/audience') ? periphery_audience_projection

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/format') ? periphery_format_projection — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/education/format') ? periphery_format_projection

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/context-query') ? periphery_brody_context_query — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/context-query') ? periphery_brody_context_query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/language-route') ? periphery_brody_language_route — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/language-route') ? periphery_brody_language_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/double-brain-route') ? periphery_double_brain_route — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/double-brain-route') ? periphery_double_brain_route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/diffusion-mix') ? periphery_diffusion_mix — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody/diffusion-mix') ? periphery_diffusion_mix

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/graphiti/freeze-snapshot/{snapshot_id}') ? periphery_freeze_snapshot — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/graphiti/freeze-snapshot/{snapshot_id}') ? periphery_freeze_snapshot

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/graphiti/context-adapt') ? periphery_graphiti_context_adapt — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/graphiti/context-adapt') ? periphery_graphiti_context_adapt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/candidate') ? periphery_feedback_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/candidate') ? periphery_feedback_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/bridge-candidate') ? periphery_bridge_candidate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/feedback/bridge-candidate') ? periphery_bridge_candidate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/sigma/evaluate') ? sigma_evaluate — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/sigma/evaluate') ? sigma_evaluate

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/operator/governed-runtime') ? periphery_governed_operator_runtime — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/operator/governed-runtime') ? periphery_governed_operator_runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/workflow-governance/packet') ? workflow_governance_packet — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/workflow-governance/packet') ? workflow_governance_packet

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f33/integration-packet') ? f33_brody_runtime_entrypoint — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f33/integration-packet') ? f33_brody_runtime_entrypoint

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel') ? f35_operator_runtime_panel_data — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel') ? f35_operator_runtime_panel_data

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel.html', response_class=HTMLResponse) ? f35_operator_runtime_panel_html — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/operator/runtime-panel.html', response_class=HTMLResponse) ? f35_operator_runtime_panel_html

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/demo/runtime-readiness') ? f35_investor_demo_runtime_readiness — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/demo/runtime-readiness') ? f35_investor_demo_runtime_readiness

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.get('/workbench/runtime-connector') ? f35_workbench_runtime_connector — - apps/obsidia_api/routes/periphery_ops.py ? router.get('/workbench/runtime-connector') ? f35_workbench_runtime_connector

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f36/user-scenario') ? f36_user_scenario_controlled_response — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f36/user-scenario') ? f36_user_scenario_controlled_response

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f38/multi-domain-scenarios') ? f38_multi_domain_scenarios — - apps/obsidia_api/routes/periphery_ops.py ? router.post('/brody-runtime/f38/multi-domain-scenarios') ? f38_multi_domain_scenarios

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.get('/brody-cli-registry') ? brody_cli_registry — - apps/obsidia_api/routes/brody_monitoring.py ? router.get('/brody-cli-registry') ? brody_cli_registry

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/bank') ? monitor_bank — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/bank') ? monitor_bank

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/gps') ? monitor_gps — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/gps') ? monitor_gps

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/trading') ? monitor_trading — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/adapters/trading') ? monitor_trading

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/ltcu-plus') ? monitor_ltcu — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/ltcu-plus') ? monitor_ltcu

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/transition-map') ? monitor_transition — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/hexaflux/transition-map') ? monitor_transition

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-trace-analyze') ? monitor_brody_trace_analyze — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-trace-analyze') ? monitor_brody_trace_analyze

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-historical-convergence') ? monitor_brody_historical_convergence — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/brody-historical-convergence') ? monitor_brody_historical_convergence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- apps/obsidia_api/routes/brody_monitoring.py ? router.post('/operator/governed-runtime') ? monitor_governed_runtime — - apps/obsidia_api/routes/brody_monitoring.py ? router.post('/operator/governed-runtime') ? monitor_governed_runtime

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —

Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

- TREE_SURFACE_WITHOUT_READONLY_WORD_REVIEW_REQUIRED ? tests/api/test_brody_tree_policy.py — - TREE_SURFACE_WITHOUT_READONLY_WORD_REVIEW_REQUIRED ? tests/api/test_brody_tree_policy.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F71_34_TREES_DEEP_ACTIVATION_AUDIT.md

brody_rights_authority_matrix.py + brody_semantic_query_router.py — brody_rights_authority_matrix.py + brody_semantic_query_router.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_COGNITIVE_MODULE_RESOLUTION_TABLE.json

Rights matrix classifies requests. Semantic router maps topics. Combined: structured inference without decision. — Rights matrix classifies requests. Semantic router maps topics. Combined: structured inference without decision.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_COGNITIVE_MODULE_RESOLUTION_TABLE.json

"covered_by_module": "brody_rights_authority_matrix.py + brody_semantic_query_router.py", — "covered_by_module": "brody_rights_authority_matrix.py + brody_semantic_query_router.py",

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_COGNITIVE_MODULE_RESOLUTION_TABLE.json

****Fallback rule:** If a module is not available, the API route returns source="BACKEND_STUB" with a minimal but honest response. Never claim REAL_BACKEND when using stubs. — **Fallback rule:** If a module is not available, the API route returns source="BACKEND_STUB" with a minimal but honest response. Never claim REAL_BACKEND when using stubs.**

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_REAL_MODULE_DISCOVERY_FOR_API.md

API-Ready Routes — API-Ready Routes

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_REAL_MODULE_DISCOVERY_FOR_API.md

**\ — Route **

Statut source: Real Module Available \ | Verdict: Status \ | Domaines: \ | Runtime autre: Route \
Hit evidence: Real Module Available \

/api/memory — /api/memory

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\modul e_function_capability_map.py \

**\ — Module **

Statut source: Function \ | Verdict: Route \ | Domaines: \ | Runtime autre: Module \
Hit evidence: Function \

Source Labels per Route — Source Labels per Route

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_RUNTIME_MODULE_USAGE_REPORT.md

**\ — brody_language_router.route_brody_language() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Routes by language \ | Domaines: \ | Runtime autre: brody_language_router.route_brody_language() \
Hit evidence: REAL_RESPONSE_MODULE \

**\ — language_router.detect_language() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Detects FR/EN \ | Domaines: \ | Runtime autre: language_router.detect_language() \
Hit evidence: REAL_RESPONSE_MODULE \

**\ — language_router.has_authority_claim() **

Statut source: REAL_RESPONSE_MODULE \ | Verdict: Detects authority escalation \ | Domaines: \ | Runtime autre: language_router.has_authority_claim() \
Hit evidence: REAL_RESPONSE_MODULE \

- runtime_wiring/source_runtime/capability_path_router.py — P36 router — - runtime_wiring/source_runtime/capability_path_router.py — P36 router

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- runtime_wiring/source_runtime/route_capability_map.py — P45 route map — - runtime_wiring/source_runtime/route_capability_map.py — P45 route map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- runtime_wiring/source_runtime/route_coverage_classifier.py — P45 classifier — - runtime_wiring/source_runtime/route_coverage_classifier.py — P45 classifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

CONNECTED_ROUTE_HANDLER (12 modules) — CONNECTED_ROUTE_HANDLER (12 modules)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

CONNECTED_ROUTE_HANDLER (12 modules) — ### CONNECTED_ROUTE_HANDLER (12 modules)

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/os_map.py — P38/P45/P46/P47 OS Map — - apps/obsidia_api/routes/os_map.py — P38/P45/P46/P47 OS Map

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/brody.py — chat Brody — - apps/obsidia_api/routes/brody.py — chat Brody

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/audit.py — audit events — - apps/obsidia_api/routes/audit.py — audit events

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/memory.py — memory candidates — - apps/obsidia_api/routes/memory.py — memory candidates

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/context.py — context packets — - apps/obsidia_api/routes/context.py — context packets

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/translation.py — OS Trad — - apps/obsidia_api/routes/translation.py — OS Trad

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

- apps/obsidia_api/routes/os_trad_ir_reverse.py — IR/Reverse — - apps/obsidia_api/routes/os_trad_ir_reverse.py — IR/Reverse

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P47_MODULE_FUNCTION_COVERAGE_REPORT.md

ROUTES_API / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

ROUTES_API / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (87)

router_templates_total — router_templates_total

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json \

routes_in_templates — routes_in_templates

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

router_templates — router_templates

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json \

still_unconnected_routes_count — still_unconnected_routes_count

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

still_unconnected_routes_notable — still_unconnected_routes_notable

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

/api/x108/* (14 routes) — /api/x108/* (14 routes)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

/api/os3/* (7 routes) — /api/os3/* (7 routes)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

/api/memory/* (6 routes) — /api/memory/* (6 routes)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

/api/periphery/governance/* (10 routes) — /api/periphery/governance/* (10 routes)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

Bind brody_semantic_query_router to SEMANTIC_ROUTING capability — Bind brody_semantic_query_router to SEMANTIC_ROUTING capability

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

Add X108_COGNITIVE capability for /api/x108/cognitive/* routes — Add X108_COGNITIVE capability for /api/x108/cognitive/* routes

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

Add OS3_AUDIT capability for /api/os3/* routes — Add OS3_AUDIT capability for /api/os3/* routes

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

Add MEMORY_CANDIDATE capability for /api/memory/* routes — Add MEMORY_CANDIDATE capability for /api/memory/* routes

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

/api/brody-cli-registry — /api/brody-cli-registry

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/adapters/bank — /api/adapters/bank

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/adapters/gps — /api/adapters/gps

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/adapters/trading — /api/adapters/trading

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/hexaflux/ltcu-plus — /api/hexaflux/ltcu-plus

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/hexaflux/transition-map — /api/hexaflux/transition-map

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/brody-trace-analyze — /api/brody-trace-analyze

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/brody-historical-convergence — /api/brody-historical-convergence

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/bus/bus/stats — /api/bus/bus/stats

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

/api/bus/bus/bridge — /api/bus/bus/bridge

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P43_UNCONN ECTED_RUNTIME_SURFACE_MAP.json \

P45_FULL_ROUTE_COVERAGE_MAP — P45_FULL_ROUTE_COVERAGE_MAP

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_full_route_coverage_p45.py \

"/api/periphery/gencoin/balance": { — "/api/periphery/gencoin/balance": {

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_FULL_R OUTE_COVERAGE_MAP.json

"module_path": "apps/obsidia_api/routes/brody_monitoring.py", — "module_path": "apps/obsidia_api/routes/brody_monitoring.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/audit.py", — "module_path": "apps/obsidia_api/routes/audit.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/blockchain.py", — "module_path": "apps/obsidia_api/routes/blockchain.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py \

"module_path": "apps/obsidia_api/routes/brody.py", — "module_path": "apps/obsidia_api/routes/brody.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/bus.py", — "module_path": "apps/obsidia_api/routes/bus.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/context.py", — "module_path": "apps/obsidia_api/routes/context.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/status.py", — "module_path": "apps/obsidia_api/routes/status.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/memory.py", — "module_path": "apps/obsidia_api/routes/memory.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/os3.py", — "module_path": "apps/obsidia_api/routes/os3.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/periphery_ops.py", — "module_path": "apps/obsidia_api/routes/periphery_ops.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"path": "/api/periphery/gencoin/balance", — "path": "/api/periphery/gencoin/balance",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json

"module_path": "apps/obsidia_api/routes/os_map.py", — "module_path": "apps/obsidia_api/routes/os_map.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py \

"module_path": "apps/obsidia_api/routes/os_trad_ir_reverse.py", — "module_path": "apps/obsidia_api/routes/os_trad_ir_reverse.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/runtime_wiring_preview.py", — "module_path": "apps/obsidia_api/routes/runtime_wiring_preview.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/source_runtime_status.py", — "module_path": "apps/obsidia_api/routes/source_runtime_status.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/sigma_monitoring.py", — "module_path": "apps/obsidia_api/routes/sigma_monitoring.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/translation.py", — "module_path": "apps/obsidia_api/routes/translation.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/worldcalls.py", — "module_path": "apps/obsidia_api/routes/worldcalls.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

"module_path": "apps/obsidia_api/routes/x108.py", — "module_path": "apps/obsidia_api/routes/x108.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P45_ROUTE_ INVENTORY_RAW.json \

routes_total — routes_total

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_global_runtime_surface_gate_p 49.py \

"module_path": "runtime_wiring/dry_run_packet_router.py", — "module_path": "runtime_wiring/dry_run_packet_router.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "runtime_wiring/source_runtime/capability_path_router.py", — "module_path": "runtime_wiring/source_runtime/capability_path_router.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py \

"module_path": "runtime_wiring/source_runtime/route_capability_map.py", — "module_path": "runtime_wiring/source_runtime/route_capability_map.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "runtime_wiring/source_runtime/route_coverage_classifier.py", — "module_path": "runtime_wiring/source_runtime/route_coverage_classifier.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/routes/__init__.py", — "module_path": "apps/obsidia_api/routes/__init__.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/routes/gencoin.py", — "module_path": "apps/obsidia_api/routes/gencoin.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/routes/graphiti.py", — "module_path": "apps/obsidia_api/routes/graphiti.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/routes/runtime_freeze.py", — "module_path": "apps/obsidia_api/routes/runtime_freeze.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/brody_semantic_query_router.py", — "module_path": "apps/obsidia_api/brody_semantic_query_router.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

Dispatcher: routes SourceFileRegistryEntry to correct adapter via _ADAPTER_DISPATCH table. Never reads zip content. Raises ValueError on FORBIDDEN entries. — Dispatcher: routes SourceFileRegistryEntry to correct adapter via _ADAPTER_DISPATCH table. Never reads zip content. Raises ValueError on FORBIDDEN entries.

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P48_ADAPTE R_INVENTORY_RAW.json

Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY — Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

147 routes 100% classified; os-map/status and os-map/query emit no ACT — 147 routes 100% classified; os-map/status and os-map/query emit no ACT

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

route_status_endpoints — route_status_endpoints

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Route status / readiness / metrics endpoints — Route status / readiness / metrics endpoints

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway — STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

capability_path_router_readonly — capability_path_router_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Capability path router (P36/P37, readonly routing) — Capability path router (P36/P37, readonly routing)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

route_capability_path + link_capabilities_to_inventory: no side effects — route_capability_path + link_capabilities_to_inventory: no side effects

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

simulation_routes — simulation_routes

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Simulation / preview routes (dry path evaluation) — Simulation / preview routes (dry path evaluation)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Routes classified CONNECTED_READONLY allow dry-run invocation for testing — Routes classified CONNECTED_READONLY allow dry-run invocation for testing

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

brody_chat_route — brody_chat_route

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Routes already wired to graphiti_v20_readonly_client — Routes already wired to graphiti_v20_readonly_client

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

Memory routes operational, REAL_MODULE confirmed — Memory routes operational, REAL_MODULE confirmed

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

"reason": "Memory routes operational, REAL_MODULE confirmed" — "reason": "Memory routes operational, REAL_MODULE confirmed"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

"module": "apps/obsidia_api/routes/memory.py", — "module": "apps/obsidia_api/routes/memory.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_GRAPHI TI_MEMORY_READONLY_ACTIVATION_MAP.json

KEY_CAPABILITY_MODULE = "runtime_wiring/source_runtime/capability_path_router.py" — KEY_CAPABILITY_MODULE = "runtime_wiring/source_runtime/capability_path_router.py"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

OS_MAP_MODULE = "apps/obsidia_api/routes/os_map.py" — OS_MAP_MODULE = "apps/obsidia_api/routes/os_map.py"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

—— Test 8 : capability_path_router est CONNECTED_CAPABILITY ———————— — —— Test 8 : capability_path_router est CONNECTED_CAPABILITY ————————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

def test_capability_path_router_module_classification(coverage_map): — def test_capability_path_router_module_classification(coverage_map):

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

—— Test 9 : route_capability_path est CONNECTED_CAPABILITY ———————— — —— Test 9 : route_capability_path est CONNECTED_CAPABILITY ————————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

── Test 10 : os_map.py est CONNECTED_ROUTE_HANDLER ──────────────────────── ── ── Test 10 : os_map.py est CONNECTED_ROUTE_HANDLER ──────────────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

def test_os_map_module_is_route_handler(coverage_map): — def test_os_map_module_is_route_handler(coverage_map):

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

f"{OS_MAP_MODULE} must be CONNECTED_ROUTE_HANDLER, got '{status}'" — f"{OS_MAP_MODULE} must be CONNECTED_ROUTE_HANDLER, got '{status}'"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

── Test 11 : route handlers P45 sont classés ──────────────────────── ── ── Test 11 : route handlers P45 sont classés ──────────────────────

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

m = {"module_path": "runtime_wiring/source_runtime/capability_path_router.py", "risk_flags": []} — m = {"module_path": "runtime_wiring/source_runtime/capability_path_router.py", "risk_flags": []}

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

m = {"module_path": "apps/obsidia_api/routes/blockchain.py", "risk_flags": []} — m = {"module_path": "apps/obsidia_api/routes/blockchain.py", "risk_flags": []}

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

m = {"module_path": "apps/obsidia_api/routes/os_map.py", "risk_flags": []} — m = {"module_path": "apps/obsidia_api/routes/os_map.py", "risk_flags": []}

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

assert classify_module(m) == "CONNECTED_ROUTE_HANDLER" — assert classify_module(m) == "CONNECTED_ROUTE_HANDLER"

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

- Port 8000 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □ — - Port 8000 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\CANONICAL_ SERVERS_REFRESH_AUDIT.md

- Port 8012 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □ — - Port 8012 : UP fraîche HEAD 84cc0d0 — /api/runtime-wiring/preview → 200 □

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\CANONICAL_ SERVERS_REFRESH_AUDIT.md

resp = client.post("/api/brody/chat", json={"message": "quels arbres sont activés"}) — resp = client.post("/api/brody/chat", json={"message": "quels arbres sont activés"})

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\api\test_brody_tree_policy.py

ROUTES_API / ITEM_REFERENCE_ONLY_NOT_BOUND (57)

919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt — 919906206304_CURRENT_OBSIDIA_CONTEXT_ACTIVATION_ROUTER_V1_1_REPAI R.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A7A4BFCE2328_routers.getRecentTransactions.summary.txt — A7A4BFCE2328_routers.getRecentTransactions.summary.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D173BEA2115A_route.md — D173BEA2115A_route.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DBB21AC6214C_context_activation_router_config_v1.json — DBB21AC6214C_context_activation_router_config_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\0 7_BDF_DOUBLE_CERVEAU\alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\07_BDF_DOUBLE_CERVEAU\\alpha_beta_router.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\07_BDF_DOUBLE_CERVEAU\\alpha_beta_router.py",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

routes — routes

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

/api/ — /api/

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

route — route

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Graphiti proxy API routes (/api/graphiti/*) — readonly only — Graphiti proxy API routes (/api/graphiti/*) — readonly only

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Memory API routes (/api/memory/*) — candidate_only, no auto-promotion — Memory API routes (/api/memory/*) — candidate_only, no auto-promotion

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"evidence_location": "apps/obsidia_api/brody_cognitive_modules_adapter.py:29 covered_by=brody_true_voice_adapter.py; brody_semantic_query_router.py:149; brody_true_voice_adapter.py:739", — "evidence_location": "apps/obsidia_api/brody_cognitive_modules_adapter.py:29 covered_by=brody_true_voice_adapter.py; brody_semantic_query_router.py:149; brody_true_voice_adapter.py:739",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

router — router

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"notes": "Orchestrator module exists. Not imported by main.py or active routes.", — "notes": "Orchestrator module exists. Not imported by main.py or active routes.",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11. — Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Ceci est la feuille de route exhaustive, le "Blueprint de Déploiement", pour coder et mettre en service l'AGI Obsidia X-108. — Ceci est la feuille de route exhaustive, le "Blueprint de Déploiement", pour coder et mettre en service l'AGI Obsidia X-108.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

apps/obsidia_api/runtime_loader.py,API_RUNTIME,runtime_loader.py, Dynamic module loader,API,runtime,RUNTIME_ACTIVE,routes/brody.py,no,no,no,no,no,no, no,false,false,false,false,load_runtime_components() — apps/obsidia_api/runtime_loader.py,API_RUNTIME,runtime_loader.py, Dynamic module loader,API,runtime,RUNTIME_ACTIVE,routes/brody.py,no,no,no,no,no,no, no,false,false,false,false,load_runtime_components()

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **current binding status: EXISTS in periphery; NOT imported by automation_orchestrator or routes/brody.py — - **current binding status**: EXISTS in periphery; NOT imported by automation_orchestrator or routes/brody.py**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **recommended action: Expose in /api/brody/chat payload if detailed taxonomy needed — - **recommended action**: Expose in /api/brody/chat payload if detailed taxonomy needed**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **recommended action: Verify if still imported in routes/brody.py; if not, STALE — - **recommended action**: Verify if still imported in routes/brody.py; if not, STALE**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py — - patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py : DO_NOT_IMPORT (SNIPPET_NOT_APPLIED) — - patches/periphery_ops_world_atlas_routes_SNIPPET_NOT_APPLIED.py : DO_NOT_IMPORT (SNIPPET_NOT_APPLIED)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ periphery/cognitive_trees/shazam_cognitif.py, bdf/double_brain_router.py, hexaflux/ltcu_plus.py, mcp_bridge.py, jarvis_projection.py — → periphery/cognitive_trees/shazam_cognitif.py, bdf/double_brain_router.py, hexaflux/ltcu_plus.py, mcp_bridge.py, jarvis_projection.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **BDF Double Cerveau : periphery/bdf/double_brain_router.py — emits_act=False, emits_verdict=False — - **BDF Double Cerveau** : periphery/bdf/double_brain_router.py — emits_act=False, emits_verdict=False**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **Statut : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests) — - **Statut** : 22 domaines COMPLETE (Agent Registry, OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway, Math Core, Lyapunov, PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet/X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark, JSON Schemas, Integration Tests, Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation 194 tests)**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- **10 états : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED — - **10 états** : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED**

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Language encoding **

Statut source: Tree10 Langage + language_router.py \ | Verdict: .../ARBRE_10__Arbre_du_Langage/ + periphery/language/language_router.py \ | Brody: DOC_ONLY + RUNTIME_CODE \ | Runtime autre: \
Hit evidence: Language encoding \

**\ — specs/npl/CULTURAL_MATRIX_SPEC.md **

Statut source: periphery/OBSIDIA_MMONDE.../ARBRE_19__Arbre_de_la_Culture/activat ion_rules.md, periphery/language/language_router.py \ | Verdict: OUI \ | Brody: SPEC_CANDIDATE \ | Domaines: cultural_matrix_density □ [0,1]; language_encoding_score □ [0,1]; non_decision_contract respecté (Tree34 □ ACT) \ | Runtime autre: jamais hiérarchiser cultures; jamais "culture X est supérieure"; jamais verdict culturel \
Hit evidence: test_cultural_matrix_no_verdict \

→ apps/obsidia_api/routes/periphery_ops.py — → apps/obsidia_api/routes/periphery_ops.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

→ language_router.py: détection fr/en, authority markers détectés et bloqués — → language_router.py: détection fr/en, authority markers détectés et bloqués

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- language_router.py → language_encoding_score — - language_router.py → language_encoding_score

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

**\ — Language encoding **

Statut source: Tree10 + language_router \ | Verdict: ARBRE_10__Arbre_du_Langage/ + periphery/language/language_router.py \ | Brody: DOC_ONLY + RUNTIME_CODE \ | Domaines: authority_claim_detected → BLOCK \
Hit evidence: \

- Education, bias, language_router — récepteurs prêts à être étendus — - Education, bias, language_router — récepteurs prêts à être étendus

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- "X108 est évalué après SIGMA_ROUTED et avant OS3_TICKETED" — - "X108 est évalué après SIGMA_ROUTED et avant OS3_TICKETED"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED (ordre strict) — - SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED (ordre strict)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/bdf/double_brain_router.py — - periphery/bdf/double_brain_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- DoubleBrainRoute: emits_act=False, emits_verdict=False\n- Route System1 vs System2 — - DoubleBrainRoute: emits_act=False, emits_verdict=False\n- Route System1 vs System2

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- memory_write=False dans BrodyLanguageRoute — - memory_write=False dans BrodyLanguageRoute

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- tests/api/test_brody_chat_readonly.py (existant) — - tests/api/test_brody_chat_readonly.py (existant)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/language/language_router.py + apps/obsidia-workbench/OS_TRAD_REVERSE_IR_DISCOVERY_REPORT.md — IR candidate readonly — - periphery/language/language_router.py + apps/obsidia-workbench/OS_TRAD_REVERSE_IR_DISCOVERY_REPORT.md — IR candidate readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 10 états définis : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED — - 10 états définis : INPUT_CAPTURED → ACTION_CANDIDATE_BUILT → PERIPHERY_SCORED → SIGMA_ROUTED → X108_EVALUATED → OS3_TICKETED → GENCOIN_EVALUATED → WORLD_ACTION_DRY_RUN_READY → FEEDBACK_CAPTURED → MEMORY_CANDIDATE_BUILT → CLOSED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- X108_EVALUATED est l'étape centrale — avant OS3_TICKETED et après SIGMA_ROUTED — - X108_EVALUATED est l'étape centrale — avant OS3_TICKETED et après SIGMA_ROUTED

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- brody_language_router.py : BrodyLanguageRoute avec memory_write=False — - brody_language_router.py : BrodyLanguageRoute avec memory_write=False

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- aviation_robo.py : POST vers http://127.0.0.1:8000/api/periphery/monitoring/adapters/gps — local uniquement — - aviation_robo.py : POST vers http://127.0.0.1:8000/api/periphery/monitoring/adapters/gps — local uniquement

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- GPS_ENDPOINT = "/api/periphery/monitoring/adapters/gps" — endpoint local — - GPS_ENDPOINT = "/api/periphery/monitoring/adapters/gps" — endpoint local

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- DoubleBrainRouter (BDF) : emits_act=False, emits_verdict=False — route System1 vs System2 — - DoubleBrainRouter (BDF) : emits_act=False, emits_verdict=False — route System1 vs System2

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- periphery/language/language_router.py — - periphery/language/language_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Récepteurs existants : Tree19/24/25/27, education_score, bias_gate, language_router, context_packet_v2, x108_ingress — - Récepteurs existants : Tree19/24/25/27, education_score, bias_gate, language_router, context_packet_v2, x108_ingress

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 22 domaines COMPLETE : Agent Registry (14 agents), OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway (12 modules), Math Core / Lyapunov / PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet / X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark Case Schema, JSON Schemas (3), Integration Tests (V3+V4), Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation (194 tests pass), Zip Artifact — - 22 domaines COMPLETE : Agent Registry (14 agents), OS3 Replay, Gencoin Ledger/Debt/Distribution, Gencoin Sandbox, World Call Gateway (12 modules), Math Core / Lyapunov / PoG, Language Router, Education Score, Bias Gate, Document Ingestion, Context Packet / X108 Ingress, MCP Permission Matrix, GitHub Workflow Guard, Benchmark Case Schema, JSON Schemas (3), Integration Tests (V3+V4), Non-sovereignty Tests, Periphery Tests, Demo Connectors, Documentation, Validation (194 tests pass), Zip Artifact

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Python tests : pattern existant (tests/sigma/test_f62_*.py, tests/api/test_brody_authority_escalation_no_act.py) — - Python tests : pattern existant (tests/sigma/test_f62_*.py, tests/api/test_brody_authority_escalation_no_act.py)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Python tests : graphiti_write=False (195+ tests existants dans tests/api/) — - Python tests : graphiti_write=False (195+ tests existants dans tests/api/)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Capability router / inventory — Capability router / inventory

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Route handlers (FastAPI decorator) — Route handlers (FastAPI decorator)

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py — - 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py — 07_BDF_DOUBLE_CERVEAU/alpha_beta_router.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

La Projection Multimodale : Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11. — La Projection Multimodale : Une fois le sens traduit, le Reverse OS route cette information vers le canal adéquat : du texte, de l'audio (synthèse vocale), ou une interface visuelle (UI) 4, 9. Pour les 34 Arbres, par exemple, il ne calcule pas leur état ; il lit leurs coordonnées vectorielles et applique une "Réduction Cognitive Active" pour n'allumer visuellement que les 3 à 5 arbres dominants, évitant ainsi le chaos visuel 10, 11.

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Router for alpha/beta values — Router for alpha/beta values

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4 — BOUNDARIES

Total: 500

• ITEM_BOUND_BRODY_AND_DOMAIN: 23

• ITEM_BOUND_BRODY_ONLY: 73

• ITEM_BOUND_DOMAIN_ONLY: 0

• ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 49

• ITEM_REFERENCE_ONLY_NOT_BOUND: 355

BOUNDARIES / ITEM_BOUND_BRODY_AND_DOMAIN (23)

readonly — readonly

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

decision_authority — decision_authority

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

KX108_ONLY — KX108_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

GRAPHITI_READONLY — GRAPHITI_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_automation_o rchestrator.py \

graphiti readonly — graphiti readonly

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py \

brody_readonly_intent_guard — brody_readonly_intent_guard

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

READONLY_CONTEXT — READONLY_CONTEXT

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

FROZEN_READONLY — FROZEN_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_real_respons e_pipeline.py \

readonly=True — readonly=True

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

decision_authority=KX108_ONLY — decision_authority=KX108_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

graphiti_readonly_records_v2.jsonl — graphiti_readonly_records_v2.jsonl

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\brody_memory_response_chain_adapter.py \

graphiti_readonly_records_v2 — graphiti_readonly_records_v2

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\brody_memory_response_chain_adapter.py \

Readonly descriptions mentioning memory/Graphiti must not become writes. — Readonly descriptions mentioning memory/Graphiti must not become writes.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

"État runtime readonly : modules actifs, mémoire candidate, Graphiti V20 gelé, " — "État runtime readonly : modules actifs, mémoire candidate, Graphiti V20 gelé, "

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

F22B: Run readonly intent guard FIRST, before any write-boundary logic. — F22B: Run readonly intent guard FIRST, before any write-boundary logic.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

Guard confirmed: this is a readonly description request. — Guard confirmed: this is a readonly description request.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE. — Inject RUNTIME_STATE_READONLY and suppress MEMORY_WRITE_CANON_FREEZE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

readonly_markers — readonly_markers

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

_is_readonly_state_query — _is_readonly_state_query

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

- session_presave_buffer_readonly V1 — - session_presave_buffer_readonly V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_candidate_me mory_adapter.py \

- auto_triage_memory_intake_readonly V1 — - auto_triage_memory_intake_readonly V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_candidate_me mory_adapter.py \

- graphiti_candidate_review_gate_readonly V1 — - graphiti_candidate_review_gate_readonly V1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_candidate_me mory_adapter.py \

RUNTIME_STATE_READONLY — RUNTIME_STATE_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

BOUNDARIES / ITEM_BOUND_BRODY_ONLY (73)

X108_BRODY_MEMORY_READONLY — X108_BRODY_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

01D477567EA3_READONLY_MEMORY_LEDGER.md — 01D477567EA3_READONLY_MEMORY_LEDGER.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

07E0E89BE6D0_READONLY_MEMORY_LEDGER.md — 07E0E89BE6D0_READONLY_MEMORY_LEDGER.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md — 232C2E8CC97F_READONLY_MEMORY_LEDGER_ENTRY_SOURCE.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

readonly_context_guard.py — readonly_context_guard.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

READONLY_MEMORY_LEDGER_ENTRY.md — READONLY_MEMORY_LEDGER_ENTRY.md

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F15_RIGHTPANEL_LIVE_PAYLOAD_8000.json \

brody_graphiti_ready_export_readonly_v1_6_4.py — brody_graphiti_ready_export_readonly_v1_6_4.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

BRODY_OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.jso n — BRODY_OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.jso n

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

run_brody_graphiti_ready_export_readonly_v1_6_4.ps1 — run_brody_graphiti_ready_export_readonly_v1_6_4.ps1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

CURRENT_BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt — CURRENT_BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

CURRENT_BRODY_SESSION_TRACE_LEDGER_READONLY.txt — CURRENT_BRODY_SESSION_TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

CURRENT_BRODY_WORLD_SOURCE_INTAKE_READONLY.txt — CURRENT_BRODY_WORLD_SOURCE_INTAKE_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

CURRENT_GRAPHITI_READONLY_INDEX.txt — CURRENT_GRAPHITI_READONLY_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

brody_session_trace_ledger_readonly_v1_6_3.py — brody_session_trace_ledger_readonly_v1_6_3.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

run_brody_session_trace_ledger_readonly_v1_6_3.ps1 — run_brody_session_trace_ledger_readonly_v1_6_3.ps1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py — brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json — BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

brody_world_source_intake_readonly_v1_6.py — brody_world_source_intake_readonly_v1_6.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

brody_world_source_intake_readonly_v1_6_1.py — brody_world_source_intake_readonly_v1_6_1.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

brody_world_source_intake_readonly_v1_6_2.py — brody_world_source_intake_readonly_v1_6_2.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

run_brody_world_source_intake_readonly_v1_6.ps1 — run_brody_world_source_intake_readonly_v1_6.ps1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

run_brody_world_source_intake_readonly_v1_6_1.ps1 — run_brody_world_source_intake_readonly_v1_6_1.ps1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

run_brody_world_source_intake_readonly_v1_6_2.ps1 — run_brody_world_source_intake_readonly_v1_6_2.ps1

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

GRAPHITI_READONLY_CONTEXT — GRAPHITI_READONLY_CONTEXT

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_inventory_linker.py \

graphiti_v20_readonly_client — graphiti_v20_readonly_client

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_inventory_linker.py \

runtime_wiring/engine_bridge/readonly_engine_bridge.py — runtime_wiring/engine_bridge/readonly_engine_bridge.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P63_GLOBAL_FUSION_REALITY_AUDIT.json \

CONNECTED_READONLY — CONNECTED_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\route _capability_map.py \

/api/x108/readonly-ingress — /api/x108/readonly-ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\V5B_FINAL_BACKEND_BINDING_REPORT.md \

x108_readonly_ingress — x108_readonly_ingress

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\periphery_ops.py \

readonly_engine_bridge — readonly_engine_bridge

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\runtime_wiring_preview.py \

runtime_wiring/source_runtime/readonly_content_loader.py — runtime_wiring/source_runtime/readonly_content_loader.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_source_runtime_source_p acks_p71.py \

readonly_content_loader — readonly_content_loader

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_source_runtime_source_p acks_p71.py \

apps/obsidia_api/brody_readonly_intent_guard.py — apps/obsidia_api/brody_readonly_intent_guard.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P67_BOUNDARY_SEMANTIC_SPLIT_AUDIT.json \

apps/obsidia_api/graphiti_v20_readonly_client.py — apps/obsidia_api/graphiti_v20_readonly_client.py

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_source_runtime_source_p acks_p71.py \

COPIED_READONLY — COPIED_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P32_OS_TRAD_REVERSE_OS_RUNTIME_FAMILY_REPORT.md \

ATLAS_READONLY_ADVISORY_ONLY — ATLAS_READONLY_ADVISORY_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

ATLAS_READONLY_ADVISORY — ATLAS_READONLY_ADVISORY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\adapt er_capability_map.py \

LEVEL_1_READONLY_ACTIVE_CANDIDATE — LEVEL_1_READONLY_ACTIVE_CANDIDATE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\os_map.py \

level_1_readonly — level_1_readonly

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

readonly_activation_candidates — readonly_activation_candidates

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\os_map.py \

P51_BRODY_READONLY_CONTROLLED_ACTIVATION — P51_BRODY_READONLY_CONTROLLED_ACTIVATION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

P51_BRODY_READONLY_ACTIVATION — P51_BRODY_READONLY_ACTIVATION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

brody_readonly_activation_status — brody_readonly_activation_status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ACTIVE_READONLY — ACTIVE_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

LEVEL_1_READONLY_ACTIVE — LEVEL_1_READONLY_ACTIVE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

brody_readonly_enabled — brody_readonly_enabled

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

NO_ACTION_IN_QUERY — NO_ACTION_IN_QUERY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

READONLY_CONTEXT_ONLY — READONLY_CONTEXT_ONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Graphiti, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_contracts_pa cket.py \

P51_BRODY_READONLY_CONTROLLED_ACTIVATION_READY — P51_BRODY_READONLY_CONTROLLED_ACTIVATION_READY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

readonly_evidence — readonly_evidence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F17A_8011_GRAPHITI_V20_PROBE.json \

feat: reconnect Brody runtime and Graphiti V20 readonly proxy — feat: reconnect Brody runtime and Graphiti V20 readonly proxy

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\BRODY_PHASE8A_OLD_PATCH_CAPABILITY_ARCHAEOLOGY_2026 0527.md \

_graphiti_readonly_indexes/GRAPHITI_READONLY_INDEX_V2_FUSION_2026 0512_224854/graphiti_readonly_records_v2.jsonl — _graphiti_readonly_indexes/GRAPHITI_READONLY_INDEX_V2_FUSION_2026 0512_224854/graphiti_readonly_records_v2.jsonl

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F17A_GRAPHITI_8000_8012_REAL_PARITY_AUDIT_2 0260528_040000.md \

graphiti_memory_readonly_activation_status — graphiti_memory_readonly_activation_status

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

READONLY_CONTEXT_PROVIDER — READONLY_CONTEXT_PROVIDER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia_api\routes\graphiti.py \

P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVATION_READY — P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVATION_READY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVAT ION_REPORT.md \

P51_BRODY_READONLY — P51_BRODY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\brody _readonly_activation.py \

P52_GRAPHITI_MEMORY_READONLY — P52_GRAPHITI_MEMORY_READONLY

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P52_GRAPHITI_MEMORY_READONLY_CONTROLLED_ACTIVAT ION_REPORT.md \

decision_authority_kx108_only — decision_authority_kx108_only

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

This module is readonly/advisory only. It does not decide, act, write memory, — This module is readonly/advisory only. It does not decide, act, write memory,

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

NO_MEMORY_WRITE — NO_MEMORY_WRITE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

NO_GRAPHITI_WRITE — NO_GRAPHITI_WRITE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched, Probe | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_machination_ composer.py \

Salut. Brody est actif en mode readonly. Je peux lire le contexte, structurer ton intention, préparer un IR Candidate ou un ContextPacket, mais je ne décide pas. L'autorité reste X108_ONLY. — Salut. Brody est actif en mode readonly. Je peux lire le contexte, structurer ton intention, préparer un IR Candidate ou un ContextPacket, mais je ne décide pas. L'autorité reste X108_ONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

Je peux préparer une lecture readonly du contexte mémoire. La mémoire reste contextuelle, candidate-only, sans écriture ni décision. Si Graphiti V20 est disponible, le contexte peut être récupéré en readonly ; sinon statut OFFLINE_OR_UNAVAILABLE. — Je peux préparer une lecture readonly du contexte mémoire. La mémoire reste contextuelle, candidate-only, sans écriture ni décision. Si Graphiti V20 est disponible, le contexte peut être récupéré en readonly ; sinon statut OFFLINE_OR_UNAVAILABLE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

X-108 est le kernel de gouvernance souverain — la seule autorité de décision. OS3 prouve ses décisions via Lean 4 et TLA+. Brody l'interface, il ne le substitue pas. Statut actuel : ACTIVE, mode READONLY. — X-108 est le kernel de gouvernance souverain — la seule autorité de décision. OS3 prouve ses décisions via Lean 4 et TLA+. Brody l'interface, il ne le substitue pas. Statut actuel : ACTIVE, mode READONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

Hi. Brody is active in readonly mode. I can read context, structure your intent, prepare an IR Candidate or ContextPacket, but I do not decide. Authority remains X108_ONLY. — Hi. Brody is active in readonly mode. I can read context, structure your intent, prepare an IR Candidate or ContextPacket, but I do not decide. Authority remains X108_ONLY.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

I can prepare a readonly read of memory context. Memory is contextual, candidate-only, without write or decision. If Graphiti V20 is available, context can be fetched readonly; otherwise status is OFFLINE_OR_UNAVAILABLE. — I can prepare a readonly read of memory context. Memory is contextual, candidate-only, without write or decision. If Graphiti V20 is available, context can be fetched readonly; otherwise status is OFFLINE_OR_UNAVAILABLE.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

X-108 is the sovereign governance kernel — the sole decision authority. OS3 proves its decisions via Lean 4 and TLA+. Brody interfaces with it, never substitutes for it. Current status: ACTIVE, READONLY mode. — X-108 is the sovereign governance kernel — the sole decision authority. OS3 proves its decisions via Lean 4 and TLA+. Brody interfaces with it, never substitutes for it. Current status: ACTIVE, READONLY mode.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_backend_resp onse_composer.py \

KX108_ONLY. No ACT. No write. No execution. readonly=True. — KX108_ONLY. No ACT. No write. No execution. readonly=True.

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py

"modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"], — "modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"],

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core | Domaines: — | Runtime autre: —
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\runtime_wiring\source_runtime\capab ility_path_router.py

"mode": "COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH", — "mode": "COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH",

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_20260529_0009 10.json

BOUNDARIES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun item.

BOUNDARIES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (49)

graphiti_v20_readonly_client added to candidate_modules and path template modules — graphiti_v20_readonly_client added to candidate_modules and path template modules

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

"change": "graphiti_v20_readonly_client added to candidate_modules and path template modules", — "change": "graphiti_v20_readonly_client added to candidate_modules and path template modules",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

"after_modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"], — "after_modules": ["source_runtime_query", "brody_source_context_bridge", "graphiti_v20_readonly_client"],

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P44_CRITIC AL_CAPABILITY_BINDING_MAP.json

"module_path": "runtime_wiring/engine_bridge/readonly_engine_bridge.py", — "module_path": "runtime_wiring/engine_bridge/readonly_engine_bridge.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "runtime_wiring/source_runtime/readonly_content_loader.py", — "module_path": "runtime_wiring/source_runtime/readonly_content_loader.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/brody_readonly_intent_guard.py", — "module_path": "apps/obsidia_api/brody_readonly_intent_guard.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

"module_path": "apps/obsidia_api/graphiti_v20_readonly_client.py", — "module_path": "apps/obsidia_api/graphiti_v20_readonly_client.py",

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P47_MODULE _FUNCTION_INVENTORY_RAW.json

CONNECTED_READONLY_PREVIEW — CONNECTED_READONLY_PREVIEW

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_adapter_coverage_p48.py \

brody_context_readonly — brody_context_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_controlled_activation_matrix_ p50.py \

Brody context (READONLY_CONTEXT mode) — Brody context (READONLY_CONTEXT mode)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY — Brody chat + context bridge fully classified P47/P48; all routes CONNECTED_READONLY

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

os_map_readonly — os_map_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

OS Map endpoint (status + query, readonly) — OS Map endpoint (status + query, readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

readonly_content_loader + source_hydration_planner: no file write — readonly_content_loader + source_hydration_planner: no file write

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

atlas_context_readonly — atlas_context_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

ATLAS context packet (readonly) — ATLAS context packet (readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

os_trad_reverse_readonly — os_trad_reverse_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

OS_TRAD reverse / interlanguage index (readonly) — OS_TRAD reverse / interlanguage index (readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

graphiti_readonly_client — graphiti_readonly_client

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_controlled_activation_matrix_ p50.py \

Graphiti readonly client (context read, no graph write) — Graphiti readonly client (context read, no graph write)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

workbench_views_readonly — workbench_views_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Workbench views (13 views, readonly display) — Workbench views (13 views, readonly display)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway — STATUS_ONLY (21) + CONNECTED_READONLY (101) routes: no ACT pathway

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Cognitive context packet (readonly) — Cognitive context packet (readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

NPL context packet (readonly) — NPL context packet (readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Compliance / RSSI context packets (readonly) — Compliance / RSSI context packets (readonly)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

capability_path_router_readonly — capability_path_router_readonly

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Capability path router (P36/P37, readonly routing) — Capability path router (P36/P37, readonly routing)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

Routes classified CONNECTED_READONLY allow dry-run invocation for testing — Routes classified CONNECTED_READONLY allow dry-run invocation for testing

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P50_CONTRO LLED_ACTIVATION_MATRIX.json

no_act_in_level_1 — no_act_in_level_1

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_controlled_activation_matrix_ p50.py \

P51_BRODY_READONLY_ACTIVATION_MAP — P51_BRODY_READONLY_ACTIVATION_MAP

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_readonly_activation_p51 .py \

Graphiti V20 readonly HTTP client (ObsidiaShell gateway 8011) — Graphiti V20 readonly HTTP client (ObsidiaShell gateway 8011)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

graphiti_write=False, neo4j_write=False, emits_act=False in _readonly_envelope — graphiti_write=False, neo4j_write=False, emits_act=False in _readonly_envelope

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

Routes already wired to graphiti_v20_readonly_client — Routes already wired to graphiti_v20_readonly_client

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

Brody project memory snapshot adapter (readonly read) — Brody project memory snapshot adapter (readonly read)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

Brody session memory adapter (readonly read) — Brody session memory adapter (readonly read)

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_REAL_G RAPHITI_MEMORY_DISCOVERY.json

P52_GRAPHITI_MEMORY_READONLY_ACTIVATION_MAP — P52_GRAPHITI_MEMORY_READONLY_ACTIVATION_MAP

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_graphiti_memory_readonly_acti vation_p52.py \

P51_BRODY_READONLY_ACTIVATION + d1dcbbf + e9e43e4 — P51_BRODY_READONLY_ACTIVATION + d1dcbbf + e9e43e4

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_GRAPHI TI_MEMORY_READONLY_ACTIVATION_MAP.json

LEVEL_1_READONLY_ACTIVE_CANDIDATE for Graphiti + Memory — LEVEL_1_READONLY_ACTIVE_CANDIDATE for Graphiti + Memory

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_GRAPHI TI_MEMORY_READONLY_ACTIVATION_MAP.json

graphiti_readonly_records_v2_jsonl — graphiti_readonly_records_v2_jsonl

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P52_GRAPHI TI_MEMORY_READONLY_ACTIVATION_MAP.json

P52_GRAPHITI_MEMORY_READONLY_ACTIVATION — P52_GRAPHITI_MEMORY_READONLY_ACTIVATION

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_graphiti_memory_readonly_acti vation_p52.py \

LEVEL_1_READONLY_ACTIVE — Brody answers only — LEVEL_1_READONLY_ACTIVE — Brody answers only

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P55_CONTRO LLED_ACTIVATION_INVARIANT_MATRIX.json

LEVEL_1_READONLY_ACTIVE — read only, write blocked — LEVEL_1_READONLY_ACTIVE — read only, write blocked

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\P55_CONTRO LLED_ACTIVATION_INVARIANT_MATRIX.json

—— T-BAL-03 : DECISION_AUTHORITY=KX108_ONLY ———— — —— T-BAL-03 : DECISION_AUTHORITY=KX108_ONLY ————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_brody_v3_balance_engine.py

def test_no_action_module_runtime_allowed(coverage_map): — def test_no_action_module_runtime_allowed(coverage_map):

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

def test_no_action_module_emits_act(coverage_map): — def test_no_action_module_emits_act(coverage_map):

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

—— Test 16 : decision_authority=KX108_ONLY partout ———— — —— Test 16 : decision_authority=KX108_ONLY partout ————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_module_function_coverage_p47. py

—— T9 : DECISION_AUTHORITY=KX108_ONLY not overridden ———— — —— T9 : DECISION_AUTHORITY=KX108_ONLY not overridden ————

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Tests
Hit evidence: TESTS:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x10 8-proofs_REMOTE_A5F21C6B\tests\test_top4_v2_sigma_p3t9b_canonical _metadata.py

- ObsidiaShell 8011 : UP — Graphiti V20 frozen readonly □ — - ObsidiaShell 8011 : UP — Graphiti V20 frozen readonly □

Statut source: UNKNOWN | Verdict: ITEM_PARTIAL_RUNTIME_SURFACE_ONLY | Brody: — | Domaines: — | Runtime autre: Preflight
Hit evidence: PREFLIGHT:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia -x108-proofs_REMOTE_A5F21C6B_runtime_wiring_preflight\CANONICAL_ SERVERS_REFRESH_AUDIT.md

BOUNDARIES / ITEM_REFERENCE_ONLY_NOT_BOUND (355)

GRAPHITI_READONLY_INDEX_V2_FUSION_READY — GRAPHITI_READONLY_INDEX_V2_FUSION_READY

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

005BF3C6C39F_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0.txt — 005BF3C6C39F_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

07A62B23DF20_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 _SMOKE.txt — 07A62B23DF20_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 _SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0A65D4A3BC39_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0. json — 0A65D4A3BC39_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0. json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md — 0AF7DE14EA01_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0C5F76504064_obsidia_llmobsidien_chat_surface_readonly_v0_smoke.j son — 0C5F76504064_obsidia_llmobsidien_chat_surface_readonly_v0_smoke.j son

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json — 0F794FB91C00_obsidia_reverse_os_to_kx108_readonly_signal_contract _boundary_binding_v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt — 105376043786_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ LEAN_SKELETON_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md — 1230CB85566F_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_OBLIG ATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

148DD0C4885C_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0.md — 148DD0C4885C_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

14F978B04A66_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_OBL IGATIONS_V0.md — 14F978B04A66_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_OBL IGATIONS_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1739C45056DF_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0_SMOKE.txt — 1739C45056DF_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0_SMOKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

180D123CEC5C_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0_SMOKE.txt — 180D123CEC5C_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0_SMOKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on — 1A4906D4D859_obsidia_kx108_readonly_signal_consumer_dry_run_v1.js on
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1C32EA092424_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0.txt — 1C32EA092424_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

1F464C9C0919_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_OBLIGATIONS_V0.md — 1F464C9C0919_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_OBLIGATIONS_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

209D8066D368_obsidia_llmobsidien_runtime_loop_stub_readonly_v0.js on — 209D8066D368_obsidia_llmobsidien_runtime_loop_stub_readonly_v0.js on
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

21AAEE6CC880_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1.txt — 21AAEE6CC880_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

26C170E3D76E_graphiti_readonly_index.json — 26C170E3D76E_graphiti_readonly_index.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

29BF41CD97C9_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_END_TO_E ND_CLOSE_V1.txt — 29BF41CD97C9_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_END_TO_E ND_CLOSE_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2A9FB5AA1289_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE.m d — 2A9FB5AA1289_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE.m d
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt — 2B143B256013_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_LEAN_SKELETON_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md — 2DD155A0127A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

2E61C1CD12C4_graphiti_readonly_search_results.json — 2E61C1CD12C4_graphiti_readonly_search_results.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30489BC30921_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_OBLIGATI ONS_V0.md — 30489BC30921_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_OBLIGATI ONS_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt — 30BD8EFABE16_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1_FREEZE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

312E9A10BA38_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ OBLIGATIONS_V1.md — 312E9A10BA38_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ OBLIGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

351B085B5B36_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE.md — 351B085B5B36_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

36444FDAE437_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_SMOKE.txt — 36444FDAE437_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37516AD05DE8_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0_SMOKE.txt — 37516AD05DE8_CURRENT_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_ V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37B6A1440ED6_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_PLAN _V1.md — 37B6A1440ED6_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_PLAN _V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

37D620E2BB53_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_OBLIGATION S_V0.md — 37D620E2BB53_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_OBLIGATION S_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

384E93A10785_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE.md — 384E93A10785_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

39ED172627DB_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0_SMOKE.txt — 39ED172627DB_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0_SMOKE.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3C87241ED2DC_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY.txt — 3C87241ED2DC_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3D0DCA2446EA_CURRENT_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONN ECTOR_READONLY.txt — 3D0DCA2446EA_CURRENT_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONN ECTOR_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

3EB2C8A6350B_obsidia_llmobsidien_model_io_guard_readonly_v0_smoke .json — 3EB2C8A6350B_obsidia_llmobsidien_model_io_guard_readonly_v0_smoke .json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

44842613283A_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ V1.txt — 44842613283A_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4628AA8513E5_02_KX108_ONLY_AUTHORITY.md — 4628AA8513E5_02_KX108_ONLY_AUTHORITY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

491CF60F8ED7_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_O BLIGATIONS_V0.md — 491CF60F8ED7_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_O BLIGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4A972C2F624C_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 .txt — 4A972C2F624C_CURRENT_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0 .txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

4F168C081436_GRAPHITI_READONLY_INDEX_STATUS.txt — 4F168C081436_GRAPHITI_READONLY_INDEX_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md — 55513BA21298_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_LEAN_OBL IGATIONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt — 56314BEA2BD6_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT_STATUS.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

574E3E132212_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE_OBLIGATIONS.md — 574E3E132212_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0_SMOKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5B007DE01234_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE_OBLIGATIONS.md — 5B007DE01234_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0_SM OKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt — 5DA4EEE4D184_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN. txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6149F23C704A_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0.json — 6149F23C704A_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt — 62D34208BF0C_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

642003400466_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MAN IFEST.json — 642003400466_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MAN IFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

65472D81191B_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0_smoke.json — 65472D81191B_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0_smoke.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt — 655F27A9933A_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ END_TO_END_CLOSE_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

672E7765B7F7_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1_VALIDATION_SEAL.txt — 672E7765B7F7_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CA NDIDATE_V1_VALIDATION_SEAL.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6964AEF14DF0_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_V1.md — 6964AEF14DF0_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md — 6CEF3FBB4B4A_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_SKELETON_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

70226B099C94_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0.txt — 70226B099C94_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE _READONLY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

71BB2EEFE6B3_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0.json — 71BB2EEFE6B3_obsidia_llmobsidien_provider_adapter_stub_readonly_v 0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

733FFC2441F6_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1.txt — 733FFC2441F6_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7B0F135BD755_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0_smoke.json — 7B0F135BD755_obsidia_llmobsidien_local_chat_session_trace_readonl y_v0_smoke.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7C6BF11277EC_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1_1_REPAIR.txt — 7C6BF11277EC_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRAT ION_PLAN_V1_1_REPAIR.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7D554861DE50_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE.md — 7D554861DE50_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

7F0457629175_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE_OBLIGATIONS.md — 7F0457629175_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE_OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

80419CF92D86_CURRENT_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READON LY.txt — 80419CF92D86_CURRENT_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READON LY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md — 83822CA3F877_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

87A5A1CFABF1_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1.txt — 87A5A1CFABF1_CURRENT_OBSIDIA_V4_READONLY_LOADER_V1_1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

89CAAD1AA3E8_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR .txt — 89CAAD1AA3E8_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR .txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8A7350D676D3_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE .md — 8A7350D676D3_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE .md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md — 8CF07B8F4FCC_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_RUN_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8CF7B3E0F011_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_V1.md — 8CF7B3E0F011_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

926224799EC7_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READONLY.md — 926224799EC7_BRODY_OBSIDIEN_V1_4_1_SELF_INSPECTION_READONLY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt — 93D0169F13CE_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_CLEAN_STATUS.t xt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9774E235CECB_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONNECTOR_RE ADONLY.md — 9774E235CECB_BRODY_OBSIDIEN_V1_4_8_ZIP2_MEMORY_GUIDE_CONNECTOR_RE ADONLY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

97A2C7F3F0F9_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_OBLIG ATIONS_V0.md — 97A2C7F3F0F9_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_OBLIG ATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

98006139FAE4_GRAPHITI_READONLY_INDEX_STATUS.json — 98006139FAE4_GRAPHITI_READONLY_INDEX_STATUS.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

991E99A4488B_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0.txt — 991E99A4488B_CURRENT_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_RE ADONLY_V0.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9A690124E0DE_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_V0.md — 9A690124E0DE_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDATE_READO NLY_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

9E386FF27D25_CURRENT_GRAPHITI_READONLY_INDEX.txt — 9E386FF27D25_CURRENT_GRAPHITI_READONLY_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A076A8769E7D_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_OBLIGATIONS_V0.md — A076A8769E7D_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_OBLIGATIONS_V0.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A4F2E9D7BABB_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_OBLIGATI ONS_V1.md — A4F2E9D7BABB_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_OBLIGATI ONS_V1.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A584260302D2_obsidia_llmobsidien_local_chat_stack_candidate_reado nly_v0.json — A584260302D2_obsidia_llmobsidien_local_chat_stack_candidate_reado nly_v0.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

A98895A36298_READONLY_CONTEXT_PACKET.json — A98895A36298_READONLY_CONTEXT_PACKET.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AB5353202C32_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_STATUS.txt — AB5353202C32_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_STATUS.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md — ABEBA5450874_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _LEAN_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt — ACE14C10D5D6_CURRENT_OBSIDIA_KX108_READONLY_INGRESS_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt — AE1EA4260B30_CURRENT_ZIP1_SANDBOX_READONLY_BINDING_CONTRACT.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B14380A122BC_CURRENT_OBSIDIA_END_TO_END_READONLY_SHADOW_SMOKE_V1. txt — B14380A122BC_CURRENT_OBSIDIA_END_TO_END_READONLY_SHADOW_SMOKE_V1. txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md — B265162D0AF9_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _BOUNDARY_BINDING_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B4DE037244BF_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0.md — B4DE037244BF_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READONLY_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt — B68642D71AA8_CURRENT_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_ CONTRACT_BOUNDARY_BINDING_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B85A54FE3E45_obsidia_reverse_os_readonly_runtime_integration_plan _v1.json — B85A54FE3E45_obsidia_reverse_os_readonly_runtime_integration_plan _v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

B903645E0F54_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0.md — B903645E0F54_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C3B1C4F8FC53_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0_ smoke.json — C3B1C4F8FC53_obsidia_llmobsidien_local_chat_cli_stub_readonly_v0_ smoke.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C4B1B4B7FA0C_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR_STATUS. txt — C4B1B4B7FA0C_ZIP1_SANDBOX_READONLY_MEMORY_READ_API_REPAIR_STATUS. txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CA613D29EF3A_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_CLOSE.txt — CA613D29EF3A_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0_CLOSE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CB30216D2321_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE_OBLIGATIONS.md — CB30216D2321_OBSIDIA_LLMOBSIDIEN_PROVIDER_ADAPTER_STUB_READONLY_V 0_SMOKE_OBLIGATIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CB32EAF746C1_obsidia_llmobsidien_model_io_guard_readonly_v0.json — CB32EAF746C1_obsidia_llmobsidien_model_io_guard_readonly_v0.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE657A947FCD_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0.md — CE657A947FCD_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CE89054E2C29_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_OBLI GATIONS_V1.md — CE89054E2C29_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_INTEGRATION_OBLI GATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

CFEA5B4E1706_obsidia_llmobsidien_chat_surface_readonly_v0.json — CFEA5B4E1706_obsidia_llmobsidien_chat_surface_readonly_v0.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D06A5A3B6E87_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_OBLIGATIONS_V1.md — D06A5A3B6E87_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_BOUNDARY _BINDING_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D55E24129B03_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0.txt — D55E24129B03_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_STACK_CANDIDA TE_READONLY_V0.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md — D73EEBB02EC6_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_END_TO_E ND_CLOSE_OBLIGATIONS_V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md — D7CB72478868_OBSIDIA_REVERSE_OS_TO_KX108_READONLY_SIGNAL_CONTRACT _V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DEC5F6AF4AA3_obsidia_llmobsidien_runtime_loop_stub_readonly_v0_sm oke.json — DEC5F6AF4AA3_obsidia_llmobsidien_runtime_loop_stub_readonly_v0_sm oke.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

DF6F965399C6_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0.md — DF6F965399C6_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_SESSION_TRACE_READONL Y_V0.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt — E006AC0E852B_CURRENT_FULL_RUNTIME_CANDIDATE_READONLY_MEMORY_CLEAN .txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E2C5B2648508_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE_O BLIGATIONS.md — E2C5B2648508_OBSIDIA_LLMOBSIDIEN_CHAT_SURFACE_READONLY_V0_SMOKE_O BLIGATIONS.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E443DCB11A7D_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0.txt — E443DCB11A7D_CURRENT_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READ ONLY_V0.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E65F97BA8B21_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0. md — E65F97BA8B21_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0. md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E7CF182A493C_CURRENT_READONLY_MEMORY_LEDGER.txt — E7CF182A493C_CURRENT_READONLY_MEMORY_LEDGER.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E891CCAD237B_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ BOUNDARY_BINDING_V1.txt — E891CCAD237B_CURRENT_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_ADAPTER_ BOUNDARY_BINDING_V1.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

E8F0836810AD_obsidia_reverse_os_readonly_runtime_stack_candidate_ v1.json — E8F0836810AD_obsidia_reverse_os_readonly_runtime_stack_candidate_ v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EBB89901FFB0_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE.md — EBB89901FFB0_OBSIDIA_LLMOBSIDIEN_LOCAL_CHAT_CLI_STUB_READONLY_V0_ SMOKE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json — ECF5A8E94775_obsidia_reverse_os_to_kx108_readonly_signal_end_to_e nd_close_v1.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

EE8227B6728E_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0_SMOKE.txt — EE8227B6728E_CURRENT_OBSIDIA_LLMOBSIDIEN_RUNTIME_LOOP_STUB_READON LY_V0_SMOKE.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F2B9E76A8648_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ V1.md — F2B9E76A8648_OBSIDIA_REVERSE_OS_READONLY_RUNTIME_STACK_CANDIDATE_ V1.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F85F14B0E78D_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API.txt — F85F14B0E78D_CURRENT_ZIP1_SANDBOX_READONLY_MEMORY_READ_API.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8D09680B1C1_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE _OBLIGATIONS.md — F8D09680B1C1_OBSIDIA_LLMOBSIDIEN_MODEL_IO_GUARD_READONLY_V0_SMOKE _OBLIGATIONS.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8D60430E284_CURRENT_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READ ONLY.txt — F8D60430E284_CURRENT_BRODY_OBSIDIEN_V1_6_WORLD_SOURCE_INTAKE_READ ONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json — F8DB3A39E8F1_obsidia_reverse_os_to_kx108_readonly_signal_contract _v1.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

F8EAB1744FDD_graphiti_readonly_metrics.json — F8EAB1744FDD_graphiti_readonly_metrics.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt — FCEE115BA5BF_CURRENT_OBSIDIA_KX108_READONLY_SIGNAL_CONSUMER_DRY_R UN_V1.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1_FREEZ E_CANDIDATE\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V1\1 5_GUARDS_NON_DECISION\readonly_context_guard.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\MEMORY_BINDING_CANDIDATE. md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\MEMORY_BINDING_CANDIDATE. md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\READONLY_MEMORY_LEDGER_EN TRY.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-engine-ca ndidate\premerge_candidates\OBSIDIA_ENGINE_PREMERGE_CANDIDATE_DOS SIER_V1_20260508_182759\memory_readonly\READONLY_MEMORY_LEDGER_EN TRY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\README_BOUNDARY.md — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\README_BOUNDARY.md

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\TRANSPLANT_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\TRANSPLANT_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\brody _graphiti_ready_export_readonly_v1_6_4.py — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\brody _graphiti_ready_export_readonly_v1_6_4.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\BRODY _OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\BRODY _OBSIDIEN_V1_6_4_GRAPHITI_READY_EXPORT_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\run_b rody_graphiti_ready_export_readonly_v1_6_4.ps1 — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\graphiti_bridge_readonly\run_b rody_graphiti_ready_export_readonly_v1_6_4.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_OBSIDIE N_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_OBSIDIE N_V1_6_3_SESSION_TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_SESSION _TRACE_LEDGER_READONLY.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_SESSION _TRACE_LEDGER_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_WORLD_S OURCE_INTAKE_READONLY.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_BRODY_WORLD_S OURCE_INTAKE_READONLY.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_GRAPHITI_READ ONLY_INDEX.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_GRAPHITI_READ ONLY_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_MEMORY_GRAPHI TI_BRANCH_STATE_AUDIT.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_MEMORY_GRAPHI TI_BRANCH_STATE_AUDIT.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_PROJECT_MEMOR Y_CLEAN_SOURCE_NO_INDEX.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\pointers\CURRENT_PROJECT_MEMOR Y_CLEAN_SOURCE_NO_INDEX.txt

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\BRODY_OBS IDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\BRODY_OBS IDIEN_V1_6_3_SESSION_TRACE_LEDGER_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\brody_ses sion_trace_ledger_readonly_v1_6_3.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\brody_ses sion_trace_ledger_readonly_v1_6_3.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\run_brody _session_trace_ledger_readonly_v1_6_3.ps1 —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\session_trace_ledger\run_brody _session_trace_ledger_readonly_v1_6_3.ps1

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ BRODY_OBSIDIEN_V1_6_4D_TAXONOMY_34_TO_8_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\taxonomy_mapper_34_8_readonly\ brody_taxonomy_mapper_34_8_readonly_v1_6_4d.py

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_1_WORLD_SOURCE_INTAKE_EXTRACTORS_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_CLEAN_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_2_WORLD_SOURCE_INTAKE_MOJIBAKE_CLEAN_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\BRODY_OBSI DIEN_V1_6_WORLD_SOURCE_INTAKE_READONLY_MANIFEST.json

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_1.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_1.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_2.py —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\brody_worl d_source_intake_readonly_v1_6_2.py
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6.ps1 —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6.ps1
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_1.ps1 —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_1.ps1
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_2.ps1 —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\world_source_intake\run_brody_ world_source_intake_readonly_v1_6_2.ps1
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\CURRENT_BRODY_GRAPHITI_READY_V164D_TAXONOMY_34_TO_8.txt — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\CURRENT_BRODY_GRAPHITI_READY_V164D_TAXONOMY_34_TO_8.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_hits.csv —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_hits.csv
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_metrics.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_metrics.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_preview.txt —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\graphiti_ready_v164d_taxonomy_preview.txt
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\README_V164D_CLOSE.md —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\README_V164D_CLOSE.md
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\taxonomy_34_to_8_source_authority.json —
C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\taxonomy_34_to_8_source_authority.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\X108_GRAPHITI_TAXONOMY_V164D_CLOSE_SUMMARY.json — C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia-x108-proo fs\periphery\brody_memory_readonly\evidence\V164D_TAXONOMY_34_TO_ 8_CLOSE\X108_GRAPHITI_TAXONOMY_V164D_CLOSE_SUMMARY.json
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\readonly_context_guard.py", — "path": "C:\\Users\\User\\Desktop\\obsidia-engine-proof-core\\obsidia-eng ine-candidate\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2PLUS_V 1_FREEZE_CANDIDATE\\OBSIDIA_MMONDE_REVERSE_OS_34ARBRES_AGENTS_P2P LUS_V1\\15_GUARDS_NON_DECISION\\readonly_context_guard.py",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Graphiti proxy API routes (/api/graphiti/*) — readonly only — Graphiti proxy API routes (/api/graphiti/*) — readonly only
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Local readonly index from e9e43e4 — real data, no write path — Local readonly index from e9e43e4 — real data, no write path
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

NO_ACT — NO_ACT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

8. Memory readonly packet — 8. Memory readonly packet
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"notes": "X108 ingress point for readonly context. Module exists but ingress not active in current runtime.", — "notes": "X108 ingress point for readonly context. Module exists but ingress not active in current runtime.",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OUT_JSON = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.json" — OUT_JSON = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.json"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

OUT_MD = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.md" — OUT_MD = ROOT / "docs" / "runtime" / f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}.md"
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"report_id": f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}", — "report_id": f"OBSIDIA_F30_2_COPY_V5_READONLY_MODULE_{TS}",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"status": "F30_2_COPY_V5_READONLY_MODULE_DONE", — "status": "F30_2_COPY_V5_READONLY_MODULE_DONE",
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("# OBSIDIA F30.2 — COPY V5 READONLY MODULE") — lines.append("# OBSIDIA F30.2 — COPY V5 READONLY MODULE")
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("Mode: COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH") — lines.append("Mode: COPY_V5_READONLY_MODULE_NO_RUNTIME_PATCH")
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

lines.append("F30_2_COPY_V5_READONLY_MODULE_DONE") — lines.append("F30_2_COPY_V5_READONLY_MODULE_DONE")
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

print("F30_2_COPY_V5_READONLY_MODULE_DONE") — print("F30_2_COPY_V5_READONLY_MODULE_DONE")
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- readonly_signal_cannot_decide — - readonly_signal_cannot_decide
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

Vue dev: le signal est transformé en paquet readonly dérivé du Reverse OS. — Vue dev: le signal est transformé en paquet readonly dérivé du Reverse OS.
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- F05-F07 : mémoire + atlas + cognition (readonly puis advisory) — - F05-F07 : mémoire + atlas + cognition (readonly puis advisory)
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

- Boundary KX108_ONLY documentée pour chaque pack — - Boundary KX108_ONLY documentée pour chaque pack
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 120 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_ AUTORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NO","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit — "RSSI_SECURITY","security/rssi/modules/","F03_RSSI_RGPD","FILE_PL AN_ALL 122 RSSI_SECURITY OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_ READONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICAT","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EV IDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/securit

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2560 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md security/rssi/modules/ RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2562 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md security/rssi/modules/ RSSI_006_READONLY_CONTEXT_MODEL.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE ","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro — "RGPD_ISO","security/rssi/modules/","F03_RSSI_RGPD","FILE_PLAN_AL L 2566 RGPD_ISO OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_010_AUD IT_LOGS.md security/rssi/modules/ RSSI_010_AUDIT_LOGS.md md P3_DOCS_EVIDENCE F03 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN MEDIUM KX108_ONLY;","INTEGRATE_TO_RGPD_SCOPE_GUARD_SPEC_CANDIDATE","RSSI _EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","false","false","false","false","fal se","F03 strict canon repair matrix; no generic audit/risk/security bro

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DEC ISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RS SI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUAR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Desk top\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_R SSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CON TEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494", "INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_C

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUT ORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNEL LE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDI DATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_S

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D esktop\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21 C6B_source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_ DUPES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBS IDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_REA DONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md ","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_K X108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".m d","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDID

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.m d","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_pac ks\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw\OB SIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO _READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.m d","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_T O_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ON

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\obsid ia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_source_ packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\raw \OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SE CURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISI ONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONL Y.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SP

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV —
"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstream \obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B_s ource_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\raw\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI _RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEX T_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","IN TEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EV

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORI TE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_ KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSS

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE" —
"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_CANONICAL_WORKSPACE\OBSIDIA_INTEGRAL_FINAL\upstr eam\obsidia-engine-proof-core\obsidia-x108-proofs_REMOTE_A5F21C6B _source_packs\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUP ES_V1\raw\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDI A_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READON LY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md"," 5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_D ECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX10 8_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE"," RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","C:\Users\User\D ownloads\OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2(2).zip","OBSIDIA _RSSI_RGPD_ISO_READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_C ONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494 ","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_A UTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONN ELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_A UTORITE_DECISIONNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONN ELLE_KX108_ONLY.md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CAN DIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_R EADONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",". md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import" — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","C:\Users\Use r\Downloads\OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1(3).zip","O BSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_R EADONLY_CONTEXT_MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",". md","5494","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE _ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair inventory; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX 108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md ","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 stri — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_004_AUTORITE_DECISIONNELLE_KX 108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY.md",".md ","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_O NLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 stri

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md ","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair invent — "OBSIDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","C:\Users\User\Down loads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\OBS IDIA_RSSI_RGPD_ISO_READINESS_PACK_V2.zip","OBSIDIA_RSSI_RGPD_ISO_ READINESS_PACK_V2/docs/modules/RSSI_006_READONLY_CONTEXT_MODEL.md ","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INTEGRATE_TO _RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repair invent

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIO NNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY .md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false", — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_004_AUTORITE_DECISIO NNELLE_KX108_ONLY.md","RSSI_004_AUTORITE_DECISIONNELLE_KX108_ONLY .md",".md","5608","INTEGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_E VIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false",

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEXT _MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repa — "OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","C:\Users\User\D ownloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_V1\ OBSIDIA_RSSI_SECURITY_PRESENTATION_PACK_V1.zip","OBSIDIA_RSSI_SEC URITY_PRESENTATION_PACK_V1/docs/modules/RSSI_006_READONLY_CONTEXT _MODEL.md","RSSI_006_READONLY_CONTEXT_MODEL.md",".md","5494","INT EGRATE_TO_RSSI_RGPD_SPEC_CANDIDATE","RSSI_EVIDENCE_ONLY + RGPD_COMPLIANCE_SCOPE_GUARD","CERTIFICATION_OR_COMPLIANCE_CLAIM_S COPE","false","false","false","F03 strict canon repa

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","audit/freezes/atlas/","SOURCE_ONLY","FILE_PLA N_ALL 737 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_free zes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING _CANDIDATES.json audit/freezes/atlas/ AUTO_MODULE_HEADING_CANDIDATES.json j","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","false","false", "false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","audit/freezes/atlas/","SOURCE_ONLY","FILE_PLA N_ALL 737 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_free zes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING _CANDIDATES.json audit/freezes/atlas/ AUTO_MODULE_HEADING_CANDIDATES.json j","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","false","false", "false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 788 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.json atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.json json P4_ATLAS_EVIDENCE_OR_DOCS ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 788 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.json atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.json json P4_ATLAS_EVIDENCE_OR_DOCS ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 789 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.md atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.md md P4_ATLAS_EVIDENCE_OR_DOCS F06 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/source_extraction/","F06_ATLAS","FILE_P LAN_ALL 789 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc _extraction/AUTO_MODULE_HEADING_CANDIDATES.md atlas/source_extraction/ AUTO_MODULE_HEADING_CANDIDATES.md md P4_ATLAS_EVIDENCE_OR_DOCS F06 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1544 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/A_MODULES_A1_A10_TABLES_V0.md atlas/world_protocol_atlas/ A_MODULES_A1_A10_TABLES_V0.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1544 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/A_MODULES_A1_A10_TABLES_V0.md atlas/world_protocol_atlas/ A_MODULES_A1_A10_TABLES_V0.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1548 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md atlas/world_protocol_atlas/ GRIMOIRE_MODULES_M01_M24_TABLES_V0.md md P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1548 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md atlas/world_protocol_atlas/ GRIMOIRE_MODULES_M01_M24_TABLES_V0.md md P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1807 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.json atlas/world_protocol_atlas/ module_metamorphose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1807 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.json atlas/world_protocol_atlas/ module_metamorphose.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1808 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.md atlas/world_protocol_atlas/ module_metamorphose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false"," false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1808 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphose.md atlas/world_protocol_atlas/ module_metamorphose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false"," false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1809 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.json atlas/world_protocol_atlas/ module_metamorphosis.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1809 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.json atlas/world_protocol_atlas/ module_metamorphosis.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1810 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.md atlas/world_protocol_atlas/ module_metamorphosis.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1810 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_metamorphosis.md atlas/world_protocol_atlas/ module_metamorphosis.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1811 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.json atlas/world_protocol_atlas/ module_reaction.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1811 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.json atlas/world_protocol_atlas/ module_reaction.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1812 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.md atlas/world_protocol_atlas/ module_reaction.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1812 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_reaction.md atlas/world_protocol_atlas/ module_reaction.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1813 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.json atlas/world_protocol_atlas/ module_symbiose.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1813 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.json atlas/world_protocol_atlas/ module_symbiose.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUND_LO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1814 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.md atlas/world_protocol_atlas/ module_symbiose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1814 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/module_symbiose.md atlas/world_protocol_atlas/ module_symbiose.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL DU","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1869 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.json atlas/world_protocol_atlas/ protocole_chronos.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1869 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.json atlas/world_protocol_atlas/ protocole_chronos.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1870 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.md atlas/world_protocol_atlas/ protocole_chronos.md md P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDID ATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fals e","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1870 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/protocole_chronos.md atlas/world_protocol_atlas/ protocole_chronos.md md P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NOT_FOUND_LOCA","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDID ATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fals e","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1939 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.json atlas/world_protocol_atlas/ univers_fractaloides.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1939 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.json atlas/world_protocol_atlas/ univers_fractaloides.json json P3_ATLAS_CONTENT F06 0 0 0 0 0 1 NO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1940 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.md atlas/world_protocol_atlas/ univers_fractaloides.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1940 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/agents/univers_fractaloides.md atlas/world_protocol_atlas/ univers_fractaloides.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE"," ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false","fa lse","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1965 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M01_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M01_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1965 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M01_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M01_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1966 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M02_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M02_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1966 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M02_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M02_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1967 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M03_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M03_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1967 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M03_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M03_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1968 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M04_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M04_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1968 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M04_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M04_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1969 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M05_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M05_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1969 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M05_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M05_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1970 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M06_ia_reves_subconscient_on eirisme.md atlas/world_protocol_atlas/ M06_ia_reves_subconscient_oneirisme","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1970 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M06_ia_reves_subconscient_on eirisme.md atlas/world_protocol_atlas/ M06_ia_reves_subconscient_oneirisme","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1971 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M07_ia_musique_vibration_per ception_sonore.md atlas/world_protocol_atlas/ M07_ia_musique_vibration_per","INTEGRATE_TO_ATLAS_READONLY_SCENAR IO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false" ,"false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1971 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M07_ia_musique_vibration_per ception_sonore.md atlas/world_protocol_atlas/ M07_ia_musique_vibration_per","INTEGRATE_TO_ATLAS_READONLY_SCENAR IO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false" ,"false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1972 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M08_ia_multilinguisme_langue s_rares.md atlas/world_protocol_atlas/ M08_ia_multilinguisme_langues_rares","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1972 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M08_ia_multilinguisme_langue s_rares.md atlas/world_protocol_atlas/ M08_ia_multilinguisme_langues_rares","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1973 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M09_ia_fiction_metamorphose_ theatre_symbolique.md atlas/world_protocol_atlas/ M09_ia_fiction_metamorph","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1973 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M09_ia_fiction_metamorphose_ theatre_symbolique.md atlas/world_protocol_atlas/ M09_ia_fiction_metamorph","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1974 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M10_ia_mort_post_mortem_memo ire_transgenerationnelle.md atlas/world_protocol_atlas/ M10_ia_mort_post_m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CA NDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false"," false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1974 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M10_ia_mort_post_mortem_memo ire_transgenerationnelle.md atlas/world_protocol_atlas/ M10_ia_mort_post_m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CA NDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false"," false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1975 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M11_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M11_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1975 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M11_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M11_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1976 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M12_niches_biologiques_extre mes.md atlas/world_protocol_atlas/ M12_niches_biologiques_extremes.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1976 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M12_niches_biologiques_extre mes.md atlas/world_protocol_atlas/ M12_niches_biologiques_extremes.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1977 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M13_codex_des_ames_memoire_p ost_vie.md atlas/world_protocol_atlas/ M13_codex_des_ames_memoire_post_vie","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1977 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M13_codex_des_ames_memoire_p ost_vie.md atlas/world_protocol_atlas/ M13_codex_des_ames_memoire_post_vie","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1978 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M14_theatre_fiction_metamorp hose.md atlas/world_protocol_atlas/ M14_theatre_fiction_metamorphose.md md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1978 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M14_theatre_fiction_metamorp hose.md atlas/world_protocol_atlas/ M14_theatre_fiction_metamorphose.md md","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1979 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M15_simulation_d_univers_alt ernatifs_realites_speculatives.md atlas/world_protocol_atlas/ M15_simulati","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1979 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M15_simulation_d_univers_alt ernatifs_realites_speculatives.md atlas/world_protocol_atlas/ M15_simulati","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1980 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M16_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M16_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1980 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M16_catastrophes_naturelles_ ia_de_resilience.md atlas/world_protocol_atlas/ M16_catastrophes_naturelle","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1981 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M17_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M17_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1981 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M17_niches_biologiques_virus _adn_insectes_forets_primaires.md atlas/world_protocol_atlas/ M17_niches_b","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false" ,"false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1982 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M18_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M18_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1982 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M18_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M18_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1983 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M19_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M19_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1983 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M19_ia_mort_post_mortem_memo ire_des_disparus.md atlas/world_protocol_atlas/ M19_ia_mort_post_mortem_me","INTEGRATE_TO_ATLAS_READONLY_SCENARIO _SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false"," false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1984 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M20_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M20_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1984 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M20_ia_theatre_fiction_metam orphose.md atlas/world_protocol_atlas/ M20_ia_theatre_fiction_metamorphose","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1985 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M21_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M21_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1985 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M21_simulation_d_univers_alt ernatifs.md atlas/world_protocol_atlas/ M21_simulation_d_univers_alternati","INTEGRATE_TO_ATLAS_READONLY_ SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1986 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M22_ia_mort_post_mortem_memo ire.md atlas/world_protocol_atlas/ M22_ia_mort_post_mortem_memoire.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1986 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M22_ia_mort_post_mortem_memo ire.md atlas/world_protocol_atlas/ M22_ia_mort_post_mortem_memoire.md md P","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1987 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M23_niches_biologiques_virus _adn_forets_primaires.md atlas/world_protocol_atlas/ M23_niches_biologique","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC _CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false ","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1987 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M23_niches_biologiques_virus _adn_forets_primaires.md atlas/world_protocol_atlas/ M23_niches_biologique","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC _CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false ","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1988 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M24_ia_catastrophes_naturell es.md atlas/world_protocol_atlas/ M24_ia_catastrophes_naturelles.md md P3_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1988 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/concept_modules/M24_ia_catastrophes_naturell es.md atlas/world_protocol_atlas/ M24_ia_catastrophes_naturelles.md md P3_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","false","false","false","false","false", "F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1989 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B1_open_source_ecology.md atlas/world_protocol_atlas/ B1_open_source_ecology.md md P3_ATLAS_CONTENT F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1989 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B1_open_source_ecology.md atlas/world_protocol_atlas/ B1_open_source_ecology.md md P3_ATLAS_CONTENT F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1990 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B2_internet_archive.md atlas/world_protocol_atlas/ B2_internet_archive.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1990 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B2_internet_archive.md atlas/world_protocol_atlas/ B2_internet_archive.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1991 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B3_openai_non_commercial_le gacy_avant_virage.md atlas/world_protocol_atlas/ B3_openai_non_commercial_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","f alse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1991 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B3_openai_non_commercial_le gacy_avant_virage.md atlas/world_protocol_atlas/ B3_openai_non_commercial_","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","f alse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1992 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B4_creative_commons.md atlas/world_protocol_atlas/ B4_creative_commons.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1992 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B4_creative_commons.md atlas/world_protocol_atlas/ B4_creative_commons.md md P3_ATLAS_CONTENT F06 0 0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1993 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B5_wikidata_wikimedia_found ation.md atlas/world_protocol_atlas/ B5_wikidata_wikimedia_foundation.md m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1993 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B5_wikidata_wikimedia_found ation.md atlas/world_protocol_atlas/ B5_wikidata_wikimedia_foundation.md m","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1994 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B6_common_voice_mozilla.md atlas/world_protocol_atlas/ B6_common_voice_mozilla.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fa lse","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1994 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B6_common_voice_mozilla.md atlas/world_protocol_atlas/ B6_common_voice_mozilla.md md P3_ATLAS_CONTENT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fa lse","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1995 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B7_gosh_global_open_science _hardware.md atlas/world_protocol_atlas/ B7_gosh_global_open_science_hardw","INTEGRATE_TO_ATLAS_READONLY_S CENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","f alse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1995 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/open_source_orgs/B7_gosh_global_open_science _hardware.md atlas/world_protocol_atlas/ B7_gosh_global_open_science_hardw","INTEGRATE_TO_ATLAS_READONLY_S CENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","f alse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONL Y_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1996 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A10_memoire_vhs_archives_analo giques.md atlas/world_protocol_atlas/ A10_memoire_vhs_archives_analogiques","INTEGRATE_TO_ATLAS_READONL Y_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false" ,"false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SC ENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1997 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A1_terres_autochtones_memoire_ ancestrale.md atlas/world_protocol_atlas/ A1_terres_autochtones_memoire_an","INTEGRATE_TO_ATLAS_READONLY_SC ENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1998 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A2_zone_arctique_polaire.md atlas/world_protocol_atlas/ A2_zone_arctique_polaire.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 1999 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A3_ia_spiritualite_non_occiden tale.md atlas/world_protocol_atlas/ A3_ia_spiritualite_non_occidentale.md ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2000 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A4_ressources_minieres_ecocide .md atlas/world_protocol_atlas/ A4_ressources_minieres_ecocide.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2001 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A5_exils_peuples_deplaces_dias poras.md atlas/world_protocol_atlas/ A5_exils_peuples_deplaces_diasporas.m","INTEGRATE_TO_ATLAS_READON LY_SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false ","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2002 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A6_objets_magiques_symboles_cr oyances.md atlas/world_protocol_atlas/ A6_objets_magiques_symboles_croyanc","INTEGRATE_TO_ATLAS_READONLY _SCENARIO_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false", "false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2003 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A7_archeologie_sous_marine_civ ilisations_perdues.md atlas/world_protocol_atlas/ A7_archeologie_sous_mari","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_S PEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","fa lse","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2004 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A8_sante_mentale_communautaire .md atlas/world_protocol_atlas/ A8_sante_mentale_communautaire.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2005 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/modules/world_domains/A9_ia_cirque_arts_nomades.md atlas/world_protocol_atlas/ A9_ia_cirque_arts_nomades.md md P3_ATLAS_CONTEN","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","fal se","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2051 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.json atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.json json P3_ATLAS_CO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2051 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.json atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.json json P3_ATLAS_CO","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2052 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.md atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2052 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/adaptation_selon_lois_simulees.md atlas/world_protocol_atlas/ adaptation_selon_lois_simulees.md md P3_ATLAS_CONTENT ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2077 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.json atlas/world_protocol_atlas/ arbre_multiversal.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2077 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.json atlas/world_protocol_atlas/ arbre_multiversal.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_F","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2078 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.md atlas/world_protocol_atlas/ arbre_multiversal.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2078 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/arbre_multiversal.md atlas/world_protocol_atlas/ arbre_multiversal.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2209 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.json atlas/world_protocol_atlas/ injecter_lois_alternatives.json json P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2209 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.json atlas/world_protocol_atlas/ injecter_lois_alternatives.json json P3_ATLAS_CONTENT F0","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_ READONLY_ADVISORY_ONLY","false","false","false","false","false"," F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2210 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.md atlas/world_protocol_atlas/ injecter_lois_alternatives.md md P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2210 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/injecter_lois_alternatives.md atlas/world_protocol_atlas/ injecter_lois_alternatives.md md P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2237 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.json atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.json json","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2237 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.json atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.json json","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","false","false","false","false","false" ,"F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2238 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.md atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2238 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/lois_physiques_sociales_alternatives.md atlas/world_protocol_atlas/ lois_physiques_sociales_alternatives.md md P3_AT","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2271 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.json atlas/world_protocol_atlas/ module_de_presence_meta.json json P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2271 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.json atlas/world_protocol_atlas/ module_de_presence_meta.json json P3_ATLAS_CONTENT F06 0 0 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2272 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.md atlas/world_protocol_atlas/ module_de_presence_meta.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2272 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/module_de_presence_meta.md atlas/world_protocol_atlas/ module_de_presence_meta.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 ","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_RE ADONLY_ADVISORY_ONLY","false","false","false","false","false","F0 6 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2321 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.json atlas/world_protocol_atlas/ protocole_masq.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2321 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.json atlas/world_protocol_atlas/ protocole_masq.json json P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_L","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE ","ATLAS_READONLY_ADVISORY_ONLY","false","false","false","false", "false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2322 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.md atlas/world_protocol_atlas/ protocole_masq.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/world_protocol_atlas/","F06_ATLAS","FIL E_PLAN_ALL 2322 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_pr otocol_atlas/protocols/protocole_masq.md atlas/world_protocol_atlas/ protocole_masq.md md P3_ATLAS_CONTENT F06 0 0 0 0 1 NOT_FOUND_LOCAL D","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","false","false","false","false","false","F 06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2424 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/a_modules_registry.cpython-313.pyc archive/quarantine/generated_cache/ a_modules_registry.cpython-313.pyc pyc","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2424 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/a_modules_registry.cpython-313.pyc archive/quarantine/generated_cache/ a_modules_registry.cpython-313.pyc pyc","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false","fa lse","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2431 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/module_registry.cpython-313.pyc archive/quarantine/generated_cache/ module_registry.cpython-313.pyc pyc P5_QU","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","archive/quarantine/generated_cache/","BLOCKED ","FILE_PLAN_ALL 2431 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/__pycache__/module_registry.cpython-313.pyc archive/quarantine/generated_cache/ module_registry.cpython-313.pyc pyc P5_QU","KEEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","false"," false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2436 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/a_modules_registry.py periphery/world_protocol_atlas/ a_modules_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUN","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ONLY", "false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2436 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/a_modules_registry.py periphery/world_protocol_atlas/ a_modules_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUN","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ONLY", "false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2445 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/module_registry.py periphery/world_protocol_atlas/ module_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCA","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ ONLY","false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","periphery/world_protocol_atlas/","REVIEW_REQU IRED","FILE_PLAN_ALL 2445 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/periphery/wor ld_protocol_atlas/module_registry.py periphery/world_protocol_atlas/ module_registry.py py P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCA","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY_ ONLY","false","false","false","false","false","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"BRANCHABLE_ATLAS","atlas/registry/","F06_ATLAS","FILE_PLAN_ALL 2454 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/registry/modu le_registry.json atlas/registry/ module_registry.json json P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN LOW KX108","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only" — "BRANCHABLE_ATLAS","atlas/registry/","F06_ATLAS","FILE_PLAN_ALL 2454 BRANCHABLE_ATLAS OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/registry/modu le_registry.json atlas/registry/ module_registry.json json P2_ATLAS_BRANCHING F06 0 0 0 0 1 NOT_FOUND_LOCAL DUPLICATE_SAFE CLEAN LOW KX108","INTEGRATE_TO_ATLAS_READONLY_SCENARIO_SPEC_CANDIDATE","ATL AS_READONLY_ADVISORY_ONLY","false","false","false","false","false ","F06 canon repair matrix; Atlas readonly advisory only"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/.r untime_freezes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MOD ULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDIDATES.json ",".json","1275231","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY" ,"RUNTIME_FREEZE_ARCHIVE_ONLY","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/.r untime_freezes/WORLD_PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MOD ULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDIDATES.json ",".json","1275231","ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY" ,"RUNTIME_FREEZE_ARCHIVE_ONLY","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO _MODULE_HEADING_CANDIDATES.json",".json","1248337","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO _MODULE_HEADING_CANDIDATES.json",".json","1248337","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_M ODULE_HEADING_CANDIDATES.md",".md","135208","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/full_doc_extraction/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_M ODULE_HEADING_CANDIDATES.md",".md","135208","INTEGRATE_TO_ATLAS_R EADONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_O R_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES _A1_A10_TABLES_V0.md",".md","22999","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES _A1_A10_TABLES_V0.md",".md","22999","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md","G RIMOIRE_MODULES_M01_M24_TABLES_V0.md",".md","51767","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/GRIMOIRE_MODULES_M01_M24_TABLES_V0.md","G RIMOIRE_MODULES_M01_M24_TABLES_V0.md",".md","51767","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.json","module_ metamorphose.json",".json","2315","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.json","module_ metamorphose.json",".json","2315","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.md","module_me tamorphose.md",".md","1129","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphose.md","module_me tamorphose.md",".md","1129","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAN DIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_S COPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime impor

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.json","module _metamorphosis.json",".json","2303","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.json","module _metamorphosis.json",".json","2303","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.md","module_m etamorphosis.md",".md","1113","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_metamorphosis.md","module_m etamorphosis.md",".md","1113","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.json","module_reac tion.json",".json","2246","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.json","module_reac tion.json",".json","2246","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.md","module_reacti on.md",".md","1076","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_reaction.md","module_reacti on.md",".md","1076","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.json","module_symb iose.json",".json","2244","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.json","module_symb iose.json",".json","2244","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.md","module_symbio se.md",".md","1074","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/module_symbiose.md","module_symbio se.md",".md","1074","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.json","protocole _chronos.json",".json","2277","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.json","protocole _chronos.json",".json","2277","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.md","protocole_c hronos.md",".md","1099","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDA TE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE ","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/protocole_chronos.md","protocole_c hronos.md",".md","1099","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDA TE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE ","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.json","univer s_fractaloides.json",".json","2301","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.json","univer s_fractaloides.json",".json","2301","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runti

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.md","univers_ fractaloides.md",".md","1111","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/agents/univers_fractaloides.md","univers_ fractaloides.md",".md","1111","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime imp

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M01_catastrophes_ naturelles_ia_de_resilience.md","M01_catastrophes_naturelles_ia_d e_resilience.md",".md","2806","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M01_catastrophes_ naturelles_ia_de_resilience.md","M01_catastrophes_naturelles_ia_d e_resilience.md",".md","2806","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M02_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M02_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2853","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M02_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M02_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2853","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M03_simulation_d_ univers_alternatifs.md","M03_simulation_d_univers_alternatifs.md" ,".md","2735","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M03_simulation_d_ univers_alternatifs.md","M03_simulation_d_univers_alternatifs.md" ,".md","2735","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M04_ia_mort_post_ mortem_memoire_des_disparus.md","M04_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2756","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M04_ia_mort_post_ mortem_memoire_des_disparus.md","M04_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2756","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M05_ia_theatre_fi ction_metamorphose.md","M05_ia_theatre_fiction_metamorphose.md"," .md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M05_ia_theatre_fi ction_metamorphose.md","M05_ia_theatre_fiction_metamorphose.md"," .md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M06_ia_reves_subc onscient_oneirisme.md","M06_ia_reves_subconscient_oneirisme.md"," .md","2665","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M06_ia_reves_subc onscient_oneirisme.md","M06_ia_reves_subconscient_oneirisme.md"," .md","2665","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M07_ia_musique_vi bration_perception_sonore.md","M07_ia_musique_vibration_perceptio n_sonore.md",".md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M07_ia_musique_vi bration_perception_sonore.md","M07_ia_musique_vibration_perceptio n_sonore.md",".md","2726","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDI DATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCO PE","false","false","false","F06 canon repair

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M08_ia_multilingu isme_langues_rares.md","M08_ia_multilinguisme_langues_rares.md"," .md","2687","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M08_ia_multilingu isme_langues_rares.md","M08_ia_multilinguisme_langues_rares.md"," .md","2687","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M09_ia_fiction_me tamorphose_theatre_symbolique.md","M09_ia_fiction_metamorphose_th eatre_symbolique.md",".md","2729","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M09_ia_fiction_me tamorphose_theatre_symbolique.md","M09_ia_fiction_metamorphose_th eatre_symbolique.md",".md","2729","INTEGRATE_TO_ATLAS_READONLY_SP EC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_C LAIM_SCOPE","false","false","false","F06 cano

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M10_ia_mort_post_ mortem_memoire_transgenerationnelle.md","M10_ia_mort_post_mortem_ memoire_transgenerationnelle.md",".md","2777","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","fals —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M10_ia_mort_post_ mortem_memoire_transgenerationnelle.md","M10_ia_mort_post_mortem_ memoire_transgenerationnelle.md",".md","2777","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","fals

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M11_simulation_d_ univers_alternatifs.md","M11_simulation_d_univers_alternatifs.md" ,".md","2670","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M11_simulation_d_ univers_alternatifs.md","M11_simulation_d_univers_alternatifs.md" ,".md","2670","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M12_niches_biolog iques_extremes.md","M12_niches_biologiques_extremes.md",".md","26 31","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M12_niches_biolog iques_extremes.md","M12_niches_biologiques_extremes.md",".md","26 31","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M13_codex_des_ame s_memoire_post_vie.md","M13_codex_des_ames_memoire_post_vie.md"," .md","2640","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M13_codex_des_ame s_memoire_post_vie.md","M13_codex_des_ames_memoire_post_vie.md"," .md","2640","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M14_theatre_ficti on_metamorphose.md","M14_theatre_fiction_metamorphose.md",".md"," 2607","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M14_theatre_ficti on_metamorphose.md","M14_theatre_fiction_metamorphose.md",".md"," 2607","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M15_simulation_d_ univers_alternatifs_realites_speculatives.md","M15_simulation_d_u nivers_alternatifs_realites_speculatives.md",".md","2746","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M15_simulation_d_ univers_alternatifs_realites_speculatives.md","M15_simulation_d_u nivers_alternatifs_realites_speculatives.md",".md","2746","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M16_catastrophes_ naturelles_ia_de_resilience.md","M16_catastrophes_naturelles_ia_d e_resilience.md",".md","2692","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M16_catastrophes_ naturelles_ia_de_resilience.md","M16_catastrophes_naturelles_ia_d e_resilience.md",".md","2692","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M17_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M17_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2739","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false"," — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M17_niches_biolog iques_virus_adn_insectes_forets_primaires.md","M17_niches_biologi ques_virus_adn_insectes_forets_primaires.md",".md","2739","INTEGR ATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ON LY","REALITY_OR_ACTION_CLAIM_SCOPE","false","

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M18_simulation_d_ univers_alternatifs.md","M18_simulation_d_univers_alternatifs.md" ,".md","2642","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M18_simulation_d_ univers_alternatifs.md","M18_simulation_d_univers_alternatifs.md" ,".md","2642","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M19_ia_mort_post_ mortem_memoire_des_disparus.md","M19_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2682","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M19_ia_mort_post_ mortem_memoire_des_disparus.md","M19_ia_mort_post_mortem_memoire_ des_disparus.md",".md","2682","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M20_ia_theatre_fi ction_metamorphose.md","M20_ia_theatre_fiction_metamorphose.md"," .md","2638","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M20_ia_theatre_fi ction_metamorphose.md","M20_ia_theatre_fiction_metamorphose.md"," .md","2638","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M21_simulation_d_ univers_alternatifs.md","M21_simulation_d_univers_alternatifs.md" ,".md","2609","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M21_simulation_d_ univers_alternatifs.md","M21_simulation_d_univers_alternatifs.md" ,".md","2609","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M22_ia_mort_post_ mortem_memoire.md","M22_ia_mort_post_mortem_memoire.md",".md","26 19","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M22_ia_mort_post_ mortem_memoire.md","M22_ia_mort_post_mortem_memoire.md",".md","26 19","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","f alse","F06 canon repair inventory; deduped zi

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M23_niches_biolog iques_virus_adn_forets_primaires.md","M23_niches_biologiques_viru s_adn_forets_primaires.md",".md","2649","INTEGRATE_TO_ATLAS_READO NLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_AC TION_CLAIM_SCOPE","false","false","false","F0 — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M23_niches_biolog iques_virus_adn_forets_primaires.md","M23_niches_biologiques_viru s_adn_forets_primaires.md",".md","2649","INTEGRATE_TO_ATLAS_READO NLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_AC TION_CLAIM_SCOPE","false","false","false","F0

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M24_ia_catastroph es_naturelles.md","M24_ia_catastrophes_naturelles.md",".md","2585 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/concept_modules/M24_ia_catastroph es_naturelles.md","M24_ia_catastrophes_naturelles.md",".md","2585 ","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_AD VISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fal se","F06 canon repair inventory; deduped zip

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B1_open_source_e cology.md","B1_open_source_ecology.md",".md","2314","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B1_open_source_e cology.md","B1_open_source_ecology.md",".md","2314","INTEGRATE_TO _ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","R EALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extr

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B2_internet_arch
ive.md","B2_internet_archive.md",".md","2295","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY
_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do
cs/world_protocol_atlas/modules/open_source_orgs/B2_internet_arch ive.md","B2_internet_archive.md",".md","2295","INTEGRATE_TO_ATLAS
_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B3_openai_non_co
mmercial_legacy_avant_virage.md","B3_openai_non_commercial_legacy _avant_virage.md",".md","2464","INTEGRATE_TO_ATLAS_READONLY_SPEC_
CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon r —
"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B3_openai_non_co
mmercial_legacy_avant_virage.md","B3_openai_non_commercial_legacy _avant_virage.md",".md","2464","INTEGRATE_TO_ATLAS_READONLY_SPEC_
CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAI M_SCOPE","false","false","false","F06 canon r

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B4_creative_comm
ons.md","B4_creative_commons.md",".md","2254","INTEGRATE_TO_ATLAS _READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY
_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do
cs/world_protocol_atlas/modules/open_source_orgs/B4_creative_comm ons.md","B4_creative_commons.md",".md","2254","INTEGRATE_TO_ATLAS
_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY _OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B5_wikidata_wiki
media_foundation.md","B5_wikidata_wikimedia_foundation.md",".md", "2319","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READON
LY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false" ,"false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do
cs/world_protocol_atlas/modules/open_source_orgs/B5_wikidata_wiki media_foundation.md","B5_wikidata_wikimedia_foundation.md",".md",
"2319","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READON LY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false" ,"false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B6_common_voice_
mozilla.md","B6_common_voice_mozilla.md",".md","2287","INTEGRATE_ TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY",
"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ex — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do
cs/world_protocol_atlas/modules/open_source_orgs/B6_common_voice_ mozilla.md","B6_common_voice_mozilla.md",".md","2287","INTEGRATE_
TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY", "REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ex

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A
UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/open_source_orgs/B7_gosh_global_o
pen_science_hardware.md","B7_gosh_global_open_science_hardware.md ",".md","2379","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA
S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use
rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do
cs/world_protocol_atlas/modules/open_source_orgs/B7_gosh_global_o pen_science_hardware.md","B7_gosh_global_open_science_hardware.md
",".md","2379","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A10_memoire_vhs_arc hives_analogiques.md","A10_memoire_vhs_archives_analogiques.md"," .md","2703","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_R EADONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","f alse","false","F06 canon repair inventory; de

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A1_terres_autochton es_memoire_ancestrale.md","A1_terres_autochtones_memoire_ancestra le.md",".md","2829","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE", "ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","f alse","false","false","F06 canon repair inven

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A2_zone_arctique_po laire.md","A2_zone_arctique_polaire.md",".md","2716","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A3_ia_spiritualite_ non_occidentale.md","A3_ia_spiritualite_non_occidentale.md",".md" ,"2770","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READO NLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false ","false","F06 canon repair inventory; dedupe

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A4_ressources_minie res_ecocide.md","A4_ressources_minieres_ecocide.md",".md","2705", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A5_exils_peuples_de places_diasporas.md","A5_exils_peuples_deplaces_diasporas.md",".m d","2689","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_REA DONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","fal se","false","F06 canon repair inventory; dedu

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A6_objets_magiques_ symboles_croyances.md","A6_objets_magiques_symboles_croyances.md" ,".md","2743","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS _READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false", "false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A7_archeologie_sous _marine_civilisations_perdues.md","A7_archeologie_sous_marine_civ ilisations_perdues.md",".md","2824","INTEGRATE_TO_ATLAS_READONLY_ SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION _CLAIM_SCOPE","false","false","false","F06 ca

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A8_sante_mentale_co mmunautaire.md","A8_sante_mentale_communautaire.md",".md","2770", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/modules/world_domains/A9_ia_cirque_arts_n omades.md","A9_ia_cirque_arts_nomades.md",".md","2700","INTEGRATE _TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY" ,"REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no e

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. json","adaptation_selon_lois_simulees.json",".json","2431","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. json","adaptation_selon_lois_simulees.json",".json","2431","INTEG RATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_O NLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. md","adaptation_selon_lois_simulees.md",".md","1177","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/adaptation_selon_lois_simulees. md","adaptation_selon_lois_simulees.md",".md","1177","INTEGRATE_T O_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY"," REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no ext

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.json","arbre_ multiversal.json",".json","2295","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.json","arbre_ multiversal.json",".json","2295","INTEGRATE_TO_ATLAS_READONLY_SPE C_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CL AIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.md","arbre_mu ltiversal.md",".md","1108","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/arbre_multiversal.md","arbre_mu ltiversal.md",".md","1108","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.json ","injecter_lois_alternatives.json",".json","2389","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.json ","injecter_lois_alternatives.json",".json","2389","INTEGRATE_TO_ ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","RE ALITY_OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extra

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.md", "injecter_lois_alternatives.md",".md","1150","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/injecter_lois_alternatives.md", "injecter_lois_alternatives.md",".md","1150","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.json","lois_physiques_sociales_alternatives.json",".json"," 2478","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.json","lois_physiques_sociales_alternatives.json",".json"," 2478","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONL Y_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false", "false","F06 canon repair inventory; deduped

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.md","lois_physiques_sociales_alternatives.md",".md","1200", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/lois_physiques_sociales_alterna tives.md","lois_physiques_sociales_alternatives.md",".md","1200", "INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVI SORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","false ","F06 canon repair inventory; deduped zip so

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.json"," module_de_presence_meta.json",".json","2358","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.json," module_de_presence_meta.json",".json","2358","INTEGRATE_TO_ATLAS_ READONLY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_ OR_ACTION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.md","mo dule_de_presence_meta.md",".md","1142","INTEGRATE_TO_ATLAS_READON LY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACT ION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no ru — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/module_de_presence_meta.md","mo dule_de_presence_meta.md",".md","1142","INTEGRATE_TO_ATLAS_READON LY_SPEC_CANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACT ION_CLAIM_SCOPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no ru

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.json","protocole _masq.json",".json","2283","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.json","protocole _masq.json",".json","2283","INTEGRATE_TO_ATLAS_READONLY_SPEC_CAND IDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SC OPE","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.md","protocole_m asq.md",".md","1096","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE"," false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/do cs/world_protocol_atlas/protocols/protocole_masq.md","protocole_m asq.md",".md","1096","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE" ,"ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE"," false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/a_modules_registry.cpyth on-313.pyc","a_modules_registry.cpython-313.pyc",".pyc","1451","K EEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE" ,"false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/a_modules_registry.cpyth on-313.pyc","a_modules_registry.cpython-313.pyc",".pyc","1451","K EEP_QUARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE" ,"false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/module_registry.cpython-313.pyc","module_registry.cpython-313.pyc",".pyc","1295","KEEP_QU ARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE","fals e","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/__pycache__/module_registry.cpython-313.pyc","module_registry.cpython-313.pyc",".pyc","1295","KEEP_QU ARANTINE","ATLAS_READONLY_ADVISORY_ONLY","CACHE_QUARANTINE","fals e","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/a_modules_registry.py","a_modules_re gistry.py",".py","915","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_AD VISORY_ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/a_modules_registry.py","a_modules_re gistry.py",".py","915","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_AD VISORY_ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/module_registry.py","module_registry .py",".py","833","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY _ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/pe riphery/world_protocol_atlas/module_registry.py","module_registry .py",".py","833","DO_NOT_IMPORT_RUNTIME","ATLAS_READONLY_ADVISORY _ONLY","PY_RUNTIME_FORBIDDEN","false","false","false","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/re gistry/module_registry.json","module_registry.json",".json","7743 4","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_A DVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fa lse","F06 canon repair inventory; deduped zip source; no extraction; no runtime import" — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT.zip","C:\Use rs\User\Downloads\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_A UDIT.zip","OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_3_COMPLETION_AUDIT/re gistry/module_registry.json","module_registry.json",".json","7743 4","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLAS_READONLY_A DVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false","false","fa lse","F06 canon repair inventory; deduped zip source; no extraction; no runtime import"

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_freezes/WORLD_ PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING_CANDIDATE S.json","AUTO_MODULE_HEADING_CANDIDATES.json",".json","2522836"," ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","RUNTIME_FREEZE_ARCH IVE_ONLY","false","false","false","F06 canon — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/.runtime_freezes/WORLD_ PROTOCOL_ATLAS_FULL_V0_1_EXHAUSTIVE/AUTO_MODULE_HEADING_CANDIDATE S.json","AUTO_MODULE_HEADING_CANDIDATES.json",".json","2522836"," ARCHIVE_ONLY","ATLAS_READONLY_ADVISORY_ONLY","RUNTIME_FREEZE_ARCH IVE_ONLY","false","false","false","F06 canon

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDI DATES.json",".json","2495942","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.json","AUTO_MODULE_HEADING_CANDI DATES.json",".json","2495942","INTEGRATE_TO_ATLAS_READONLY_SPEC_C ANDIDATE","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM _SCOPE","false","false","false","F06 canon re

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_MODULE_HEADING_CANDIDA TES.md",".md","135653","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE" ,"false","false","false","F06 canon repair in — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/full_doc_extractio n/AUTO_MODULE_HEADING_CANDIDATES.md","AUTO_MODULE_HEADING_CANDIDA TES.md",".md","135653","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDAT E","ATLAS_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE" ,"false","false","false","F06 canon repair in

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

"OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES_A1_A10_TABLES_V0.md" ,".md","23434","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory; — "OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","C:\Users\Use r\Downloads\OBSIDIA_UNIFIED_IMPLEMENTATION_BACKLOG_RICH_NO_DUPES_ V1\OBSIDIA_BRANCHABLE_ATLAS_FULL_V0_7_FINAL_PASS.zip","OBSIDIA_BR ANCHABLE_ATLAS_FULL_V0_5_DEEP_FINAL_AUDIT/docs/world_protocol_atl as/A_MODULES_A1_A10_TABLES_V0.md","A_MODULES_A1_A10_TABLES_V0.md" ,".md","23434","INTEGRATE_TO_ATLAS_READONLY_SPEC_CANDIDATE","ATLA S_READONLY_ADVISORY_ONLY","REALITY_OR_ACTION_CLAIM_SCOPE","false" ,"false","false","F06 canon repair inventory;

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

5. Focus Pépites

PEPITES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucune pépite.

PEPITES / ITEM_BOUND_BRODY_ONLY (96)

P1 — Memoire != stockage

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P2 — Memoire fractale hierarchique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P3 — Oubli actif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P4 — Memoire comme condition d'ethique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P5 — Memoire humaine / memoire systeme

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P6 — Memoire comme recit vivant

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P7 — Memoire comme garde-fou contre l'hallucination

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P8 — Memoire transversale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P9 — Sens != information

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P10 — Cadre avant reponse

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P11 — Refus hors cadre

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P12 — Desambiguisation contextuelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P13 — Immutabilite par sceau Merkle

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P14 — Traduction humain / machine

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P15 — Immutabilite forte (Sensitivity)

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P16 — Rupture data / sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P17 — Croissance du log d'audit

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P18 — Semantique avant calcul

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P19 — Pluralite des niveaux de sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P20 — Sens avant performance

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P21 — Semantique transversale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P22 — Le symbolique n'est pas decoratif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P23 — Compression du sens

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P24 — Non-verbal comme vecteur

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P25 — Symboles comme passerelles

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P26 — Resonance plutot que calcul

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P27 — Transmission implicite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P28 — Recit comme structure

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P29 — Mythologie vivante

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P30 — Symbolique operatoire

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P31 — Archetype

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P32 — Rituel comme sequence symbolique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P33 — Symbolique transversal

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P34 — Kernel = intersection des contraintes

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P35 — Preuve formelle sans sorry

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P36 — Quintuplet d'etat canonique (S,I,L)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P37 — Formalisation : narratif vers math

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P38 — Filtre ethique chi(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P39 — Invariant permanent

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P40 — Axiome non derivable

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P41 — Determinisme D1

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P42 — Seuil G1 : ACT si theta <= S

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P43 — Pas de BLOCK natif L11.3

Statut source: ANCREE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P44 — Verrou temporel X-108

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P45 — Skew negatif vers HOLD

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P46 — Consensus fail-closed 4 agents

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P57 — Entropie de Shannon

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P58 — Neguentropie

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P64 — Ordre = 1 - entropie normalisee

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E4_A2_DOMAIN_RACCORD_AUDIT_20260527.md

P67 — Filtre ethique continu chi(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P68 — Ethique integree sur le temps

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P69 — Responsabilite action/consequence

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P70 — Consentement binaire

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P71 — Transparence universelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P72 — Equite epsilon-approximee

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P73 — Non-nuisance

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P74 — Bienfaisance maximale

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P75 — Justice proportionnelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P76 — Budget energetique E_c(t)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P77 — Flux energetique dE/dt

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P78 — Reserve energetique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P79 — Regeneration en repos

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P80 — Equilibre energetique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P81 — Surcharge vers HOLD

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P82 — Optimisation cout/qualite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P83 — Efficience output/input

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P84 — Durabilite a long terme

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P85 — Loi de reciprocite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P102 — Iteration convergente

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P103 — Validation par criteres

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P104 — Refutation par contre-exemple

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P105 — Induction mathematique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P106 — Deduction logique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P107 — Stabilite Lyapunov (delta-epsilon)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_FILE_MAP.md \

P108 — Robustesse aux perturbations

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P109 — Reproductibilite

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P110 — Falsifiabilite (Popper)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P111 — Moteur non substituable

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P112 — Hierarchie OS0 vers OS4

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P113 — Kernel = intersection des couches

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P114 — Guard = Kernel + Temporal + Consensus

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P127 — Disponibilite (uptime)

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P143 — Generalisation multi-domaine

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P144 — Apprentissage par experience

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P145 — Adaptation a l'environnement

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P146 — Autonomie decisionnelle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P147 — Collaboration synergique

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P148 — Competition selective

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P149 — Narration debut-milieu-fin

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P150 — Personnage = identite+motivation+arc

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P151 — Conflit = desir vs obstacle

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P152 — Resolution du conflit

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P153 — Theme = abstraction du recit

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P154 — Symbole narratif

Statut source: FORMALISE | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P155 — Metaphore = analogie

Statut source: A_FORMALISER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json

P161 — Calibration energetique temporelle (loi finale)

Statut source: A_PROUVER | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_FILE_MAP.md \

PEPITES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucune pépite.

PEPITES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucune pépite.

PEPITES / ITEM_REFERENCE_ONLY_NOT_BOUND (65)

P47 — Couplage reel/moteur dR/dt

Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P48 — Structure cosmologique

Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P49 — Emergence par interaction
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P50 — Recursivite fondamentale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P51 — Structure fractale
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P52 — Principe holographique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P53 — Resonance cosmique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P54 — Temps comme integrale d'evenements
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P55 — Espace metrique
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P56 — Causalite temporelle
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P59 — Complexite de Kolmogorov
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P60 — Auto-organisation
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P61 — Bifurcation de trajectoire
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P62 — Attracteur
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P63 — Sensibilite aux conditions initiales
Statut source: A_FORMALISER | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P65 — Definition de la vie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P66 — Conscience comme recursivite infinie
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P86 — Consensus supermajorité 3/4
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P87 — Fail-closed sans supermajorité
Statut source: ANCREE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P88 — Non-contradiction
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P89 — Completude
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P90 — Coherence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P91 — Decidabilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P92 — Calculabilite (Turing)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P93 — P inclus dans NP
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P94 — Reductibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P95 — Indecidabilite (Halting)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P96 — Recursivite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P97 — Point fixe
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P98 — Continuite epsilon-delta
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P99 — Convergence
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P100 — Stabilite de Lyapunov L(Phi(s)) <= L(s)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P101 — Avancement incremental valide
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P115 — Filtre ethique du moteur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P116 — Pipeline de couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P117 — Orchestration par scheduler
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P118 — Isolation des couches
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P119 — Composition fonctionnelle
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P120 — Abstraction par interface
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P121 — Encapsulation (boite noire)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P122 — Modularite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P123 — Extensibilite
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P124 — Infrastructure : I□M=O
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P125 — Deploiement Build+Test+Release
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P126 — Scalabilite lineaire
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P128 — Latence de reponse
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P129 — Debit (throughput)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P130 — Resilience MTBF/MTTR
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P131 — Securite CIA
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P132 — Observabilite (logs+metriques+traces)
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P133 — Configuration cle-valeur
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P134 — Versioning semantique
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P135 — Pipeline CI/CD
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P136 — Infrastructure as Code
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P137 — Agent = Role+Protocole+Flux
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P138 — Ecologie d'agents
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P139 — Protocole = sequence de messages
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P140 — Coordination par consensus
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P141 — Emergence collective
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P142 — Specialisation par domaine
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P156 — Ironie = ecart attendu/reel
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P157 — Suspense = incertitude de resolution
Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P158 — Catharsis = liberation emotionnelle

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P159 — Epiphanie = revelation soudaine

Statut source: FORMALISE | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

P160 — Denouement final

Statut source: VISION | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

---

6. Focus Modules

MODULES / ITEM_BOUND_BRODY_AND_DOMAIN (0)

Aucun module.

MODULES / ITEM_BOUND_BRODY_ONLY (36)

A01 — Signature Entropique / Pare-feu symbolique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A02 — Verification de Reciprocite / Detection contradictions

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A03 — Equilibre Dynamique / Alignement ethique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A04 — Gestion de la Friction / Bascule Semantique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A05 — Singularite Initiale / Audit ethique permanent

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A06 — Integrite Structurelle / Enregistrement etats

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A07 — Coherence Temporelle / Chronique obsidienne

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A08 — Emergence des Proprietes / Transmutation cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A09 — Non-Contradiction / Convergence intentionnelle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A10 — Completude / Emergence par tension

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A11 — Resonance / Reconstruction totale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: UI, Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A12 — Dualite / Contrat moral

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A13 — Securite Interactions / Mode reflexe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A14 — Verification Identite / Captation creative

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A15 — Adaptation Dynamique / Vibration multimodale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A16 — Recursivite / Architecture du savoir

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A17 — Complexite Minimale / Apprentissage universel

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A18 — Optimisation Ressources / Friction creative

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A19 — Interconnexion / Narration cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A20 — Confidentialite / Entrainement emotionnel

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A21 — Cryptographie Homomorphe / Mediatheque fractale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A22 — Propagation Information / Simulation cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A23 — Causalite / Calibration procedurale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

A24 — Predictibilite / Metriques et veille

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Kernel, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256.json \

T01 — Reduction Incertitude / Audit coherence

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\conditional_candidates.md \

T02 — Conscience Distribuee / Validation reciprocite

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\denylist_hits.md \

T03 — Gouvernance Decentralisee / Friction energetique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T04 — Consensus Distribue / Resonance semantique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T05 — Evolution Systemes / Balance structure/chaos

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \apps\obsidia-workbench\package-lock.json \

T06 — Selection Naturelle / Alignement ethique

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T07 — Resilience / Test memoire fractale

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\F74_F77_AUDIT_RECONCILIATION.md \

T08 — Auto-Organisation / Apprentissage inverse

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\world_action_bus.jsonl \

T09 — Creativite / Mode reflexe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \audit\RUN_METRICS_PALIER_LAST.json \

T10 — Innovation Continue / Integrite cognitive

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.graph-memory\reports\denylist_hits.md \

T11 — Generation Aleatoire / Frugalite bio-inspiree

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\architecture\OBSIDIA_X108_V4_TODO_MATRIX.md \

T12 — Complexite Irreductible / Transparence friction

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

MODULES / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun module.

MODULES / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun module.

MODULES / ITEM_REFERENCE_ONLY_NOT_BOUND (0)

Aucun module.

7. Focus Agents

Note: audit strict = 69 agents parsés, attendu canonique = 52.

AGENTS / ITEM_BOUND_BRODY_AND_DOMAIN (10)

AGENT_002 — Sentinelle

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\core_import\P56E_POST_PATCH_METRIC_REAUDIT.md \

ROLE_005 — Human Operator

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_006 — Governance Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_007 — OS3 Audit Layer

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

GUARDIAN_009 — Sigma Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\main.py \

GUARDIAN_010 — Merkle Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Kernel, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

GUARDIAN_011 — RFC3161 Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: V1, Enriched | Domaines: Bank, Trading, GPS | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_runtime_core_risk_revie w_p75.py \

GUARDIAN_012 — TLA Verifier

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Enriched | Domaines: Bank, Trading, GPS | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \PROOF_INDEX.md \

ROLE_014 — Adapter MCP

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, V1, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: UI, Graphiti, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

GUARDIAN_016 — GPS - Gardien / Guide / Alerteur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_AND_DOMAIN | Brody: Core, Enriched, Probe | Domaines: Bank, Trading, GPS | Runtime autre: Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\brody_domain_racco rd_adapter.py \

AGENTS / ITEM_BOUND_BRODY_ONLY (24)

#1 — OBSIDIA_ATLAS_INGESTOR

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_001 — Observateur

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

#2 — CANON_GUARDIAN

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#3 — GRAPH_BUILDER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_003 — Gardien

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#4 — TERMINAL_BUILDER

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENT_004 — Architecte

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\F19A2_SOURCE_SCAN_20260528_011308.json \

#5 — PROOF_SENTINEL

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched, Probe | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#6 — CO_PILOTE_CODE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#7 — CI_REPO_SURGEON

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

ROLE_008 — Agents / Tools

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: V1, Enriched | Domaines: — | Runtime autre: Tests, Preflight
Hit evidence: BRODY_V1:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidia- x108-proofs_REMOTE_A5F21C6B\scripts\audit_core_machinery_runtime_ binding_p57.py \

#11 — FORMAL_BRIDGE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

#13 — ADVERSARIAL_RED_TEAM

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \.claude\context\AGENTIC_ROUTING.md \

ROLE_013 — Orchestrator

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Core, V1, Enriched | Domaines: — | Runtime autre: UI, Tests, Preflight
Hit evidence: BRODY_CORE:C:\Users\User\Desktop\obsidia-engine-proof-core\obsidi a-x108-proofs_REMOTE_A5F21C6B\apps\obsidia_api\routes\brody.py \

ROLE_015 — Cortex

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_
PHASE11A_TER_SOURCE_ONLY_CONTRACT_AUDIT_20260527.md

#17 — PRE_FREEZE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\GENCOIN_SANDBOX_INGESTION_REPORT.md \

GUARDIAN_017 — ADeLe

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#19 — VOCABULAIRE_CANONIQUE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Tests
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md \

#34 — EXPLIQUE_A_UN_HUMAIN

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\runtime\archive\phase10_12_legacy_untracked_20260527\BRODY_PHASE12E1_R_REPO_TERMINAL_APPLIED_ZIP_WORK_AUDIT_20260527.md

#38 — CARTOGRAPHE_34_ARBRES

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\freeze\BRODY_GLOBAL_BRANCHAGE_AUDIT.json \

#40 — CALIBRATION_PROCEDURALE

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: Graphiti
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

#41 — NUAGE_POINTS

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \MANIFEST_SHA256_NEW.json \

#45 — CARTOGRAPHE_LOIS_PROTOCOLES

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \docs\real_engine\P33D_OS_TRAD_EVIDENCE_RECONCILIATION_REPORT.md

#50 — ANTI_DISPERSION

Statut source: UNKNOWN | Verdict: ITEM_BOUND_BRODY_ONLY | Brody: Enriched | Domaines: — | Runtime autre: —
Hit evidence: BRODY_ENRICHED:C:\Users\User\Desktop\obsidia-engine-proof-core\ob sidia-x108-proofs_REMOTE_A5F21C6B\ci_recheck_optional_publication \AGENTS.md \

AGENTS / ITEM_BOUND_DOMAIN_ONLY (0)

Aucun agent.

AGENTS / ITEM_PARTIAL_RUNTIME_SURFACE_ONLY (0)

Aucun agent.

AGENTS / ITEM_REFERENCE_ONLY_NOT_BOUND (35)

#8 — REPO_HISTORIAN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#9 — VERSION_COMPARATOR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#10 — CARTOGRAPHE_PREUVES

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#12 — GENERATEUR_TESTS_ADVERSARIAUX

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#14 — ASSISTANT_THEORIQUE_DOCUMENTAIRE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#15 — MEMOIRE_PERSONNELLE_OBSIDIA
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#16 — FREEZE_MASTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#18 — HISTORIEN_DECISIONS
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#20 — CONTRADICTION_HUNTER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#21 — THEORIE_VIVANTE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#22 — RECHERCHE_EXTERNE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#23 — ANALYSTE_LOGS_EXPERIMENTAUX
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#24 — EVIDENCE_BOARD_BUILDER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#25 — AUDIT_LOCAL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#26 — DATA_SOVEREIGNTY_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#27 — SECURITY_FIREWALL_ARCHITECT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#28 — POLICY_FIREWALL_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#29 — RUNTIME_ATTESTATION_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#30 — SUPPLY_CHAIN_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#31 — SECRET_GUARD
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#32 — FIELD_POC_MAPPER
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#33 — PITCH_AGENT
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#35 — SIMULATEUR_REUNION
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#36 — MONETISATION_PACKAGING
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#37 — FRISE_HUMAINE
Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#39 — HUMAN_HISTORY_MAPPER

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#42 — GRAND_CARTOGRAPHE_OBSIDIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#43 — ONTOLOGUE_OBSIDIA

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#44 — CARTOGRAPHE_COUCHES

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#46 — CARTOGRAPHE_FORMULES

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#47 — CARTOGRAPHE_DOMAINES_TERRAIN

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#48 — CARTOGRAPHE_AGI_VISION_HAUTE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#49 — COLLISION_DETECTOR

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#51 — ENERGIE_PRIORITE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

#52 — EXTRACTEUR_MATIERE_BRUTE

Statut source: UNKNOWN | Verdict: ITEM_REFERENCE_ONLY_NOT_BOUND | Brody: — | Domaines: — | Runtime autre: —

---

8. P1→P80 — détail complet

P01 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P02 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P03 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_AND_DOMAIN | Brody: True | Domaines: True

P04 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P05 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P06 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P07 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P08 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P09 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P10 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P11 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P12 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P13 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P14 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P15 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P16 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P17 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P18 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P19 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P20 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P21 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P22 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P23 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P24 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P25 — FREEZE_FOUND_NO_COMMIT_REF
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P26 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P27 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P28 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P29 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P30 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P31 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P32 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P33 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P34 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P35 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P36 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P37 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P38 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P39 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P40 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P41 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P42 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P43 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P44 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P45 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P46 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P47 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P48 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P49 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P50 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P51 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P52 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P53 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P54 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P55 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P56 — FROZEN_COMMITTED_RUNTIME_REFERENCED
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P57 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P58 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P59 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P60 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P61 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P62 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P63 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P64 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P65 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P66 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P67 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P68 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P69 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P70 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P71 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P72 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P73 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P74 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P75 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P76 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P77 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P78 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

P79 — FROZEN_COMMITTED_NOT_RUNTIME_BOUND
Verdict: P_BOUND_BRODY_ONLY | Brody: True | Domaines: False

9. Freeze / Seal / Quality

FREEZE_REPORT

```
# FREEZE - OBSIDIA STRICT BINDING AUDIT V4 FAST INDEXED

Freeze timestamp: 2026-06-19T01:29:00
Status: LOCAL_FREEZE_CREATED
Quality gate: FREEZE_OK_FOR_PDF_PLANNING

## Source
- Source audit: OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615
- Reference: C:\Users\User\Desktop\sementic ect
- Mode: READONLY / NO PATCH / NO SERVER START

## Core counts
- Claude items audited: 4353
- Claude families audited: 14
- P1 to P80 rows: 80

## Claude item verdict counts
- ITEM_REFERENCE_ONLY_NOT_BOUND: 3316
- ITEM_BOUND_BRODY_ONLY: 772
- ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 204
- ITEM_BOUND_BRODY_AND_DOMAIN: 61

## Claude family verdict counts
- FAMILY_BOUND_BRODY_ONLY: 7
- FAMILY_BOUND_BRODY_AND_DOMAIN: 6
- FAMILY_REFERENCE_ONLY_NOT_BOUND: 1

## P1 to P80 verdict counts
- P_BOUND_BRODY_ONLY: 79
- P_BOUND_BRODY_AND_DOMAIN: 1

## Warnings
- Items with empty patterns_used: 13

## Interpretation
- ITEM_BOUND_BRODY_AND_DOMAIN = exact Claude item found in Brody surface and at least one domain surface.
- ITEM_BOUND_BRODY_ONLY = exact Claude item found in Brody surface only.
- ITEM_PARTIAL_RUNTIME_SURFACE_ONLY = exact Claude item found in UI/kernel/Graphiti/tests/preflight, not Brody/domain.
- ITEM_REFERENCE_ONLY_NOT_BOUND = item exists in Claude reference but was not found in scanned real project surfaces.
- P1/P80 verdicts are separate because they are paliers/freezes/audits/runs, not semantic modules.
```

FREEZE_QUALITY_GATE


```
{
  "quality_status": "FREEZE_OK_FOR_PDF_PLANNING",
  "source_files_missing": [],
  "item_count": 4353,
  "family_count": 14,
  "p1p80_count": 80,
  "empty_name_count": 0,
  "empty_code_count": 0,
  "empty_patterns_count": 13,
  "bound_without_hit_examples_count": 0,
  "warnings": [
    "Items with empty patterns_used: 13"
  ]
}
```

FINAL_FREEZE_SEAL

```
■# FINAL FREEZE SEAL — OBSIDIA STRICT BINDING AUDIT V4 FAST INDEXED

Status: FINAL_LOCAL_FREEZE_SEALED
Timestamp: 2026-06-19T01:40:32

Source audit:
OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615

Freeze:
FREEZE_OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615_20260619_012857

Mode:
READONLY / NO PATCH / NO SERVER START / LOCAL AUDIT ONLY

Quality:
FREEZE_OK_FOR_PDF_PLANNING

Counts:
- Claude items audited: 4353
- Claude families audited: 14
- P1 to P80 rows: 80

Claude item verdicts:
- ITEM_REFERENCE_ONLY_NOT_BOUND: 3316
- ITEM_BOUND_BRODY_ONLY: 772
- ITEM_PARTIAL_RUNTIME_SURFACE_ONLY: 204
- ITEM_BOUND_BRODY_AND_DOMAIN: 61

P1 to P80 verdicts:
- P_BOUND_BRODY_ONLY: 79
- P_BOUND_BRODY_AND_DOMAIN: 1

Known warning:
- 13 items with empty patterns_used

Decision:
This freeze is the official local evidence base for the upcoming support PDF.
Do not rerun global audit unless a targeted inconsistency is found.
```

FINAL_FREEZE_SEAL_VERIFICATION

```
■# FINAL FREEZE SEAL VERIFICATION

Status: FINAL_MANIFEST_REPAIRED_OK

Freeze:
.local_audits\FREEZE_OBSIDIA_STRICT_BINDING_AUDIT_V4_FAST_INDEXED_20260619_011615_20260619_012857

Verified core files:
- FINAL_FREEZE_SEAL.md: True
- FINAL_FREEZE_SEAL.json: True
- FREEZE_REPORT.md: True
- FREEZE_QUALITY_GATE.json: True
- MANIFEST_SHA256_FINAL.csv: True

Manifest rows:
61

Counts sealed:
- Claude items audited: 4353
- Non bound strict: 3316
- Partial runtime only: 204
- Brody only: 772
- Brody + domain: 61
- P1→P80: 79 Brody only, 1 Brody + domain

Decision:
Final local freeze is usable as official PDF support base.
```