

Package ‘ifm’

April 27, 2016

Type Package

Title Set of functions for financial evaluation of Software Projects

Version 1.0

Date 2016-04-20

Author Eber Schmitz

Maintainer Antoanne Pontes <antoanne@ufrj.br>

Description R package with a set of functions for financial evaluation of Software Project.

License LGPL (>= 2.1)

URL <https://github.com/afcosta-ibm/ifm>

BugReports <https://github.com/afcosta-ibm/ifm/issues>

NeedsCompilation no

RoxygenNote 5.0.1

Imports igraph

R topics documented:

ifm-package	2
discount.rate.vector	2
draw.cfs	3
future.value	3
inflation.free.interest.rate	4
nfv	5
npv	6
pv	7
Index	8

ifm-package

Set of functions for financial evaluation of Software Projects

Description

R package with a set of functions for financial evaluation of Software Project.

Details

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

~~ An overview of how to use the package, including the most important functions ~~

Author(s)

Eber Schmitz

Maintainer: Antoanne Pontes <antoanne@ufrj.br>

References

~~ Literature or other references for background information ~~

See Also

~~ Optional links to other man pages, e.g. ~~

Examples

examples here...

discount.rate.vector

Vectorize the Discount Rate

Description

Generate a vector with discount rate to be applied to each of the time periods.

Usage

```
discount.rate.vector(interest.rate, number.of.periods,
  begin.of.period = FALSE)
```

Arguments

interest.rate A number that represents the nominal Interest Rate, presented by year.

number.of.periods

Times that interest rate should be applied.

begin.of.period

A boolean that represents if the Tax Rate will be applied at the beginning of period. FALSE by default.

See Also

Other financial: [draw.cfs](#), [future.value](#), [inflation.free.interest.rate](#)

Examples

```
ex.disc.vector <- discount.rate.vector(6.19, 12)
```

draw.cfs	<i>Draw the graph of cash flow.</i>
----------	-------------------------------------

Description

Draw the graph of cash flow.

Usage

```
draw.cfs(cfs, gt = "Cash Flow Graphic")
```

Arguments

cfs	A vector with a series of cash flows.
gt	A title for the graph.

See Also

Other financial: [discount.rate.vector](#), [future.value](#), [inflation.free.interest.rate](#)

Examples

```
cfs <- c(-2000,1000,1500,-500,500)
draw.cfs(cfs,'My Cash Flow')
```

future.value	<i>Calculate the future value of an asset at a specific date. It measures the nominal future sum of money that a given sum of money is "worth" at a specified time in the future assuming a certain interest rate, or more generally, rate of return.</i>
--------------	---

Description

Calculate the future value of an asset at a specific date. It measures the nominal future sum of money that a given sum of money is "worth" at a specified time in the future assuming a certain interest rate, or more generally, rate of return.

Usage

```
future.value(present.value, interest.rate, number.of.periods)
```

Arguments

`present.value` A number that represents the present value of the money.
`interest.rate` A number that represents the interest rate.
`number.of.periods`
A number that represent the number of periods.

See Also

Other financial: [discount.rate.vector](#), [draw.cfs](#), [inflation.free.interest.rate](#)

Examples

```
fv.1 <- future.value(1000, 1.1425, 12)
print(fv.1)
```

`inflation.free.interest.rate`

Calculate the Inflation-free Interest Rate.

Description

Calculate the Inflation-free Interest Rate.

Usage

```
inflation.free.interest.rate(interest.rate = 14.25, inflation.rate = 7.59)
```

Arguments

`interest.rate` A number that represents the nominal Interest Rate, presented by year.
`inflation.rate` A number that represents the Inflation Rate, presented by year.

See Also

Other financial: [discount.rate.vector](#), [draw.cfs](#), [future.value](#)

Examples

```
ex.ifir <- inflation.free.interest.rate(14.25, 12)
```

nfv	~~function to do ... ~~
-----	-------------------------

Description

~~ A concise (1-5 lines) description of what the function does. ~~

Usage

```
nfv(cfs, r, bop = TRUE)
```

Arguments

cfs	~~Describe cfs here~~
r	~~Describe r here~~
bop	~~Describe bop here~~

Details

~~ If necessary, more details than the description above ~~

Value

~Describe the value returned If it is a LIST, use

comp1	Description of 'comp1'
comp2	Description of 'comp2'

Note

~~further notes~~

Author(s)

~~who you are~~

References

~put references to the literature/web site here ~

See Also

~~objects to See Also as [help](#), ~~~

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (cfs, r, bop = TRUE)
{
  e <- if (bop) {
    0:(length(cfs) - 1)
  }
  else {
    1:(length(cfs))
  }
  tax <- (1 + (r/100))^e
  return(cfs * tax)
}
```

npv

~~function to do ... ~~

Description

~~ A concise (1-5 lines) description of what the function does. ~~

Usage

```
npv(cfs, r, bop = TRUE)
```

Arguments

cfs	~~Describe cfs here~~
r	~~Describe r here~~
bop	~~Describe bop here~~

Details

~~ If necessary, more details than the description above ~~

Value

~Describe the value returned If it is a LIST, use

comp1	Description of 'comp1'
comp2	Description of 'comp2'

Note

~~further notes~~

Author(s)

~~who you are~~

References

~put references to the literature/web site here ~

See Also

~~objects to See Also as [help](#), ~~~

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (cfs, r, bop = TRUE)
{
  e <- if (bop) {
    0:(length(cfs) - 1)
  }
  else {
    1:(length(cfs))
  }
  tax <- (1/((1 + (r/100))^e))
  return(cfs * tax)
}
```

pv

pv.

Description

pv.

Usage

pv(Fv, r, n)

Index

*Topic **\textasciitildekwd1**
nfv, [5](#)
npv, [6](#)
*Topic **\textasciitildekwd2**
nfv, [5](#)
npv, [6](#)
*Topic **discount**
discount.rate.vector, [2](#)
*Topic **drawcfs**
draw.cfs, [3](#)
*Topic **futureValue**
future.value, [3](#)
*Topic **inflation-free,**
inflation.free.interest.rate, [4](#)
*Topic **interest**
discount.rate.vector, [2](#)
inflation.free.interest.rate, [4](#)
*Topic **package**
ifm-package, [2](#)
*Topic **rate,**
discount.rate.vector, [2](#)
*Topic **rate**
discount.rate.vector, [2](#)
inflation.free.interest.rate, [4](#)

disc (discount.rate.vector), [2](#)
discount.rate.vector, [2](#), [3](#), [4](#)
draw.cfs, [3](#), [3](#), [4](#)
draw_cfs (draw.cfs), [3](#)
drawCfs (draw.cfs), [3](#)

future.value, [3](#), [3](#), [4](#)
future_value (future.value), [3](#)
futureValue (future.value), [3](#)

help, [5](#), [7](#)

IFIR (inflation.free.interest.rate), [4](#)
IfIR (inflation.free.interest.rate), [4](#)
ifir (inflation.free.interest.rate), [4](#)
ifm (ifm-package), [2](#)
ifm-package, [2](#)
inflation.free.interest.rate, [3](#), [4](#), [4](#)

nfv, [5](#)
npv, [6](#)
pv, [7](#)