QA TEST REPORT · DEV ENVIRONMENT

FinTrack QA Report

App dev.fintrack.nestofar.in **Date** 27 Oct 2026 **Runner** Playwright 1.64.1 · Chromium, headed

Duration ≈ 47 min (8 merged chunks) **Repository** github.com/EbinJiji/fintrack-playwright

Run complete | 2 defects reproduced on both accounts | Data isolation: no leaks

Every count on this page comes from the merged Playwright results (`merged-results.json`). Every test ran against the live site in a visible Chromium browser, with no mocked pages.

Summary

243	235
Tests executed	Passed
4	**4**
Failed: 2 defects × 2 accounts	Skipped by design



0 blocked · 0 flaky. The skipped tests change account settings (rename, budget, file import) or check new-account empty states, so they run only on the dedicated test account. All four passed there.

Results by account

PROJECT	COVERS	PASS	FAIL	SKIP	SHARE
Existing user	All 10 app modules on your account	94	2	4	
New user	All 10 modules on a freshly registered account	98	2	0	
Public	Login, session, logout, registration, API auth (+2 setup)	37	0	0	

PROJECT	COVERS	PASS	FAIL	SKIP	SHARE
Cross-account	Two live sessions probing each other's data	6	0	0	

Module matrix

MODULE	EXISTING USER PASS / FAIL / SKIP	NEW USER PASS / FAIL / SKIP	WHAT WAS CHECKED
Dashboard	11 / 0 / 1	12 / 0 / 0	KPIs vs API, period selector, refresh, links, currency switch, live update after a new expense
Transactions	16 / 1 / 0	16 / 1 / 0	Validation, create/edit/delete, persistence, search, double-submit, HTML injection, dates
Recurring	12 / 0 / 0	12 / 0 / 0	Validation, all 4 frequencies, edit, stop, delete, no premature posting
Categories	9 / 0 / 0	9 / 0 / 0	Empty, duplicate (any case), long names, edit, delete confirm, in-use delete
Reports	10 / 0 / 0	10 / 0 / 0	Range presets, custom and inverted range, category filter, ledger totals, CSV export
Settings	8 / 0 / 3	11 / 0 / 0	Tabs, profile, cancel, validation, alerts, budget, import template and rejection, delete-account guard
Family & sharing	5 / 0 / 0	5 / 0 / 0	Name and consent rules, invitation code, currency prerequisite
Pay & record	7 / 0 / 0	7 / 0 / 0	Validation only: malformed UPI ID, zero and negative amount, drafts list
Notifications	3 / 1 / 0	3 / 1 / 0	List vs API, pagination, mark all read, preferences link
Navigation & responsive	13 / 0 / 0	13 / 0 / 0	Sidebar, back/forward, header search, 404, console errors, labels, 1440 / 768 / 390 px

Test cases

All test cases with their result in the final run. Module tests ran once per account. Login, registration, API and isolation tests use their own sessions, so they have one result.

Setup: authentication 2 cases

ID	TEST CASE	RESULT
SETUP	Authenticate existing user	Pass
SETUP	Authenticate new (dedicated test) user	Pass

Login, session and logout 22 cases

ID	TEST CASE	RESULT
AUTH-01	Renders sign-in form with masked password	Pass
AUTH-02	Password visibility toggle	Pass
AUTH-03	Empty submit is blocked and stays on login	Pass
AUTH-04	Invalid email format is rejected client-side	Pass
AUTH-05	Wrong password shows an error and does not authenticate	Pass
AUTH-06	Unknown email shows an error	Pass
AUTH-07	Existing user logs in and sees own dashboard	Pass
AUTH-08	Session persists across reload and new tab	Pass
AUTH-09	Visiting the login page while signed in keeps the session valid	Pass
AUTH-10	Logout clears session and blocks protected pages	Pass
AUTH-11	Token is revoked server-side on logout	Pass
AUTH-12	Expired/invalid session token redirects to login	Pass
AUTH-13	/dashboard redirects anonymous users to login	Pass

ID	TEST CASE	RESULT
AUTH-13	/transactions redirects anonymous users to login	Pass
AUTH-13	/recurring redirects anonymous users to login	Pass
AUTH-13	/categories redirects anonymous users to login	Pass
AUTH-13	/reports redirects anonymous users to login	Pass
AUTH-13	/settings redirects anonymous users to login	Pass
AUTH-13	/family redirects anonymous users to login	Pass
AUTH-13	/payments redirects anonymous users to login	Pass
AUTH-13	/notifications redirects anonymous users to login	Pass
AUTH-14	Dedicated new user logs in, sees own identity, logs out	Pass

Registration 10 cases

ID	TEST CASE	RESULT
REG-01	Shows all required fields	Pass
REG-02	Empty submit shows required-field messages and sends nothing	Pass
REG-03	Invalid email is rejected	Pass
REG-04	Password shorter than 8 characters is rejected	Pass
REG-05	Password confirmation mismatch is rejected	Pass
REG-06	One-character name is rejected	Pass
REG-07	Both password fields are masked and independently toggleable	Pass
REG-08	Duplicate registration with an existing email is refused (single request)	Pass
REG-09	Duplicate check is case-insensitive	Pass
REG-10	Register via UI -> empty dashboard -> logout -> login -> delete account	Pass

API access control 3 cases

ID	TEST CASE	RESULT
API-01	Every data endpoint returns 401 without a token	Pass
API-02	Forged bearer token is rejected	Pass
API-03	Login API rejects bad credentials with 4xx and no token	Pass

Dashboard 12 cases

ID	TEST CASE	EXISTING	NEW
DASH-01	Loads all KPI cards and sections	Pass	Pass
DASH-02	KPI values match the analytics API	Pass	Pass
DASH-03	Total Balance is consistent with the Transactions page net savings	Pass	Pass
DASH-04	Recent transactions reflect stored records (or empty state)	Pass	Pass
DASH-05	New account shows empty states	Skip	Pass
DASH-06	Spending period selector re-queries analytics	Pass	Pass
DASH-07	Refresh button re-fetches financial data	Pass	Pass
DASH-08	Header and card links navigate correctly	Pass	Pass
DASH-09	Add Transaction opens the form and Cancel creates nothing	Pass	Pass
DASH-10	Finance view selector offers Personal	Pass	Pass
DASH-11	Display currency switch re-labels amounts and persists, then restores	Pass	Pass
DASH-12	A new expense updates monthly expenses, balance and category chart	Pass	Pass

Transactions 17 cases

ID	TEST CASE	EXISTING	NEW
TXN-01	List loads with summary, columns and pagination matching API	Pass	Pass
TXN-02	Empty form submit is blocked by required-field validation	Pass	Pass
TXN-03	Amount validation rejects zero (0)	Pass	Pass
TXN-03	Amount validation rejects negative (-5)	Pass	Pass
TXN-03	Amount validation rejects three decimals (1.234)	Pass	Pass
TXN-04	Category and date are required	Pass	Pass
TXN-05	Oversized amount is handled without a server error	Pass	Pass
TXN-06	Create expense: appears in list, persists after refresh, stored correctly	Pass	Pass
TXN-07	Create income updates Total Income and shows a positive amount	Pass	Pass
TXN-08	Edit transaction updates description, amount, type and category	Pass	Pass
TXN-09	Delete transaction removes it (records whether a confirmation is asked)	Fail	Fail
TXN-10	Cancel and Escape discard the form without saving	Pass	Pass
TXN-11	Double-clicking Save creates only one record	Pass	Pass
TXN-12	Search: match, no match, and empty query	Pass	Pass
TXN-13	Description is rendered as text, not HTML	Pass	Pass
TXN-14	Back-dated and future-dated entries	Pass	Pass
TXN-15	Sorting and column filters availability	Pass	Pass

Recurring payments 12 cases

ID	TEST CASE	EXISTING	NEW
REC-01	Page loads with tabs and an accurate active-schedule count	Pass	Pass
REC-02	Empty form is blocked by required-field validation	Pass	Pass
REC-03	Amount and first-date validation	Pass	Pass
REC-04	End date earlier than first date is rejected	Pass	Pass
REC-05	Create weekly expense schedule: card, Active tab and stored data	Pass	Pass
REC-06	Daily income schedule shows "/ day"	Pass	Pass
REC-06	Monthly income schedule shows "/ month"	Pass	Pass
REC-06	Yearly income schedule shows "/ year"	Pass	Pass
REC-07	Edit schedule amount and frequency	Pass	Pass
REC-08	Stop schedule moves it to Stopped & ended	Pass	Pass
REC-09	Delete schedule removes it	Pass	Pass
REC-10	Creating a future-dated schedule does not post a transaction yet	Pass	Pass

Categories 9 cases

ID	TEST CASE	EXISTING	NEW
CAT-01	List shows starter categories matching the API	Pass	Pass
CAT-02	Empty and whitespace-only names are rejected	Pass	Pass
CAT-03	Duplicate name (exact and different case) is refused	Pass	Pass

ID	TEST CASE	EXISTING	NEW
CAT-04	Overly long name is handled without a server error	Pass	Pass
CAT-05	Create category with icon and colour; usable in transactions and reports	Pass	Pass
CAT-06	Edit category name	Pass	Pass
CAT-07	Delete asks for confirmation; Cancel keeps, Delete removes	Pass	Pass
CAT-08	Deleting a category in use keeps its transactions and their label	Pass	Pass
CAT-09	Icon search filters the icon list	Pass	Pass

Reports & analytics 10 cases

ID	TEST CASE	EXISTING	NEW
REP-01	Page shows KPIs and sections	Pass	Pass
REP-02	Default range is the last 30 days	Pass	Pass
REP-03	Range presets update the period text	Pass	Pass
REP-04	Custom range applies chosen dates	Pass	Pass
REP-05	Custom range with end before start is not accepted silently	Pass	Pass
REP-06	Category filter re-queries for the chosen category	Pass	Pass
REP-07	UI KPIs match API and the expense total matches the transactions ledger	Pass	Pass
REP-08	A new expense is reflected in totals, top category and top transactions	Pass	Pass
REP-09	Export CSV downloads a CSV file with a header row	Pass	Pass

ID	TEST CASE	EXISTING	NEW
REP-10	Manage Categories and View All links navigate	Pass	Pass

Settings 11 cases

ID	TEST CASE	EXISTING	NEW
SET-01	Tabs switch sections and update the URL	Pass	Pass
SET-02	Profile shows the signed-in user details	Pass	Pass
SET-03	Cancel Changes discards unsaved edits	Pass	Pass
SET-04	Empty name and invalid email are not saved	Pass	Pass
SET-05	Profile name change persists after reload (then restored)	Skip	Pass
SET-06	Alert preferences: toggles render; saving persists (new account)	Pass	Pass
SET-07	Monthly budget amount validation	Pass	Pass
SET-08	Monthly budget can be set (new account)	Skip	Pass
SET-09	Data & Backup: import template downloads	Pass	Pass
SET-10	Import rejects a non-CSV file (new account)	Skip	Pass
SET-11	Account deletion requires the password (not executed)	Pass	Pass

Family & sharing 5 cases

ID	TEST CASE	EXISTING	NEW
FAM-01	Page shows create/join options for a user without a family	Pass	Pass
FAM-02	Create family requires a name	Pass	Pass
FAM-03	Create family requires agreeing to the sharing terms	Pass	Pass

ID	TEST CASE	EXISTING	NEW
FAM-04	Invitation code: empty and invalid codes are refused	Pass	Pass
FAM-05	Back to overview returns to the dashboard	Pass	Pass

Pay & record 7 cases

ID	TEST CASE	EXISTING	NEW
PAY-01	Shows the 3-step flow, QR options and the manual form	Pass	Pass
PAY-02	Empty form is refused	Pass	Pass
PAY-03	Malformed UPI ID is refused	Pass	Pass
PAY-04	Amount 0 is refused	Pass	Pass
PAY-04	Amount -5 is refused	Pass	Pass
PAY-05	Awaiting-confirmation list matches stored drafts	Pass	Pass
PAY-06	View activity navigates to recorded payments	Pass	Pass

Notifications 4 cases

ID	TEST CASE	EXISTING	NEW
NOT-01	List matches the API (or shows the empty state)	Pass	Pass
NOT-02	Pagination buttons reflect available pages	Pass	Pass
NOT-03	Mark all as read clears the unread count	Pass	Pass
NOT-04	Manage alert preferences opens Settings > Alerts	Fail	Fail

Navigation & responsive 13 cases

ID	TEST CASE	EXISTING	NEW
NAV-01	Every sidebar link opens the right page	Pass	Pass

ID	TEST CASE	EXISTING	NEW
NAV-02	Browser back and forward	Pass	Pass
NAV-03	Header search from any page goes to filtered transactions	Pass	Pass
NAV-04	Empty header search shows the unfiltered list	Pass	Pass
NAV-05	Skip-to-content link targets the main region	Pass	Pass
NAV-06	Unknown route does not render a blank page	Pass	Pass
NAV-07	No console errors or 5xx responses across all pages	Pass	Pass
NAV-08	Visible form controls all have an accessible name	Pass	Pass
NAV-09	Desktop 1440x900: no horizontal overflow, content visible	Pass	Pass
NAV-09	Tablet 768x1024: no horizontal overflow, content visible	Pass	Pass
NAV-09	Mobile 390x844: no horizontal overflow, content visible	Pass	Pass
NAV-10	Mobile menu opens the navigation and navigates	Pass	Pass
NAV-11	Mobile: Add Transaction dialog fits the screen	Pass	Pass

Cross-account data isolation 6 cases

ID	TEST CASE	RESULT
ISO-01	A transaction created by B is invisible to A (UI, search, API list)	Pass
ISO-02	A cannot read, edit or delete B's transaction by id	Pass
ISO-03	B cannot attach A's category to its own transaction	Pass
ISO-04	B cannot rename or delete A's category; A's categories are not listed for B	Pass
ISO-05	B's recurring schedule is invisible to A and cannot be stopped/deleted by A	Pass

ID	TEST CASE	RESULT
ISO-06	Dashboards and reports are computed per account	Pass

Defects

Each defect was reproduced in the final run. Select a defect to see reproduction steps.

FT-001 Deleting a transaction runs immediately, with no confirmation

Medium · High priority

Confirmed · both accounts

Test

`TXN-09`, Transactions

Steps

Open Transactions, then click the trash icon on any row.

Expected

A confirmation step, as Categories and Recurring already have.

Actual

`DELETE /api/transactions/{uuid}` fires at once and the record is gone. There is no undo.

Environment

Chromium · 1440×900

Evidence

`evidence/FT-001-TXN-09-existing-user/` (screenshot, video, trace)

FT-003 "Manage alert preferences" opens the Profile tab, not Alerts

Low · Medium priority

Confirmed · both accounts

Test

NOT-04, Notifications

Steps

Open Notifications, then click "Manage alert preferences".

Expected

`/settings?section=alerts`

Actual

The link's `href` is `/settings`, so it lands on Profile.

Evidence

`evidence/notifications-Notification-0f59d-…`

FT-002 A signed-in user who opens the home URL sees the login form

Low

Suspected · UX

Test

AUTH-09 (records behavior, passes)

Steps

Sign in, then open /.

Expected

Redirect to the dashboard.

Actual

The login form is shown. The session is still valid and `/dashboard` works without signing in again.

FT-004 **"Create family" stays disabled without saying why** Low Confirmed · usability

Test

`FAM-03` (records behavior, passes)

Steps

Open Family on an account with unconfirmed currency, enter a name and tick consent.

Security and data checks

Authentication and isolation all passed

- Logout revokes the token on the server: replaying it returns 401.
- An invalid or expired token sends the user back to login.
- All 9 protected pages redirect anonymous visitors. All 9 data endpoints return 401 without a token.
- Another account's transaction: GET 403, PUT 422, DELETE 403. Category: PUT 403, DELETE 403. Schedule: DELETE 403.
- Attaching another account's category to a transaction is refused (422).
- Lists, search, dashboard and reports never showed the other account's records.
- A script payload in a description is shown as plain text and never runs.

Data consistency all passed

- Dashboard figures match the analytics API, and Total Balance equals Net Savings on Transactions.
- A new expense moves Monthly Expenses, Total Balance, charts and reports by exactly its amount, and everything returns to the original values after deletion.
- The Reports expense total equals the ledger sum for the same dates.
- Records survive a page refresh. Double-clicking Save creates one record.
- The CSV export and the import template both download with columns `Date, Description, Category, Type, Amount, Currency`.

New-user registration

A new account was registered through the real sign-up form and used for the full module run. Each run also registers a throwaway account and deletes it: the cycle covers sign-up, the empty dashboard, logout, login and account deletion, after

which the deleted account can no longer sign in. Registration requires **no email verification**, so nothing was blocked.

Validation covers required fields, invalid email, passwords under 8 characters, mismatched confirmation, one-letter names, password masking, and duplicate emails in any letter case (refused with 422).

Observations

Behavior worth a product decision

- No success message after creating or editing a transaction.
- Future-dated transactions are accepted.
- Transactions offer free-text search only, with no sorting or column filters.
- An inverted custom report range is rejected (422), but the page shows generic text instead of an error.
- A whitespace-only family name passes browser checks. The server side was not tested, because submitting would create a real family.
- Rejecting another user's transaction edit returns 422 rather than 403. Nothing leaks, but validation seems to run before the permission check.

Working as designed

- The currency switcher shows each amount in its recorded currency and resets after a reload, as the Settings text describes.
- A malformed UPI ID is refused by the server ("The recipient field format is invalid.") and no draft is created.
- Unknown URLs redirect to the dashboard.
- No console errors, server errors, unlabeled controls or horizontal overflow on any page at 1440, 768 or 390 px.

Scope limits

Not tested, on purpose

- Real payments: "Prepare payment" was never submitted with valid details.
- Creating a family or sending invitations.
- Google Drive connection (external sign-in), camera access and app install.
- Multi-page transaction lists: neither account has enough records.

Housekeeping

- All test records use the `PW_TEST_` prefix and were removed. Final cleanup reported ok on both accounts.
- One throwaway account from an early development run (…`+pwreg.mvqs`…) could not be deleted. The test has since been fixed.
- The dedicated test account (`e***+pwtest.mvqrrsxy@gmail.com`) now has its currency confirmed and a 500 monthly budget.

> The dedicated test account's password appeared once in the automation session's output, from an early exploration script. It is in no project file. Rotate that password or delete the account if this matters.

Next steps

- **FT-001:** add a confirmation or an undo to transaction delete.
- **FT-003:** point the link to `/settings?section=alerts`.
- **FT-002 and FT-004:** both are small UX fixes.
- Trim and validate whitespace-only names on the server, then extend the family test.
- Seed more than one page of transactions to cover pagination.

Test code, this report and the PDF: https://github.com/EbinJiji/fintrack-playwright. Full Playwright report: `npx playwright show-report` in a local clone.