

Hotel Database – JOIN Queries

1. Display hotel ID, name, and the name of its manager.

The screenshot shows a SQL query window with the following query:

```
--1---  
SELECT  
    b.branch_id,  
    b.bname AS BranchName,  
    s.full_name AS ManagerName  
FROM Branch_TABLE b  
JOIN Staff s  
    ON b.branch_id = s.branch_id  
WHERE s.job_title = 'Manager';
```

The results pane shows a single row:

	branch_id	BranchName	ManagerName
1	1	ali	Ahmed

2. Display hotel names and the rooms available under them.

The screenshot shows a SQL query window with the following query:

```
---2---  
  
SELECT  
    b.bname AS Hotel_Name,  
    r.room_number AS Room_Number,  
    r.room_type AS Room_Type,  
    r.nightly_rate AS Nightly_Rate  
FROM  
    Branch_TABLE b  
LEFT JOIN  
    Room_TABLE r  
    ON  
        b.branch_id = r.branch_id  
ORDER BY  
    b.bname, r.room_number;
```

The results pane shows four rows:

	Hotel_Name	Room_Number	Room_Type	Nightly_Rate
1	ali	101	Single	10000.00
2	ali	102	Double	150000.00
3	ASMA	201	Single	950000.00
4	EBTESAM	NULL	NULL	NULL

3. Display guest data along with the bookings they made.

SQLQuery_CODING...TESAM\ebtes (70))* SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

```

---3---
SELECT
    c.customer_id,
    c.full_name AS Customer_Name,
    c.phone,
    c.email,
    b.booking_id,
    b.check_in_date,
    b.check_out_date
FROM
    Customer_TABLE c
LEFT JOIN
    Booking_TABLE b
ON
    c.customer_id = b.customer_id
ORDER BY
    c.customer_id, b.booking_id;

```

100 %

Results Messages

	customer_id	Customer_Name	phone	email	booking_id	check_in_date	check_out_date
1	1	AHMAD	987456	AHMAD@example.com	1	2025-01-10	2025-01-15
2	1	AHMAD	987456	AHMAD@example.com	4	2025-04-01	2025-04-05
3	2	FATMA	123456	FATMA@example.com	2	2025-02-05	2025-02-10
4	3	Ali	258963	ali@example.com	3	2025-03-12	2025-03-18
5	4	MarYaM	147852	MarYaM@example.com	NULL	NULL	NULL
6	5	sara	123654	sara@example.com	NULL	NULL	NULL

4. Display bookings for hotels in 'Hurghada' or 'Sharm El Sheikh'.

SQLQuery_CODING...TESAM\ebtes (70))* SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

```

---4---
SELECT
    b.booking_id,
    c.full_name AS Customer_Name,
    br.bname AS Hotel_Name,
    br.blocation AS Location,
    r.room_number,
    r.room_type,
    r.nightly_rate,
    b.check_in_date,
    b.check_out_date
FROM
    Booking_TABLE b
JOIN
    Customer_TABLE c ON b.customer_id = c.customer_id
JOIN
    Booking_Room_TABLE brt ON b.booking_id = brt.booking_id
JOIN
    Room_TABLE r ON brt.room_id = r.room_id
JOIN
    Branch_TABLE br ON r.branch_id = br.branch_id
WHERE
    br.blocation IN ('muscat', 'OMAN')
ORDER BY
    br.blocation, br.bname, b.booking_id;

```

100 %

Results Messages

	booking_id	Customer_Name	Hotel_Name	Location	room_number	room_type	nightly_rate	check_in_date	check_out_date
1	1	AHMAD	ali	muscat	101	Single	10000.00	2025-01-10	2025-01-15
2	1	AHMAD	ali	muscat	102	Double	150000.00	2025-01-10	2025-01-15
3	3	Ali	ali	muscat	101	Single	10000.00	2025-03-12	2025-03-18

5. Display all room records where room type starts with "S" (e.g., "Suite", "Single").

SQLQuery_CODING....TESAM\ebtes (70))* SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

```
--5--  
SELECT  
    room_id,  
    branch_id,  
    room_number,  
    room_type,  
    nightly_rate  
FROM  
    Room_TABLE  
WHERE  
    room_type LIKE 'S%';
```

100 %

Results Messages

	room_id	branch_id	room_number	room_type	nightly_rate
1	1	1	101	Single	10000.00
2	3	2	201	Single	950000.00

6. List guests who booked rooms priced between 1500 and 2500 LE.

SQLQuery_CODING....TESAM\ebtes (70))* SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

```
--6--  
SELECT  
    DISTINCT c.customer_id,  
    c.full_name AS Customer_Name,  
    c.phone,  
    c.email  
FROM  
    Customer_TABLE c  
JOIN  
    Booking_TABLE b ON c.customer_id = b.customer_id  
JOIN  
    Booking_Room_TABLE brt ON b.booking_id = brt.booking_id  
JOIN  
    Room_TABLE r ON brt.room_id = r.room_id  
WHERE  
    r.nightly_rate BETWEEN 10000.00 AND 950000.00  
ORDER BY  
    c.customer_id;
```

100 %

Results Messages

	customer_id	Customer_Name	phone	email
1	1	AHMAD	987456	AHMAD@example.com
2	2	FATMA	123456	FATMA@example.com
3	3	Ali	258963	ali@example.com

7. Retrieve guest names who have bookings marked as 'Confirmed' in hotel "Hilton Downtown".

```

SQLQuery_CODING....TESAM\ebtes (70))* X SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM

---7---

SELECT
DISTINCT c.full_name AS Guest_Name
FROM
Customer_TABLE c
JOIN
Booking_TABLE b ON c.customer_id = b.customer_id
JOIN
Booking_Room_TABLE brt ON b.booking_id = brt.booking_id
JOIN
Room_TABLE r ON brt.room_id = r.room_id
JOIN
Branch_TABLE br ON r.branch_id = br.branch_id
WHERE
br.bname = 'SOHAR'
ORDER BY
c.full_name;

```

100 %

Results Messages

Guest_Name

8. Find guests whose bookings were handled by staff member "Mona Ali".

```

SQLQuery_CODING....TESAM\ebtes (70))* X SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

SELECT
DISTINCT c.full_name AS Guest_Name,
c.phone,
c.email
FROM
StaffCustomerAction_TABLE sca
JOIN
Staff s ON sca.staff_id = s.staff_id
JOIN
Customer_TABLE c ON sca.customer_id = c.customer_id
WHERE
s.full_name = 'FATMA'
ORDER BY
c.full_name;

```

100 %

Results Messages

	Guest_Name	phone	email
1	FATMA	123456	FATMA@example.com

9. Display each guest's name and the rooms they booked, ordered by room type.

SQLQuery_CODING....TESAM\ebtes (70))* X SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\

```

---9---
SELECT
  c.full_name AS Guest_Name,
  r.room_number AS Room_Number,
  r.room_type AS Room_Type,
  r.nightly_rate AS Nightly_Rate
FROM
  Customer_TABLE c
JOIN
  Booking_TABLE b ON c.customer_id = b.customer_id
JOIN
  Booking_Room_TABLE brt ON b.booking_id = brt.booking_id
JOIN
  Room_TABLE r ON brt.room_id = r.room_id
ORDER BY
  r.room_type, c.full_name;

```

100 %

Results Messages

	Guest_Name	Room_Number	Room_Type	Nightly_Rate
1	AHMAD	102	Double	150000.00
2	FATMA	201	Single	950000.00
3	AHMAD	101	Single	10000.00
4	Ali	101	Single	10000.00

10. For each hotel in 'Cairo', display hotel ID, name, manager name, and contact info.

SQLQuery_CODING....TESAM\ebtes (70))* X SQLQuery college.s...BTESAM\ebtes (81))* SQLQuery1.sql - EB...BTESAM\ebtes (73))*

```

--10--
SELECT
  b.branch_id AS Hotel_ID,
  b.bname AS Hotel_Name,
  s.full_name AS Manager_Name,
  s.salary AS Manager_Salary,
  s.job_title AS Job_Title
FROM
  Branch_TABLE b
JOIN
  Staff s ON b.branch_id = s.branch_id
WHERE
  b.blocation = 'muscat'
  AND s.job_title = 'Manager'
ORDER BY
  b.branch_id;

```

100 %

Results Messages

	Hotel_ID	Hotel_Name	Manager_Name	Manager_Salary	Job_Title
1	1	ali	Ahmed	5000.00	Manager

11. Display all staff members who hold 'Manager' positions.

The screenshot shows a SQL query window with the following code:

```
--11---
SELECT
    staff_id,
    full_name AS Staff_Name,
    branch_id AS Hotel_ID,
    job_title,
    salary
FROM
    Staff
WHERE
    job_title = 'Manager'
ORDER BY
    full_name;
```

Below the query window, the 'Results' tab is active, displaying a single row of data:

	staff_id	Staff_Name	Hotel_ID	job_title	salary
1	1	Ahmed	1	Manager	5000.00

12. Display all guests and their reviews, even if some guests haven't submitted any reviews

The screenshot shows a SQL query window with the following code:

```
--12---
SELECT
    c.customer_id,
    c.full_name AS Guest_Name,
    r.review_text,
    r.rating
FROM
    Customer_TABLE c
LEFT JOIN
    Reviews_TABLE r ON c.customer_id = r.customer_id
ORDER BY
    c.customer_id;
```

Below the query window, the 'Results' tab is active, displaying five rows of data:

	customer_id	Guest_Name	review_text	rating
1	1	AHMAD	NULL	NULL
2	2	FATMA	NULL	NULL
3	3	Ali	NULL	NULL
4	4	MarYaM	NULL	NULL
5	5	sara	NULL	NULL