

## **D4.1a - VISHNU File Management Services Package Design**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i>  D4.1a - VISHNU File Management Services Package Design		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Benjamin Isnard, Daouda Traoré, Eugène Pamba Capo-Chichi, Kevin Coulomb, and Ibrahima Cissé	March 22, 2011	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME
1	25/01/2011	Deliverable version	SysFera
2	21/03/2011	Modified listDir signature and merged listFileTransfers and listFileTransferStatus.	SysFera

# Contents

<b>1</b>	<b>Document presentation</b>	<b>1</b>
1.1	Document objectives . . . . .	1
1.2	Document structure . . . . .	1
1.3	References . . . . .	1
1.4	Acronyms . . . . .	1
1.5	Glossary . . . . .	2
<b>2</b>	<b>System Architecture</b>	<b>3</b>
2.1	Overview of the FMS software infrastructure . . . . .	3
2.2	Architecture diagrams . . . . .	3
2.2.1	FMS client-side components . . . . .	3
2.2.2	FMS server-side components . . . . .	4
2.2.3	SysFera-DS Bus Details . . . . .	5
<b>3</b>	<b>Internal API specification</b>	<b>6</b>
3.1	Generic definition formats presentation . . . . .	6
3.1.1	Service definition format . . . . .	6
3.2	Definition of the services of the package . . . . .	7
3.2.1	Service fileCreate . . . . .	7
3.2.2	Service DirCreate . . . . .	7
3.2.3	Service fileRemove . . . . .	8
3.2.4	Service DirRemove . . . . .	9
3.2.5	Service grpChange . . . . .	9
3.2.6	Service modeChange . . . . .	10
3.2.7	Service fileHead . . . . .	10
3.2.8	Service fileTail . . . . .	11
3.2.9	Service fileContent . . . . .	12
3.2.10	Service dirList . . . . .	12
3.2.11	Service fileCopy . . . . .	13
3.2.12	Service fileAsyncCopy . . . . .	14
3.2.13	Service fileMove . . . . .	15

---

3.2.14	Service fileAsyncMove . . . . .	15
3.2.15	Service FileTransferCancel . . . . .	16
3.2.16	Service fileTransferStatusList . . . . .	17
3.2.17	Service fileTransfersList . . . . .	17
3.2.18	Service FilesInfo . . . . .	18
<b>4</b>	<b>Internal class and data structures</b>	<b>19</b>
4.1	Introduction . . . . .	19
4.2	FMS client modelization . . . . .	19
4.2.1	Class diagrams . . . . .	19
4.2.1.1	FMS Client Class Diagram . . . . .	19
4.3	FMS server modelization . . . . .	21
4.3.1	Class diagrams . . . . .	21
4.3.1.1	FMS Server Class Diagram . . . . .	21
4.4	FMS data modelization . . . . .	22
4.4.1	Class diagrams . . . . .	22
4.4.1.1	FMS Data Class Diagram . . . . .	22

---

# List of Figures

2.1	FMS client-side components . . . . .	4
2.2	FMS server-side components . . . . .	5
2.3	SysFera-DS Bus Details . . . . .	5
4.1	FMS Client Class Diagram . . . . .	20
4.2	FMS Server Class Diagram . . . . .	21
4.3	FMS Data Class Diagram . . . . .	22

# Chapter 1

## Document presentation

### 1.1 Document objectives

This document presents the detailed internal design of the File Management Services (FMS) package. The purpose of this package is to handle all aspects of file transfer and file property modification within the VISHNU system. The functional and non-functional requirements for this package are those described in the referenced specification documents. The current document is part of the design phase of the software and therefore its main goal is to define the main class used in the FMS software and their relationships.

### 1.2 Document structure

- Chapter 1 contains a brief overview of the document content.
- Chapter 2 contains a high-level overview of the system architecture except the deployment aspect which is well described in the architecture document (cf [D1.1g]).
- Chapter 3 describes the internal API used for remote procedure calls through SysFera-DS.
- Chapter 4 describes the internal class and data structures

### 1.3 References

- [D1.1a]: VISHNU General specifications
- [D1.1b]: VISHNU Spécifications techniques des besoins
- [D1.1c]: VISHNU API Detailed specifications
- [D1.1g]: VISHNU technical architecture
- [D2.1a]: VISHNU users management services package design

### 1.4 Acronyms

- **API**: Application programming interface
  - **CLI**: Command line interface
  - **DB**: DataBase
-

- **n/a**: Not Applicable (used for serializable capability in function descriptions)
- **SeD**: A Server Daemon is a SysFera-DS agent that provides services through the SysFera-DS API.
- **FMS**: File management services
- **WS**: Web services

## 1.5 Glossary

- **Components**: the software components represents a library or an executable program that provides a given interface to other components or to end-users.
  - **Serialized type**: this is a class of data (C++ Class) which instances can be serialized in a XML string before being sent over an API (to or from the API). The data is deserialized on the other side of the channel in order to re-build the same instance of the class.
  - **SysFera-DS**: open-source middleware developped by SysFera.
-

## Chapter 2

# System Architecture

### 2.1 Overview of the FMS software infrastructure

We present in this section a detailed description of the FMS package architecture in terms of software components. In addition we show the dependencies between components to highlight their reuse. These components follow a client/server model. We present the different software layers from services (provided directly to the user) to the database (used by the server). The FMS client server package has been split into eight different interrelated components. The deployment aspects have already been described in the technical architecture document (cf [D1.1g]). The diagrams shown in section 2.1 describe the relationships between these components. The definitions of the components are the following:

- **External API** contains precisely the services provided to the user as defined in the detailed specifications. We're on the client side.
- **Internal API** is the middle layer of the server side. The services announced previously are performed here by combining a set of classes defined in the two following components.
- **FMS Client** contains intermediate (proxy) classes providing remote access to the business objects of **FMS Server**.
- **FMS Server** contains all classes implementing business objects by encapsulating the processing provided through the internal API.
- **Sysfera-DS Client API** is the C++ client API provided by the SysFera-DS toolbox.
- **Sysfera-DS Server API** is the C++ server API provided by the SysFera-DS toolbox.
- **Vishnu Database** has been already describe in [D2.1a]. As we could see, It stores the file transfer data manipulated by the FMS Server.

### 2.2 Architecture diagrams

#### 2.2.1 FMS client-side components

This diagram shows the components that compose the client side of the Vishnu FMS system and their interfaces. Two services among all the services of the FMS external API (see ref. D1.1c) are shown here for example. These services are consumed by several user interfaces: command-line, web services and Python. All the interfaces of the FMS Client component are shown.

---






Figure 2.1: FMS client-side components

## 2.2.2 FMS server-side components

This diagram shows the components that compose the server side of the Vishnu UMS system and their interfaces. Two services among all the services of the UMS internal API are shown here for example. These services are consumed by the UMS Client component through the SysFera-DS API. All the interfaces of the UMS Server component are shown.




Figure 2.2: FMS server-side components

### 2.2.3 SysFera-DS Bus Details

This diagram shows the communication paths between the Client host and two FMS server using the SysFera-DS Bus. The SysFera-DS MasterAgent is a SysFera-DS agent that can be executed on a dedicated host or on the same host as the FMS Server. All the communications between the entities here are done using the CORBA IIOP (Internet Inter-ORB) protocol and the communications can be tunneled through SSH tunnels if necessary. The MasterAgent entity is involved in the choice of one FMS Server in the case of several available FMS servers. The choice will be transparent to the user as all FMS Servers connect to the same database. The diagram shows here all the communication paths in the case where one FMS Server (FMS Server 1) is chosen by the MasterAgent.




Figure 2.3: SysFera-DS Bus Details

## Chapter 3

# Internal API specification

### 3.1 Generic definition formats presentation

This section presents the formats used in this chapter to describe the services provided by the internal API.

#### 3.1.1 Service definition format

##### Access

Here is detailed the access level of the service 'myService' (i.e. the privilege required to use it)

##### Parameters

The following table contains all the input and output parameters of the service, along with their type and description.

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	This is an example of a required string input parameter	IN
listOfJobs	string	ListJobs	This is an example of an object output parameter that is serialized as a string	OUT

##### Description

Here is detailed the purpose of the service 'myService'

##### Return Value

Here are detailed the different return codes provided by the service.

Name	Description
VISHNU_OK	The service has been performed successfully.
TMS_UNKNOWN_MACHINE	This is the human-readable generic message that will be available to the user of the API.

##### Used by this(these) API function(s):

This shows the list of functions from the external Vishnu API (see [D1\_1c]) that use this service.

## 3.2 Definition of the services of the package

### 3.2.1 Service fileCreate

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file to create following the pattern [host:]file path	IN
mode	mode_t	n/a	The file access permissions in octal numeral system.	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileCreate() function creates files on remote machines.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

#### Used by this(these) API function(s):

FMS::createFile

### 3.2.2 Service DirCreate

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The directory to create following the pattern [host:]directory path	IN
mode	mode_t	n/a	the new directories permission access in octal numeral system	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

### Description

The DirCreate() function creates directories on remote machines.

### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

### Used by this(these) API function(s):

FMS::createDir

## 3.2.3 Service fileRemove

### Access

This service can be used by any VISHNU user

### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file to remove following the pattern [host:]file path	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

### Description

The fileRemove() function removes files from remote hosts.

### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

### Used by this(these) API function(s):

FMS::removeFile

### 3.2.4 Service DirRemove

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The directory to remove following the pattern [host:]directory path	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The DirRemove() function removes directories (and subdirectories) from remote machines.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

#### Used by this(these) API function(s):

FMS::removeDir

### 3.2.5 Service grpChange

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file/directory following the pattern [host:]file path	IN
group	string	n/a	the new group owner of file/directory	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The grpChange() function changes group owner of remote files/directories.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

Used by this(these) API function(s):

FMS::chGrp

### 3.2.6 Service modeChange

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file/directory following the pattern [host:]file path	IN
mode	int	n/a	the access rights of file/directory in octal system.	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The modeChange() function changes access rights of remote files/directories.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.

Used by this(these) API function(s):

FMS::chMod

### 3.2.7 Service fileHead

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file following the pattern [host:]file path	IN
fileContent	string	n/a	The first "nLine" lines of the file	OUT
nLine	int	n/a	Number of lines to display	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileHead() function displays a few first lines of files located on remote machines.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

Used by this(these) API function(s):

FMS::headOfFile

### 3.2.8 Service fileTail

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file following the pattern [host:]file path	IN
fileContent	string	n/a	The last "nLine" lines of the file	OUT
nLine	int	n/a	number of lines to display	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileTail() function displays a few last lines of files located on remote machines

#### Return Value

An error code is returned when an error occurs during the execution of the service



Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

Used by this(these) API function(s):

FMS::tailOfFile

### 3.2.9 Service fileContent

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The file to display following the pattern [host:]file path	IN
fileContent	string	n/a	The content of the file	OUT
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileContent() function displays content of files located on remote machines

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
VISHNU_OK	The service has been performed succesfully.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_DB_ERROR	A problem occurs with the database.

Used by this(these) API function(s):

FMS::contentOfFile

### 3.2.10 Service dirList

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
path	string	n/a	The directory to list following the pattern [host:]directory path	IN
dirContent	string	FileStatList	The content of the directory (only files names with short format, all files informations with long format).	OUT
options	string	LsDirOptions	List of options for the listDir command	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The dirList() function displays the content of a remote directory.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed successfully.

#### Used by this(these) API function(s):

FMS::listDir

### 3.2.11 Service fileCopy

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
src	string	n/a	The source file to copy following the pattern [host:]file path	IN
dest	string	n/a	The path of the destination file	IN
options	string	CopyFileOptions	the copy options	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileCopy() function executes a synchronous copy of file.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

Used by this(these) API function(s):

FMS::copyFile

### 3.2.12 Service fileAsyncCopy

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
src	string	n/a	The source file to copy following the pattern [host:]file path	IN
dest	string	n/a	The path of the destination file	IN
thrId	long	n/a	A file tranfer identifier (allowing for instance to ckeck the status of a file transfer, or to cancel it)	OUT
options	string	CopyFileOptions	the copy options	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileAsyncCopy() function executes an asynchronous copy of file.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

Used by this(these) API function(s):

FMS::copyAsyncFile

### 3.2.13 Service fileMove

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
src	string	n/a	The source file to move following the pattern [host:]file path	IN
dest	string	n/a	The path of the destination file	IN
options	string	MvFileOptions	The move command options	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileMove() function executes a synchronous move of file.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

#### Used by this(these) API function(s):

FMS::moveFile

### 3.2.14 Service fileAsyncMove

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
src	string	n/a	The source file to move following the pattern [host:]file path	IN
dest	string	n/a	The path of the destination file	IN
thrId	long	n/a	The file transfer identifier (allowing for instance to ccheck the status of a file transfer, or to cancel it)	OUT
options	string	MvFileOptions	The mv command options	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

### Description

The fileAsyncMove() function executes an asynchronous move of file.

### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

### Used by this(these) API function(s):

FMS::moveAsyncFile

## 3.2.15 Service FileTransferCancel

### Access

This service can be used by any VISHNU user

### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
options	string	StopTransferOptions	The stop file transfer command options	IN

### Description

The FileTransferCancel() function stops an execution of a set of file transfers.

### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

### Used by this(these) API function(s):

FMS::stopFileTransfer

### 3.2.16 Service fileTransferStatusList

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
options	string	LsTrStatusOptions	The filter options	IN

#### Description

The fileTransferStatusList() function displays the status of all file transfers submitted by User.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed successfully.

#### Used by this(these) API function(s):

FMS::listFileTransferStatus

### 3.2.17 Service fileTransfersList

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
fileTransferList	string	FileTransferList	The file transfer container.	OUT
options	string	LsTransferOptions	The filter options	IN
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The fileTransfersList() function displays the history of all file transfers submitted by User.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.

Name	Description
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

Used by this(these) API function(s):

FMS::listFileTransfers

### 3.2.18 Service FilesInfo

#### Access

This service can be used by any VISHNU user

#### Parameters

Parameter	Type	Serialized type	Description	Mode
sessionKey	string	n/a	The session key	IN
pathList	string	n/a	The file whose inode information will be displayed	IN
filesinfo	string	FileStat	The inode information	OUT
errorInfo	string	n/a	Additional information provided when an error code is returned	OUT

#### Description

The FilesInfo() function displays the information of files.

#### Return Value

An error code is returned when an error occurs during the execution of the service

Name	Description
ERRCODE_DB_ERROR	A problem occurs with the database.
ERRCODE_INVALID_CFG_FILE	Option unknown in the config file.
ERRCODE_INVALID_PARAMETER	an option or a parameter provided is invalid for this service.
ERRCODE_INVALID_PATH	The path provided is invalid.
ERRCODE_PERMISSION_DENIED	User does not have permission access.
ERRCODE_SERVER_UNAVAILABLE	The FMS server is unavailable.
ERRCODE_INVALID_MACHINE_ID	Invalid provided machine identifier.
ERRCODE_SESSION_KEY_NOT_FOUND	The session key is unrecognized.
VISHNU_OK	The service has been performed succesfully.

Used by this(these) API function(s):

FMS::getFilesInfo

## Chapter 4

# Internal class and data structures

### 4.1 Introduction

This chapter introduces the details of the implementation of the different components described in chapter 2 (Architecture). It is composed of three sections:

- **Client modelization:** describes the classes used to implement the *FMS Client* component.
- **Server modelization:** describes the classes used to implement the *FMS Server* component.
- **Data modelization:** describes the data structure used to implement the *FMS Client* component and the *FMS Server* component.
- **Vishnu core functions modelization:** describes the classes and data structures used to implement the the VISHNU cross-modules components (components that are used by FMS and other VISHNU modules).

### 4.2 FMS client modelization


#### 4.2.1 Class diagrams

##### 4.2.1.1 FMS Client Class Diagram

This diagram describes all classes used to communicate with VISHNU System. Each class proxy contains the corresponding data class illustrated on the FMS Data modelization section and the methods usable by the FMS Client component. A QueryProxy class implements a generic model to list objects of VISHNU.

---





## 4.3 FMS server modelization

### 4.3.1 Class diagrams

#### 4.3.1.1 FMS Server Class Diagram

This diagram presents the main objects used by FMS server component to process the FMS Client component requests. The relationships between objects (simple dependancies, compositions, aggregations, and generalizations) are highlighted. The Query server performs the list operation.




Figure 4.2: FMS Server Class Diagram

## 4.4 FMS data modelization

### 4.4.1 Class diagrams

#### 4.4.1.1 FMS Data Class Diagram

This diagram illustrates the structure and the relationship between data manipulated by the components Client and Server.




Figure 4.3: FMS Data Class Diagram