Three-Way Contingency Table Analysis

Riley Smith

14 November 2016

```
R
```

```
cnt <- array( ## What we want to generate directly from the data ##
        c(100, 139, 106, 128, 157, 140, 89, 77),
        dim = c(2, 2, 2),
        dimnames = list(
        sex = c("Male", "Female"),
        ind = c("Affiliate", "Independent"),
        response = c("Clinton", "Trump")
))
library(DescTools)
## what the results of the BD & MH tests should be: ##
BreslowDayTest(cnt, correct = FALSE)</pre>
```

Table 1: Breslow-Day test on Homogeneity of Odds Ratios: cnt

Test statistic	df	P value
0.1691	1	0.6809

mantelhaen.test(cnt, correct = TRUE) ## For comparison only, since JTN's handout

Table 2: Mantel-Haenszel chi-squared test with continuity correction: cnt

			Alternative
Test statistic	df	P value	hypothesis
0.346	1	0.5564	two.sided

uses the default MH test method, which
includes Yate's correction

mantelhaen.test(cnt, correct = FALSE)

Table 3: Mantel-Haenszel chi-squared test without continuity correction: cnt

			Alternative
Test statistic	df	P value	hypothesis
0.4293	1	0.5123	two.sided

```
dat <- R.rspss("data/cnnpoll.sav", vlabs = T)</pre>
ft <- with(dat, {
    ftable(dat, row.vars = 1:2, col.vars = 3)
})
ft
```

	"ind"	"party affiliate"	"independent"
"response"	"sex"		
"CLINTON	J " MALE"	100	106
	"FEMALE"	157	89
"TRUMP"	"MALE"	139	128
	"FEMALE"	140	77

```
ftc <- matrix(ft, \underline{nrow} = 4, byrow = T)
ftc
```

```
100 157
139 140
106 89
128
    77
```

```
ftc.a <- array(ftc, \underline{\text{dim}} = c(2, 2, 2), \underline{\text{dimnames}} = \text{list}(
     Gender = c("Male", "Female"),
     Independence = c("Affiliate", "Independent"),
     Response = c("Clinton", "Trump")))
ftc.a[,,"Clinton"]
```


	Affiliate	Independent
Male	100	106
Female	139	128

```
format(ftc.a[,,"Trump"])
```

	Affiliate	Independent
Male	157	89
Female	140	77

mosaicplot(ftc.a, type = "deviance", las = 2, $\underline{\text{color}} = \text{mypal.a75}[\mathbf{c}(5, 16)],$ main = "Visual 2-x-2-x-2 Cross-Tabulation:\n Party Affiliate-x-Gender-x-Response")

Visual 2-x-2-x-2 Cross-Tabulation:



str(BreslowDayTest(ftc.a, correct = FALSE))

List of 5

\$ statistic: Named num 0.169 ..- attr(, "names")= chr "X-squared"

\$ parameter: Named num 1 ..- *attr*(, "names")= chr "df"

\$ p.value : num 0.681

\$ method : chr "Breslow-Day test on Homogeneity of Odds Ratios"

\$ data.name: chr "ftc.a" - attr(*, "class")= chr "htest"

mantelhaen.test(ftc.a, correct = TRUE) ## For comparison only, since JTN's handout

Table 8: Mantel-Haenszel chi-squared test with continuity correction: ftc.a

			Alternative
Test statistic	df	P value	hypothesis
0.346	1	0.5564	two.sided

uses the default MH test method, which ## includes Yate's correction

mantelhaen.test(ftc.a, correct = FALSE)

Table 9: Mantel-Haenszel chi-squared test without continuity correction: ftc.a

			Alternative
Test statistic	df	P value	hypothesis
0.4293	1	0.5123	two.sided

References1

Allaire, JJ, Joe Cheng, Yihui Xie, Jonathan McPherson, Winston Chang, Jeff Allen, Hadley Wickham, Aron Atkins, and Rob Hyndman. rmarkdown: Dynamic Documents for R, 2016. https://CRAN. R-project.org/package=rmarkdown.

Arnold, Jeffrey B. Ggthemes: Extra Themes, Scales and Geoms for *Ggplot*2, 2016. https://CRAN.R-project.org/package=ggthemes.

Aust, Frederik, and Marius Barth. Papaja: Create APA Manuscripts with RMarkdown, 2015. https://github.com/crsh/papaja.

Boettiger, Carl. knitcitations: Citations for Knitr Markdown Files, 2015. https://CRAN.R-project.org/package=knitcitations.

Chang, Winston. Extrafont: Tools for Using Fonts, 2014. https: //CRAN.R-project.org/package=extrafont.

Daroczi, Gergely, and Roman Tsegelskyi. Pander: An R Pandoc Writer, 2015. https://CRAN.R-project.org/package=pander.

Fox, John, and Sanford Weisberg. An R Companion to Applied Regression. Second. Thousand Oaks CA: Sage, 2011. http://socserv. socsci.mcmaster.ca/jfox/Books/Companion.

Francois, Romain. Bibtex: Bibtex Parser, 2014. https://CRAN. R-project.org/package=bibtex.

Highlight: Syntax Highlighter, 2015. https://CRAN.R-project. org/package=highlight.

Qiu, Yixuan. Showtext: Using Fonts More Easily in RGraphs, 2015. https://CRAN.R-project.org/package=showtext.

Qiu, Yixuan, and others. Sysfonts: Loading System Fonts into R, 2015. https://CRAN.R-project.org/package=sysfonts.

R Core Team. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing, 2016. https://www.R-project.org/.

Wickham, Hadley. Ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York, 2009. http://ggplot2.org.

- —. Gtable: Arrange Grobs in Tables, 2016. https://CRAN. R-project.org/package=gtable.
- ———. Scales: Scale Functions for Visualization, 2016. https://CRAN. R-project.org/package=scales.
- -. "The Split-Apply-Combine Strategy for Data Analysis." Journal of Statistical Software 40, no. 1 (2011): 1–29. http://www. istatsoft.org/v40/i01/.
- Tidyr: Easily Tidy Data with Spread() and Gather() Functions, 2016. https://CRAN.R-project.org/package=tidyr.

Wickham, Hadley, and Winston Chang. Devtools: Tools to Make Developing RPackages Easier, 2016. https://CRAN.R-project.org/

¹ Note: This document was created using R-v3.3.2 R Core Team, R, and the following R-packages: base-v3.3. R Core Team, R, bibtex-vo.4. Francois, Bibtex, car-v2.1. Fox and Weisberg, An R Companion to Applied Regression, dplyr-vo.5. Wickham and Francois, Dplyr, DT-vo.2. Xie, DT, extrafontvo.17. Chang, Extrafont, ggplot2-v2.1. Wickham, Ggplot2, knitcitations-v1.o. Boettiger, knitcitations, knitr-v1.14. Xie, Dynamic Documents with R and Knitr, pander-vo.6. Daroczi and Tsegelskyi, Pander, papaja-vo.1. Aust and Barth, Papaja, plyr-v1.8. Wickham, "The Split-Apply-Combine Strategy for Data Analysis.", rmarkdown-v1.1. Allaire et al., rmarkdown, scales-vo.4. Wickham, Scales, tidyr-vo.6. Wickham, Tidyr, ggthemes-v3.2. Arnold, Ggthemes, gtablevo.2. Wickham, Gtable, kableExtra-vo.o. Zhu, KableExtra, tufte-vo.2. Xie and Allaire, Tufte, devtools-v1.12. Wickham and Chang, Devtools, highlight-vo.4. Francois, Highlight, sysfonts-vo.5. Qiu and others, Sysfonts, and showtext-vo.4. Oiu. Showtext

package=devtools.

Wickham, Hadley, and Romain Francois. Dplyr: A Grammar of Data Manipulation, 2015. https://CRAN.R-project.org/package=dplyr. Xie, Yihui. DT: A Wrapper of the Javascript Library Datatables, 2015. https://CRAN.R-project.org/package=DT.

-. Dynamic Documents with R and Knitr. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC, 2015. http://yihui.name/knitr/. Xie, Yihui, and JJ Allaire. Tufte: Tufte's Styles for Rmarkdown Documents, 2016. https://CRAN.R-project.org/package=tufte. Zhu, Hao. KableExtra: Decorate Kable Output Using Pipe Syntax, 2016. https://github.com/haozhu233/kableExtra.