Loglinear Model Analysis

Riley Smith

14 November 2016

$$\log(\mu_{ij}) = \lambda + \lambda_i^X + \lambda_j^Y + \lambda_{ij}^{XY}$$

Data: data/reuters.sav




```
dat <- R.rspss("data/reuters.sav", vlabs = F)
R.msmm(dat)</pre>
```

| | M | SD | Min | Max | NAs |
|----------|-------|-------|-----|------|-----|
| id | 769.5 | 444.1 | 1 | 1538 | 0 |
| response | 0.84 | 0.73 | О | 2 | 0 |
| party | 0.42 | 0.49 | О | 1 | 377 |
| partmiss | 0.25 | 0.43 | О | 1 | 0 |
| ind | 0.14 | 0.35 | O | 1 | O |

```
dat <- dat[, -3]
dat <- subset(dat, response < 2)</pre>
dat <- within(dat, {</pre>
    ind.f <- factor(ind,</pre>
                       levels = unique(ind),
                       labels = c("Independent",
                                    "Affililate"))
    response.f <- factor(response,</pre>
                            \underline{\text{levels}} = \mathbf{c}(0, 1),
                            labels = c("Trump",
                                        "Clinton"))
})
tbl <- table(dat$ind.f, dat$response.f)</pre>
dimnames(tbl) <- list(ind = levels(dat$ind.f),</pre>
                         response = levels(dat$response.f))
mosaicplot(tbl, type = "deviance", las = 2, color = mypal.a75[c(5, 16)])
```





ind

library(MASS)

logmodel <- $loglm(\sim ind + response, digits = 4, data = tbl)$

References1

Allaire, JJ, Joe Cheng, Yihui Xie, Jonathan McPherson, Winston Chang, Jeff Allen, Hadley Wickham, Aron Atkins, and Rob Hyndman. rmarkdown: Dynamic Documents for R, 2016. https://CRAN. R-project.org/package=rmarkdown.

Arnold, Jeffrey B. Ggthemes: Extra Themes, Scales and Geoms for *Ggplot2*, 2016. https://CRAN.R-project.org/package=ggthemes.

Aust, Frederik, and Marius Barth. Papaja: Create APA Manuscripts with RMarkdown, 2015. https://github.com/crsh/papaja.

Boettiger, Carl. knitcitations: Citations for Knitr Markdown Files, 2015. https://CRAN.R-project.org/package=knitcitations.

Chang, Winston. Extrafont: Tools for Using Fonts, 2014. https: //CRAN.R-project.org/package=extrafont.

Daroczi, Gergely, and Roman Tsegelskyi. Pander: An R Pandoc Writer, 2015. https://CRAN.R-project.org/package=pander.

Fox, John, and Sanford Weisberg. An R Companion to Applied Regression. Second. Thousand Oaks CA: Sage, 2011. http://socserv. socsci.mcmaster.ca/jfox/Books/Companion.

Francois, Romain. Bibtex: Bibtex Parser, 2014. https://CRAN. R-project.org/package=bibtex.

Highlight: Syntax Highlighter, 2015. https://CRAN.R-project. org/package=highlight.

Qiu, Yixuan. Showtext: Using Fonts More Easily in RGraphs, 2015. https://CRAN.R-project.org/package=showtext.

Qiu, Yixuan, and others. Sysfonts: Loading System Fonts into R, 2015. https://CRAN.R-project.org/package=sysfonts.

R Core Team. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing, 2016. https://www.R-project.org/.

Venables, W. N., and B. D. Ripley. *Modern Applied Statistics with S*. Fourth. New York: Springer, 2002. http://www.stats.ox.ac.uk/pub/ MASS4.

Wickham, Hadley. Ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York, 2009. http://ggplot2.org.

—. Gtable: Arrange Grobs in Tables, 2016. https://CRAN. R-project.org/package=gtable.

——. Scales: Scale Functions for Visualization, 2016. https://CRAN. R-project.org/package=scales.

 —. "The Split-Apply-Combine Strategy for Data Analysis." Journal of Statistical Software 40, no. 1 (2011): 1-29. http://www. jstatsoft.org/v40/i01/.

——. Tidyr: Easily Tidy Data with Spread() and Gather() Functions,

¹ Note: This document was created using R-v3.3.2 R Core Team, R, and the following R-packages: base-v3.3. R Core Team, R, bibtex-vo.4. Francois, Bibtex, car-v2.1. Fox and Weisberg, An R Companion to Applied Regression, dplyr-vo.5. Wickham and François, Dplyr, DT-vo.2. Xie, DT, extrafont-vo.17. Chang, Extrafont, ggplot2-v2.1. Wickham, Ggplot2, knitcitations-v1.o. Boettiger, knitcitations, knitr-v1.14. Xie, Dynamic Documents with R and Knitr, pander-vo.6. Daroczi and Tsegelskyi, Pander, papaja-vo.1. Aust and Barth, Papaja, plyr-v1.8. Wickham, "The Split-Apply-Combine Strategy for Data Analysis.", rmarkdown-v1.1. Allaire et al., rmarkdown, scales-vo.4. Wickham, Scales, tidyr-vo.6. Wickham, Tidyr, ggthemes-v3.2. Arnold, Ggthemes, gtable-vo.2. Wickham, Gtable, kableExtravo.o. Zhu, KableExtra, tufte-vo.2. Xie and Allaire, Tufte, MASS-v7.3. Venables and Ripley, Modern Applied Statistics with S, devtools-v1.12. Wickham and Chang, Devtools, highlight-vo.4. Francois, Highlight, sysfonts-vo.5. Qiu and others, Sysfonts, and showtext-vo.4. Qiu, Showtext

2016. https://CRAN.R-project.org/package=tidyr.

Wickham, Hadley, and Winston Chang. Devtools: Tools to Make Developing RPackages Easier, 2016. https://CRAN.R-project.org/ package=devtools.

Wickham, Hadley, and Romain Francois. Dplyr: A Grammar of Data Manipulation, 2015. https://CRAN.R-project.org/package=dplyr.

Xie, Yihui. DT: A Wrapper of the Javascript Library Datatables, 2015. https://CRAN.R-project.org/package=DT.

—. Dynamic Documents with R and Knitr. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC, 2015. http://yihui.name/knitr/.

Xie, Yihui, and JJ Allaire. Tufte: Tufte's Styles for Rmarkdown Documents, 2016. https://CRAN.R-project.org/package=tufte.

Zhu, Hao. KableExtra: Decorate Kable Output Using Pipe Syntax, 2016. https://github.com/haozhu233/kableExtra.