Three-Way Contingency Table Analysis

Riley Smith

09 November 2016

Contents

```
cnt <- array( ## What we want to generate directly from the data ##
    c(100, 139, 106, 128, 157, 140, 89, 77),
    dim = c(2, 2, 2),
    dimnames = list(
    sex = c("Male", "Female"),
    ind = c("Affiliate", "Independent"),
    response = c("Clinton", "Trump")
))
library(DescTools)
## what the results of the BD & MH tests should be: ##
BreslowDayTest(cnt, correct = FALSE)
```

Table 1: Breslow-Day test on Homogeneity of Odds Ratios: cnt

Test statistic	df	P value
0.1691	1	0.6809

```
mantelhaen.test(cnt, correct = TRUE) ## For comparison only, since JTN's handout
```

Table 2: Mantel-Haenszel chi-squared test with continuity correction: cnt

Test statistic	df	P value	Alternative hypothesis
0.346	1	0.5564	two.sided

```
                            ## uses the default MH test method, which
                            ## includes Yate's correction ##
mantelhaen.test(cnt, correct = FALSE)
```

Table 3: Mantel-Haenszel chi-squared test without continuity correction: `cnt`

Test statistic	df	P value	Alternative hypothesis
0.4293	1	0.5123	two.sided

```
dat <- R.rspss("data/cnnpoll.sav", vlabs = T)
ft <- with(dat, {
    ftable(dat, row.vars = 1:2, col.vars = 3)
})
ft
```

"response"	"sex"	"ind" "party affiliate"	"independent"
"CLINTON"	"MALE"	100	106
	"FEMALE"	157	89
"TRUMP"	"MALE"	139	128
	"FEMALE"	140	77

```
ftc <- matrix(ft, nrow = 4, byrow = T)
ftc
```

100	157
139	140
106	89
128	77

```
ftc.a <- array(ftc, dim = c(2, 2, 2), dimnames = list(
    Gender = c("Male", "Female"),
    Independence = c("Affiliate", "Independent"),
    Response = c("Clinton", "Trump")))
ftc.a[,,"Clinton"]
```

	Affiliate	Independent
Male	100	106
Female	139	128

```
format(ftc.a[,,"Trump"])
```

	Affiliate	Independent
Male	157	89
Female	140	77

```
mosaicplot(ftc.a, type = "deviance", las = 2,
           color = mypal.a75[c(5, 16)],
           main = "Visual 2-x-2-x-2 Cross-Tabulation:\n
           Party Affiliate-x-Gender-x-Response")
```

Visual 2-x-2-x-2 Cross-Tabulation:

Party Affiliate-x-Gender-x-Response


```
str(BreslowDayTest(ftc.a, correct = FALSE))
```

List of 5
$ statistic: Named num 0.169
..- attr(, *"names"*)= *chr "X-squared"*
$ parameter: Named num 1
..- *attr*(, "names")= chr "df"
$ p.value : num 0.681
$ method : chr "Breslow-Day test on Homogeneity of Odds Ratios"

$ data.name: chr "ftc.a"
- attr(*, "class")= chr "htest"

```
mantelhaen.test(ftc.a, correct = TRUE) ## For comparison only, since JTN's handout
```

Table 8: Mantel-Haenszel chi-squared test with continuity correction: `ftc.a`

Test statistic	df	P value	Alternative hypothesis
0.346	1	0.5564	two.sided

```
                              ## uses the default MH test method, which
                              ## includes Yate's correction ##
mantelhaen.test(ftc.a, correct = FALSE)
```

Table 9: Mantel-Haenszel chi-squared test without continuity correction: `ftc.a`

Test statistic	df	P value	Alternative hypothesis
0.4293	1	0.5123	two.sided

References[1]

Allaire, JJ, Joe Cheng, Yihui Xie, Jonathan McPherson, Winston Chang, Jeff Allen, Hadley Wickham, Aron Atkins, and Rob Hyndman. *rmarkdown: Dynamic Documents for R*, 2016. `https://CRAN.R-project.org/package=rmarkdown`.

Arnold, Jeffrey B. *Ggthemes: Extra Themes, Scales and Geoms for Ggplot2*, 2016. `https://CRAN.R-project.org/package=ggthemes`.

Aust, Frederik, and Marius Barth. *Papaja: Create APA Manuscripts with RMarkdown*, 2015. `https://github.com/crsh/papaja`.

Boettiger, Carl. *knitcitations: Citations for Knitr Markdown Files*, 2015. `https://CRAN.R-project.org/package=knitcitations`.

Chang, Winston. *Extrafont: Tools for Using Fonts*, 2014. `https://CRAN.R-project.org/package=extrafont`.

Daroczi, Gergely, and Roman Tsegelskyi. *Pander: An R Pandoc Writer*, 2015. `https://CRAN.R-project.org/package=pander`.

Fox, John, and Sanford Weisberg. *An R Companion to Applied Regression*. Second. Thousand Oaks CA: Sage, 2011. `http://socserv.socsci.mcmaster.ca/jfox/Books/Companion`.

Francois, Romain. *Bibtex: Bibtex Parser*, 2014. `https://CRAN.R-project.org/package=bibtex`.

———. *Highlight: Syntax Highlighter*, 2015. `https://CRAN.R-project.org/package=highlight`.

Qiu, Yixuan. *Showtext: Using Fonts More Easily in RGraphs*, 2015. `https://CRAN.R-project.org/package=showtext`.

Qiu, Yixuan, and others. *Sysfonts: Loading System Fonts into R*, 2015. `https://CRAN.R-project.org/package=sysfonts`.

R Core Team. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing, 2016. `https://www.R-project.org/`.

Wickham, Hadley. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York, 2009. `http://ggplot2.org`.

———. *Gtable: Arrange Grobs in Tables*, 2016. `https://CRAN.R-project.org/package=gtable`.

———. *Scales: Scale Functions for Visualization*, 2016. `https://CRAN.R-project.org/package=scales`.

———. "The Split-Apply-Combine Strategy for Data Analysis." *Journal of Statistical Software* 40, no. 1 (2011): 1–29. `http://www.jstatsoft.org/v40/i01/`.

———. *Tidyr: Easily Tidy Data with Spread() and Gather() Functions*, 2016. `https://CRAN.R-project.org/package=tidyr`.

Wickham, Hadley, and Winston Chang. *Devtools: Tools to Make Developing RPackages Easier*, 2016. `https://CRAN.R-project.org/`

[1] **Note:** This document was created using *R-v3.3.2* R Core Team, *R*, and the following *R-packages*: *base-v3.3.* R Core Team, *R, bibtex-v0.4.* Francois, *Bibtex, car-v2.1.* Fox and Weisberg, *An R Companion to Applied Regression, dplyr-v0.5.* Wickham and Francois, *Dplyr, DT-v0.2.* Xie, *DT, extrafont-v0.17.* Chang, *Extrafont, ggplot2-v2.1.* Wickham, *Ggplot2, knitcitations-v1.0.* Boettiger, *knitcitations, knitr-v1.14.* Xie, *Dynamic Documents with R and Knitr, pander-v0.6.* Daroczi and Tsegelskyi, *Pander, papaja-v0.1.* Aust and Barth, *Papaja, plyr-v1.8.* Wickham, "The Split-Apply-Combine Strategy for Data Analysis.", *rmarkdown-v1.1.* Allaire et al., *rmarkdown, scales-v0.4.* Wickham, *Scales, tidyr-v0.6.* Wickham, *Tidyr, ggthemes-v3.2.* Arnold, *Ggthemes, gtable-v0.2.* Wickham, *Gtable, kableExtra-v0.0.* Zhu, *KableExtra, tufte-v0.2.* Xie and Allaire, *Tufte, devtools-v1.12.* Wickham and Chang, *Devtools, highlight-v0.4.* Francois, *Highlight, sysfonts-v0.5.* Qiu and others, *Sysfonts*, and *showtext-v0.4.* Qiu, *Showtext*

package=devtools.

Wickham, Hadley, and Romain Francois. *Dplyr: A Grammar of Data Manipulation*, 2015. `https://CRAN.R-project.org/package=dplyr`.

Xie, Yihui. *DT: A Wrapper of the Javascript Library Datatables*, 2015. `https://CRAN.R-project.org/package=DT`.

———. *Dynamic Documents with R and Knitr*. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC, 2015. `http://yihui.name/knitr/`.

Xie, Yihui, and JJ Allaire. *Tufte: Tufte's Styles for Rmarkdown Documents*, 2016. `https://CRAN.R-project.org/package=tufte`.

Zhu, Hao. *KableExtra: Decorate Kable Output Using Pipe Syntax*, 2016. `https://github.com/haozhu233/kableExtra`.