



The National Intimate Partner and Sexual Violence Survey (NISVS)

Detailed State Tables

Table 7.4
Lifetime Prevalence of Rape, Physical Violence, and/or Stalking by an Intimate Partner by State of Residence—U.S. Women, NISVS 2010

State	Weighted %	(95% C.I.)	Estimated Number of Victims ¹	(95% C.I.) ¹
United States Total	35.6	(34.1-37.1)	42,420,000	(40,310,000-44,529,000)
Alabama	31.0	(23.6-39.6)	582,000	(428,000-735,000)
Alaska	44.2	(34.9-53.9)	109,000	(81,000-137,000)
Arizona	36.5	(27.5-46.5)	891,000	(611,000-1,170,000)
Arkansas	37.3	(29.2-46.1)	420,000	(311,000-529,000)
California	32.9	(27.9-38.4)	4,563,000	(3,751,000-5,375,000)
Colorado	32.7	(24.8-41.6)	618,000	(439,000-797,000)
Connecticut	32.9	(24.4-42.7)	462,000	(317,000-607,000)
Delaware	34.9	(23.6-48.1)	124,000	(85,000-162,000)
District of Columbia	*	*	*	*
Florida	34.2	(27.1-42.2)	2,546,000	(1,878,000-3,214,000)
Georgia	35.1	(27.5-43.5)	1,310,000	(970,000-1,649,000)
Hawaii	35.7	(24.2-49.1)	179,000	(106,000-252,000)
Idaho	29.3	(22.3-37.4)	166,000	(122,000-209,000)
Illinois	37.7	(28.5-47.8)	1,882,000	(1,250,000-2,514,000)
Indiana	40.4	(32.7-48.5)	1,001,000	(771,000-1,232,000)
Iowa	31.3	(23.8-40.0)	368,000	(254,000-482,000)
Kansas	29.0	(20.3-39.6)	312,000	(187,000-437,000)
Kentucky	37.5	(29.9-45.8)	638,000	(482,000-794,000)
Louisiana	33.4	(24.9-43.0)	586,000	(408,000-765,000)

Maine	36.6	(26.5-48.1)	199,000	(120,000-277,000)
Maryland	42.1	(33.1-51.6)	957,000	(715,000-1,199,000)
Massachusetts	31.7	(23.2-41.5)	851,000	(565,000-1,138,000)
Michigan	41.8	(32.6-51.6)	1,638,000	(1,160,000-2,116,000)
Minnesota	33.7	(25.6-42.8)	684,000	(465,000-903,000)
Mississippi	40.1	(30.5-50.6)	460,000	(325,000-595,000)
Missouri	36.1	(28.0-45.1)	854,000	(618,000-1,089,000)
Montana	39.2	(30.7-48.4)	149,000	(111,000-187,000)
Nebraska	38.5	(30.3-47.4)	263,000	(197,000-330,000)
Nevada	48.1	(38.9-57.5)	465,000	(351,000-579,000)
New Hampshire	40.4	(30.8-50.7)	214,000	(143,000-286,000)
New Jersey	26.2	(18.0-36.5)	902,000	(562,000-1,241,000)
New Mexico	34.4	(26.7-43.0)	263,000	(193,000-333,000)
New York	32.3	(25.3-40.2)	2,544,000	(1,855,000-3,232,000)
North Carolina	43.9	(36.3-51.8)	1,615,000	(1,251,000-1,978,000)
North Dakota	25.3	(17.3-35.3)	64,000	(38,000-89,000)
Ohio	35.6	(26.9-45.2)	1,629,000	(1,140,000-2,118,000)
Oklahoma	49.1	(39.8-58.5)	697,000	(519,000-874,000)
Oregon	37.3	(29.7-45.7)	561,000	(423,000-698,000)
Pennsylvania	37.7	(30.2-45.9)	1,927,000	(1,453,000-2,401,000)
Rhode Island	29.9	(21.4-40.1)	129,000	(83,000-175,000)
South Carolina	41.5	(31.7-52.1)	752,000	(504,000-1,000,000)
South Dakota	33.7	(22.2-47.5)	104,000	(51,000-158,000)
Tennessee	40.0	(31.9-48.6)	997,000	(745,000-1,249,000)
Texas	34.5	(28.4-41.1)	3,116,000	(2,471,000-3,761,000)
Utah	36.9	(29.1-45.4)	355,000	(255,000-455,000)
Vermont	33.6	(25.2-43.1)	85,000	(60,000-110,000)
Virginia	31.3	(23.7-40.1)	971,000	(679,000-1,262,000)
Washington	42.6	(34.7-50.9)	1,094,000	(828,000-1,359,000)

West Virginia	33.6	(25.7-42.6)	249,000	(183,000-314,000)
Wisconsin	32.4	(25.3-40.4)	714,000	(529,000-898,000)
Wyoming	35.8	(26.4-46.4)	73,000	(49,000-97,000)

¹ Rounded to the nearest thousand.

*Estimate is not reported; relative standard error > 30% or cell size ≤ 20.

[Back to NISVS main page \(/violenceprevention/nisvs/index.html\)](/violenceprevention/nisvs/index.html)

Page last reviewed: November 14, 2014

Page last updated: November 14, 2014

Content source: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control, Division of Violence Prevention

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30329-4027, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348 - [Contact CDC-INFO](#)

