

# 5G: The Next Step in Mobile Communications

Rebecca Kane

**Abstract**—This will be the abstract - short passage, intro, basic ideas, what review will be about etc. Filler text. Five lines.

**Index Terms**—5G, telecommunications, networks, (will amend when review finished).

## I. INTRODUCTION

In recent years, particularly the last decade, the mobile telecommunications industry has enjoyed rapid growth and countless advancements in its technology. From the introduction of first generation wireless cellular technology (*1G*) in the 1980s, right up to the fourth generation (*4G*) available in most countries around the world today, we have seen exponential improvement in services.

Since the momentous event of the first mobile phone call over a cellular network in 1973 [1], the way we share information and communicate with one another has changed dramatically. Technology now surrounds us in everyday life, with the smartphone being the device of choice for most of the developed world. We expect to almost always be connected, and also be provided with fast communication speeds and a reliable connection with little to no down-time. With the introduction of social media in particular, we are now generating massive amounts of data and require more robust networks to handle such data. In [2], Andrews et al claim that the amount of IP data handled by wireless networks would increase from around 3 exabytes in 2010, to 190 exabytes in 2018. Our current demands and expectations regarding data creation and transfer, coupled with an estimated 18 billion devices connected to the internet in 2017 [3] and that number set to increase exponentially, means our networks are facing a worldwide shortage in bandwidth.

In this literature review, we will first discuss briefly the history of mobile communications, as well as current technologies in the fourth generation of mobile communications standards. The review will focus mainly on proposed key technologies for the fifth generation (*5G*) of standards, and the possible applications of *5G*.

### A. A Brief History

In April 1973, head of Motorola's communication systems division, Martin Cooper, made the first wireless phone call from a hand-held device to Bell Labs, a rival of Motorola [1]. This event paved the way for subsequent wireless communication, allowing for analog wireless phone conversations, with the first generation of mobile communications standards being deployed around the developed world between 1979 and 1982 [4]. A decade later the second generation of standards, *2G*, was introduced, providing digitally encrypted phone conversations and simple data transfer. *2G* was more secure than *1G* and

provided us with the ability to send text messages, with the first SMS being sent in 1992.

As the World Wide Web became more accessible to the average person in the mid-late 1990s, the dream of accessing the internet wirelessly began, and third generation (*3G*) of standards began development. The first commercial *3G* networks were deployed across the world between 2001 and 2004, and provided data transfer speeds of up to 3Mbps [1] as well as access to the internet through mobile browsers. As this technology became more widespread and everyday use of the internet continued to grow, it became evident that *3G* was no longer enough.

### B. Fourth Generation and Current Limitations

As mobile devices became more advanced in the late 2000s, it became clear that we needed a new generation of mobile communications capable of meeting our demands. Unlike the migration from *1G* to *2G*, and *2G* to *3G*, the creation of a fourth generation (*4G*) of standards did not provide any additional services from the user's point of view, rather an improvement on existing services. By 2012, *4G LTE (Long Term Evolution)* networks had already been implemented in countries such as Sweden and the United States, and initial deployments were beginning the United Kingdom [5].

According to Gartner [6], *4G* provides users with peak data transfer speeds of 100Mbps (*megabits-per-second*). While these speeds on paper are attractive, the actual speed a user may experience may be significantly less and depends on a variety of different factors, such as network traffic levels and signal strength. With current *4G* networks operating on radio waves, which broadcast under 6GHz on the frequency spectrum, this means every device connected to the network uses this small band in the spectrum. Estimates of total number of connected devices (including landlines, mobile phones, televisions and kettles to name a few) are currently at 18 billion [3], with this number increasing rapidly. This growing number implies the band of frequency used for *4G* is already becoming too crowded and will continue to worsen, leading to slower speeds for users. Herein lies possibly *4G*'s greatest problem.

## II. FIFTH GENERATION

While our present problems of signal loss or slow speeds at peak times may not be considered critical issues, the desire for a faster, more efficient service will always drive advancements in communications standards. Much like the transition from *3G* to *4G*, our next family of standards will not concern an expansion of service, but rather an improvement on existing services using new technologies. *5G* will bring more efficient communication methods, thus allowing for faster movement of data coupled with increased reliability.

### A. The Definition of 5G

Presently there is no fixed definition for 5G, and the standards for 5G are continuously being reviewed. However, the Institute of Electrical and Electronics Engineers (*IEEE*) have defined three core features of 5G [7], outlined below.

**1) Massive Connectivity.** The *Internet of Things* era is defined as the point in time where the number physical devices connected to the internet overtook the number of people connected. The ever-growing expanse of the Internet of Things suggests that 5G networks will have to be capable of handling enormous numbers of non-traditional devices, such as fridges, televisions, kettles, home heating, and lighting, for example.

**2) Capacity Enhancement.** As mentioned in *I-B*, our current 4G networks are struggling under increasing numbers of devices. While no prediction is certain, in June 2017 *Ericsson* predicted the number of connected devices to rise from 18 billion in 2017, to 29 billion in 2022 [3]. Regardless of how accurate this prediction may come to be, one simply has to look at the increase from approximately 13 billion devices recorded in 2014 [3] to today, to understand how critical it is that we allow for future growth at the same rate, if not higher. Increase in capacity must therefore be core to any future generation of mobile communications.

**3) Ultra High Reliability and Low Latency.** Demands and expectations placed on our networks today differ greatly in comparison to those at the beginning of mobile communications, and even at the introduction of 3G and 4G networks. We find ourselves irked at the sight of no signal on our devices, regardless of how infrequent it may be. It is this aversion to down-time that makes ultra high reliability a focus point for improvement. *Latency* is defined as the amount of time it takes for data to travel from one point on a network to another, with emphasis placed on speed over integrity of data. For example, low latency is ideal for voice calls or online gaming, where near instant communication and data transfer is highly desired, if not necessary.

## III. PROPOSED TECHNOLOGIES

With three fundamental motivations behind 5G in mind, we must then contemplate the technologies required to achieve such goals. Like 5G standards, the technologies for 5G networks have also not been completely decided on. However, some popular promising technologies have emerged and include; Millimetre waves, small cells, massive MIMO (Multiple In Multiple Out), Beamforming and Full Duplex.

### A. Millimetre Waves

As acknowledged in *II-A-2*, one of the most pressing issues 5G needs to solve is an insufficient capacity in our networks for our current forecasts concerning device numbers. Current radio wave-based networks are utilising frequencies under 6GHz, only a minuscule portion of the area of electromagnetic spectrum allocated to radio and micro-waves. A promising solution to capacity problems is to simply utilise more of the frequency spectrum. Unfortunately, this is much more complicated than plainly allowing waves to travel over a wider variety of frequencies.

Through the use of millimetre waves (*mmWaves*), broadcast between 30 and 300GHz, a wide area of the spectrum previously unused for communications would be made available. According to Ghosh *et al* in [8], bands of particular interest include those between 20 and 90 GHz, specifically the 27.5-29.5, 36-40, 71-76 and 81-86GHz bands. While the 57-64GHz band could in theory also be used, new wireless standard 802.11ad has already been developed to operate in this band. Fortunately, there is still up to 16GHz of available space in the remaining suggested bands.

These suggested bands would not only improve network capacity, but would also allow for transfer of data at astonishing rates compared to those of today - up to 10Gpbs (*gigabits-per-second*), with latencies of less than 1 millisecond [8]. Millimetre waves are an attractive technology not only from the perspective of transfer speed, but also data integrity. Compact waves travel faster than longer, less compact waves (such as radio waves), and due to their small size are also less likely to be disrupted during transmission.

### B. Small Cells

While millimetre waves sound promising with respect to both capacity and speed, they are regrettably not ideal over long distances and can be easily absorbed by atmospheric conditions such as rain or cloud. Signal can also be lost by way of blockage by natural and man-made objects such as trees and buildings, meaning they have previously been dismissed with regard to mobile communications. The solution to this problem lies in increasing the density or closeness of our networks.

By incorporating stations known as small cells - smaller, more portable base stations - we could bypass the issue of signals being lost through obstacles. In one case, when small cells were placed at 200m intervals, waves broadcast between 70-90GHz showed weakening of wave strength due to atmospheric conditions to be roughly (to be edited.....) between 0.06 and 0.08 decibels per kilometre in 28 and 38GHz bands, and

### C. Massive MIMO: Multiple Input Multiple Output

### D. Beamforming

### E. Full Duplex

### F. Problems Facing 5G

Might make this into section of its own, or tie with use cases as subsections of "Future of 5G" or similar. Cost, infrastructure etc. Companies / investment. Rural / cities. Health hazards. Refer to presentation notes.

## IV. USE CASES FOR 5G

### A. In Personal Life

Gaming, streaming, IoT / smart homes, always connected.

### B. The Bigger Picture

Education, business / agriculture / monitoring, transport (autonomous), medical.

## V. CONCLUSION

### REFERENCES

- [1] T. Farley. “Mobile Telephone History”. In: *Teletronikk* 101.3/4 (2006), pp. 22–34.
- [2] J. Andrews et al. “What Will 5G Be?” In: *IEEE Journal on Selected Areas in Communications* 32.6 (2014), pp. 1065–1082. DOI: 10.1109/JSAC.2014.2328098.
- [3] Ericsson. *Internet of Things Outlook, June 2017*. URL: <https://www.ericsson.com/en/mobility-report/internet-of-things-outlook>.
- [4] P. Sharma. “Evolution of Mobile Wireless Communication Networks - 1G to 5G as well as Future Prospective of Next Generation Communication Network”. In: *International Journal of Computer Science and Mobile Computing* 2.8 (2013), pp. 47–53.
- [5] J. Miller. *Vodafone and O2 Begin Limited Roll-Out of 4G Networks*. URL: [www.bbc.com/news/technology-23868082](http://www.bbc.com/news/technology-23868082).
- [6] Gartner. *4G Standard*. URL: <https://www.gartner.com/it-glossary/4g-standard/>.
- [7] Institute of Electrical and Electronics Engineers. *Standards - 5G*. URL: <https://5g.ieee.org/standards>.
- [8] A. Ghosh et al. “Millimeter-Wave Enhanced Local Area Systems: A High-Data-Rate Approach for Future Wireless Networks”. In: *IEEE Journal on Selected Areas in Communications* 32.6 (2014), pp. 1152–1163. DOI: 10.1109/JSAC.2014.2328111.