Randomization Plan

Fillable PDF. Click a blue box to type; tick the small squares. Save with **File › Save** and attach the saved PDF to your assignment. Works best in the free Adobe Acrobat Reader; macOS Preview and web browsers also work. If an answer does not fit its box, continue it on an extra page. Source: `Step_04_Study_Architecture_and_Experimental_Design/design_docs/randomization_plan.md` (rebuild with `tools/make_fillable_pdfs.py`).

Document the random assignment procedure here. This file should be completed **before** data collection begins and referenced in your pre-registration.

Study Metadata

Field	Entry
Study title	
Design type	☐ RCT-BACI ☐ Quasi-experimental BACI ☐ ACI ☐ Within-subjects ☐ Other:
Number of arms / conditions	
Blocking / stratification variables (if any)	
Random seed	
Software used	☐ R (`set.seed()`) ☐ Python (`numpy.random.seed()`) ☐ Qualtrics randomizer ☐ Other:
Script file path	`code/randomization.R` or `code/randomization.py`
Person who generated assignment	
Date generated	

Condition Descriptions

Condition label	Description	N allocated
Control		
Treatment 1		
Treatment 2 (if any)		

Allocation Ratio

- Planned ratio (e.g., 1:1, 2:1 treatment:control):
- Justification for unequal allocation (if applicable):

Stratification / Blocking

☐ No blocking — simple randomization.

☐ Blocked randomization. Block size: _____ . Rationale: _____

☐ Stratified randomization. Stratification variable(s): _____

☐ Minimization / covariate-adaptive randomization. Variables minimized on: _____

Implementation

☐ Assignment sequence generated before any participant is enrolled.

☐ Assignment sequence stored in a locked file (not accessible to data collectors if blinding is required).

☐ Assignment delivered to participants via: ☐ Survey platform randomizer ☐ Researcher ☐ Automated system

☐ Blinding: ☐ Participants blind to condition ☐ Data analysts blind until lock ☐ Not blinded (document reason)

Balance Check (complete after enrollment closes)

Run a balance table comparing treatment arms on key baseline covariates. Paste output or file reference here.

Covariate	Control M (SD)	Treatment M (SD)	p-value
Age			
Gender			
Education			
Prior contact with focal species			
Baseline attitude score			

☐ No statistically significant imbalances detected ($p > .05$ for all covariates).

☐ Imbalances detected on: _____ → will be included as covariates in primary analysis.

Deviations Log

Record any deviations from the pre-specified randomization plan.

Date	Deviation	Reason	Impact on analysis

Date	Deviation	Reason	Impact on analysis

Need more rows? Add a continuation page or attach a spreadsheet with the same columns.

Cross-reference: `study_design_checklist.md` *§5* · `../Step_05_PreRegistration/` · `../Step_09_Power_and_Sampling/`