Mooner Handoff

Where the project stands on 2 Oct 2026, what is waiting on you, and what comes next. After the handoff: the full blueprint, with the architecture, a presale from start to end, and every screen on the phone and the web. Screens with solid frames are built; dashed purple frames are planned.

branch feat/mooner-wireframe HEAD 57472fc 2 Oct 2026 Clock In deadline 9 Oct 2026, 09:59 EEST

Built Planned Coins, wallets and amounts on the screens are examples

Handoff · In one minute · Architecture · A presale, start to end · Phone app · Web app · Landing site · Build status · Repo map

HANDOFF

Where things stand

Date: 2026-10-02 · **Branch:** `feat/mooner-wireframe` · **HEAD:** `57472fc`

Tests at HEAD: engine 449/449 pass · mobile 258/258 pass

Blueprint (architecture + wireframes): https://claude.ai/artifact/Vk4SU7xkuDUt8d27m3WV3V

---

1. What Mooner is

- A Solana presale launchpad. A coin's presale fills to 0.5 SOL, then launches on Meteora DBC.
- People join with 0.1–0.5 SOL seats. A full presale launches in one transaction.
- Tokens arrive by themselves (the keeper sends claims). A failed or expired presale refunds.
- Joining, leaving and changing a seat happen inside MagicBlock's Ephemeral Rollup (no fee).
- Three surfaces: web app (app.mooner.family), Android phone app (Solana Mobile hackathon), landing page (mooner.family).

2. Where things are

FOLDER	WHAT IT IS
`programs/presale/`	Rust presale program (native `solana_program`, 17 instructions)
`engine/src/`	Shared JS: transaction builders, flows, rules. Used by server, web and phone
`engine/server/`	The Railway server: API, websocket hub, feed, keeper, launch bot, SQLite store
`web/`	Vite + React + zustand web app
`mobile/`	Expo SDK 55 Android app (Seeker)
`site/`	Landing page + waitlist server (not committed, by design)
`deploy/`	Railway deploy script and Dockerfiles
`docs/superpowers/specs/`	Designs. Main one: `2026-09-29-mooner-seeker-app-design.md`
`docs/superpowers/plans/`	One implementation plan per piece

3. State of each piece (phone app spec)

#	PIECE	STATE	WHAT'S LEFT
1	Core app (sign-in, Live, room, join, chat, get SOL back, Launched, Me)	Built	—
2	Trade + coin page	Built	—
3	Share links (`?ref=`, App Links)	Built, checks left	Railway signing-fingerprint step (you), then phone link checks (Task 11)
4	Create (picture, details, commit, open)	7 of 10 tasks	Task 7 device check, then Tasks 8–10 (8 and 9 are your steps)
5	Push alerts, Follow, Auto-join	3 of 16 tasks	Task 3 small fixes, then Tasks 4–16. Nothing wired into the server yet
6	XP + Seeker Genesis	Plan written (18 tasks), not committed	Your answers to the plan's 16 open questions
7	SKR join	Not started	Plan
8	Hackathon submission kit (APK, video, deck)	Not started	Plan

Hackathon deadline: submissions close 2026-10-09 09:59 EEST.

4. Waiting on you

1. **Release signing key.** Finish `keytool`, then create `~/.gradle/gradle.properties`:

   ```
   MOONER_RELEASE_SIGN=1
   MOONER_UPLOAD_STORE_FILE=/Users/yordanlasonov/mooner-keys/mooner-upload.keystore
   MOONER_UPLOAD_STORE_PASSWORD=<pw>
   MOONER_UPLOAD_KEY_ALIAS=mooner-upload
   MOONER_UPLOAD_KEY_PASSWORD=<pw>
   ```

   Then `chmod 600 ~/.gradle/gradle.properties` and back up the keystore. Checked 2026-10-02: the file is missing and `~/mooner-keys` is empty.
2. **The phone.** Plug in the Seeker and allow USB debugging (no device seen 2026-10-02). Then run `adb uninstall family.mooner.app` once, so the release-signed build can install.
3. **Piece 3 Task 10.** Set `MOONER_ANDROID_CERTS` on Railway (fingerprint from `signingReport`), then deploy.
4. **Piece 6 answers.** The XP plan's "Open questions" section (16 items: Genesis trait art, point values, streak XP, level names, and more).
5. **Coming up, piece 5 Task 15:** an Expo account and project; Firebase's `google-services.json`; Firebase's sending key (to Expo only); Expo's enhanced security (optional, recommended); a server deploy.
6. **Production deploy.** The 2026-10-01 web deploy was built from a working tree that had unreviewed create code. `deploy/railway.sh` now ships HEAD only. Whether a redeploy happened since is not known — redeploy with `sh deploy/railway.sh app`.

5. Next for the agent (in order)

1. Piece 5 Task 3 small fixes (tests: token sign check, per-IP follow limit, re-follow order, several followers, a throwing listener).
2. Piece 5 Tasks 4–16: Expo push sending, the notifier, the phone's Alerts tab, Follow, Auto-join, Following/Followers, web Follow. Task 15 is yours (see section 4, item 5).
3. Piece 6, once answered: review the plan, commit it, build it.
4. Piece 4 Task 7 device steps 4–11 (needs the phone), then Tasks 8–10.
5. Piece 3 Task 11 (after your Task 10 steps).
6. Plans for pieces 7 and 8.
7. Server fixes from section 6.

6. Known issues (from review notes)

Will be seen by users

- The web calls `api.mainnet-beta` from the browser and gets 403. Needs a `/api/rpc` proxy on the server.
- Holder counts may not show: public RPCs refuse `getTokenLargestAccounts`. Check which `MOONER_RPC` production uses.
- Web's `claimed` field is always false.
- Unopened mints never expire, and the web can't reopen one (`MAX_UNOPENED`).

Phone release build

- The spike's debug screen still ships in the release APK.
- White splash screen; `edgeToEdgeEnabled` to remove; storage permissions to trim.

Server

- `store.mintKey` has no `presale IS NULL` filter.
- The feed watches only the 200 newest launches.
- The feed's `migrated` event stops at the first listener that throws.
- The `candles` table is never pruned.
- `follows.js` and `alertrules.js` are built and tested but not wired into `main.js` yet (piece 5 does that).
- The web still uses the old titles (KOL, Diamond Hands, Shiller, Raider). Piece 6 moves it to Dev, KOL, Raider, Diamond Hands.

7. Live infrastructure

Railway project "mooner"

SERVICE	DOMAIN	SERVES
app	app.mooner.family	API, websocket `/api/ws`, keeper, launch bot, `web/dist`, `/sim`
web	mooner.family (+www)	Landing page, `POST /api/waitlist`

Mainnet (public addresses)

WHAT	ADDRESS
Presale program	`6iCH5T57amKEmbxU7sNrfnYC5BYyjGWTW8mayEAz7Lpa`
Config PDA	`J2fQhCR9efLmJBBdUsqCeEEvUsD4ffauVgYgEpgyrdvv`
Gate	`7NbrfisNvkBWGuf2HzwYWEWPUrUnpHUQ4cwCF3pFiAuT`
Launch bot	`BxFMSoCC2yNpgQPfYhfpCdf6hgXmeEaDKas5NZMqZ6BE`
DBC config (3 s snipe tax)	`j7j5CfUSa9DGZCzKKxKBbCYvySiM14Hbr8V6uKbA6Be`
Launch lookup table	`Fz22iSECPE3EqPhLTgZKtPDUVNLDjCnXZz1BjqpzrCrC`

- Keys and the deployment record live only in `engine/.mainnet/` (gitignored). Never commit or print them.
- Program upgraded 2026-09-30 (presale target 0.5 SOL, seats 0.1–0.5).

8. How to run

```
cd engine && npm test
```

```
cd mobile && npm test
```

```
node --experimental-strip-types --disable-warning=ExperimentalWarning --loader ./web/tests/resolve-ts.mjs --test web/tests/*.test.mjs
```

```
cd mobile && sh scripts/check-bundle.sh && sh scripts/run-android.sh
```

```
sh deploy/railway.sh app
```

- Add `--dry` to the deploy to list files without uploading.
- `site` instead of `app` deploys the landing page.
- Android tools need `JAVA_HOME=/opt/homebrew/opt/openjdk@17` and `ANDROID_HOME=/opt/homebrew/share/android-commandlinetools`.

9. How the work is done

- Each piece: spec → plan → one implementer per task → spec review → code review → fixes → next task.
- One commit per task, files staged by name. Never `git add -A`, stash, reset or checkout.
- Not committed on purpose: `site/`, `launch-test/`, `launch.py`, `.claude/`.
- You run: production deploys, Railway variables, mainnet spends, program upgrades, `expo prebuild`, `adb uninstall`.
- The agent never signs or approves in Seed Vault, and never presses Join, Get back, Buy or Sell.
- Live data goes over websockets. No polling. Real data only.
- Titles: Dev, KOL, Raider, Diamond Hands. No game words.
- Logo is final: `assets/mooner.svg`.
- Secrets come from `vault` (macOS Keychain), not `.env` files.

IN ONE MINUTE

A presale that fills together, then launches on Meteora

- **Chip in, together**

  People put 0.1, 0.25 or 0.5 SOL into a coin's presale. When exactly 0.5 SOL is in, it launches.

- **Same price for everyone**

  Every seat, the creator's included, buys at the same price in one first buy. No bot gets in ahead.

- **One tap to leave**

  Until the pool fills, anyone but the creator gets all their SOL back with "Get my SOL back". Not full in 1 hour? Everyone is refunded by itself.

- **Fast seats, safe money**

  Seat changes run on MagicBlock's fast ledger with no wallet popup. The SOL itself sits in on-chain accounts on Solana.

- **The server does the heavy lifting**

  Mooner's keeper watches every presale, sends the launch, then drops each person's tokens in their wallet. Nobody has to claim.


- **Mooner pays nothing**

  The creator pays to open. The pot pays for the launch and the token drops. Each person pays their own network fees.

ARCHITECTURE

Three apps, one server, two ledgers

The phone and the web app share one library, `engine/src`. Both talk to one server over HTTP and a live socket. Your wallet signs every money move. The server watches the chain and sends the launch, the token drops and the refunds.



SERVER HTTP ROUTES

`GET /api/presales` · `/launched` · `/presale/:key`

`POST /api/mint` pins the picture, keeps a mint key

`POST /api/cosign` gate co-signs and sends open / join

`GET /api/token/:mint` · `/wallet/:w/tokens` · `/balance`

`POST /api/login` · `/chat` · `/profile`

`/.well-known/assetlinks.json` for phone links

LIVE SOCKET TOPICS

`presales` · `launched` · `profiles` · `sol`

`presale:<key>` · `coin:<key>` · `wallet:<key>`

`chat:global` · `chat:<key>`

Pushes snapshot, upsert, remove and message. Nothing polls.

KEEPER JOBS

Expire presales past their hour

Sync full seats from the ER back to Solana

Launch in one transaction

Drop tokens 1 s after the snipe tax ends

Refund expired or failed seats, then close

DATABASE TABLES

`mints` · `launches` · `candles`


`chat` · `profiles` · `secrets`

`referrals` · `follows` (follows not wired yet)

A PRESALE, START TO END

From a picture to tokens in your wallet

Each presale is an account on Solana that moves through six states. Seats fill on MagicBlock's fast ledger. The keeper takes it from full to launched, and refunds everyone if it can't.



STEP 1

Make the coin

Pick a picture, name and ticker. Your wallet signs a message. The server saves the picture and details to IPFS and keeps a fresh mint key. The token itself is created at launch.

phone / web · server · pays: nobody

STEP 2

Open the presale

The creator puts in their seat. Mooner's gate co-signs and the server sends it. The presale stays open for 1 hour.

creator signs · Solana · pays: creator

STEP 3

Join

Pick 0.1, 0.25 or 0.5 SOL. Your SOL waits in your own seat account. After that, seat changes run on the fast ledger with a key kept on your phone, so there's no popup.

you sign · Solana · ER · pays: you

STEP 4

Fill

When exactly 0.5 SOL is in, the ledger marks it FULL. The keeper brings every seat back to Solana and moves each commit into the presale.

ER · keeper · pays: the presale

STEP 5

Launch

One transaction creates the Meteora pool and token, releases the pot, makes the first buy at the 1% fee floor, and hands the pool to the creator.

bot + mint key · Meteora DBC · pays: the pot

STEP 6

Tokens arrive

One second after the 3 s snipe tax ends, the keeper drops each person's share in their wallet. Nobody has to claim.

keeper · Solana · pays: the presale

STEP 7

Trade

Buy and sell through Jupiter on the Meteora curve. When the curve reaches 80 SOL, the coin moves to a DAMM v2 pool.

you sign · Jupiter · pays: you

ANY TIME BEFORE FULL

Get my SOL back

Anyone but the creator can leave. The seat goes to 0 on the fast ledger, then your wallet signs once on Solana. No Mooner fee. The creator's SOL stays in until launch.

ER · you sign · pays: your network fee


WHERE THE SOL GOES

Your seat account → Presale account → Launch pot (wSOL) → First buy on Meteora → Presale vault (tokens) → Your wallet

PHONE APP · MOBILE/


Every screen on the Seeker

Expo app for Android, signed by Seed Vault. Four tabs today. Everything live (presales, the ring, chat, prices) comes over the one live socket. The labels below are the app's real words.



Built

15 screens and sheets in mobile/app and mobile/src



Connect BUILT

`/connect`


Shown when there's no wallet. "Look around first" opens the tabs signed out.



Live BUILT

`/(tabs)`


Open presales with a countdown, fill bar and faces. Orange under 5 minutes.



Presale room BUILT

`/presale/<key>`


Ring of SOL raised, who's in, the coin. Top right: Share and Chat with a count.



Join sheet BUILT

`JoinSheet.js`

Pick a seat. Shows "Only X SOL fits" when the pool is nearly full.



Your seat BUILT

`YourSeat.js`


After you join. The creator sees a padlock line instead: their SOL stays in until launch.



Chat BUILT

`ChatSheet.js`


One chat per presale. Signed out: "Connect to chat". Sign once to post.



Launch moment BUILT

`LaunchOverlay.js`


Full screen with haptics: "The pool is full", "Launching on Meteora…", then live.



Launched BUILT

`/(tabs)/launched`


Every launched coin: market cap and price. Empty: "Nothing launched yet".



Coin BUILT

`/coin/<key>`


Chart, stats, holders, your position, mint with Copy. Signed out: "Connect to trade".



Trade sheet BUILT

`TradeSheet.js`


Price from Jupiter. Sell uses 25% / 50% / 100%. Locked for the 3 s snipe tax.



Me BUILT

`/(tabs)/me`


Your Mooner, balance and every presale you're in. Rows open the room or the coin.



Create · Picture BUILT

`/(tabs)/create`


A "Not opened yet" card shows above steps 1 and 4 for a coin made but not opened.



Create · Name and links BUILT

`DetailsStep.js`


Website field below Telegram. "Fix the problems above to go on." when a field is wrong.



Create · Your commit BUILT

`CommitStep.js`

The creator's seat. Choices stop below the 0.5 SOL target so others can join.




Create · Open BUILT

`ReviewStep.js`

Two signatures, then it lands in the new room with the share sheet open.

Planned


From the push alerts and XP + Genesis plans. Not in the app yet.



Alerts tab PLANNED

`push plan · Task 12`


A fifth tab with a bell. Off: "Turn on alerts". Wording of each alert is an example.



Alert settings PLANNED

`push plan · Task 12`


Turn each kind on or off. Android asks first, then your wallet signs in once.



Auto-join PLANNED

`push plan · Tasks 10-11`


Picks the fullest presale with room. A `?join=` link opens the join sheet on an amount.



Follow from a face PLANNED

`push plan · Task 10`


The face sheet is built; the Follow button is new. Hidden on your own face.



Me with XP PLANNED

`xp plan · Task 16 · push Task 13`

Four titles with levels, a streak, follows. Genesis check gives +250 XP once.



Leaderboard PLANNED

`/leaderboard · xp plan · Task 15`


Pushed from Me. Ranks by XP, per title or overall.

Also in the spec with no plan yet: **Join with SKR** (pay for a seat with SKR in the join sheet), a share button on the coin screen, a mini chart on Launched rows, and "Continue with X or email" sign-in on the phone.

WEB APP · WEB/ · APP.MOONER.FAMILY

The same presales, on a desktop

React and Vite, served by the Mooner server. Sign in with Privy: a wallet, X or email (X and email get a built-in wallet). Routes: / Pulse, `/presale/:id`, `/token/:id`, `/launch`, `/leaderboard`, `/discover`, `/badges`, `/mooners`, `/profile/:handle`, `/credits`. `/sim` is the same app with made-up coins and no real SOL.




Pulse

BUILT

/

Three rails: presales filling, coins on the curve, migrated coins. "Launch" opens Join a presale | Create a coin.




Presale room

BUILT

/presale/:id

Once in: "You're in with x SOL" and Get my x SOL back. Click a face for its Mooner card.




Coin page

BUILT

/token/:id

Chart, trades, holders and the presale's seats. Buy and sell go through Jupiter.




Create a coin

BUILT

/launch

Token, then Presale (public, 60 minutes), then Your commit and "Open presale · x SOL".




Leaderboard

BUILT

`/leaderboard`

Your row pinned on top. Tabs still show Shiller; the XP plan swaps it for Dev.



Profile

BUILT

`/profile/:handle`

Your own profile adds the Mooner editor. Plan: streak line and Seeker Genesis mark replace "Connected to X".

Planned on the web

Follow / Unfollow on the Mooner card (push plan Task 14). Titles become Dev, KOL, Raider, Diamond Hands, with Dev levels Builder to Moonmaker (XP plan Task 9).

XP from the server

Player stats and XP will come from the server's XP rows instead of the page's own math (XP plan Task 10). Badge texts that say "Coming later" get real how-to lines.


Not on the web

Admin or opener screens don't exist. Who may open a presale is checked by the server only; others get "this wallet can't open presales yet (closed beta)".

LANDING SITE · SITE/ · MOONER.FAMILY

The front door and the waitlist

A separate small Node server with its own database, on its own Railway service. It only collects waitlist sign-ups. It has its own look: near-black, yellow and Bricolage Grotesque.



Landing page

BUILT

`site/index.html · POST /api/waitlist`

Live, but the site/ folder isn't committed to git yet.

BUILD STATUS

The eight pieces for Clock In

From the Seeker app spec. Each piece gets a plan, then one task at a time with two reviews, then a check on the phone.

#	PIECE	STATE	WHAT'S LEFT
1	**Core app** Sign-in, Live, the room, join, chat, get my SOL back, Launched, Me	● Built	Nothing in code.
2	**Trade + coin info** Buy and sell through Jupiter, chart, stats, holders	● Built	Nothing in code.
3	**Share links** app.mooner.family/presale/… opens the app; share sheet	● Checks left	Your Railway step for the app's signing fingerprint, then link checks on the phone.
4	**Create from the phone** Picture, name and links, commit, open	● 7 of 10 tasks	Check on the phone, then Tasks 8–10.
5	**Push alerts** Your presales, people you follow, big market caps, Auto-join	● 3 of 16 tasks	Engine rules, Auto-join pick and follows are done but not wired in yet. Next: sending through Expo push.
6	**XP + Seeker perks** Four titles, streak, leaderboard, Seeker Genesis	● Plan written	Your call on XP points, Dev's art, a Seeker perk and Dev level names. Then 18 tasks.
7	**Join with SKR** Pay for a seat with SKR	○ Not started	No plan yet.
8	**Submission kit** APK, repo, video, deck, registration	○ Not started	No plan yet. Submissions close 9 Oct 2026, 09:59 EEST.

WAITING ON YOU

- Finish the release key and the Gradle settings file, then keep a backup.
- Allow USB debugging on the phone and remove the old app.
- Answer the XP + Genesis product questions when you're ready.

REPO MAP

Where everything lives

`engine/src`	The shared chain library: every app action, screen models, transaction builders, the live socket client. `flows · views · client · live · swap · signin · dbc · damm · pdas`	`engine/server`	The Mooner server: API, live socket, chain feed, keeper and bot, SQLite. `main · api · hub · feed · keeper · bot · store · social`	`programs/presale`	The presale program in Rust (native, not Anchor) with its tests. 17 instructions. `entry · ledger · launch · settle_seat · finish`
`mobile`	The Expo Android app, family.mooner.app. `app/ routes · src/ store, kit, room, create`	`web`	The React web app, plus `sim/` for the made-up world at /sim. `src/ · sim/`	`deploy`	Dockerfiles and Railway scripts for the app and the landing site. `app.Dockerfile · site.Dockerfile · railway.sh`
`docs/superpowers`	The Seeker app spec and one plan per piece. `specs/ · plans/`	`art · assets`	Mooner picture sources and the logo. `assets/mooner.svg`	`site`	Landing page and waitlist server. Live, not in git yet. `index.html · server.mjs`
`launch-test · launch.py`	Early experiments, not in git.				

Mooner Handoff + Blueprint · drawn from the code on feat/mooner-wireframe at 57472fc, 2 Oct 2026.