

Compte 18 protons, 18 electron et 21 neutrons

☐ proton ☐ electron ☐ neutrons

$\overset{\boxed{18}}{\text{Ar}}$

39,95 $\rightarrow$ masse

40 = nb proton + neutron

neutron = $40 - 18 = 22$

$$12.01 + 3 \cdot 1.008 + 12.01 + 16 + 16 + 1.008 = 60.052$$

$$63.55 + 2 \cdot (14.01 + 3 \cdot (16)) = 187.57$$

$$35.45 + 3 \cdot 16 = 83.45$$

$$\frac{1,4}{\quad} = \frac{1,008}{97,994}$$

$$3 \cdot (1,008) + 30,97 + 4 \cdot 16 = 97,994 \text{ g/mol}$$

$$H = 1,008 \text{ g/mol}$$

$$1,4 \cdot \text{mol}$$

$$39,95 \text{ g/mol}$$

$$3,6 \times 6,022 \cdot 10^{23} \rightarrow \text{Ar}$$

$$\frac{0,44}{1} = \frac{\quad}{6,022 \cdot 10^{23}}$$

$$102,9 \text{ g/mol} \times 0,44$$

2 |

mol de C

dans 85 mol d'octane $\rightarrow \text{C}_8\text{H}_{18}$



M_{octane}



$$12,01 \cdot 8 + 1,008 \cdot 18 =$$

masse molaire

$$112,208 \text{ g/mol}$$

$$112,208 \cdot 85$$


$$9537,38 \text{ g}$$

masse

Carbone
↓
 $M_{\text{carbone}} \rightarrow 12,01$

$$n = \frac{m}{M}$$

$$\frac{9537,38 \text{ g}}{12,01 \text{ g/mol}} = 794,145 \text{ mol}$$



$$1 \text{ mol} \Rightarrow 6,022 \times 10^{23}$$

$$600 \text{ mol} \Rightarrow \Downarrow \times 600$$

$$\text{NO}_2 \rightarrow 16 \cdot 2 = 32 \text{ g/mol}$$

$$\downarrow$$
$$14.01 \text{ g/mol} \quad \quad \quad + \quad \quad \quad = \quad 46.01 \text{ g/mol}$$

$$n = \frac{m}{M}$$

$$46.01 \times 600$$

$$27,606 \text{ g/mol pour } 600$$

molécul de NO_2

$$n_{\text{carbone}} = \frac{m}{M}$$