



# Variant-Preserving Refactorings for Migrating Cloned Products to a Product Line

FOSD meeting, March 13-17, 2017

Wolfram Fenske,<sup>\*</sup> Jens Meinicke,<sup>\*,†</sup> **Sandro Schulze**,<sup>\*</sup> Steffen Schulze,<sup>\*</sup> Gunter Saake<sup>\*</sup>

<sup>\*</sup> University of Magdeburg, Germany

<sup>†</sup> Carnegie Mellon University, USA




@sanschul



[sanschul@ovgu.de](mailto:sanschul@ovgu.de)


# Motivation: Creating Variants via Clone & Own

- Clone & own (C&O): Copy an existing product and adapt it to new requirements




# Motivation: Creating Variants via Clone & Own

- Clone & own (C&O): Copy an existing product and adapt it to new requirements



# Motivation: Creating Variants via Clone & Own

- Clone & own (C&O): Copy an existing product and adapt it to new requirements



# Unsystematic vs. Systematic Reuse

---


“Clone & Own” Variant  
Development



# Unsystematic vs. Systematic Reuse

---


“Clone & Own” Variant  
Development



# Unsystematic vs. Systematic Reuse

---


“Clone & Own” Variant  
Development



# Unsystematic vs. Systematic Reuse

---

“Clone & Own” Variant  
Development






# Unsystematic vs. Systematic Reuse

---


## “Clone & Own” Variant Development



- +Initially cheap and easy
- Lack of traceability
- High synchronization effort
- High maintenance & evolution costs


# Unsystematic vs. Systematic Reuse

## “Clone & Own” Variant Development



**VS.**


## Software Product Line (SPL) Development



- +Initially cheap and easy
- Lack of traceability
- High synchronization effort
- High maintenance & evolution costs


# Unsystematic vs. Systematic Reuse

## “Clone & Own” Variant Development



**VS.**

## Software Product Line (SPL) Development




- +Initially cheap and easy
- Lack of traceability
- High synchronization effort
- High maintenance & evolution costs

- High initial costs
- +Improved traceability
- +Minimal synchronization costs
- +Low maintenance & evolution costs


# Unsystematic vs. Systematic Reuse

## “Clone & Own” Variant Development



**Migration**

## Software Product Line (SPL) Development




- +Initially cheap and easy
- Lack of traceability
- High synchronization effort
- High maintenance & evolution costs


- High initial costs
- +Improved traceability
- +Minimal synchronization costs
- +Low maintenance & evolution costs

# Proposed Step-Wise Migration Process

Original, Cloned  
Products



Initial SPL



**Configurations:**


$C1 = \{p1\}$

$C2 = \{p2\}$


...

$Cn = \{pn\}$

Clone Detection &  
Variant-Preserving  
Refactoring



Final SPL



$p1 \vee p2 \rightarrow f1$

$p2 \vee p3 \vee \dots \vee pn \rightarrow f2$

...

**Configurations:**

$C1 = \{f1, p1\}$

$C2 = \{f1, f2, p2\}$

...

$Cn = \{f2, pn\}$

# Key Points of Migration Process


---

- Step-wise: help w/ the time-consuming, error-prone tasks but leave big design decisions to developers
- Variant-preserving refactoring [Schulze et al., VaMoS '12] for clone consolidation
- Preparatory refactoring to align divergent clones
- Feature-oriented programming (FOP) as the variability mechanism
- Integrated tool support



# Refactorings — Clone Consolidation via “Pull Up To Common Feature”


Pull Up (OOP)



Move code within the  
***inheritance*** hierarchy

# Refactorings — Clone Consolidation via “Pull Up To Common Feature”

Pull Up (OOP)




Move code within the  
***inheritance*** hierarchy



# Refactorings — Clone Consolidation via “Pull Up To Common Feature”


Pull Up (OOP)



Move code within the  
*inheritance* hierarchy


# Refactorings — Clone Consolidation via “Pull Up To Common Feature”

## Pull Up (OOP)



Move code within the  
***inheritance*** hierarchy


## Pull Up To Common Feature (FOP)



Move code within the  
***refinement*** hierarchy


# Refactorings — Clone Consolidation via “Pull Up To Common Feature”

## Pull Up (OOP)



Move code within the  
***inheritance*** hierarchy


## Pull Up To Common Feature (FOP)



Move code within the  
***refinement*** hierarchy


# Refactorings — Clone Consolidation via “Pull Up To Common Feature”

## Pull Up (OOP)



Move code within the  
***inheritance*** hierarchy


## Pull Up To Common Feature (FOP)



Move code within the  
***refinement*** hierarchy


# Refactorings — Clone Consolidation via “Pull Up To Common Feature”

## Pull Up (OOP)



Move code within the  
***inheritance*** hierarchy


## Pull Up To Common Feature (FOP)



Move code within the  
***refinement*** hierarchy


# Refactorings — Aligning Divergencies via “Rename”

---




# Refactorings — Aligning Divergencies via “Rename”

---




# Refactorings — Aligning Divergencies via “Rename”







# Refactorings — Aligning Divergencies via “Rename”



# Refactorings — Aligning Divergencies via “Rename”




# Refactorings — Aligning Divergencies via “Rename”



# Evaluation


---

## Original Products





# Evaluation

Original Products      Initial SPL



# Evaluation

Original Products      Initial SPL





# Evaluation

Original Products

Initial SPL

“Pull Up” only





# Evaluation

Original Products

Initial SPL

“Pull Up” only









# Evaluation

Original Products

Initial SPL


“Pull Up” only

“Rename” & “Pull Up”



**ApoDice  $\vee$  myTreasure  $\rightarrow$  Common2**

...



■ Initial SPL  
■ “Pull Up” only





# Evaluation

Original Products

Initial SPL


“Pull Up” only

“Rename” & “Pull Up”



**ApoDice  $\vee$  myTreasure  $\rightarrow$  Common2**

...



■ Initial SPL  
■ “Pull Up” only  
■ “Rename” + “Pull Up”

# Evaluation — Discussion

---

- Naming in case study exaggerates efficacy of “Rename” (e.g. class `ApoClockMenu` in `ApoClock` vs. class `ApoDiceMenu` in `ApoDice`)
- Why do clones remain?
  - Long similar, but not identical methods (Type-3 clones) — more preparatory refactorings needed
  - Differing releases of 3rd-party libraries w/ conflicting APIs

# Conclusion & Future Work

---

- Step-wise process to migrate from clone & own to SPL
- Variant-preserving refactorings (Pull Up and Rename)
- Case study shows feasibility
- Future work:
  - Further case studies
  - More (preparatory) refactorings (e.g., “Extract {Method, Field, Constant ...}”)
  - Make code similarities more understandable
  - Support for other languages (e.g., C)

# Limitations

---

- We force developers
  - to choose a variability mechanism of our choice  
—> no further mechanism is supported
  - to migrate the whole project —> **Risky!**
- We take only text-based (syntactical) information into account
- We omit possibilities of alternative features





# Mission & Vision



# Mission & Vision

....extract information by means of flexible and customizable reverse engineering



# **Mission & Vision**

....extract information by means of flexible and customizable reverse engineering

....keep this information in a language-independent format






# Mission & Vision


....extract information by means of flexible and customizable reverse engineering


....keep this information in a language-independent format

....migration-on-demand by providing reengineering techniques for several variability mechanisms




# Source Code





Source Code




Models




Domain knowledge




Historical data






Source Code


# Encode & Combine






Source Code


Encode & Combine






Source Code


Encode & Combine



Migration










Source Code

Encode & Combine



Migration

Generation





KEEP  
CALM  
AND  
REFACTOR  
YOUR CODE