

City Pager / Lisbon Events Calendar

Pacote de replicacao - Produto, Social, Reco & UX

Terminus — Produto, Social, Recomendações & UX

Documento: 4 de 6 — Features da plataforma

1. Features do produto (mapa)

Área | Features

Descoberta | Calendário month/week/day/list, search, filtros (tags OR, venues, categories, free...), URL sync

For You | Feed swipe; scoring por follows/likes/persona/friends; cold-start random

Catálogo | Venues/promoters grids + detail + follow

Evento | Modal: detalhes, galeria, going/saved/like/reminder/share, Google Calendar, counts, friend avatars

Identidade | Perfil (avatar, cover, username, bio, display_name), onboarding, personas, saved views partilháveis

Social | Friend requests, chat DM/grupo, visibility going/saved

Ops | Admin scrapers / raw / review / processed / venues / promoters / catalog-candidates / bugs

PWA | Manifest + Serwist SW + /offline

Auth | Signup/login email + OAuth; password reset

Feature flags: NEXT_PUBLIC_ENABLE_PROFILE, _PERSONAS, _SHARED_VIEWS.

2. Friends vs follows (crítico)

| Friends | Follow venue/promoter

-- | ----- | -----

Modelo | Pedido → accept (mútuo) | One-way, privado

Storage | friend_requests | user_interactions

Visível a outros? | Sim (relação + eventos conforme visibility) | Não

Uso | Social proof, chat, For You +5 | Discovery For You +10/+8

Não há followers/following entre users (removido). Ver docs/FRIENDS_VS_FOLLOWS.md.

3. Acções de evento

Facades: lib/eventActions.ts, lib/userActions.ts, contexto UserActionsContext.

Acção | Efeito

Going | Marca presença; amigos podem ver

Interested | Interesse soft

Saved / wishlist | Guardar para depois

Like | Sinal de gosto (+ categorias para reco)

Reminder | 1h / 6h / 24h

Share | event_shares / botões UI

Logged-out: AuthGate + pendingIntents rejogam a acção após login.

4. Algoritmo For You (recommendationEngine.ts)

Inputs (UserFeedContext)

- Venues/promoters seguidos
- Likes → categorias derivadas
- Persona weights (?personaRules= / persona activa)
- Friends going (accepted friends × going)
- Tags da persona (savedTagSet)
- Preferência free (wishlist / prefer_free)

Cold start

Sem sinais → amostra aleatória Fisher–Yates de upcoming (limit 50). Idem logged-out.

Pesos (SCORE)

Sinal | Pontos

Followed venue | +10

Followed promoter | +8

Persona match (após hard filter includes) | +6

Energy high boost (club/techno/...) | +2

Friend going | +5

Saved tag | +4

Liked category | +3

Free pref | +2

Ordenação: score desc, depois start asc. Cap 50.

Defined but unused in score today: budget_range, neighborhoods, time_preference.

Explainability (chips)

Followed venue, Followed promoter, Matches your vibe, N friend(s) going, Free event, Because you liked similar events.

API: GET /api/foryou (Bearer Supabase). UI: app/foryou/page.tsx (swipe threshold 80px).

5. Personas & saved views

ViewState (lib/viewState.ts): viewMode, date, query, categories/tags/venues, toggles. Sync URL.

Saved views: localStorage + sync DB; público em /v/[slug].

Personas: regras de filtro + campos de peso For You; CRUD PersonaManager; público /p/[slug]; predefined vibes em data/predefinedPersonas.ts.

Onboarding: intro → tags ou vibe → prefs → deep-link calendar (lib/onboarding.ts).

6. Chat

- Só amigos.
- DMs e grupos; ?with= abre/cria DM.

- APIs /api/chats, .../messages, .../members.
-

7. UX / UI system

Design tokens

- CSS vars --terminus-bg, --terminus-fg, --terminus-border, --terminus-accent, day/night.
- Font body: IBM Plex Mono; headings pixel: Press Start 2P.
- Textura: dots + scanlines (CRT/papel).
- Botões/sombras hard-edge (terminus-shadow: 4px 4px 0).

Superfícies

Página | Padrão UX

Landing | Brand hero TERMINUS, 1 pitch, 3 CTAs
Calendar | FullCalendar + sidebar filtros; modal evento; mobile day/list
For You | Stack de cards, reasons, empty → follow/onboarding
Venues/Promoters | Grid searchable; detail + follow + upcoming
Profile | Seções sliders (going/saved/liked/followed); friends inbox
Admin | Slate ops UI (não misturar com terminus aesthetic)

Acessibilidade / produto

- Timezone fixa Europe/Lisbon nos eventos.
 - Tags com famílias (tagFamilies.ts, TagFamilyFilter).
 - Night collapse no adapter (vários actos = uma “noite”).
 - PWA: public/manifest.json, icons em public/icons/ (any + maskable), Serwist (src/app/sw.ts), fallback /offline.
- Regenerar icons: npm run icons:pwa.
-

8. Admin (ops UX)

Gate: Supabase login + email em ADMIN_EMAILS.

Rota | Job

/admin | Contagens, heartbeat worker
/admin/scrapers | Watchlist derived, queue modes, config, abort, logs
/admin/events-raw | Posts + drawer de tiers
/admin/event-review | Editar campos, approve/reject, feedback ML
/admin/processed | Vista Processed + link Sheets
/admin/venues | CRUD catálogo venues (Supabase SoT)
/admin/promoters | CRUD catálogo promoters
/admin/catalog-candidates | Aprovar venues/promoters propostos pelo extract
/admin/bugs | Feedback de bugs dos users

Human review é o Tier 6 do pipeline: última porta antes do calendário live (além do publish).

9. Auth

Primário: Supabase Auth (lib/auth/supabaseAuth.tsx) — email/password, Google/Facebook OAuth via

Dashboard, callback /auth/callback.

Fallback: NextAuth se env Supabase ausente — Google/Facebook/Credentials (incl. guest).

resolveUserId: Bearer Supabase → NextAuth (guest → null).

10. Camadas de código a conhecer

Need | Path

Fetch/filter events | lib/eventsAdapter.ts

For You | lib/recommendationEngine.ts, app/api/foryou

Interactions | lib/interactions.ts

Friends | lib/friendRequests.ts

Calendar UI | app/calendar/

Design | app/globals.css, tailwind.config.ts

Admin | lib/adminPipeline.ts, lib/adminAuth.ts

11. O que está planeado vs as-built

docs/MASTER_TASK_LIST_ARCHITECTURE.md e SOCIAL_LAYER_TECHNICAL_PLAN.md misturam roadmap. As-built priorizar:

- Friends mútuos (não user follows)
- user_interactions unificado
- For You weighted + cold start
- Pipeline Supabase + Sheets Clean

Não assumir subscriptions/notification queue completas só porque estão no plano técnico.