
# Demonstration Model Validation for Malaria Forecasting $Plasmodium\ falciparum$ and mixed species $07\ \mathrm{January}\ 2018$ - $06\ \mathrm{January}\ 2019$

EPIDEMIA Team

December 6, 2019

#### 1 Skill Scores Summaries




Skill scores show the improvement (with values greater than 0) of the forecast model over simple naive models. There are three accuracy statistics used: Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), an a R2 (variance explained). These statistics are compared against the naive models to give the skill scores. The boxplot shows the concordance of skill among the three statistics. Higher values (0 to 1) indicate the greater skill of the forecast models over the simple naive models.

The x-axis is the number of weeks being forecasted into the future. The validation was run with the assumption that there is a reporting lag of 0 weeks.


# 2 Maps of Skill Statistics

### 2.1 Average Week of Year




# 5 Weeks into the Future MAE **RMSE** R2 score 6 Weeks into the Future RMSE MAE R2 score 7 Weeks into the Future MAE RMSE R2 score 0 8 Weeks into the Future RMSE MAE R2 score


#### 9 Weeks into the Future




#### 2.2 Persistence


#### 1 Weeks into the Future









## 3 Skill per Woreda





Compared to Naïve Model 🚔 Average Week of Year 🚔 Persistence




Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📫 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📫 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📫 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence









Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence









## 4 Accuracy Statistics

#### 4.1 Overall Model

Week Ahead	MAE	RMSE	R2
1	5.8	13.5	0.98
2	6.8	16.3	0.98
3	7.8	19.5	0.97
4	8.8	22.8	0.95
5	9.7	25.5	0.94
6	10.4	27.5	0.93
7	11.1	29.1	0.92
8	11.7	31.0	0.91
9	12.2	33.7	0.90
10	12.6	37.1	0.87
11	12.6	38.6	0.86
12	12.5	36.9	0.87

This table contains the raw accuracy statistic values for the forecast model overall for each week forecast into the future. There are three accuracy statistics used: Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), an a R2 (variance explained). The validation was run with the assumption that there is a reporting lag of 0 weeks.