
Demonstration Model Validation for Malaria Forecasting *Plasmodium vivax** 2010 20 D. J. 2010

07 January 2018 - 30 December 2018

EPIDEMIA Team

June 26, 2020

1 Skill Scores Summaries




Skill scores show the improvement (with values greater than 0) of the forecast model (gaussian()) over simple naive models. There are three accuracy statistics used: Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), an a R2 (variance explained). These statistics are compared against the naive models to give the skill scores. The boxplot shows the concordance of skill among the three statistics. Higher values (0 to 1) indicate the greater skill of the forecast models over the simple naive models.


The x-axis is the number of weeks being forecasted into the future. The validation was run with the assumption that there is a reporting lag of 0 weeks.

2 Maps of Skill Statistics

2.1 Average Week of Year









2.2 Persistence









3 Skill per Woreda





Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence




Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📫 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📫 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 🖨 Persistence










Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence











Compared to Naïve Model 🖨 Average Week of Year 📮 Persistence























4 Accuracy Statistics


4.1 Overall Model

*** 1 11 1	3.5.4.73	DICE	
Week Ahead	MAE	RMSE	R2
1	1.9	2.9	0.98
2	2.1	3.2	0.97
3	2.3	3.6	0.96
4	2.5	3.8	0.96
5	2.6	4.1	0.95
6	2.7	4.3	0.95
7	2.9	4.4	0.94
8	3.0	4.6	0.94
9	3.1	4.8	0.93
10	3.2	5.0	0.92
11	3.3	5.2	0.92
12	3.4	5.4	0.91

This table contains the raw accuracy statistic values for the forecast model overall for each week forecast into the future. There are three accuracy statistics used: Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), an a R2 (variance explained). The validation was run with the assumption that there is a reporting lag of 0 weeks.

5 Week-ahead Graphs


These graphs show the observed case counts and each of the week-ahead predictions as a series (i.e. all one-week ahead predictions are a series, all two-week, etc.) for the forecast model ((gaussian())). These graphs can be used to visualize how the predictions are behaving n-number of weeks ahead of the target forecast week.



Week


Awi : Fagita Lekoma







Awi : Guagusa Shekudad


Cluster: 3





Week






11-week ahead12-week ahead


East Gojjam : Baso Liben






East Gojjam : Debre Elias

Cluster: 3




East Gojjam: Gozamin

Cluster: 6




North Gondar: Alefa




North Gondar: Denbia






North Gondar: Gondar Zuria

Cluster: 4




North Gondar: Metema






North Gondar: Misrak Belesa

Cluster: 2




North Gondar: Quara






North Shewa: Antsokiya Gemza

Cluster: 6




North Shewa: Efratana Gidim

Cluster: 1




North Shewa: Kewet






North Shewa: Merehabete






North Shewa: Shewa Robit

Cluster: 1




North Wollo: Bugna

Cluster: 2




North Wollo: Kobo Town






North Wollo: Lasta






North Wollo: Mekit

Cluster: 2



North Wollo: Raya Kobo



30

Week


40

50

Oromia: Artuma Fursi


10

20




Oromia: Jilie Timuga

Cluster: 1




South Gondar : Andabiet






South Gondar: Dera

Cluster: 4




South Gondar: Estea




South Gondar: Fogera






South Gondar: Libokemkem




South Wollo: Borena

Cluster: 2




South Wollo: Kalu




South Wollo: Tehulederie






Waghimira: Abargelie




Waghimira: Dehena

Cluster: 2




Waghimira: Sehela




West Gojjam : Bahir Dar Zuria






West Gojjam : Burie Zuria




West Gojjam: Dembecha

Cluster: 8




West Gojjam : Gonji Kolela




West Gojjam: Jabi Tehnan

Cluster: 8




West Gojjam: Mecha




West Gojjam: North Achefer

Cluster: 3




West Gojjam : South Achefer



West Gojjam: Womberma





West Gojjam : Yilmana Densa

