

EXT: Tag Pack-based Data Provider

Extension Key: tagpackprovider

Language: en

Keywords: forAdmins, forIntermediates, tesseract

Copyright 2010, François Suter, <typo3@cobweb.ch>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

EXT: Tag Pack-based Data Provider.....	1	Installation.....	4
Introduction.....	3	Dependencies.....	4
What does it do?.....	3	Users manual.....	5
Screenshots.....	3	Behind the scenes.....	8
Credits.....	3	Known problems.....	9
Questions?.....	3	To-Do list.....	10
Keeping the developer happy.....	3	ChangeLog.....	11

Introduction

What does it do?

This extension is part of the Tesseract Project. It relies on tags from the Tag Pack extension to select records from various tables. Acting as a secondary Data Provider, it can feed these records to a primary Data Provider. Tags can be selected manually or using expressions.

Screenshots

Here's a view of a typical tag selection:

Tag Pack Selection [1] - Test selection

Name

Tables

Selected: Items:

Tags (manual selection)

Tags from expressions

Override manual selection ☐

Logical operator
☒ AND ☐ OR

Credits

This extension makes use of the excellent Tag Pack extension developed mostly by Joey Hasenau. If you don't know what Tag Pack is, go and check it out in the TER (key: "tagpack"), it is a brilliant tool!

Questions?

If you have any questions about this extension, please ask them in the TYPO3 English mailing list (typo3.english), so that others can benefit of the answers.

Keeping the developer happy

If you like this extension, do not hesitate to rate it. Go the Extension Repository, search for this extension, click on its title to go to the details view, then click on the "Ratings" tab and vote. Every new vote keeps the developer ticking. So just do it!

You may also take a step back and reflect about the beauty of sharing. Think about how much you are benefiting and how much yourself is giving back to the community.

Installation

Installing this extension is pretty straightforward. Just download it from the TER and activate it. You will be requested to create a new table in the database, which will be used to store tag selections.

After installation, this extension provides a single configuration option:

- **Tagged Tables:** this is a comma-separated list of tables for which tags can be selected. This is meant to reduce the choice faced by the user when creating a tag selection. It can be left empty, in which case the list of available tables will match the list of tables that can be tagged with the Tag Pack.


Dependencies

Obviously this extension depends on "tagpack". It also requires the "expressions" extension, since expressions can be used to select tags.

And of course it is meant to operate as a Tesseract Data Provider. It is probably rather useless outside of that scope.

Users manual

The Tag Pack Provider makes it possible to restrict a recordset to a selection of records made by using tags from the Tag Pack extension. Here's an example of a content element tagged with the tag "test":



To create a selection of content elements based on that tag, let's create a new Tag Pack Selection and enter the following information:

The screenshot shows the configuration form for a 'Tag Pack Selection [1] - Test selection'. It is divided into several sections:

- Name:** A text field containing 'Test selection'.
- Tables:** Contains two lists. The 'Selected:' list on the left contains 'Pagecontent', with a red arrow pointing to it. The 'Items:' list on the right contains 'Page', 'Pagecontent', and 'Tags'.
- Tags (manual selection):** Contains a list with the tag 'test', with a red arrow pointing to it.
- Tags from expressions:** An empty text area.
- Override manual selection:** A checkbox that is currently unchecked, with a help icon (?) next to it.
- Logical operator:** Two radio buttons, 'AND' and 'OR'. The 'OR' button is selected.

This is the simplest selection one can make: a table and a tag. With this information the Tag Pack provider will find all content elements that were tagged with tag "test". This selection can then be used as a Secondary Provider in a Display Controller content element:

Pagecontent [109] - Content elements

General | **Data Objects** | Access | Tags | General options:

Data Consumer

List of content elements [X] [F] [P] [G]

Template-based Display

Primary Data Provider

Content elements [X] [F] [P] [G]

Data Queries

Type of filter

☒ None

☐ Detail view

☐ List view

☐ Advanced filter (choose Data Filter below)

Advanced Data Filter (primary)

[X] [F] [P] [G]

Data Filters

If filter empty

☐ Display nothing

☒ Display everything

Secondary Data Provider

Test selection [X] [F] [P] [G]

Tag Pack Selection

Advanced Data Filter (secondary)

[X] [F] [P] [G]

Data Filters

If filter empty

☒ Display nothing

☐ Display everything

If secondary provider returns nothing

☒ Display nothing

☐ Display everything

The "Content elements" Data Query is a simple SELECT statement without any condition, which means it will retrieve all content element records. Coupled with the Tag Pack Selection – however – it will be restricted to the list of content elements found by the Tag Pack Provider.

Expressions can also be used to select tags. The example below retrieves a tag id from a GET/POST variable named "tag" (another expression is commented out):

Tag Pack Selection [1] - Test selection

Name

Test selection

Tables

Selected:

Pagecontent

Items:

Page

Pagecontent

Tags

Tags (manual selection)

test

Tags

Tags from expressions

gp:tag

#extra:tag

Override manual selection

☐ ?

Logical operator

☒ AND

☐ OR

Here's a list of all the fields that can be defined in a Tag Pack Selection:

Field:	Usage:
Name	Just the selection's name.
Tables	List of tables from which records should be selected.
Tags (manual selection)	Simple selector for choosing specific tags from the existing ones.
Tags from expressions	This field can be used to enter expressions (one per line) that return uids of existing tags. Accepted values are either single number or comma-separated lists of uids.
Override manual selection	By default this box is checked. It means that tags gotten from expression will override manually-selected tags. Uncheck this box to tags from both fields.
Logical operator	By default, the Tag Pack Provider will return all records that match at least one tag (OR). It can be forced to return only records that match all the selected tags (AND). Note that this operation requires additional calculations so it more performance intensive.

Behind the scenes

This chapter describes what the Tag Pack Provider does from a more technical point of view.

First all tags from the manual selection are taken and then all tags resulting from expressions. If the override parameter is set, only the tags resulting from expressions (if any) are taken into account. Otherwise both lists of tags are merged together. The Tag Pack Provider then takes care that every tag appears only once.

Next all records from the selected tables that match at least one tag are fetched. If the logical operator is "OR", there's nothing more to do. If it is "AND" some more processing takes place. The Tag Pack Provider loops on all records and restrict its choice records that match **all** the selected tags and not just one of them.

When done the Tag Pack Provider returns a Standardized Data Structure of type "idList", which will contain the list of the primary keys (uid's) of all records that were found. This list of keys is fed into the primary Data Provider to restrict its results. In the case of Data Query, for example, the list of primary keys is transformed into a SQL WHERE condition using the IN() clause.

Known problems

There is a weird border case when a Tag Pack Selection on several tables returns nothing for the table that is the main table in a join in the Primary Provider.

Let's take an example: imagine selecting (using a Data Query) image-type content elements and joining them to the DAM records they refer to. This query is restricted by a Tag Pack Selection that selects records from both of these tables. Now if the Tag Pack Provider returns nothing for the tt_content table, but something for the tx_dam table. If you have checked the "Display nothing" flag you would expect the result to be empty, because no content elements were found by the Tag Pack Provider. But since there were some tx_dam records found, the Tag Pack Provider is not seen as empty, the query goes ahead and selects all content elements, since there was no uid list given.

If you find other bugs, please report them in the Forge bug tracker (<http://forge.typo3.org/projects/extension-tagpackprovider/issues>).

To-Do list

Nothing is planned for now. If you have feature requests, please open a report in the Forge bug tracker (<http://forge.typo3.org/projects/extension-tagpackprovider/issues>).

ChangeLog

Version	Changes:
1.0.0	First public release