




# Data Masterclass.

*Professor Richard Davies + ECO Data Unit Team*

Bank of England  
Thursday 14 March



# 1.0 Motivation.

*Problems, solutions, and plan for today*



# Where we are.

## *The state of play*

- Analysts will tend to have five steps or more between their raw data and their output.
- Example: a journalist, consultant or academic making a chart of GDP in America:



# Where we are.

## *The state of play*

- Analysts will tend to have five steps or more between their raw data and their output.
- Example: a journalist, consultant or academic making a chart of GDP in America



Note how this system works:

1. **Repetition**. Many players, each adding delay or cost. Slow and expensive.
2. **Errors**. Each link can, and does, break. Each one adds to the chance of a human error.
3. **Compatibility**. Many different file types. Delay and compatibility problems
4. **Storage**. Huge data storage requirement, with files stored in each silo along the way. Resource and environmental costs

This system is slow, costly and inaccurate.

# Where we are: slow, costly, error prone.

*The problems we will solve*

- Analysts will tend to have five steps or more between their raw data and their output.
- Example: a journalist, consultant or academic making a chart of GDP in Amercia



Note how this system works:

1. **Repetition.** Many players, each adding delay or cost. Slow and expensive.
2. **Errors.** Each link can, and does, break. Each one adds to the chance of a human error.
3. **Compatibility.** Many different file types. Delay and compatibility problems
4. **Storage.** Huge data storage requirement, with files stored in each silo along the way. Resource and environmental costs


This system is slow, costly and inaccurate.

# Where we are going: fast, cheap, accurate

*The solutions we will offer*

- The modern approach used our site uses is different.
- We are building a single secure channel that links an analyst's output right back to the raw data.


Data source



ONS

Analyst's code

Output



Note the differences with the new system:

1. **Automated.** Your chart is always up to date. When the raw data updates, it flows through the channel instantly and automatically.
2. **Efficient.** The number of players collapses, as do associated costs. There are no data silos – the data shown on your site **is** the raw data, not a copy of them.
3. **Verifiable.** A one-to-one link back to the original data provider means fact checks can be swift.

The result is analysis that is faster, cheaper and more accurate.

# Why it matters...

*...and why Britain's economists should lead the way*

The problems above matter in many fields. They are acute in economics and public policy:

**Regular updates.** Economic data is high-frequency. This means that the 'repeated analysis' problem is particularly strong.

**Descriptive analysis.** Economists and analysts are aiming to clarify. We need our work to be replicable (someone else can run the code and get the same result) and verifiable.

**Normative and policy analysis.** Economic data is hard-wired into policy decisions. Getting it right affects people's lives.



# What we are doing.

*Data at the Economics Observatory*

To respond to these issues, we have developed the **Economics Observatory Data Hub**. This contains three connected tools:

**Explore.** A new API. This will unify and simplify existing data sources into one stream. The ECO API offers simple URLs that put the user's needs first, allowing them to access a wide range of metrics from multiple international sources

**Build.** With improved data access comes better analytics. With our new Chart Builder, users take the latest data directly from source, and display this live in a webpage. No coding skills are needed, but modern tools are being used in the background: Excel and JPEG are out, JavaScript Object Notation (JSON), D3.js and Vega-Lite are in.

**Share.** Robust analysis deserves to be shared. Users can share their visualisations on traditional platforms like Twitter and Instagram, or can post their work to our new timeline for academics, journalists, policy-makers and students to post and discuss their charts.

# What we are doing.

*Data at the Economics Observatory*

## Explore

### Data Explorer

Select country

Select variable

Your ECO API custom link will appear here

### Data Explorer

Germany

Your ECO API custom link will appear here

✓ Select variable

Exports

GDP

Imports

Inflation

Labour participation rate

Population

Unemployment

Debt

### Data Explorer

✓ Select country

Australia

Bangladesh

Brazil

Canada

China

DR Congo

Germany

Select variable

Your ECO API custom link will appear here

```
{
  "author": "Economics Observatory",
  "source": "Destatis",
  "url": "https://raw.githubusercontent.com/EconomicsObservatory/api/main/cached_data/deu/infl.json",
  "data": [
    {
      "date": "1960-01-01",
      "value": 1.53661234295201
    },
    {
      "date": "1961-01-01",
      "value": 2.29369500700881
    },
    {
      "date": "1962-01-01",
      "value": 2.84327019799063
    },
    {
      "date": "1963-01-01",
      "value": 2.96695977587712
    },
    {
      "date": "1964-01-01",
      "value": 3.09064835976861
    }
  ]
}
```

# What we are doing.

*Data at the Economics Observatory*

Create

Data

Country

Variable

Variables

date

Type

Label X

value

Type

Label Y

Appearance

Inflation

Size

Colour ☒

CPI, % |Source: Destatis through ECO API

Size

Colour ☒

Type

2

Height

Colour ☒

Width

Page ☒

Canvas

☒

Chart

Data


Code

SHARE

Your visualisation:

Inflation

CPI, % |Source: Destatis through ECO API





Description

# What we are doing.

*Data at the Economics Observatory*

Share



# Masterclass outline.

*Teaching team + more on ECO*

Richard Davies | Director

Charlie Meyrick | Research Fellow

Dénes Csala | Data Editor

Finn McEvoy | Data Scientist

**Website:** [www.economicsobservatory.com](http://www.economicsobservatory.com)

**Newsletter:** [www.economicsobservatory.com/join-us](http://www.economicsobservatory.com/join-us)

**Data Hub:** [www.economicsobservatory.com/data-hub](http://www.economicsobservatory.com/data-hub)


# Masterclass outline.

*What we are covering today*

<i>Time</i>	<i>Section</i>	<i>Details</i>
09.00 - 09.30		Welcome coffee. Checking computer set ups.
09.30 - 10.30	1	Charts as data – introducing Vega-Lite
10.30 - 11.00	<i>Break</i>	<i>Coffee/tea (team available to fix bugs)</i>
11:00 - 12.30	2	My first website – GitHub, HMTL, CSS and JavaScript
12.30 - 13.15	<i>Lunch</i>	<i>Lunch (team available to fix bugs)</i>
13.15 - 14.15	3	Programming – APIs, if statements, and loops.
14.15 - 15.15	4	Advanced visualisations – beyond two dimensions
15:15 - 15:30	<i>Break</i>	<i>Coffee/tea (team available to fix bugs)</i>
15.30 - 16.30	5	Scraping – fetching data with Python

# 1.1 Charts as data.

*How a new datatype will save you time and errors*



# JSON data.

- **JavaScript Object Notation.** An important data type. **Why use it?**
  - It is the way computers share data.
  - Most importantly it is what many APIs will deliver – your data will arrive to you in this way.
  - It looks complicated at first, but is easy to convert into access, change and chart.
- Formatted as **key : value** pairs:  

```
'{"name": "David Beckham", "yearBorn": 1975, "team": "Manchester United"}'
```
- **Keys** are strings, always in double quotes.
- **Values** can be many things: string, number, arrays, objects.
- Useful tools:
  - [www.jsonlint.com](http://www.jsonlint.com). Test and format JSON.
  - **JSON formatter**. Chrome extension.



# Raw.

```
{
  "query": {
    "apikey": "b8bb8050-f3d3-11eb-808b-334144de1112",
    "season_id": 352,
    "date_from": "2020-09-19",
    "data": [
      {
        "match_id": 137294,
        "status_code": 3,
        "status": "finished",
        "match_start": "2020-09-19 11:30:00",
        "match_start_iso": "2020-09-19T11:30:00+00:00",
        "minute": null,
        "league_id": 237,
        "season_id": 352,
        "stage": {
          "stage_id": 1,
          "name": "Regular Season",
          "group": {
            "group_id": 103,
            "group_name": "Premier League",
            "round": {
              "round_id": 17515,
              "name": "2",
              "is_current": null,
              "referee_id": 196,
              "home_team": {
                "team_id": 2516,
                "name": "Everton FC",
                "short_code": "EVE",
                "common_name": "",
                "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/10.png",
                "country": {
                  "country_id": 42,
                  "name": "England",
                  "country_code": "en",
                  "continent": "Europe"
                },
                "away_team": {
                  "team_id": 2544,
                  "name": "West Bromwich Albion",
                  "short_code": "WBA",
                  "common_name": "",
                  "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/272.png",
                  "country": {
                    "country_id": 42,
                    "name": "England",
                    "country_code": "en",
                    "continent": "Europe"
                  },
                  "stats": {
                    "home_score": 5,
                    "away_score": 2,
                    "ht_score": "2-1",
                    "ft_score": "5-2",
                    "et_score": null,
                    "ps_score": null
                  },
                  "venue": {
                    "venue_id": 1208,
                    "name": "Goodison Park",
                    "capacity": 39571,
                    "city": "Liverpool",
                    "country_id": 42
                  },
                  "match_id": 137340,
                  "status_code": 3,
                  "status": "finished",
                  "match_start": "2020-09-19 14:00:00",
                  "match_start_iso": "2020-09-19T14:00:00+00:00",
                  "minute": null,
                  "league_id": 237,
                  "season_id": 352,
                  "stage": {
                    "stage_id": 1,
                    "name": "Regular Season",
                    "group": {
                      "group_id": 103,
                      "group_name": "Premier League",
                      "round": {
                        "round_id": 17515,
                        "name": "2",
                        "is_current": null,
                        "referee_id": 145,
                        "home_team": {
                          "team_id": 2546,
                          "name": "Leeds United",
                          "short_code": "LU",
                          "common_name": "",
                          "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/274.png",
                          "country": {
                            "country_id": 42,
                            "name": "England",
                            "country_code": "en",
                            "continent": "Europe"
                          },
                          "away_team": {
                            "team_id": 12429,
                            "name": "Fulham FC",
                            "short_code": "FUL",
                            "common_name": "Fulham (R)",
                            "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/6214.png",
                            "country": {
                              "country_id": 42,
                              "name": "England",
                              "country_code": "en",
                              "continent": "Europe"
                            },
                              "stats": {
                                "home_score": 4,
                                "away_score": 3,
                                "ht_score": "2-1",
                                "ft_score": "4-3",
                                "et_score": null,
                                "ps_score": null
                              },
                              "venue": {
                                "venue_id": 1225,
                                "name": "Eiland Road",
                                "capacity": 39460,
                                "city": "Leeds",
                                "country_id": 42
                              },
                              "match_id": 137387,
                              "status_code": 3,
                              "status": "finished",
                              "match_start": "2020-09-19 16:30:00",
                              "match_start_iso": "2020-09-19T16:30:00+00:00",
                              "minute": null,
                              "league_id": 237,
                              "season_id": 352,
                              "stage": {
                                "stage_id": 1,
                                "name": "Regular Season",
                                "group": {
                                  "group_id": 103,
                                  "group_name": "Premier League",
                                  "round": {
                                    "round_id": 17515,
                                    "name": "2",
                                    "is_current": null,
                                    "referee_id": 195,
                                    "home_team": {
                                      "team_id": 2523,
                                      "name": "Manchester United",
                                      "short_code": "MU",
                                      "common_name": "",
                                      "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/19.png",
                                      "country": {
                                        "country_id": 42,
                                        "name": "England",
                                        "country_code": "en",
                                        "continent": "Europe"
                                      },
                                      "away_team": {
                                        "team_id": 2515,
                                        "name": "Crystal Palace",
                                        "short_code": "PAL",
                                        "common_name": "",
                                        "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/9.png",
                                        "country": {
                                          "country_id": 42,
                                          "name": "England",
                                          "country_code": "en",
                                          "continent": "Europe"
                                        },
                                        "stats": {
                                          "home_score": 1,
                                          "away_score": 3,
                                          "ht_score": "0-1",
                                          "ft_score": "1-3",
                                          "et_score": null,
                                          "ps_score": null
                                        },
                                        "venue": {
                                          "venue_id": 1204,
                                          "name": "Old Trafford",
                                          "capacity": 75635,
                                          "city": "Manchester",
                                          "country_id": 42
                                        },
                                        "match_id": 137428,
                                        "status_code": 3,
                                        "status": "finished",
                                        "match_start": "2020-09-19 19:00:00",
                                        "match_start_iso": "2020-09-19T19:00:00+00:00",
                                        "minute": null,
                                        "league_id": 237,
                                        "season_id": 352,
                                        "stage": {
                                          "stage_id": 1,
                                          "name": "Regular Season",
                                          "group": {
                                            "group_id": 103,
                                            "group_name": "Premier League",
                                            "round": {

```

API returns. The results of request to Sport Data API.

# Parsed.

```
},
  "away_team": {
    "team_id": 2544,
    "name": "West Bromwich Albion",
    "short_code": "WBA",
    "common_name": "",
    "logo": "https://cdn.sportdataapi.com/images/soccer/teams/100/272.png",
    "country": {
      "country_id": 42,
      "name": "England",
      "country_code": "en",
      "continent": "Europe"
    }
  },
  "stats": {
    "home_score": 5,
    "away_score": 2,
    "ht_score": "2-1",
    "ft_score": "5-2",
    "et_score": null,
    "ps_score": null
  },
  "venue": {
    "venue_id": 1208,
    "name": "Goodison Park",
    "capacity": 39571,
    "city": "Liverpool",
    "country_id": 42
  }
}
```

# Why data is great.

*Some important aspects of the data revolution*

Data is great for a host of reasons:

- Transparency
- Verification
- Replication
- Sharing
- Comparing

# Why charts are terrible.

*The problem we face*

Charts can be terrible for many reasons:

- Opaque
- Repetitious
- Inflexible (pixel problems when changing sizes)

During the break: examples of Chart Junk, and Graph Crimes


# The state of play.

*Analysis in 2024*




# The big idea for today.

*The core philosophy of our course*



# Charts as JSON data.

```
{ "$schema": "https://vega.github.io/schema/vega-lite/v5.json",  
  
  "title": {"text": "Green Party representation - European Parliament"},  
  
  "data": {"url": "https://raw.githubusercontent.com/RDeconomist/RDeconomist.github.io/main/data/chartENV19.csv"},  
  
  "height": 300,  
  "width": 260,  
  
  "mark": {  
    "type": "bar",  
    "color": "#86d0bb"},  
  
  "encoding": {  
    "x": {  
      "field": "Time",  
      "type": "nominal",  
      "axis": {  
        "title": null,  
        "grid": false,  
        "ticks": false,  
        "labelAngle": 45}},  
    "y": {  
      "field": "Value",  
      "type": "quantitative",  
      "title": "",  
      "axis": {"grid": false}}  }  
}
```



## 1.2 Delivering data.

*Three ways to inject numbers into your chart*



# Delivering data.

*Where does the data in your chart come from?*

A vital input to your chart is the data that is plotted.

We will meet three:

1. Embedding data in your chart code
2. Delivering data from GitHub
3. Delivering data from an API



```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",
  "title": {"text": "GDP Per Capita"},
  "width": 400,
  "height": 300,
  "data": {
    "values": [
      {"Country": "China", "GDP per capita": 21482},
      {"Country": "DR Congo.", "GDP per capita": 1337},
      {"Country": "UK", "GDP per capita": 54929},
      {"Country": "India", "GDP per capita": 8400},
      {"Country": "Nigeria", "GDP per capita": 5862},
      {"Country": "USA", "GDP per capita": 76329}]
    },
  "mark": {
    "type": "bar",
    "color": "red"},
  "encoding": {
    "x": {"field": "Country"},
    "y": {
      "field": "GDP per capita",
      "type": "quantitative"}}
}
```

# Delivering data 1.

*Embedding the data in your chart*

# Delivering data 1.

*Embedding the data in your chart*

```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",
  "title": {"text": "GDP Per Capita"},
  "width": 400,
  "height": 300,
  "data": {
    "values": [
      {"Country": "China", "GDP per capita": 21482},
      {"Country": "DR Congo.", "GDP per capita": 1337},
      {"Country": "UK", "GDP per capita": 54929},
      {"Country": "India", "GDP per capita": 8400},
      {"Country": "Nigeria", "GDP per capita": 5862},
      {"Country": "USA", "GDP per capita": 76329}]
    },
  "mark": {
    "type": "bar",
    "color": "red"},
  "encoding": {
    "x": {"field": "Country"},
    "y": {
      "field": "GDP per capita",
      "type": "quantitative"}}
}
```


← The dataset can be seen here.

```
{  
"$schema": "https://vega.github.io/schema/vega-lite/v5.json",
```

```
"title": {"text": "GDP Per Capita"},  
  
"width": 400,  
"height": 300,  
  
"data": {  
  "values": [  
    {"Country": "China", "GDP per capita": 21482},  
    {"Country": "DR Congo.", "GDP per capita": 1337},  
    {"Country": "UK", "GDP per capita": 54929},  
    {"Country": "India", "GDP per capita": 8400},  
    {"Country": "Nigeria", "GDP per capita": 5862},  
    {"Country": "USA", "GDP per capita": 76329}]  
  },  
  
"mark": {  
  "type": "bar",  
  "color": "red"},  
  
"encoding": {  
  "x": {"field": "Country"},  
  
  "y": {  
    "field": "GDP per capita",  
    "type": "quantitative"}  
  }  
}
```

# Delivering data 1.

*Embedding the data in your chart*



# Delivering data 2.

*Using GitHub to store and deliver your data*

```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",

  "title": {
    "text": "Real GDP Per Capita",
    "subtitle": ["Current International USD, PPP", "Source: World Bank"]},

  "width": 400,
  "height": 300,

  "data": {"url": "https://raw.githubusercontent.com/EconomicsObservatory/courses/main/1/example_data/chart2_GDP_pc_6_countries.csv"},


  "mark": "line",

  "encoding": {
    "x": {"field": "Year", "type": "temporal", "title": null},
    "y": {"field": "GDP pc", "type": "quantitative", "title": null},
    "color": {"field": "Country Name", "type": "nominal"}
  }
}
```

# Delivering data 2.

*Using GitHub to store and deliver your data*

The data are stored elsewhere on GitHub, via this link



```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",
  "title": {
    "text": "Real GDP Per Capita",
    "subtitle": ["Current International USD, PPP", "Source: World Bank"]},
  "width": 400,
  "height": 300,
  "data": {"url": "https://raw.githubusercontent.com/EconomicsObservatory/courses/main/1/example\_data/chart2\_GDP\_pc\_6\_countries.csv"},
  "mark": "line",
  "encoding": {
    "x": {"field": "Year", "type": "temporal", "title": null},
    "y": {"field": "GDP pc", "type": "quantitative", "title": null},
    "color": {"field": "Country Name", "type": "nominal"}
  }
}
```

# Delivering data 2.

*Using GitHub to store and deliver your data*

```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",


  "title": {
    "text": "Real GDP Per Capita",
    "subtitle": ["Current International USD, PPP", "Source: World Bank"]
  },

  "width": 400,
  "height": 300,

  "data": {"url": "https://raw.githubusercontent.com/EconomicsObserved"},

  "mark": "line",

  "encoding": {
    "x": {"field": "Year", "type": "temporal", "title": null},
    "y": {"field": "GDP pc", "type": "quantitative", "title": null},
    "color": {"field": "Country Name", "type": "nominal"}
  }
}
```



# Delivering data 2.

*Using GitHub to store and deliver your data*

In our spec we have the following:

```
"data": {"url":  
"https://raw.githubusercontent.com/  
EconomicsObservatory/courses/main  
/1/example_data/chart2_GDP_pc_6_co  
untries.csv"},
```

You can open the CSV link in your  
browser to see the underlying numbers

## Using GitHub to store and deliver your data

```
"data": {"url":  
"https://raw.githubusercontent.com  
/EconomicsObservatory/courses/main  
/1/example_data/chart2_GDP_pc_6_co  
untries.csv"},
```

Country Name	Country Code	Year	GDP pc
United Kingdom	GBR	1990-01-01	17091.3051155726
"Korea, Rep."	KOR	1990-01-01	8355.3327739747
United States	USA	1990-01-01	23888.6000088133
United Kingdom	GBR	1991-01-01	17420.4212113977
"Korea, Rep."	KOR	1991-01-01	9474.64259647045
United States	USA	1991-01-01	24342.2589048189
United Kingdom	GBR	1992-01-01	17840.5510277811
"Korea, Rep."	KOR	1992-01-01	10184.8556645893
United States	USA	1992-01-01	25418.9907763319
United Kingdom	GBR	1993-01-01	18673.348462135
"Korea, Rep."	KOR	1993-01-01	11030.7119484601
United States	USA	1993-01-01	26387.2937338171
United Kingdom	GBR	1994-01-01	19755.2550837302
"Korea, Rep."	KOR	1994-01-01	12187.2549659273
United States	USA	1994-01-01	27694.853416234
United Kingdom	GBR	1995-01-01	20595.7082090064
"Korea, Rep."	KOR	1995-01-01	13502.5827420794
United States	USA	1995-01-01	28690.8757013347
United Kingdom	GBR	1996-01-01	21946.108059434
"Korea, Rep."	KOR	1996-01-01	14694.0962445008
United States	USA	1996-01-01	29967.7127181749
United Kingdom	GBR	1997-01-01	23069.3890783783
"Korea, Rep."	KOR	1997-01-01	15721.7056576921
United States	USA	1997-01-01	31459.1389804773
United Kingdom	GBR	1998-01-01	23688.3819751261
"Korea, Rep."	KOR	1998-01-01	14974.6595747118
United States	USA	1998-01-01	32853.6769523009
United Kingdom	GBR	1999-01-01	24493.5013657365
"Korea, Rep."	KOR	1999-01-01	16807.1294764195
United States	USA	1999-01-01	34515.3902272076
United Kingdom	GBR	2000-01-01	26531.5844868141
"Korea, Rep."	KOR	2000-01-01	18538.8355325592
United States	USA	2000-01-01	36329.9560727102



# Delivering data 3.

*Receiving data direct from an API*

```
{
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",

  "title": {
    "text": "British GDP Growth",
    "subtitle": ["QoQ4 % Growth", "Source: ONS via ECO-API"]
  },

  "width": 400,
  "height": 300,

  "data": {"url": "https://api.economicsobservatory.com/gbr/grow?vega"},

  "mark": "line",

  "encoding": {
    "x": {"field": "date", "type": "temporal", "title": null},
    "y": {"field": "value", "type": "quantitative", "title": null}
  }
}
```

# Delivering data 3.

*Receiving data direct from an API*

```
{  
  "$schema": "https://vega.github.io/schema/vega-lite/v5.json",  
  
  "title": {  
    "text": "British GDP Growth",  
    "subtitle": ["QoQ4 % Growth", "Source: ONS via ECO-API"]  
  },  
  
  "width": 400,  
  "height": 300,  
  
  "data": {"url": "https://api.economicsobservatory.com/gbr/grow?vega"},  
  
  "mark": "line",  
  
  "encoding": {  
    "x": {"field": "date", "type": "temporal", "title": null},  
    "y": {"field": "value", "type": "quantitative", "title": null}  
  }  
}
```

The data comes from an external source.

In this case the Economics Observatory API.

[There are thousands of APIs you can use, we will meet more later in the course]

# Delivering data 3.

*Receiving data direct from an API*

```
▼ [
  ▼ {
    "date": "1956-02",
    "value": 2.6
  },
  ▼ {
    "date": "1956-05",
    "value": 2.5
  },
  ▼ {
    "date": "1956-08",
    "value": 0.3
  },
  ▼ {
    "date": "1956-11",
    "value": 1.5
  },
  ▼ {
    "date": "1957-02",
    "value": 2.2
  },
  -
]
```

APIs (in this context) are just like urls.

You can open the API link in your browser to see what is being delivered to your machine.


Here are the underlying numbers from the current example

Note the 'key-value pairs'

# 1.3 Code along 1.

*Playing with Chart specs*

<https://economicsobservatory.com/modern-data-visualisation>



# Code-along.

*First steps towards JSON visualisations*

In this first practical session, we will explore the three data delivery types:

1. Embedded into the design of the chart: “s1\_chart1.json”
2. Via CSV file on GitHub: “s1\_chart2.json”
3. Via an API: “s1\_chart3.json”

The files can be found here:

<http://economicsobservatory.com/modern-data-visualisation>

# Code-along tool: <https://vega.github.io/editor>

*Tool – Vega-Lite editor*



# Code-along: our tasks

*Edit three files to make your first JSON visualisations*

File 1. Inline data. ([s1\\_chart1.json](#))

- Paste the JSON into Vega Lite Editor (<https://vega.github.io/editor>). Now change:
  - The colour of the bars.
  - Swap some of the data to countries that interest you
  - The size of the chart

File 2. GitHub data. ([s1\\_chart2.json](#)). Changes:

- The colour variable
- The title text
- [*The variable being plotted*]

File 3. API data. ([s1\\_chart3.json](#)). Changes:

- The API data being delivered.
- The title text
- The line colour

<https://economicsobservatory.com/modern-data-visualisation>

# Code-along: our tasks

*Edit three files to make your first JSON visualisations*

## File 1. Inline data. ([s1\\_chart1.json](#))

- Paste the JSON into Vega Lite Editor (<https://vega.github.io/editor>). Now change:
  - The colour of the bars.
  - Swap some of the data to countries that interest you
  - The size of the chart

## File 2. GitHub data. ([s1\\_chart2.json](#)). Changes:

- The colour variable
- The title text
- [*The variable being plotted*]

## File 3. API data. ([s1\\_chart3.json](#)). Changes:

- The API data being delivered.
- The title text
- The line colour

### When happy with your chart:

1. Copy and paste the JSON into your text editor (Visual Studio Code).
2. Save it locally on your machine.
3. Add it to your GitHub pages repository.

<https://economicsobservatory.com/modern-data-visualisation>



