



F WARNE 2

British Columbia Catch Statistics

BY AREA AND TYPE OF GEAR
(As Reported On Sales Slips Received By The Department)

1952

DEPARTMENT OF FISHERIES OF CANADA
PACIFIC AREA




TABLE OF CONTENTS


PAGE	PAGE
FOREWORD	3
MAPS OF SOUTHERN STATISTICAL AREAS	4
MAPS OF NORTHERN STATISTICAL AREAS	5
DISTRICT SUMMARY & PROVINCIAL LANDINGS & VALUE	6
SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA 1952	7
CATCH STATISTICS - SHEET A - SALMON SHEET B - OTHER FISH	13 - 92
CONSOLIDATION OF SMALL AREAS	14
PROVINCIAL SUMMARY	15 - 16
DISTRICT 2 SUMMARY	17 - 18
AREAS A & B, 1 - 10, AND 30	19 - 46
DISTRICT 3 SUMMARY	47 - 48
AREAS 11 - 27, C.	49 - 81
DISTRICT 1 SUMMARY	83 - 84
AREA 28 & 29	85 - 92
CATCH STATISTICS - SHEET C - SHELLFISH	93 - 117
CONSOLIDATION OF SMALL AREAS	94
PROVINCIAL SUMMARY	95
DISTRICT 2 SUMMARY	96
AREAS 1 - 2 AE - 4 - 5	97 - 100
DISTRICT 3 SUMMARY	101
DISTRICT 1 SUMMARY	102
AREAS 12 - 29E	103 - 117
SUMMARY OF SALMON BY AREAS SHOWING PIECES AND WEIGHT	118
ACCUMULATIVE LANDINGS OF SALMON BY WEEKS FOR AREAS 3, 4, 6, 7, 8, 9, 10, 12, 13, 23, 29 A & B, 29 C AND 29 D.	119 - 131

EXPLANATION OF WEIGHTS USED

THE WEIGHTS SHOWN FOR EACH TYPE OF FISH ARE IN THE FORM
MOST COMMON FOR THE TYPE OF GEAR. IN CASES WHERE FISH HAS
BEEN LANDED IN OTHER WAYS CONVERSION FACTORS HAVE BEEN APPLIED.

WEIGHTS SHOWN ON TABLES ARE AS FOLLOWS:-

- (A) TRAWL FISH - ROUND WEIGHT EXCEPT FOR GREY COD WHICH IS SHOWN DRESSED HEAD ON AND LING COD WHICH IS SHOWN DRESSED HEAD OFF.
- (B) TROLL FISH & HAND LINE - SALMON - DRESSED HEADS ON
- LING COD - DRESSED HEADS OFF
- RED & ROCK COD - ROUND
- OTHER FISH CAUGHT ON TROLL SHOWN AS DRESSED WEIGHT.
- (C) LONG LINE - DRESSED HEADS OFF.
- (D) SEINE - ROUND WEIGHTS.
- (E) GILLNET - ROUND WEIGHTS.
- (F) TRAPS - ROUND WEIGHTS.



FOREWORD

THIS IS THE SECOND ANNUAL REPORT OF FISH CATCH STATISTICS FOR BRITISH COLUMBIA BASED ON THE MULTIPLE SALES SLIP SYSTEM THAT WAS INTRODUCED ON A PROVINCE-WIDE BASIS ON JANUARY 1ST, 1951. IT IS EVIDENT FROM THE NUMBER OF REQUESTS RECEIVED FOR THESE DETAILED TYPES OF REPORTS, THAT THE INDUSTRY AS REPRESENTED BY THE FISHERMEN AND THE OPERATORS, AS WELL AS ADMINISTRATIVE AND SCIENTIFIC PERSONNEL ARE BECOMING INCREASINGLY INTERESTED IN THE BREAKDOWN OF THE COMMERCIAL CATCH BY AREA AND BY GEAR.

IN 1952, PRELIMINARY REPORTS ON CATCHES WERE PUBLISHED EACH MONTH. THESE REPORTS PUBLISHED ON THE 20TH OF THE MONTH FOLLOWING, INCLUDED A SUMMARY OUTLINING GENERAL FISHING CONDITIONS IN THE PROVINCE AS WELL AS DETAILED INFORMATION ON CATCH FOR EACH AREA. DURING THE PERIOD MAY TO OCTOBER INCLUSIVE, THE REPORTS ISSUED EACH MONTH INCLUDED WEEKLY TOTALS AND IN ADDITION TO THE VOLUME OF FISH LANDED, ALSO SHOWED THE NUMBER OF SALMON CAUGHT IN EACH AREA BY TYPE OF GEAR. REVISED WEEKLY CATCH FIGURES ARE NOT PUBLISHED BUT ARE AVAILABLE FOR ANY AREA FROM THE STATISTICAL SECTION OF THE DEPARTMENT OF FISHERIES IN VANCOUVER. IN ORDER TO PROVIDE A UNIFORM BASIS OF COMPARISON EACH YEAR, THE NUMBER OF WEEKS INCLUDED IN EACH MONTH WILL BE KEPT THE SAME FROM YEAR TO YEAR. THESE WILL BE AS FOLLOWS:

MAY	4 WEEKS
JUNE	4 WEEKS
JULY	5 WEEKS
AUGUST	4 WEEKS
SEPTEMBER	4 WEEKS
OCTOBER	5 WEEKS

BY FOLLOWING THIS PATTERN EACH YEAR IT WILL BE POSSIBLE TO AVOID DIFFERENCE IN THE NUMBER OF FISHING DAYS WHICH MIGHT RESULT DUE TO THE IRREGULARITY OF THE CALENDAR.

IN ORDER TO INTERPRET THESE CATCH STATISTICS EACH YEAR, AN APPRECIATION IS NEEDED NOT ONLY OF SUCH LIMITING FACTORS AS UNUSUAL WEATHER CONDITIONS BUT ALSO OF ANY IRREGULAR CONTRACTION OR EXPANSION OF FISHING EFFORT DUE TO CONSERVATION REGULATIONS OR ECONOMIC FACTORS.

WEATHER CONDITIONS IN 1952 CAN NOT BE CONSIDERED AS UNUSUAL ALTHOUGH DURING THE HALIBUT SEASON, (WHICH THIS YEAR OPENED TWO WEEKS LATER THAN DURING THE PAST SEVERAL YEARS) BETTER THAN AVERAGE FISHING CONDITIONS WERE EXPERIENCED AND AS A RESULT THE HALIBUT QUOTA IN THE MAIN AREA WAS CAUGHT IN THE RECORD TIME OF 26 DAYS.

REGULATIONS PRESCRIBED BY THE FEDERAL DEPARTMENT OF FISHERIES INCLUDING THOSE BASED ON RECOMMENDATIONS BY THE INTERNATIONAL PACIFIC SALMON FISHERIES COMMISSION AND BY THE INTERNATIONAL FISHERIES COMMISSION IN 1952 IN RESPECT TO HALIBUT AND FRASER RIVER SOCKEYE RESPECTIVELY WERE IN LINE WITH PROCEDURES FOLLOWED IN PAST YEARS.

A. J. WHITMORE
CHIEF SUPERVISOR OF FISHERIES

MODIFICATIONS TO BE NOTED INCLUDED:

(A) THE TAKING OF COHOE WAS NOT PERMITTED UNTIL JUNE 16, THE EXCEPTION BEING THE INSIDE WATERS OF DISTRICT 3 WHERE JUNE 1ST OPENING REMAINED IN EFFECT. PREVIOUSLY NO GENERAL OPENING DATE WAS REQUIRED. THE MEASURE WAS PRIMARILY TO ASSIST IN PROTECTING YOUNG IMMATURE COHOE.

(B) IN 1952, SOCKEYE NET FISHING ON THE NASS AND SKEENA OPENED AS USUAL AT MIDNIGHT OF THE SECOND LAST SUNDAY OF JUNE. THE ACTUAL DATE OF OPENING WAS JUNE 22ND OR 5 DAYS LATER THAN IN 1951. THE FRASER RIVER WAS OPENED TO SOCKEYE NETS ON JUNE 30TH IN 1952 AS COMPARED WITH JULY 2 IN 1951.

(C) THREE AREAS ALONG THE EAST COAST OF VANCOUVER ISLAND WERE RE-OPENED DURING THE LAST TWO WEEKS OF DECEMBER FOR FISHING BY MEANS OF SEINES AND GILLNET TO TEST "SO CALLED" LATE RUNS OF CHUMS.

THE MOST SIGNIFICANT EFFECT ON THE VOLUME OF FISH CAUGHT IN 1952 WAS THE DECREASE IN THE FISHING EFFORT CAUSED BY THE TIE UP OF THE FISHING FLEETS PENDING PRICE AND OTHER NEGOTIATIONS BETWEEN THE FISHERMAN'S UNION AND THE OPERATORS. THERE WERE FIVE DISTINCT AND SEPARATE PERIODS DURING 1952 WHEN FISHING ACTIVITIES WERE CURTAILED.

THE FIRST MAJOR STOPPAGE OF THE SEASON OCCURRED WHEN THE WHALING FLEET REMAINED TIED UP PENDING A UNION CONTRACT AND DID NOT LEAVE PORT UNTIL MAY 2ND, NEARLY FOUR WEEKS LATER THAN IN 1951. DESPITE THIS, HOWEVER, THE TOTAL WHALE CATCH WAS THE HIGHEST FOR MANY YEARS. IT SHOULD BE MENTIONED THAT WHALE STATISTICS ARE NOT REPORTED ON SALES SLIPS AND ARE THEREFORE NOT INCLUDED IN THE SUMMARY TOTAL OF VOLUME AND VALUE.

THE SECOND TIE UP STARTED IN PRINCE RUPERT ON APRIL 29TH WHEN MOST OF THE TRAWL FLEET REMAINED IN PORT PENDING PRICE NEGOTIATIONS AND UNION RECOGNITION. THIS TIE UP GRADUALLY SPREAD TO OTHER PARTS OF THE PROVINCE AND INCLUDED MOST BUT NOT ALL OF THE TRAWLER FLEET. THE BOATS FINALLY RETURNED TO THE FISHING GROUNDS STARTING JUNE 23RD BUT DURING THE PERIOD OF THE TIE UP PRODUCTION WAS SERIOUSLY CURTAILED.

DURING THE SALMON SEASON, THE GILLNET AND SEINE FLEETS WERE TIED UP ON TWO SEPARATE OCCASIONS. FROM JULY 20TH TO JULY 24TH, THE GILLNET AND SEINE FLEETS REMAINED IN PORT PENDING PRICE NEGOTIATIONS ON PINK SALMON.


THE SECOND TIE UP OF THE SALMON GILLNET AND SEINE FLEET OCCURRED DURING PROLONGED NEGOTIATIONS ON THE PRICE OF CHUM SALMON. THIS STRIKE LASTED FROM SEPTEMBER 6TH UNTIL OCTOBER 20TH AND WITH THE EXCEPTION OF A SMALL NUMBER OF BOATS FISHING FOR THE CO-OPERATIVES OR FOR FOOD RELIEF PURPOSES, THE TIE UP OF NET FISHERMEN WAS PRACTICALLY 100 PER CENT EFFECTIVE.

THE FINAL STRIKE DURING THE YEAR AFFECTED THE HERRING SEINE FLEET. DUE TO THE DROP IN THE MARKET PRICE FOR FISH OILS SINCE LAST SEASON THE OPERATORS INITIALLY OFFERED A LOWER PRICE PER TON TO THE FISHERMEN FOR THE 1952 - 1953 SEASON AS COMPARED WITH THE PREVIOUS YEAR. THIS WAS NOT ACCEPTABLE TO THE FISHERMEN AND ATTEMPTS MADE AT NEGOTIATING A PRICE SATISFACTORY TO BOTH OPERATORS AND UNION WERE NOT SUCCESSFUL IN THE CLOSING MONTHS OF 1952.

THE EFFECT OF THESE STOPPAGES ON TOTAL LANDINGS CAN NOT BE ACCURATELY DETERMINED BUT ANY ANALYSIS OF CATCH MUST TAKE ALL THESE MATTERS INTO CONSIDERATION.

BLAKE A. CAMPBELL
CHIEF STATISTICIAN

DEPARTMENT OF FISHERIES
STATISTICAL MAP



FOR CATCHES FROM WATERS NORTH OF DIXON


ENTRANCE:

AREA "A" - ALL FISH CAUGHT OFF THE COAST
OF THE STATE OF WASHINGTON
SOUTH OF CAPE FLATTERY

AREA "B" - WATERS SOUTH OF CAPE SPENCER
WEST OF CAPE FLATTERY

DEPT. OF FISHERIES
STATISTICAL MAP

(NORTHERN HALF)



DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. 1952 AS REPORTED ON SALES SLIPSINCLUDING TOTAL LANDED VALUE

SPECIES	DISTRICT 1 CWTS	DISTRICT 2 CWTS	DISTRICT 3* CWTS	TOTAL CWTS.	LANDED VALUE(1) 000's \$
RED SPRING	15 121	25 990	61 215	102 326	2 113
WHITE SPRING	5 503	5 152	12 696	23 351	261
STEELHEAD	498	4 098	490	5 086	69
COHO	6 645	73 140	116 298	196 083	2 904
SOCKEYE	67 513	198 579	42 575	308 667	7 717
CHINOOK	67 119	100 133	131 364	318 616	2 349
PINKS	44	380 518	131 932	512 494	4 102
JACKS	703	1 598	726	3 027	20
TOTAL SALMON	183 146	789 208	497 296	1 469 650	19 555
HERRING	1 262	1 237 896	655 813	1 894 971	3 201
HALIBUT		218 132	16 753	234 885	3 955
SOLES	962	106 559	36 595	144 117	815
LING COD	229	3 815	38 377	42 421	368
BLACK COD	1	10 790	2 674	13 465	143
GRAY COD	667	15 938	28 500	45 105	191
RED & ROCK COD	49	4 018	5 089	9 156	32
FLOUNDERS	549	2 252	1 607	4 408	13
SKATE	250	41	882	1 173	2
SMELT	935			935	9
OLACHONS	9 126	155		9 281	55
TUNA			1 566	1 566	28
ANCHovies			1 669	1 669	3
OTHER FISH	634	1 105	15 557	17 296	71
CLAMS -	341	34 692	31 574	66 607	222
ABALONE			119	119	1
CRABS	7 953	11 155	879	19 987	222
SHRIMPS & PRAWNS	7 230	38	979	8 247	181
OYSTERS - U.S. GALS	57 711		23 474	81 185	369
TOTAL				29 436	* INCLUDES AREA C

(1) PRELIMINARY - SUBJECT TO REVISION WHEN ANNUAL SUPPLEMENTS COMPILED.

SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA 1952 SALMON

IN 1952, TOTAL LANDINGS OF SALMON, AS REPORTED ON SALES SLIPS TOTALLED 147.0 MILLION POUNDS. ON THE BASIS OF ROUND WEIGHT THIS REPRESENTED A TOTAL OF 151.1 MILLION POUNDS.

THE CATCH OF SALMON BY SPECIES ON THE BASIS OF IMPORTANCE ON A VOLUME BASIS IS AS FOLLOWS:

	<u>MILLION POUNDS</u> (ROUND WEIGHT BASIS)	<u>% OF TOTAL</u>
PINKS	51.28	34.0
CHUNS	31.87	21.1
SOCKEYE	30.87	20.4
COHO	22.19	14.7
RED SPRING	11.53	7.6
WHITE SPRING	2.56	1.7
STEELHEAD	.51	.3
JACKS	.32	.2
TOTALS	<u>151.13</u>	<u>100.0</u>

OF THE TOTAL SALMON CAUGHT IN 1952, GILLNETTERS CAUGHT 43.1% AMOUNTING TO 65.19 MILLION POUNDS WHILE SEINERS REPORTED 57.12 MILLION POUNDS OR 37.8% AND TROLLERS CAUGHT 27.78 MILLION POUNDS. THE TRAP CATCH AMOUNTED TO SLIGHTLY MORE THAN ONE MILLION POUNDS.

TABLE 1. CATCH BY SPECIES AND BY GEAR
(ALL LANDING CONVERTED TO ROUND WEIGHT)

SPECIES	GILLNET		SEINE		TROLLERS		TRAPS		TOTAL	
	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	\$
PINKS	15.02	29.3	36.02	70.2	.24	.5	*		51.28	100.0
CHUNS	16.27	51.0	15.57	48.9	.02	.1	.01	*	31.87	100.0
SOCKEYE	26.99	87.5	3.42	11.1	.01	#	.44	1.4	30.86	100.0
COHO	3.03	13.7	1.78	8.0	17.20	77.5	.18	.8	22.19	100.0
RED SPRING	2.37	20.5	.18	1.6	8.67	75.2	.31	2.7	11.53	100.0
WHITE SPRING	.88	34.3	.07	2.7	1.54	59.9	.08	3.1	2.57	100.0
STEELHEAD	.46	90.2	.03	5.9	*		.02	3.9	.51	100.0
JACKS	.17	53.1	.05	15.6	.10	31.3		.32		100.0
TOTAL	65.19	43.1	57.12	37.8	27.78	18.4	1.04	.7	<u>151.13</u>	100.0

*LESS THAN 5000 LBS. OR LESS THAN .05%.

ON THE BASIS OF VOLUME, PINK SALMON WAS THE MOST IMPORTANT IN 1952 AND OF THE 51.28 MILLION POUNDS REPORTED, SEINERS CAUGHT 36.02 MILLION POUNDS OR 70.2 PER CENT WITH GILLNETTERS REPORTING 15.02 MILLION POUNDS.

THE CHUN CATCH WAS JUST SLIGHTLY HIGHER THAN THE SOCKEYE WITH GILLNETTERS ACCOUNTING FOR 16.27 MILLION POUNDS AS COMPARED WITH 15.57 MILLION POUNDS FOR SEINERS.

GILLNETTERS ACCOUNTED FOR NEARLY 27 MILLION POUNDS OF SOCKEYE REPRESENTING 87.5 PERCENT OF THE TOTAL CATCH.

ALTOGETHER TROLLERS ACCOUNTED FOR 27.8 MILLION POUNDS OF SALMON, OF WHICH 17.2 MILLION POUNDS WERE COHO AND 8.67 MILLION POUNDS WERE RED SPRING.

* AREA 12, WHICH INCLUDES UPPER PART OF JOHNSTONE STRAITS PRODUCED THE HIGHEST CATCH FOR ANY AREA WITH TOTAL LANDING OF 19.17 MILLION POUNDS. THIS INCLUDED 10.4 MILLION POUNDS OF PINKS AND 4.8 MILLION POUNDS OF CHUNS.

AREA 4, THE SKEENA RIVER AREA AND AN ALMOST EXCLUSIVE GILLNET AREA WAS NEXT IN IMPORTANCE WITH A TOTAL PRODUCTION OF 17.1 MILLION POUNDS. THE 7.75 MILLION POUNDS OF SOCKEYE CAUGHT IN THIS AREA WAS THE HIGHEST FOR THE PROVINCE WHILE THE 6.58 MILLION POUNDS OF PINKS WAS THE SECOND HIGHEST.

AREA 29 A & B PRODUCED 13.12 MILLION POUNDS OF FISH OF WHICH 4.78 MILLION POUNDS WERE SOCKEYE AND 6.25 MILLION WERE CHUNS. IN ADDITION AREA 29 C AND 29 D PRODUCED AN ADDITIONAL 3.73 MILLION POUNDS OF SALMON TO BRING THE FRASER RIVER CATCH FOR 1952 TO 16.85 MILLION POUNDS.

AREA 9 (RIVERS INLET) WAS THE SECOND MOST IMPORTANT INDIVIDUAL SOCKEYE AREA IN 1952 WITH THE CATCH TOTALLING 5.87 MILLION POUNDS WHILE AREA 10 (SMITH INLET) PRODUCED AN ADDITIONAL 2.44 MILLION POUNDS OF SOCKEYE.

OTHER AREAS IN THE 10 HIGHEST FOR THE PROVINCE INCLUDED AREA 6 WITH 9.1 MILLION POUNDS, AREA 1 IN THE NORTH QUEEN CHARLOTTES WITH 8.9 MILLION POUNDS, AREA 5 WITH 7.42 MILLION POUNDS, AREA 8 WITH 7.41 MILLION POUNDS, AREA 13 WITH 6.9 MILLION POUNDS AND AREA 3 WITH 5.7 MILLION POUNDS.


THESE 10 MOST IMPORTANT AREAS ARE SHOWN BY SPECIES IN CHART 1 AND TOGETHER PRODUCED 70 PER CENT OF ALL FISH CAUGHT IN B.C. IN 1952.

SUMMARY OF SALMON CATCH BY AREA 1952.

AREA 1, 2A WEST AND 2A EAST - (NORTH QUEEN CHARLOTTE ISLAND) TOTAL LANDING OF SALMON WERE 8.9 MILLION POUNDS FOR AREA 1 IN 1952, 3.6 MILLION POUNDS IN AREA 2A WEST AND 1.7 MILLION POUNDS IN AREA 2A EAST. THE PINK SALMON RUN OF AUGUST ACCOUNTED FOR MOST OF THE FISH CAUGHT IN THESE AREAS AND TOTALLED 7.3 MILLION, 3.0 MILLION AND 1.25 MILLION POUNDS RESPECTIVELY FOR THE ABOVE AREAS. IN AREA 1 TROLLERS REPORTED CATCHING 960 THOUSAND POUNDS OF COHO AND 563 THOUSAND POUNDS OF SPRING SALMON. IN AREA 2A WEST, THE COHO CATCH TOTALLED 44 THOUSAND POUNDS WHILE IN AREA 2A EAST, 360 THOUSAND POUNDS OF COHO AND 66 THOUSAND POUNDS OF SPRING SALMON WERE REPORTED BY TROLLERS.

* ALL WEIGHTS SHOWN AFTER THIS IN SUMMARY ARE ON BASIS OF LANDED WEIGHT (I.E.: GILLNET AND SEINE - ROUND, TROLL - DRESSED)

CHART 1 - TOTAL SALMON BY SPECIES AS REPORTED IN 10 HIGHEST AREAS OF BRITISH COLUMBIA 1952



THE PINK RUN IN THESE THREE AREAS DEVELOPED IN STRENGTH DURING THE WEEK ENDING AUGUST 16TH AND WAS ALMOST ENTIRELY A SEINE OPERATION. THE NUMBER OF SEINE CAUGHT PINKS REPORTED BY WEEKS DURING AUGUST FROM THESE THREE AREAS IS AS FOLLOWS:

<u>AREA 1</u>				<u>AREA 2AF</u>			
WEEK ENDING	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.	
AUGUST 9	12 191	13	938				
" 16	255 625	98	2 608	75 416	24	3 142	
" 23	620 243	223	2 781	205 846	70	2 941	
" 30	520 306	269	1 934				

WEEK ENDING	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.	WEEK ENDING	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.
AUGUST 9	12 191	13	938	" 16	255 625	98	2 608
" 23	620 243	223	2 781	" 30	520 306	269	1 934

WEEK ENDING	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.	WEEK ENDING	NUMBER OF FISH	SEINE DELIVERIES	AVERAGE PER DEL.
AUGUST 16	144 584	30	4 819	" 23	535 062	103	5 195

AREA 2B EAST - NEARLY 2.4 MILLION POUNDS OF SALMON WERE REPORTED FROM THIS AREA OF WHICH 1.37 MILLION POUNDS WAS SEINE CAUGHT PINK SALMON DURING AUGUST. CHUMS CAUGHT BY GILLNET AND SEINE IN THIS AREA DURING SEPTEMBER AND OCTOBER TOTALLED 637,000 POUNDS. TROLL CAUGHT COHO ACCOUNTED FOR 307,000 POUNDS AND SPRING 67,000 POUNDS.

AREA 2B WEST - TOTAL SALMON LANDED FROM THIS AREA TOTALLED 112,000 POUNDS.

AREA 3 - THE TOTAL LANDED WEIGHT OF SALMON FOR THIS AREA IN 1952 TOTALLED 5.65 MILLION POUNDS. GILLNETTERS ACCOUNTED FOR 2.87 MILLION POUNDS, JUST SLIGHTLY MORE THAN HALF OF THE TOTAL. SEINERS ACCOUNTED FOR 2.16 MILLION POUNDS AND TROLLERS REPORTED 628,000 POUNDS.

THE SOCKEYE CATCH TOTALLED 1.95 MILLION POUNDS, CHUMS 1.44 MILLION POUNDS, AND PINKS 1.32 MILLION POUNDS.

AREA 4 - MORE THAN 17.13 MILLION POUNDS OF SALMON WERE LANDED FROM THIS AREA IN 1952. OF THIS TOTAL 15.96 MILLION POUNDS WERE LANDED BY GILLNETTERS AND 1.16 MILLION POUNDS BY TROLLERS.

THE SOCKEYE AND PINKS CATCH MADE UP 83% OF ALL SALMON REPORTED FROM THIS AREA AND TOTALLED 7.75 MILLION POUNDS AND 6.56 MILLION POUNDS RESPECTIVELY.

A BREAKDOWN OF THE SOCKEYE AND PINK CATCH BY WEEKS SHOWS THAT THE PEAK WEEK FOR SOCKEYE WAS THE WEEK ENDING AUGUST 2ND AND FOR PINKS THE WEEK ENDING AUGUST 16TH.

THE TOTAL GILLNET CATCH OF SOCKEYE AND PINKS FOR THIS AREA BY WEEK IS AS FOLLOWS:

WEEK ENDING	SOCKEYE (NUMBER OF FISH)	PINKS (NUMBER OF FISH)	TOTAL GILLNET DELIVERIES
JUNE 28	96 211	132	2 189
JULY 5	103 556	1 511	3 013
" 12	159 486	5 475	3 733
" 19	278 500	14 073	4 169
" 26	101 945	35 274	1 551
AUG. 2	367 119	293 167	4 905
" 9	152 546	457 268	4 001
" 16	34 561	619 523	3 462
" 23	CLOSED TO NET FISHING.		
" 30	258	19 084	353

AREA 5 - SALMON PRODUCTION IN THIS AREA TOTALLED 7.42 MILLION POUNDS WITH THE PINK SALMON CATCH PREDOMINATING AND TOTALLING 5.4 MILLION POUNDS. SEINERS REPORTED 4.86 MILLION POUNDS OF SALMON REPRESENTING 65.5% OF THE TOTAL CATCH WHILE GILLNETTERS REPORTED 1.54 MILLION POUNDS AND TROLLERS 1.03 MILLION POUNDS.

AREA 6 - THE 9.11 MILLION POUNDS OF FISH CAUGHT IN THIS AREA REPRESENTED THE 4TH HIGHEST IN THE PROVINCE. THIS WAS PREDOMINATELY A SEINE AREA IN 1952 WITH SEINERS ACCOUNTING FOR 86% OF ALL SALMON REPORTED FROM THIS AREA.

THE SEINE CATCH BY WEEKS DURING THE PEAK OF THE SEASON SHOWS THE FOLLOWING CATCHES:

WEEK ENDING	PINKS (NO. OF FISH)	CHUMS (NO. OF FISH)	COHO (NO. OF FISH)	SOCKEYE (NO. OF FISH)	No. SEINE DELIVERIES
JULY 19	41 948	5 328	2 609	17 413	186
" 26	62 879	6 344	2 576	3 905	92
AUG. 2	179 131	16 161	12 145	8 514	219
" 9	47 955	2 253	12 887	3 338	181
" 16	334 647	11 081	9 712	3 533	208
" 23	409 395	19 859	23 549	5 233	299
" 30	139 999	8 654	7 409	537	203

AREA 7 - SLIGHTLY MORE THAN 5.0 MILLION POUNDS OF SALMON WERE CAUGHT IN THIS AREA IN 1952 WITH CHUMS TOTALLING 1.8 MILLION POUNDS, PINKS 1.7 MILLION POUNDS AND COHO 1.3 MILLION POUNDS. SEINERS CAUGHT 72.3% OF THE PINKS AND 63.2% OF THE CHUMS WHILE TROLLERS ACCOUNTED FOR 82% OF THE COHO.

AREA 8 - THE TOTAL CATCH OF SALMON IN THIS AREA WAS 7.41 MILLION POUNDS WITH PINKS AND CHUMS MAKING UP 2.85 MILLION POUNDS AND 2.63 MILLION POUNDS RESPECTIVELY. THE TOTAL CATCH BY GILLNET WAS 4.9 MILLION POUNDS REPRESENTING 65.6% OF THE TOTAL. SEINERS ACCOUNTED FOR 2.16 MILLION POUNDS MOSTLY PINKS AND CHUMS.

AREA 9 & 10 - RIVERS AND SMITH INLETS TOGETHER PRODUCED A TOTAL OF 10.43 MILLION POUNDS OF SALMON OF WHICH 8.3 MILLION POUNDS WERE SOCKEYE.

WEEKLY LANDING OF SOCKEYE BY GILLNET SHOW THAT AVERAGE CATCHES PER DELIVERY DURING THE RUN RANGED FROM 14 TO 72 FISH.

<u>WEEK ENDING</u>	<u>AREA 9</u>		<u>AREA 10</u>	
	<u>NUMBER OF SOCKEYE</u>	<u>AVERAGE DELIVERIES</u>	<u>NUMBER OF SOCKEYE</u>	<u>AVERAGE DELIVERIES</u>
JULY 5	84 364	2 788	30	102 036
" 12	271 574	5 069	54	154 394
" 19	488 200	6 764	72	81 917
" 26	54 492	1 822	30	2 376
AUG. 2	35 715	1 947	18	1 302
				92
				49
				60
				54
				15
				24

IN ADDITION TO THE ABOVE 164,500 PINKS, 38,700 COHO, 15,000 CHUMS, AND 80,000 POUNDS OF SPRING SALMON WERE CAUGHT BY GILLNETTERS IN THESE TWO AREAS. SEINE CAUGHT SALMON ARE NOT INCLUDED IN THESE TOTALS.

AREA 11 - TOTAL LANDINGS FROM THIS AREA TOTALLED LESS THAN A THIRD OF A MILLION POUNDS MOSTLY TROLL CAUGHT COHO AND SPRING SALMON.

AREA 12 & 13 - THESE TWO IMPORTANT AREAS TOGETHER PRODUCED 26 MILLION POUNDS OF SALMON IN 1952 OR NEARLY 18% OF THE TOTAL CAUGHT IN THE ENTIRE PROVINCE. MORE PINK AND COHO WERE CAUGHT IN AREA 12 THAN IN ANY OTHER AREA. THIS AREA WAS ALSO THE SECOND MOST IMPORTANT FOR CHUMS AND AT THE SAME TIME WAS AN IMPORTANT SPRING SALMON AREA.

CATCH BY SPECIES FOR AREAS 12 AND 13 ARE AS FOLLOWS:

	<u>FISH IN THOUSANDS</u>	<u>POUNDS IN MILLIONS</u>	<u>GILLNET %</u>	<u>SEINE %</u>	<u>TROLL %</u>
PINKS	2 706	12.15	26	74	
CHUMS	686	8.75	14	86	
COHO	378	2.45	24	21	55
SOCKEYE	311	1.88	34	66	
RED SPRING		.53			
OTHER		.31			
TOTAL		26.07			
NUMBER OF DAYS FISHING EFFORT		13 327	4 061	16 730	

JULY AND AUGUST WERE THE INTENSIVE FISHING MONTHS IN THIS AREA FOR PINKS AND COHO. AFTER THE SIX WEEKS DISRUPTION IN THE FISHING EFFORT DUE TO THE FISHERMEN STRIKE, SEINERS RETURNED TO THESE TWO AREAS AND LANDED 7 MILLION POUNDS OF CHUMS.

AREA 14 - NEARLY ONE AND A QUARTER MILLION POUNDS OF SALMON WERE LANDED FROM THIS AREA, OF WHICH 600,000 POUNDS WAS COHO AND 455,000 POUNDS CHUM. MOST OF THESE COHO WERE TROLL CAUGHT BLUEBACK REPORTED FOR THE MONTHS OF JUNE AND JULY. BOTH GILLNETTERS AND SEINERS SHARED IN THE OCTOBER CHUM CATCHES.

AREA 15 - THE SALMON CATCH IN AREA 15 FOR THE YEAR AMOUNTED TO 372,000 POUNDS. OF THIS TOTAL 219,000 POUNDS WAS TROLL CAUGHT COHO AND BLUEBACKS.

AREA 16 - GILLNETTERS ACCOUNTED FOR THE BULK OF THE SALMON CAUGHT IN AREA 16, WITH A TOTAL CATCH OF 870,000 POUNDS OR 61.3% OF THE TOTAL. TROLL CAUGHT COHO, BLUEBACK AND SPRINGS TOTALLED 460,000 POUNDS WITH APPROXIMATELY ONE HUNDRED THOUSAND POUNDS REPORTED BY SEINERS.

AREA 17 - OF THE 1,94 MILLION POUNDS CAUGHT IN AREA 17, CHUMS TOTALLED 1,34 MILLION POUNDS. GILLNETTERS ACCOUNTED FOR 968,000 POUNDS, NEARLY THREE QUARTERS OF THE CHUM TOTAL. TROLL CAUGHT COHO, MOSTLY BLUEBACKS, TOTALLED 305,000 POUNDS.

AREA 18 - THE TOTAL CATCH OF SALMON IN THIS AREA TOTALLED ONLY 380,000 POUNDS OF WHICH 320,000 POUNDS WERE CHUM, WHICH WAS DIVIDED APPROXIMATELY EVENLY BETWEEN GILLNETTERS AND SEINERS.

AREA 19 - THE SALMON CATCH IN AREA 19, TOTALLED ONLY 8,500 POUNDS.

AREA 20 - A TOTAL OF 1,93 MILLION POUNDS OF SALMON WAS REPORTED FROM THIS AREA. JUST OVER ONE MILLION POUNDS OR SLIGHTLY MORE THAN HALF OF THE TOTAL CATCH IN THIS AREA WAS FROM THE 5 TRAPS LOCATED NEAR SOOKE WITH MOST OF THE REMAINDER CAUGHT BY SEINERS. THE TOTAL SOCKEYE CATCH WAS 1.23 MILLION POUNDS WHILE MORE THAN 400,000 POUNDS OF SPRINGS WERE REPORTED.

AREA 22 - SLIGHTLY MORE THAN 88,000 POUNDS OF FISH WERE CAUGHT IN NITINAT LAKE (AREA 22) MOST OF WHICH, 72,000 POUNDS, WAS SOCKEYE.

AREA 21 - 27 (EXCLUDING AREA 22) - THESE 6 AREAS ON THE WEST COAST OF VANCOUVER ISLAND WERE IMPORTANT MAINLY FOR TROLL CAUGHT SPRING AND COHO SALMON, AND IN 1952 A RUN OF SOCKEYE DEVELOPED IN AREA 24 WHICH WAS ONE OF THE LARGEST ON RECORD FOR THIS AREA.

WHILE THERE WAS SOME TROLLING IN FEBRUARY AND MARCH, THE QUANTITY CAUGHT WAS OF LITTLE SIGNIFICANCE IN THE YEARLY TOTAL.

THIS YEAR FISHING FOR COHO WAS NOT ALLOWED UNTIL THE MIDDLE OF JUNE. DURING THE SECOND QUARTER OF THE YEAR, TROLLERS CAUGHT 3,46 MILLION POUNDS OF SALMON IN THE SIX AREAS ON THE WEST COAST OF VANCOUVER ISLAND.

LANDING BY TROLLERS FROM AREA 21 - 27 DURING PERIOD APRIL - JUNE 1952.

	<u>AREA 21</u>	<u>AREA 23</u>	<u>AREA 24</u>	<u>AREA 25</u>	<u>AREA 26</u>	<u>AREA 27</u>	<u>TOTAL</u>
	(000's OF POUNDS)						
COHO	24		296	352	69	146	95
RED SPRING	20	1 606	339	63	74	66	2 168
WHITE SPRING	7	251	27	11	8	7	310
TOTAL	51	2 153	717	143	228	167	3 460

IN THE THIRD QUARTER, TROLLERS CAUGHT NEARLY 8 MILLION POUNDS OF WHICH COHO TOTALLED 5.4 MILLION POUNDS, AND RED SPRING 2.2 MILLION POUNDS.

IN THE SECOND QUARTER, AREA 23 PRODUCED 2.15 MILLION POUNDS OF TROLL CAUGHT SALMON AND APPROXIMATELY THE SAME IN THE THIRD QUARTER.

LANDING BY TROLLERS FROM AREA 21 - 27 DURING PERIOD JULY - SEPT. 1952.

	AREA 21	AREA 23	AREA 24	AREA 25	AREA 26	AREA 27	TOTAL
	(000's OF POUNDS)						
COHO	528	1 313	1 315	1 021	673	567	5 417
RED SPRING	80	682	613	467	270	98	2 210
WHITE SPRING	22	133	62	68	27	10	322
TOTAL	630	2 128	1 990	1 556	970	675	7 949
DAYS FISHING	1 308	7 605	7 339	4 377	3 445	2 794	26 928
AVERAGE PER DAY LBS.	481	288	272	355	281	242	295

TOTAL SOCKEYE LANDING FROM THESE WEST COAST AREAS IN 1952 TOTALLED 979,000 POUNDS. OF THIS TOTAL, AREA 24 REPORTED 672,000 POUNDS ALL BY SEINERS AND AREA 23, 272,000 POUNDS ENTIRELY CAUGHT BY GILLNETTERS.

ALTOGETHER 1.4 MILLION POUNDS OF CHUMS WERE REPORTED FROM THESE AREAS.

AREA 28 - A TOTAL OF 1,455,000 POUNDS SALMON WERE REPORTED FROM THIS AREA IN 1952 OF WHICH 1,350,000 POUNDS WAS CHUM.

THE FISHING EFFORT IN THIS AREA WAS ALMOST ENTIRELY CONFINED TO GILLNETTING DURING THE MONTHS OF OCTOBER AND NOVEMBER.

AREA 29 - (INCLUDING SUB-AREA 29A, 29B, 29C AND 29D) - FROM ALL PRACTICAL PURPOSES ALL SALMON CAUGHT COMMERCIALLY IN THESE AREAS ARE BY GILLNET. GILLNETTING STARTS EARLY IN FEBRUARY BUT ONLY SMALL QUANTITIES OF SPRING SALMON ARE CAUGHT IN THE FIRST TWO MONTHS OF FISHING.

THE TOTAL POUNDS OF SALMON CAUGHT EACH MONTH IN 1952 IS AS FOLLOWS:

	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	TOTAL
	(000's OF POUNDS)								
RED SPRING	103	188	499	279	340	60	2	1	1 472
WHITE SPRING	6	7	49	102	188	154	4	2	527
SOCKEYE			21	4169	2300	219	32	9	6 750
CHUMS					20	31	2668	244	7 363
PINKS					4			4	
COHO				6	143	203	195	57	604
STEELHEAD	12	2	1	3	5	5	4	11	43
JACKS				15	31	23			69
TOTAL	121	197	570	4574	3046	695	3105	4524	16 832
DAYS FISHING	2329	3454	5067	13897	16152	3976	5636	9531	60 037
AVERAGE LBS. PER DELIVERY	51	57	113	329	188	175	550	474	280

A TOTAL OF 1,728,000 FISH WEIGHING 16,860,000 POUNDS WERE CAUGHT IN THE FRASER RIVER AREAS IN 1952. ON A SPECIES BASIS THESE TOTALS ARE AS FOLLOWS:

	NUMBER OF FISH (IN THOUSANDS)	POUNDS (000's)	AVERAGE WEIGHT LBS.
CHUMS	554.0	7 363	13.29
SOCKEYE	957.2	6 751	7.05
RED SPRING	86.8	1 490	17.17
COHO	79.8	604	7.54
WHITE SPRING	27.4	530	19.34
JACK	17.6	70	3.98
STEELHEAD	4.5	49	10.89
PINKS	.9	4	4.44
TOTAL	1 728.2	16 860	

- OTHER FISH -

HERRING

THE TOTAL HERRING CATCH IN 1952 REPRESENTS APPROXIMATELY ONE HALF OF THE TOTAL THAT IS NORMALLY REPORTED FROM THIS TYPE OF FISHING. FAILURE OF OPERATORS AND FISHERMEN TO ARRIVE AT A PRICE AGREEMENT IN THE FALL OF 1952 MEANT THAT THE HERRING CATCH DURING THE LAST THREE MONTHS OF THE YEAR WAS ONLY A SMALL FRACTION OF NORMAL PRODUCTION IN THIS PERIOD. BECAUSE OF THE STIKE, IMPORTANT HERRING AREAS WHICH ARE NORMALLY FISHED ONLY IN THE FALL MONTHS SHOW NO YIELD OF HERRING IN 1952. WITH THE EXCEPTION OF SMALL QUANTITIES OF HERRING CAUGHT BY TRAWL AND GILLNET, THIS IS ENTIRELY A PURSE SEINE OPERATION.

AREAS	MILLION POUNDS
7	38.0
6	35.7
25	34.9
2 BE	22.4
5	21.5
12	13.8
OTHERS	22.9
TOTAL	189.2

HALIBUT

HALIBUT FISHING IN BRITISH COLUMBIA IS REGULATED BY THE INTERNATIONAL FISHERIES COMMISSION AND DETAILED INFORMATION ON CATCH IS REPORTED BY THIS BODY. IN 1952, A TOTAL OF 23,49 MILLION POUNDS OF HALIBUT WAS LANDED BY CANADIAN BOATS AT CANADIAN PORTS OR CLEARED CUSTOMS DIRECT TO BE LANDED AT AMERICAN PORTS. THIS IS THE SECOND LARGEST CATCH BY CANADIAN BOATS IN RECENT YEARS AND WITH THE EXCEPTION OF 1947, THE LARGEST SINCE 1930.

7367
1666
2919
7313
2919
4344

PAGE 12.

THE TOTAL CATCH BY STATISTICAL AREAS AS REPORTED ON SALES SLIPS IS AS FOLLOWS:

AREAS	MILLION POUNDS
A & B	6.45
2 AE	3.79
4	3.75
5	1.92
1	1.88
2 BE	1.74
OTHERS	3.96
TOTAL	23.49

SOLE

LANDING OF SOLE IN 1952 TOTALLED 14.34 MILLION POUNDS. OF THE TOTAL AMOUNT THAT WAS CLASSIFIED BY SPECIES, ROCK SOLE CONSTITUTED 41.1%, BUTTER SOLE 29.2% AND LEMON SOLE 13.5%.

AREA 4 AND 2AE PRODUCED NEARLY 65% OF THESE TRawl CAUGHT SOLES. THE CATCH IN AREA 4 WAS REPORTED AS 5.8 MILLION POUNDS OF WHICH 3.3 MILLION POUNDS WAS ROCK SOLE WHILE THE TOTAL FROM AREA 2AE WAS 3.6 MILLION POUNDS WITH 2.9 MILLION POUNDS BEING BUTTER SOLE.

THE NEXT MOST IMPORTANT AREA FOR SOLES WAS AREA 23 WITH 833,000 POUNDS.

GRAY COD

TOTAL LANDINGS OF GRAY COD FROM ALL AREAS IN BRITISH COLUMBIA WERE 4.5 MILLION POUNDS AND WITH VERY MINOR EXCEPTIONS THIS WAS ENTIRELY LANDED BY TRAWLERS. LANDINGS FROM AREA 4 TOTALLED 1.15 MILLION POUNDS OR ABOUT ONE QUARTER OF TOTAL LANDINGS FOR BRITISH COLUMBIA. AREA 17 AND 18 PRODUCED 666,000 POUNDS AND 604,300 POUNDS RESPECTIVELY. AREAS 21, 23 AND 24 ON THE WEST COAST OF VANCOUVER ISLAND TOGETHER REPORTED 846,000 POUNDS.

LING COD

LING COD LANDINGS TOTALLED 4.24 MILLION POUNDS WITH HAND LINERS REPORTING 2.86 MILLION POUNDS, TRAWLERS 1.10 MILLION POUNDS, AND LONG LINERS 280,000 POUNDS.

AREA 17 WITH LANDING OF 739,400 POUNDS WAS HIGHEST IN THE PROVINCE WITH AREA 13 BEING NEXT IN IMPORTANCE WITH 707,600 POUNDS. LANDING FROM BOTH THESE AREAS WERE PRIMARILY FROM HAND LINERS. TOTAL LANDING FROM AREA 23 WERE 435,400 POUNDS OF WHICH 171,700 POUNDS WERE NETTED BY TRAWLERS.

BLACK COD

BLACK COD LANDING TOTALLED 1.35 MILLION POUNDS DURING 1952 WITH LANDING FROM AREA A 405,000 POUNDS, AREA 2AH 225,000 POUNDS AND AREA B 182,300 POUNDS.

RED & ROCK COD

LANDING OF RED AND ROCK COD TOTALLED SLIGHTLY MORE THAN 916,000 POUNDS WITH TRAWLERS ACCOUNTING FOR 553,400 POUNDS OF THE TOTAL.

MISCELLANEOUS FISH

LANDING OF OULACHONS IN 1952 TOTALLED MORE THAN A MILLION POUNDS REPRESENTING A RECORD CATCH FOR THIS SPECIES OF FISH. ALL BUT 15,000 POUNDS OF THIS TOTAL WAS GILLNETTED IN THE FRASER RIVER AREAS 29B AND 29D.

TUNA LANDINGS BY CANADIAN BOATS FROM WATERS OFF THE WASHINGTON, OREGON AND CALIFORNIA COASTS TOTALLED 156,600 POUNDS.

SHELLFISH

CLAMS

THE TOTAL VOLUME OF CLAMS DUG IN 1952 TOTALLED 6.66 MILLION POUNDS WITH BUTTER CLAMS MAKING UP APPROXIMATELY 83% OF THE TOTAL. FIVE AREAS IN THE PROVINCE MADE UP 62% OF THE PROVINCIAL TOTAL. THESE AREAS IN ORDER OF IMPORTANCE ARE AS FOLLOWS:

AREAS	MILLION POUNDS
4	1.12
12	1.05
5	1.01
18	.52
7	.46

CRABS

Nearly 2 MILLION POUNDS OF CRABS WERE CAUGHT IN 1952, 95% OF WHICH REPORTED FROM TRAPS AND 5% BY TRawl. AREAS 2AE AND AREA 1 IN THE QUEEN CHARLOTTE ISLANDS WERE OF FIRST IMPORTANCE YIELDING 760,600 POUNDS AND 273,600 POUNDS OF CRABS RESPECTIVELY. AREA 29E WHICH INCLUDES BOUNDARY BAY, PRODUCED 420,100 POUNDS OF CRABS WITH AREA 28 AND 29C ALSO OF IMPORTANCE.

SHRIMPS AND PRAWNS

TOTAL LANDED WEIGHT OF SHRIMPS AND PRAWNS IN 1952 TOTALLED SLIGHTLY MORE THAN 830,000 POUNDS. THE SHRIMP CATCH WAS CHIEFLY A TRawl OPERATION AND TOTALLED THREE QUARTERS OF A MILLION POUNDS WHILE PRAWNS TOTALLED 80,000 POUNDS OF WHICH 75,000 WERE CAUGHT IN TRAPS. TRAWS IN AREA 28 ACCOUNTED FOR ABOUT FIFTY PERCENT OF THE SHRIMP TOTAL WHILE TRAPS IN AREA 11 AND 12 PRODUCED MORE THAN HALF THE TOTAL PRAWNS IN THE PROVINCE.

OYSTERS

PRODUCTION OF OYSTERS TOTALLED 81,185 SHUCKED GALLONS. THESE ARE PRODUCED FROM FORESHORE LEASES WITH THE BULK OF PRODUCTION (57,711 GALS) BEING CENTRED IN THE AREA 29 E OF DISTRICT 1. AREA 17 ON VANCOUVER ISLAND ACCOUNTED FOR 13,613 GALS.

SECTION A - SALMON

THE TOTAL SALMON LANDINGS BY MONTH IN CWT.
FOR EACH AREA ARE SHOWN ON SHEET A OF THIS
SECTION.

SECTION B - OTHER FISH

THE TOTAL LANDING BY MONTH IN CWT. FOR EACH
AREA IS SHOWN ON THE BACK OF EACH PAGE. DAYS
FISHING BY TYPE OF GEAR FOR ALL FISH SHOWN AT
THE BOTTOM OF SHEET B.

MONTHLY CATCH STATISTICS - 1952

CONSOLIDATIONS OF AREAS 2BW, 22, 29E

SHEETS A & B

AREA	MONTH	GEAR	SPECIES	QUANTITY (CWT.)	DAYS FISHING
2BW	APRIL	LONG LINE	RED & ROCK COD BLACK COD LING COD	10 5 5	8
	MAY	TROLL	RED SPRING WHITE SPRING	51 5	12
		LONG LINE	HALIBUT	116	5
	JULY	SEINE	Sockeye	60	1
	AUGUST	SEINE	PINKS	1 006	2
22	MAY	GILLNET	Sockeye	381	140
	JUNE	GILLNET	Sockeye *	329 720	220 360
	JUNE	TROLL	COHO RED SPRING WHITE SPRING	2 16 3	11
	JULY	TROLL	COHO RED SPRING WHITE SPRING LING COD	10 40 4 *	63
	AUGUST	TROLL	COHO RED SPRING WHITE SPRING JACKS LING COD	17 64 6 * *	151
	SEPTEMBER	TROLL	COHO RED SPRING	*	4
	TOTAL	TROLL	COHO RED SPRING WHITE SPRING JACK LING COD	29 125 13 * *	229
29E	NOVEMBER	GILLNET	COHO CHUMS	5 1	3
	JUNE	GILLNET	SMELT	2	2
	JULY	GILLNET SEINE	SMELT SMELT	9 13	3 3
	AUGUST	SEINE	SMELT	17	5
	TOTAL	GILLNET	SMELT COHO CHUMS	11 5 1	8
		SEINE	SMELT	30	8

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 3		MAY MAY 4- MAY 31		JUNE JUN 1- JUN 28		JULY JUN 29- AUG 2		AUGUST AUG 3- AUG 30		SEPTEMBER AUG 31- SEPT 27		OCTOBER SEPT 28- NOV 1		NOVEMBER NOV 2- NOV 30		DECEMBER DEC 1- DEC 31		TOTAL		
		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT				
LEMON SOLE ROCK SOLE BUTTER SOLE REX SOLE DOVER SOLE BRILLS MIXED SOLE	TRAWL	147	86	1 262	3 407	460	141	1 867	2 780	592	1 599	789	332	13 462												
		15	1 464	278	723	166	20	11 745	3 324	9 040	12 469	1 816	41	41 101												
		4 237	24 859	43	21																				29 160	
		2		27	27																				1 641	
		6	1	19	50	396	498	2 181	2 024	630	1 426	93	3	7 327												
		*		10	249	490	469	1 455	1 022	2 833	496	305													7 329	
FLOUNDERS SKATE	TRAWL	1 821	5 976	1 564	2 191	2 434	3 441	6 792	3 992	5 872	6 061	2 433	770	43 347												
		1 016	1 997	173	62	85	189	139	130	179	262	126	49	4 407												
		97	102	137	144	116	117	92	49	36	88	97	64	1 139											7	
			6		1	*																				
HALIBUT LGE. MED. CHIX No. 2 MIXED	L.L. HL & T	1	2	3	2	1	2	5	1	5	4	1	1	40 306												
						12 509	12 695	8 824	6 182	38	55	3														
						73 321	47 171	18 306	8 042	207	163	54													147 264	
						24 700	10 448	2 024	646	10	3														37 831	
						1 043	1 199	977	290	7	7	2													3 525	
RED & ROCK COD	TRAWL L.L. HL & T OTHER	104	137	287	271	614	682	495	760	703	613	734	134	5 534												
			92	136	238	240	238	353	194	443	326	35	10	2 305												
		3	12	180	174	169	117	145	54	60	75	60	22	1 071												
		9	8	10	1	9	59	42	14	10	50	2	31	245												
GRAY COD	TRAWL L.L. OTHER	2 074	4 143	9 553	8 044	3 133	1 856	4 527	2 448	3 068	2 245	2 508	1 428	45 047												
		1	1	1	4	6	20		3				4	40												
				2	7	4	1	*	2	1	*	*												18		
BLACK COD	TRAWL L.L. OTHER	1	*	6	1	*	11	44	202	454	49	1	*	770												
		*	145	1 003	1 558	628	369	2 718	872	2 394	2 135	812	51	12 685												
		*	*	*	*	1	*	1	1	3	1		8													
LING COD	TRAWL L.L. HL & T SEINE	6	12	340	477	943	1 501	3 370	1 296	1 850	558	409	190	10 952												
		2	393	351	338	927	486	17	35	25	35	1	180	2 799												
		84	430	4 704	5 587	4 202	2 286	2 343	1 853	1 495	3 092	2 314	263	28 653												
			354	1 315		2	2	4	3	2	2	2	*	1 669												
ANCHOVIES LING COD	SEINE			*																					15	
																									9 281	
						155	6 319	2 807																		
OULACHONS HERRING	G.N. G.N. SEINE	OT 980	229	206	338	511	86	26	162	168	112	906	892	4 616												
		917 494	734 803	124 304		14 245	3 079	4 360			15 260	52 320	24 490	1 890 355												
																									935	
SMELT SEINE & OTHER FISH & OTHER GEAR	TRAWL L.L. HL & T SEINE	17	15	161	12	18	295	136	227	41	*	13													15 682	
		498	383	511	302	1 625	642	3 382	1 787	1 641	1 882	1 416	1 613												396	
			8	118	91	58	34	57	10	7	5													51		
		11		14	19	6	*																			
		4	3	59	66	55	20	25	33 TUNA	44	641 TUNA	78	821 TUNA	267	71 TUNA	61	18	1566 TUNA	700							
DAYS FISHING	TRAWL** HL & T L.L. G.N. SEINE	10	5	39	135	78	12	1	50	38	48	33	449													
		430	840	582	619	442	332	628	434	491	589	472	179	6 038												
		179	511	3 528	5 653	13 505	22 581	35 069	24 047	17 042	5 742	2 098	43													

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952
(GILLNET AND SEINE - ROUND WEIGHTS; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COD	G.N.					41	3231	7621	3540	293			14 726
	SEINE						2279	6943	687	34			9 943
	TROLL					2995	24448	13993	6770	265			48 471
SOCKEYE	G.N.			*	12957	165906	12871	3					191 732
	SEINE						5187	1625	19				6 831
	TROLL					2	5	4	*				11
PINKS	G.N.					13	34007	83167	735				117 922
	SEINE						30880	227735	2900				261 515
	TROLL					18	242	778	43				1 081
CHINOOK	G.N.					269	10002	20283	7660	899			39 113
	SEINE						20709	22673	12211	5308			60 901
	TROLL					2	48	52	16	1			119
RED SPRING	G.N.			36	630	4278	2486	449	31	3			7 913
	SEINE						285	163	*	*			448
	TROLL			172	5192	6203	4348	1462	247	5			17 629
WHITE SPRING	G.N.			3	100	611	849	59	7				1 629
	SEINE						299	31	*				330
	TROLL			17	879	1213	848	193	42	1			3 193
STEELHEADS	G.N.			1	5	94	2393	1294	50	4			3 841
	SEINE						167	77	*				244
	TROLL					2	1	5	3	2			13
JACKS	G.N.			*	194	635	69	3					901
	SEINE						177	77	1				255
	TROLL			1	86	150	126	62	16	1			442
	G.N.												
	SEINE												
	TROLL												

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 26	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 26- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	12	59	1 238	3 217	283		1 721	2 651	500	753	354	10 889	
ROCK SOLE	TRawl		1 454	244	574	121		11 618	3 294	8 644	11 222	1 762	38 933	
BUTTER SOLE	TRawl	4 237	24 859		17								29 113	
REX SOLE	TRawl	2		26	26			512	624	219	213	17	1 639	
DOVER SOLE	TRawl			1	15	67	19	872	1 274	520	1 164	20	3 952	
BRILLS	TRawl	*	8	89	311	257	2 LL	197	225	750	261	291	511 *12 078	
MIXED SOLE	TRawl	749	4 683	348	1 002	*1 766	1 LL	690	2 600	1 148	1 902	3 049	1 656 *111 19 199	
FLOUNDERS	TRawl	640	1 314	4	20	7	2 LL	*	10	41	79	35	98	
SKATE	TRawl			3	20	4	1			*	11		2	
L.L.													41	
OTHER														
HALIBUT Lg.	L.L.				11 780	12 496	8 823	6 180	36	52	3		39 370	
MED.	L.L.				64 721	44 891	18 302	8 028	175	136	12		*OT 136 265	
CHIX	L.L.				22 763	9 901	2 024	646	10	3			35 347	
No. 2	L.L.				986	1 181	977	290	4	6			3 444	
MIXED	HL & T				2 258	141 LL	862	192	188	16 LL	49 LL		206 LL 3 500	
RED & ROCK	TRawl	*	3	98	42	270	147	105	377	379	353	621	41	2 436
COD	L.L.	17	103	162	181	178	285	172	240	212	12	10	1 572	
HL & T					6	2	1	1					10	
OTHER														
GRAY COD	TRawl	161	308	4 317	4 084	546	25	2 261	1 414	1 102	330	1 005	350	15 903
L.L.					4	6	20		3				33	
OTHER									2T				2T	
BLACK COD	TRawl				1		*	1	21	17	19	1	*	60
L.L.		145	1 003	1 546	627	254	2 665	774	1 558	1 579	528	51	10 730	
OTHER					*									*
LING COD	TRawl	3	7	142	188	91	86	630	327	575	214	170	183	2 616
L.L.	130	9		15	241	183	14	34	8	13			69	736
H.L.				12	90	154	117	77		13				463
TROLL														
OTHER														
OLACHONS	G.N.			155										155
HERRING	G.N.	980												980 01
SEINE	G.N.	708 187	388 351	120 413		10 385	750							8 830 1 236 916
SMELT	G.N.													
OTHER FISH & OTHER GEAR	TRawl			1	153	81	42	59	18	390	304	22	28	1 098
G.N.								1						1
L.L.														6
HL & T					5	1								
SEINE														
DAYS FISHING	TRawl	56	376	184	229	62	15	183	145	173	196	117	35	1 771
HL & T				10	80	3 515	5 332	9 822	7 106	4 203	180			30 248
L.L.		17	82	135	5 544	3 123	844	540	115	88	40	10		10 538
G.N.			5	33	720	6 634	52 683	17 395	1 604	135				79 209
SEINE							1 678	2 933	219	39				4 869

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

AREA A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4- MAY 31	JUNE JUN 1- JUN 28	JULY JUN 29- AUG 2	AUGUST AUG 3- AUG 30	SEPTEMBER AUG 31- SEPT 27	OCTOBER SEPT 28- NOV 1	NOVEMBER NOV 2- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL												
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
L.L.													
OTHER													
HALIBUT Lge.	L.L.					264	343	370	11	18	2		1 008
MED.	L.L.					1135	543	456	39	78	5		2 256
CHIX	L.L.					274	147	115	1	3			540
No. 2	L.L.					36	19	22	1	4			82
MIXED	HL & T												
RED & ROCK	TRAWL												
COD	L.L.	8	15	13		118		19	37	7	3		220
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL					241	219	233	3	1771	54	324	757
	L.L.												4 051
	OTHER												
LING COD	TRAWL		*					1					1
	L.L.												
	(H.L.)												
	(TROLL)												
	OTHER												
OOLACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH	TRAWL												
& OTHER	G.N.												
GEAR	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL**												
FISHING	HL & T												
	L.L.												
	G.N.												
	SEINE												
	10	9	8	44	99	36	10	26	19	5			266

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL												
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	L.L.												
HALIBUT Lge.	L.L.				2271	6695	8086	467	17	8			17 544
MED.	L.L.				4693	15647	17144	558	76	37			38 155
CHIX	L.L.				171	1141	1776	46	9				3 143
No. 2	L.L.				131	639	955	92	2				1 819
MIXED	HL & T												
RED & ROCK COD	TRAWL			11			8	90	78	20			207
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL				44		6	357	430	696	290		1 823
	L.L.												
	OTHER												
LING COD	TRAWL								1				1
	L.L.												
	{ H.L.												
	TROLL												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH & OTHER GEAR	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.									15			15
	SEINE						2	186					188
	TROLL					605	6657	2019	271	53			9 605
SOCKEYE	G.N.							4					4
	SEINE						18	108					126
	TROLL					1	1	*					2
PINKS	G.N.							1266	7				1 273
	SEINE						12	70835	213				71 060
	TROLL					7	92	317	2				418
CHUMS	G.N.							11					11
	SEINE						1	243					244
	TROLL				*	6	6	2	1				15
RED SPRING	G.N.							*					*
	SEINE							35					35
	TROLL			*	1272	2198	1274	192	11	2			4 949
WHITE SPRING	G.N.												
	SEINE							3					3
	TROLL				186	430	223	14	*	*			853
STEELHEADS	G.N.							1					1
	SEINE						*	1					1
	TROLL				*	2	*						2
JACKS	G.N.							*					*
	SEINE												
	TROLL				5	16	6	1		1			29
	G.N.												
	SEINE												
	TROLL												

LESS THAN .5 CWT

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												1
DOVER SOLE	TRAWL			1									
BRILLS	TRAWL												
MIXED SOLE	TRAWL		74										74
FLOUNDERS	TRAWL	*											*
SKATE	TRAWL		3										3
HALIBUT L.G.	L.L.				877	738	16	12	1				1 644
MED.	L.L.				6034	4080	39	33	18				10 204
CHIX	L.L.				3908	1911	2	2					5 823
No. 2	L.L.				80	80	*	1					161
MIXED	HL & T				779	173							952
RED & ROCK COD	TRAWL	*											47
	L.L.		1										*
	HL & T						20	16	10				
	OTHER						*						
GRAY COD	TRAWL	331											331
	L.L.												
	OTHER												
BLACK COD	TRAWL		14		14	15	392	285	138				858
	L.L.												
	OTHER												
LING COD	TRAWL	2											2
	L.L.				*	*							1
	(H.L.)				12	19	9	3	*				43
	(TROLL)												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH & OTHER GEAR	TRAWL	1											1
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL**	6		3									9
	HL & T		1	1163	2033	3250	1334	150	23				7 954
	L.L.		2	1046	509	32	20	18					1 627
	G.N.												90
	SEINE												609

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.							1					1
	SEINE							5					5
	TROLL					40	2067	777	604	133			3 621
SOCKEYE	G.N.							1					1
	SEINE							*					*
	TROLL												
PINKS	G.N.						1	278					279
	SEINE							12164					12 164
	TROLL				*	4	3	*					7
CHUMS	G.N.							7					7
	SEINE							241					241
	TROLL							*	*				*
RED SPRING	G.N.												
	SEINE												
	TROLL				101	214	209	50	10				584
WHITE SPRING	G.N.												
	SEINE												
	TROLL				16	29	32	3	1				81
STEELHEADS	G.N.												
	SEINE							*					*
	TROLL				2	1	*	*					3
JACKS	G.N.												
	SEINE												
	TROLL							2	1				3
G.N.													
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4-- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	6	40	146	285	34		337					848
ROCK SOLE	TRawl				55	13		952	397	1017	687		3 121
BUTTER SOLE	TRawl	4026	24859										28 885
REX SOLE	TRawl	2						47					49
DOVER SOLE	TRawl				1			23	1				25
BRILLS	TRawl	*				20		11	31	70	70		202
MIXED SOLE	TRawl	688	4683	77	41			172					5 661
FLOUNDERS	TRawl	581	1285	1	6	1		2	1				1 877
SKATE	L.L.												
	OTHER												
HALIBUT Lge.	L.L.				3172	1385							4 557
MED.	L.L.				19549	6695							26 244
CHIX	L.L.				4724	1937							6 661
No. 2	L.L.				215	92							307
MIXED	HL & T				40	43	4						87
RED & ROCK	TRawl	*	3	*	3	1		1	109				117
COD	L.L.				8								8
	HL & T												
GRAY COD	TRawl	99	254	294	321	28		261	254	1	12		1 524
	L.L.												
	OTHER												
BLACK COD	TRawl				1								1
	L.L.				57	17	13						87
	OTHER												
LING COD	TRawl	2	6	4	14	2		28	4	19	3		82
	L.L.					11	21						32
	(H.L.)					3	9	8	4	*			24
	(TROLL)												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
	SEINE												3 709
OTHER FISH	TRawl												12
& OTHER GEAR	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**	50	364	21	17	2		15	5	9	6		489
	HL & T					57	76	448	243	355	117		1 296
	L.L.					6	689	350					1 045
	G.N.								1	24			25
	SEINE									94			94

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> NOV 30- DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CHT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.									39			39
	SEINE							32	96				128
	TROLL					24	52	132	66				274
SOCKEYE	G.N.							1					1
	SEINE												
	TROLL												
PINKS	G.N.												
	SEINE							29776	111				29 887
	TROLL				*			5	*				5
CHUMS	G.N.								490				490
	SEINE							413	3701 (SEE NOTE BELOW)				4 114
	TROLL							*					*
RED SPRING	G.N.												
	SEINE							3					3
	TROLL			39	435	289	108	64	4	1			940
WHITE SPRING	G.N.							*					*
	SEINE												
	TROLL			4	38	26	6	1	*				75
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL				*	*	*						1
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT NOTE:- DEDUCT 839 CWT. OF CHUMS FROM SEINE CAUGHT TOTAL IN SEPTEMBER AND YEARLY TOTAL.

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET 6

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	L.L.												
	OTHER												
HALIBUT Lge.	L.L.				107	183				24			314
MED.	L.L.				656	887	8		2	16			1 569
CHIX	L.L.				105	182							287
No. 2	L.L.				48	18				1			67
MIXED	HL & T				40	(2LL) 14	1						2LL 55
RED & ROCK COD	TRawl L.L. HL & T OTHER	5	71	59	25	21	14		3	78	4		280
GRAY COD	TRawl L.L. OTHER												
BLACK COD	TRawl L.L. OTHER	145	634	917	178	27	56		13	207	70		2 247
LING COD	TRawl L.L. (H.L.) (TROLL OTHER		9		8	2	4		*	3			26 5
4					4	1							
OULACHONS HERRING	G.N. G.N. SEINE												
OTHER FISH & OTHER GEAR	TRawl G.N. L.L. HL & T SEINE												
DAYS FISHING	TRawl** HL & T L.L. G.N. SEINE			14	264	191	160	53	36	3			721
	8	56	60	68	83	7			15	16	3		316
									34				34
								134	37				171

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
Salmon

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> Nov 2- NOV 30	<u>DECEMBER</u> • DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
	JOHO	G.N.							16	2		18	
	SEINE							27	64	14		105	
	TROLL					14	1512	1148	354	41		3 069	
SOCKEYE	G.N.							*				*	
	SEINE												
	TROLL												
PINKS	G.N.							13698				13 698	
	SEINE						*	3	2	1		6	
	TROLL												
CHUMS	G.N.								865	567		1 432	
	SEINE							102	2622	2223 (SEE NOTE BELOW)		4 947	
	TROLL						*		*			*	
RED SPRING	G.N.												
	SEINE												
	TROLL						165	320	97	29		611	
WHITE SPRING	G.N.												
	SEINE												
	TROLL						14	30	14	2		60	
STEELHEADS	G.N.												
	SEINE												
	TROLL						*					*	
JACKS	G.N.												
	SEINE												
	TROLL						*	2	1			3	
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

NOTE:- ADD 839 CWT. OF CHUMS TO SEINE CAUGHT TOTAL IN SEPTEMBER AND YEARLY TOTAL.

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL				34						10	13	57
ROCK SOLE	TRAWL				13								13
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL				54						82		136
MIXED SOLE	TRAWL							14			215	229	1
FLOUNDERS	TRAWL				1								
SKATE	TRAWL				4								4
HALIBUT LGE.	L.L.				224	309	218	4257					5 008
MED.	L.L.				1371	2670	424	6251					10 716
CHIX	L.L.				135	435	92	431					1 093
No. 2	L.L.				21	109	3	149					282
MIXED	HL & T					1	142	144					287
RED & ROCK	TRAWL				10	10	65				125	6	141
COD	L.L.						*						76
	HL & T												*
GRAY COD	TRAWL				37		156				248	142	583
	L.L.						3						3
	OTHER						1 TROLL						1T
BLACK COD	TRAWL										1	*	1
	L.L.												18
	OTHER												
LING COD	TRAWL				45		30				31	8	114
	L.L.					5	22						27
	{ H.L.					4	13	5					22
	TROLL												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
SEINE	SEINE	103867	119764										223 631
OTHER FISH	TRAWL				*		*				2	26	28
& OTHER	G.N.												
GEAR	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL				14		2				6	5	27
FISHING	HL & T					47	262	171	120	6			606
	L.L.					78	14	355					487
	G.N.												101
	SEINE												123

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

HERRING SEINE DAYS NOT SHOWN.

SHEET A
Salmon

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	• DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					9	92	109	163	61			434
	SEINE						39	100	5				144
	TROLL					123	636	1126	2743	4			4 632
SOCKEYE	G.N.			*	7205	11263	471						18 939
	SEINE						516	84	*				600
	TROLL				*	1	1	*					2
PINKS	G.N.					6	1531	2639					4 176
	SEINE						2360	6345	235				8 940
	TROLL				*	19	93	23					135
CHUNS	G.N.					203	2015	420	2	1			2 641
	SEINE						7680	4042	15				11 737
	TROLL				*	8	19	11					38
RED SPRING	G.N.			141	1472	273	4		*				1 890
	SEINE					86	6						92
	TROLL		6	217	576	172	44	45	*				1 060
WHITE SPRING	G.N.			10	129	37	2						178
	SEINE					37	2						39
	TROLL		1	66	184	62	14	15					342
STEEL-HEADS	G.N.			1	21	145	41	5	3				216
	SEINE					15	5						20
	TROLL				*	*	*	1					1
JACKS	G.N.			*	122	88	3						213
	SEINE					11	2						13
	TROLL		9	36	14	7	8						74
	G.N.												
	SEINE												
	TROLL												

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL				21					6			27
ROCK SOLE	TRAWL									324			324
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL									16			16
DOVER SOLE	TRAWL									89			89
BRILLS	TRAWL									*			*
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
	L.L.												
	OTHER												
HALIBUT L.G.	L.L.				1905	412							2 317
MED.	L.L.				4185	890							5 075
CHIX	L.L.				373	51							424
No. 2	L.L.				105	15							120
MIXED	HL & T				159	77							236
RED & ROCK	TRAWL									9			9
COD	L.L.				17	6							25
	HL & T												*
	OTHER												
GRAY COD	TRAWL				5					13			18
	L.L.												2
	OTHER												
BLACK COD	TRAWL									*			*
	L.L.												
	OTHER												
LING COD	TRAWL				2						7		9
	L.L.												45
	(H.L.)												20
	(TROLL												
	OTHER												
OLACHONS	G.N.				155								155
HERRING	G.N.												
	SEINE												
OTHER FISH	TRAWL												
& OTHER	G.N.												
GEAR	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL				2						4		6
FISHING	HL & T				14	425	994	930	1254	2260	10		5 887
	L.L.				4	280	90						374
	G.N.												
	SEINE												
					5	143	2463	4108	519	21	17		7 267
								224	166	2			392

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	• DEC 1- DEC 31	CWT
COHO	G.N.					32	971	2445	200	16			3 664
	SEINE					*	1						1
	TROLL					381	4979	1332	144	5			6 841
SOCKEYE	G.N.				*	5729	60560	11218	*				77 507
	SEINE					*	*	*					*
	TROLL					1	1	1					3
PINKS	G.N.					7	15404	50131	47				65 589
	SEINE					9	37						46
	TROLL					3	60	86	4				153
CHUMS	G.N.					66	1736	3419	41	1			5 263
	SEINE					3	11						14
	TROLL					*	29	19	*				48
RED SPRING	G.N.			36	432	1693	1553	93	*				3 807
	SEINE					*							*
	TROLL			127	1648	1121	671	161	10				3 738
WHITE SPRING	G.N.			3	79	130	400	16	*				628
	SEINE												
	TROLL			12	292	216	140	25	1				686
STEEL-HEADS	G.N.			1	4	71	1504	1102	20	*			2 702
	SEINE												
	TROLL						1	1	*				2
JACKS	G.N.					72	394	49					515
	SEINE						*	*					*
	TROLL			1	48	45	37	8	1				140
	G.N.												
	SEINE												
	TROLL												

LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRAWL	6	19	1092	2867	56	1382	2594	500	559	269	46	9 390	
ROCK SOLE	TRAWL		1454	244	513	13	10313	2572	6992	9334	1 664		33 099	
BUTTER SOLE	TRAWL	211			17								228	
REX SOLE	TRAWL			25	26		464	624	219	170	17		1 546	
DOVER SOLE	TRAWL				14	3	849	1273	510	968	20		3 637	
BRILLS	TRAWL	*	8	6	20		132	179	650	144	147		1 286	
MIXED SOLE	TRAWL	61		163	804	402	1757	804	1261	2149	1 093	315	8 809 (1)	
FLOUNDERS	TRAWL	59	29	3	11	1	8	40	79	33	98	2	363	
SKATE	TRAWL				16							2	18	
L.L.														
OTHER														
HALIBUT Lge.	L.L.				2180	1408							3 588	
MED.	L.L.				15472	5463		(* 01)	7				* 01 20 942	
CHIX	L.L.				9538	2348			*				11 886	
No. 2	L.L.				223	121							344	
MIXED	HL & T				474	(139LL)117							139LL 591	
RED & ROCK COD	TRAWL		4	26	6		23	190	140	60	207	34	690	
	L.L.												7	
	HL & T													
	OTHER													
GRAY COD	TRAWL	62	54	3573	3670	51		1657	845	840	179	396	176	11 503
	L.L.													
	OTHER													
BLACK COD	TRAWL					46	35	*	20	16	19	*	55	
	L.L.												164	
	OTHER													
LING COD	TRAWL	1	1	127	157	5		184	174	200	40	99	170	1 158
	L.L.					12	11			1				24
	(H.L.)					1	7	15	17	6	*			46
	(TROLL)													
	OTHER													
OLACHONS	G.N.													
HERRING	G.N.													
SEINE	SEINE					2565							270	
SMELT	G.N.												2 835 *	
OTHER FISH & OTHER GEAR	TRAWL				140			59	10	10	148	17	1	385
	G.N.													
	L.L.							1						1
	HL & T													
	SEINE													
DAYS FISHING	TRAWL**	6	12	153	198	18		148	128	130	148	70	26	1 037
	HL & T				50	969	859	1979	919	122	2			4 900
	L.L.					1944	734			8				2 686
	G.N.				33	513	3216	17371	7816	80	4			29 033
	SEINE							1	1					2

*LESS THAN .5 CWT (1) NOTE:- ADD 750 CWT. OF MIXED SOLE TO FIGURES SHOWN FOR OCTOBER AND YEARLY TOTAL.

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.						153	690	*				843
	SEINE						251	867					1 118
	TROLL					202	2243	2340	368	1			5 154
SOCKEYE	G.N.					19	1863	620					2 502
	SEINE						1213	666					1 879
	TROLL						*	1					1
PINKS	G.N.						1100	9844					10 944
	SEINE						6209	36649					42 858
	TROLL					1	21	177	6				205
CHUMS	G.N.						204	853	*				1 057
	SEINE						869	1671					2 540
	TROLL						1	3					4
RED SPRING	G.N.					2	3	4					9
	SEINE						23	16					39
	TROLL			*	1360	1222	961	393	92	1			4 029
WHITE SPRING	G.N.					4	2	2					8
	SEINE						20	3					23
	TROLL				260	208	224	65	17				774
STEEL-HEADS	G.N.						10	23					33
	SEINE						28	53					81
	TROLL			*			*						*
JACKS	G.N.						1	3					4
	SEINE						26	11					37
	TROLL				23	35	27	18	1				104
	G.N.												
	SEINE												
	TROLL												

#LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL			14	88			57		116	46	42	363
ROCK SOLE	TRAWL				35		303	325	609	873	98		2 243
BUTTER SOLE	TRAWL						1	*		27			28
REX SOLE	TRAWL								*	50			82
DOVER SOLE	TRAWL									6	62		211 185
BRILLS	TRAWL									459	471	76	1 537
MIXED SOLE	TRAWL											*	3
FLOUNDERS	TRAWL								*	2			2
SKATE													
HALIBUT LGE.	L.L.												1 921
MED.	L.L.												12 777
CHIX	L.L.												3 601
No. 2	L.L.												174
MIXED	HL & T												742
RED & ROCK	TRAWL			94	20					31	266	1	412
COD	L.L.				26	4	54			22	16	1	123
	HL & T					*		*					*
GRAY COD	TRAWL			119	5	224		134	21	29	14	316	32
	L.L.				1								1
BLACK COD	TRAWL											*	*
	L.L.											36	146
	OTHER												
LING COD	TRAWL			9	*	10		11			71	31	5
	L.L.				10	39	55	1		4	6		137
	H.L.					30	78	19	8	2			115
	TROLL												137
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.	(OT 980)											OT 980
	SEINE	206273											8 560 214 833
OTHER FISH	TRAWL				*					5		3	9
& OTHER	G.N.												
GEAR	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL**			4	2	7		7	3	5	18	28	4
FISHING	HL & T				1	479	519	938	955	217	3		3 112
	L.L.				22	718	414	2	8	3	3	8	1 178
	G.N.												1 886
	SEINE												837

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SALMON

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						186	689	118				993
	SEINE						1303	4583	72				5 958
	TROLL					4	242	673	218				1 137
SOCKEYE	G.N.						1156	78					1 234
	SEINE						2795	650	5				3 450
	TROLL						*	*					*
PINKS	G.N.						1287	4056	63				5 406
	SEINE						13577	42840	1953				58 370
	TROLL						2	50	4				56
CHUMS	G.N.						695	1746	43				2 484
	SEINE						5083	5467	129				10 679
	TROLL						*	2	*				2
RED SPRING	G.N.					66	69	27	2				164
	SEINE						125	44	*				169
	TROLL				13	60	56	50	8				187
WHITE SPRING	G.N.					139	235	23	1				398
	SEINE						226	16					242
	TROLL				1	16	17	15	2				51
STEELHEADS	G.N.						12	5	1				18
	SEINE						12	7	*				19
	TROLL						*	*	*				1
JACKS	G.N.						9	2					11
	SEINE						64	39					103
	TROLL				*	*	1	4	1				6
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30		AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31
LEMON SOLE													
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
GRILLS	TRawl												
MIXED SOLE	TRawl												1 11
FLOUNDERS													
SKATE	TRawl												
HALIBUT Lge.	L.L.												1 018
NED.	L.L.												2 323
CHIX	L.L.												427
No. 2	L.L.												25
MIXED	HL & T												60
RED & ROCK COD	TRawl												
COD	L.L.												
				5	19	20	3	1	*	*	*	7	55
					3	2							5
GRAY COD	TRawl												
	L.L.												
	OTHER												
				1	2	*							3
BLACK COD	TRawl												
	L.L.												
	OTHER												
				1	11	7	3	1		15	16	8	62
					*								*
LING COD	TRawl												
	L.L.												
	(H.L.												
	(TROLL												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
SEINE	173873	180777	649		2160								357 459
OTHER FISH & OTHER GEAR	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE				5								5
DAYS FISHING	TRawl**												
	HL & T												
	L.L.												
	G.N.												
	SEINE				10	3	25	49	72	373	123	7	652
							162	120	12	62		10	381
							106	565	946	31		5	1 648
								699	891	27			1 617

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SALMON

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	<u>JAN 1- JAN 31</u>	<u>FEB 1- FEB 29</u>	<u>MAR 1- MAR 31</u>	<u>APR 1- MAY 3</u>	<u>MAY 4- MAY 31</u>	<u>JUN 1- JUN 28</u>	<u>JUN 29- AUG 2</u>	<u>AUG 3- AUG 30</u>	<u>AUG 31- SEPT 27</u>	<u>SEPT 28- NOV 1</u>	<u>NOV 2- NOV 30</u>	<u>DEC 1- DEC 31</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						157	581	846				1 584
	SEINE						125	515	110				750
	TROLL				1465	5557	2909	633	14				10 578
SOCKEYE	G.N.						524	83	2				609
	SEINE						24	75	14				113
	TROLL				*	1	*						1
PINKS	G.N.						395	3930	334				4 659
	SEINE						843	11057	386				12 286
	TROLL				6	33	19	*					58
CHUMS	G.N.						245	3037	3262				6 544
	SEINE						716	7164	3597				11 477
	TROLL				1	3	1						5
RED SPRING	G.N.			*	1	6	7	16					30
	SEINE					4	13						17
	TROLL			73	338	444	237	18	*				1 110
WHITE SPRING	G.N.						1	2	2				5
	SEINE						*	5	*				5
	TROLL			12	87	81	30	3	*				213
STEELHEADS	G.N.						6	5	3				14
	SEINE						1	2	*				3
	TROLL				*	*	*	*					1
JACKS	G.N.						2	4	2				8
	SEINE						4	14	1				19
	TROLL			*	14	24	12	2	*				52
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4- MAY 31	JUNE JUN 1- JUN 28	JULY JUN 29- AUG 2	AUGUST AUG 3- AUG 30	SEPTEMBER AUG 31- SEPT 27	OCTOBER SEPT 28- NOV 1	NOVEMBER NOV 2- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE ROCK SOLE BUTTER SOLE REX SOLE DOVER SOLE BRILLS MIXED SOLE	TRAWL				37						29		66
	TRAWL				34		48						82
	TRAWL												
	TRAWL			*	32	8				57			
	TRAWL				* ^L * ^T 61		53						97
	TRAWL			147	* ^T 54	318	243	330	641	441	92		* ^L * ^T 114
FLOUNDERS SKATE	TRAWL			*	2								2
	TRAWL			1	*				*	11			12
	L.L.												
	OTHER												
HALIBUT Lge. MED. CHIX No. 2 MIXED	L.L.				65	123	4						192
	L.L.			1	701	1 052	13				3		2 769
	L.L.				498	200	1						699
	L.L.				10	12							22
	L.L.				273	145	34						452
RED & ROCK COD	TRAWL			6	124	92	79	78	229	115	23		746
	L.L.				69	66	98				3		236
	HL & T			3	*	*	*	*					4
	OTHER												
GRAY COD	TRAWL			20	175	12	208	138	126	89	45		813
	L.L.				3	18							21
	OTHER												
BLACK COD	TRAWL							1	1	1	*		3
	L.L.				109	22	62				29		222
	OTHER												
LING COD	TRAWL			5	17	21	383	119	350	85	9		989
	L.L.			14	78	50	2						144
	H.L.				4	15	31	16					67
	TROLL												
QUACHONS HERRING	G.N.												
	G.N.												
	SEINE	299	207	78	271		2 701						380 179
OTHER FISH & OTHER GEAR	TRAWL			*	41	7	*		TURBOT	153	TURBOT	155	
	G.N.												308 TURB 48
	L.L.												
	HL & T												
DAYS FISHING	SEINE												
	TRAWL			4	9	5	11	7	25	12	13		86
	HL & T				90	528	1 336	955	235	8			3 152
	L.L.			3	283	155	14				4		459
	G.N.				1	1	317	1 404	644				2 367
	SEINE							53	282	84			419

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SALMON

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> Nov 2- Nov 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						763	1598	1512	1			3 874
	SEINE						559	445	3				1 007
	TROLL						396	1505	1304	14			3 219
SOCKEYE	G.N.						7672	95	1				7 768
	SEINE						561	36					597
	TROLL						*	*					*
PINKS	G.N.						10829	7032	231				18 092
	SEINE						7870	2503	1				10 374
	TROLL						7	25	2				34
CHUMS	G.N.						4478	9790	2709	25			17 002
	SEINE						6357	2936	15				9 308
	TROLL						1	1	*				2
RED SPRING	G.N.				57	1022	296	65	8				1 448
	SEINE						47	8					55
	TROLL				18		120	121	17	*			276
WHITE SPRING	G.N.				11	188	53	5	3				260
	SEINE						16	2	*				18
	TROLL				2		30	10	1	*			43
STEELHEADS	G.N.				*	2	370	87	21	*			480
	SEINE						111	8					119
	TROLL				*			*					*
JACKS	G.N.					*	59	3	1				63
	SEINE						72	9	*				81
	TROLL				*		11	8	3	*			22
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30		AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRAWL				30	34		2			1			67
ROCK SOLE	TRAWL				6	13		2		13	4			38
BUTTER SOLE	TRAWL													
REX SOLE	TRAWL													
DOVER SOLE	TRAWL													
BRILLS	TRAWL				83	1 LL	20	1 LL	11		5			16
MIXED SOLE	TRAWL					54	1 LL	372	12					2 LL 114
							1	2 LL	*					1 LL 438
								1						2 LL 1
FLOUNDERS	TRAWL													
SKATE	TRAWL													1
L.L.	L.L.													
OTHER	OTHER													
HALIBUT Lge.	L.L.				39	51	1			6				97
MED.	L.L.				418	646	4			24				1 092
CHIX	L.L.				111	127	*							238
No. 2	L.L.				2	7				1				10
MIXED	HL & T				37					37 LL				37 LL 37
RED & ROCK	TRAWL				7	106	55	2		5	138			313
COD	L.L.				3	21	4	24		63	43			158
HL & T	HL & T													
OTHER	OTHER													
GRAY COD	TRAWL				55	30	13	1		53	8			160
L.L.	L.L.				2	1	*							3
OTHER	OTHER													
BLACK COD	TRAWL				*		*			176	219			*
L.L.	L.L.													408
OTHER	OTHER													
LING COD	TRAWL				7	8	65	24		3				107
L.L.	L.L.				*	8	4	1		1	1			15
H.L.	H.L.				*			10	26	6				42
TROLL	TROLL													
OTHER	OTHER													
QUACHONS	G.N.													
HERRING	G.N.													
SEINE	SEINE	28 634	25 436											54 270
OTHER FISH	TRAWL				*	40	35	*		109				184
& OTHER GEAR	G.N.													*
L.L.	L.L.													
HL & T	HL & T													
SEINE	SEINE													
DAYS FISHING	TRAWL **				3	3	10	2		2	2			22
	HL & T					16		390	776	520	8			1 710
	L.L.				2	56	60	5		14	14			151
	G.N.					63	811	4 852	3 248	541	1			9 516
	SEINE								385	130	1			516

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	<u>JAN 1- JAN 31</u>	<u>FEB 1- FEB 29</u>	<u>MAR 1- MAR 31</u>	<u>APR 1- MAY 3</u>	<u>MAY 4- MAY 31</u>	<u>JUN 1- JUN 28</u>	<u>JUN 29- AUG 2</u>	<u>AUG 3- AUG 30</u>	<u>AUG 31- SEPT 27</u>	<u>SEPT 28- NOV 1</u>	<u>NOV 2- NOV 30</u>	<u>DEC 1- DEC 31</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						587	1413	476	191			2 667
	SEINE						77	123	20				220
	TROLL				3	25	32	65					125
SOCKEYE	G.N.					58432	296	*					58 728
	SEINE						1						1
	TROLL						*						*
PINKS	G.N.					3023	3749	38					6 810
	SEINE						347						347
	TROLL					1	1	*					2
CHUMS	G.N.					501	858	134	270				1 763
	SEINE						121	1409	3085				4 615
	TROLL						*	2					2
RED SPRING	G.N.				22	182	247	5	3				459
	SEINE						35	*	*				35
	TROLL			4	4	11	53	3					75
WHITE SPRING	G.N.				21	88	9	1					119
	SEINE												
	TROLL			1	2	2	2						7
STEELHEADS	G.N.					238	30	*	1				269
	SEINE						1						1
	TROLL							*					*
JACKS	G.N.					57	5	*					62
	SEINE						2						2
	TROLL			*	3	2	2	*					7
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	• DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.				*		322	80	170	22			594
	SEINE							105	214				319
	TROLL					82							82
SOCKEYE	G.N.				4	24436		5					24445
	SEINE							3					3
	TROLL												
PINKS	G.N.						437	242	15				694
	SEINE						478	1					479
	TROLL					*							*
CHUMS	G.N.						128	142	114	35			419
	SEINE						262	723					985
	TROLL												
RED SPRING	G.N.						104	2					106
	SEINE							3					3
	TROLL				1	2							3
WHITE SPRING	G.N.						33						33
	SEINE												
	TROLL						1						1
STEEL-HEADS	G.N.					*	108						108
	SEINE							*					*
	TROLL												
JACKS	G.N.						25	*					25
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRAWL									71			71
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL									*			*
DOVER SOLE	TRAWL												
BRILLS	TRAWL									36			36
MIXED SOLE	TRAWL												179
					179								
FLOUNDERS	TRAWL									*			*
SKATE	TRAWL												
	L.L.												
	OTHER												
HALIBUT Lge.	L.L.				28	5							33
MED.	L.L.				235	22							257
CHIX	L.L.				33	2							35
No. 2	L.L.				1	*							1
MIXED	HL & T					1							1
RED & ROCK	TRAWL				3					*			3
COD	L.L.												6
	HL & T												
	OTHER												
GRAY COD	TRAWL				1					15			16
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
	OTHER												
LING COD	TRAWL				4					8			12
	L.L.												63
	H.L.												*
	TROLL												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH	TRAWL									1			1
& OTHER GEAR	G.N.												*
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**				6					6			12
	HL & T												8
	L.L.												
	G.N.												23
	SEINE												34
													6 674
													34

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												
	SEINE												
	TROLL						134						134
SOCKEYE	G.N.												
	SEINE												
	TROLL												
PINKS	G.N.												
	SEINE												
	TROLL						*						*
CHUMS	G.N.												
	SEINE												
	TROLL						*						*
RED SPRING	G.N.												
	SEINE												
	TROLL							15					15
WHITE SPRING	G.N.												
	SEINE												
	TROLL						1						1
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

*LESS THAN .5 CWT
**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	* DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.				*	18	455	3103	1589	3209	511	2	8 867
	SEINE					5	1360	3437	1735	3038	127	*	9 702
	TROLL			*	*	15961	24705	24325	26888	3826	3	*	97 709
SOCKEYE	G.N.				652	2524	6453	1021	51	1	*		10 702
	SEINE				11	329	26394	5002	51	*			31 787
	TROLL				*	6	53	24	3	*			86
PINKS	G.N.					*	6751	22013	3493	*			32 257
	SEINE						16591	78426	3686	47	*		98 750
	TROLL				*	4	146	685	89	*	*		925
CHUMS	G.N.			*	*	*	770	1419	513	23509	9 966	251	36 429
	SEINE				*	*	1535	3328	630	62319	26 551	522	94 885
	TROLL			*	2	2	7	4	10	24	1		50
RED SPRING	G.N.	6	30	27	85	63	162	233	111	108	37	21	883
	SEINE	3			282	1046	1315	1691	92	19	11		4 459
	TROLL	37	79	448	2993	8772	12832	16741	6203	3161	3133	1 367	107
WHITE SPRING	G.N.	2	5	21	32	53	924	511	35	141	65	4	1 793
	SEINE				20	112	469	421	134	3	2		1 161
	TROLL	4	5	73	446	1144	2524	2929	1287	508	591	217	14
STEEL-HEADS	G.N.	*	*	*	21	66	118	23	5	25	40	8	307
	SEINE				29	19	71	17	15	8	1		160
	TROLL			*	*	1	5	5	6	*			23
JACKS	G.N.				1	3	15	42	8	6	1		76
	SEINE					2	137	33	*	41	3		216
	TROLL	*		2	5	27	33	75	108	138	34	9	3
	G.N.												
	SEINE												
	TROLL												

LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL												
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31													
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT													
LEMON SOLE	TRawl	135	13	23	162	115	100	104	81	92	840	431	229	2 325											
ROCK SOLE	TRawl	15	3RS	6	34	44	1BS	19	127	30	396	8RS	41	12RS 2 154											
BUTTER SOLE	TRawl			43	4								47												
REX SOLE	TRawl			*	1								1												
DOVER SOLE	TRawl	6	1	18	35	329	478	1 309	748	110	262	73	3	3 372											
BRILLS	TRawl			2	160	9LL	221	9LL*T	458	1 258	1T	2 082	235	14	2T18LL5 226										
MIXED SOLE ALL GEAR	ALL GEAR	1 004	1 264	1 084	1 108	1 605	2 644	4 093	2 780	3 957	2 999	761	137	23 436											
FLOUNDERS	ALL GEAR	261	452	154	33	63	110	84	63	96	224	26	41	1 607											
SKATE	TRawl	81	90	94	111	64	63	67	36	28	60	90	57	850											
L.L.				6	1								7												
OTHER		1	1	3	2	1	2	5	1	5	4		*	25											
HALIBUT Lge.	L.L.					729	199	1	2	2	3			936											
MED.	L.L.					8 600	2 280	4	14	32	27	42		10 999											
CHIX	L.L.					1 937	547	*	*					2 484											
No. 2	L.L.					57	18			3	1T	2		1T 80											
MIXED	HL & T					1LL	1 604	26LL	441	10LL		56LL	49	66LL	159LL 2 094										
RED & ROCK COD	TRawl	103	132	181	226	341	533	386	380	324	259	113	93	3 071											
L.L.		75	33	76	59	60	68	22	203	112	23			731											
HL & T		3	12	178	173	162	115	144	53	60	74	60	22	1 056											
OTHER		9	*	10	1	9	59	42	14	10	49	2	26	231											
GRAY COD	TRawl	1 856	3 797	5 042	3 834	2 453	1 800	2 236	989	1 984	1 910	1 499	1 077	28 477											
L.L.		1	1	1	*								4	7											
OTHER			3	7	4	1	*	*	1	*	*	*		16											
BLACK COD	TRawl	1	*	6		*	11	43	181	437	30	*	*	710											
L.L.		*	*	12	1	115	53	98	836	56	284	*		1 956											
OTHER		*	*	*	1		1	1	3	1				8											
LING COD	TRawl	3	5	176	276	830	1 397	2 720	956	1 274	338	237	7	8 219											
L.L.		2	263	342	323	686	303	3	1	17	22	1	100	2 063											
H.L.		84	430	4 682	5 542	4 073	2 132	2 226	1 776	1 482	3 083	2 308	280	28 078											
TROLL						1		2	4	3	2	2	1												
OTHER							2	2	3	2	2	1		17											
ANCHOVIES	SEINE		354	1 315										1 669											
HERRING TRawl & G.N.	TRawl & G.N.		229	185								906	872	2 192											
SEINE	SEINE	209 307	346 445	3 891		3 860	2 329	4 360			15 260	52 320	15 660	653 432											
HERRING OTHER FISH & OTHER GEAR	TRAP		457	380	466	104	1 516	588	3 307	1 765	1 250	1 576	1 391	1 585	14 385										
L.L.						*	1	*	2		*			4											
HL & T		11		14	19	6		26	28	31	34			51											
OTHER		4	3	54	66	53	20	25	33 TUNA 44	641 TUNA 78	821 TUNA 267	71 TUNA 61		18 1566 TUNA 693											
DAYS FISHING	TRawl	342	424	343	349	333	255	404	268	304	370	345	135	3 872											
HL & T		172	508	3 474	5 516	9 902	17 243	25 265	16 939	12 825	5 511	2 055	394	99 804											
L.L.		13	34	103	25	1 198	453	13	9	60	60	13	19	2 000											
G.N.			34	64	73	889	2 302	3 739	7 133	1 267	4 761	2 860	279	23 401											
TRAPS &	SEINE	8BS	5BS	2	7BS	11	21BS	16BS	7	5BS	81	2BS	1 502	1BS	1 744	19BS	136	25BS	1 305	8BS	603	18BS	16	135BS	5 407

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	Dec 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					*	16		27				43
	SEINE												
	TROLL						1424	544					1 968
SOCKEYE	G.N.					5	610		*				615
	SEINE												
	TROLL						2						2
PINKS	G.N.						6		13				19
	SEINE												
	TROLL						14	7					21
CHUMS	G.N.						3		47				50
	SEINE												
	TROLL						*						*
RED SPRING	G.N.					*	4		*				4
	SEINE												
	TROLL						283	86					369
WHITE SPRING	G.N.						2						2
	SEINE												
	TROLL						33	18					51
STEEL-HEADS	G.N.						3						3
	SEINE												
	TROLL						*						*
JACKS	G.N.						1						1
	SEINE												
	TROLL						1	*					1
G.N.													
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRAWL				30	2				7			39
ROCK SOLE	TRAWL				6		33						39
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL						2						2
DOVER SOLE	TRAWL												
BRILLS	TRAWL				83	1	3			12			99
MIXED SOLE	TRAWL				48	3	64			20			135
FLOUNDERS	TRAWL								*				
SKATE	L.L.				3	1							4
HALIBUT L.G.E.	L.L.						1		*				1
MED.	L.L.				162	40			13				215
CHIX	L.L.				24	13							37
No. 2	L.L.								1				1
MIXED	HL & T						6 LL	28 LL				34 LL	
RED & ROCK	TRawl				6	7	3	44	9	18	32		67
COD	L.L.						*						56
	HL & T												*
GRAY COD	TRawl					77	1	4	5		38		125
BLACK COD	TRawl												
	L.L.							13	251				264
	OTHER												
LING COD	TRawl					7	*	3	6		1		17
	L.L.					58		2	1				61
	H.L.						5	14	6				25
	TROLL												
	OTHER												
QULACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH & OTHER GEAR	TRawl			*	162						252		414
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**					8	2	2	2		2		16
	HL & T					3	3	414	138				555
	L.L.						11	2		10			29
	G.N.						2	179		13			194
	SEINE												

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 51
AREA 12

9560600
65000

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.				*	2	396	2410	1156	386	86		4 436
	SEINE					1	819	2559	488	355	10		4 232
	TROLL				*	2169	4539	2256	399	46			9 409
SOCKEYE	G.N.				93	958	4045	818	46		*		5 960
	SEINE					258	8875	1190	24				10 347
	TROLL					1	7	6	*				14
PINKS	G.N.				*	6564	19775	2877	*				29 216
	SEINE					14658	56595	2729	38				74 020
	TROLL					1	67	535	85				688
CHUNS	G.N.				*	756	1233	326	4068	1 915			8 298
	SEINE					1515	2419	423	19406	16 001			39 764
	TROLL				*	1	3	13	*				7
RED SPRING	G.N.					11	133	92	21	15	8		280
	SEINE					11	286	643	21	2	6		969
	TROLL			157	714	1117	345	15	5	1			2 354
WHITE SPRING	G.N.					27	519	287	10	7	7		857
	SEINE					7	153	111	7	1	1		280
	TROLL			14	96	169	53	3	1	*			336
STEELHEADS	G.N.				2	14	46	16	3	19	25		125
	SEINE				*	8	3	*	2	*			14
	TROLL				*	1	*						1
JACKS	G.N.				*	8	24	2	*	*			35
	SEINE				2	19	14	*	4	*			39
	TROLL				1	4	8	*					13
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	6			45	5		13		36	63	8	176	
ROCK SOLE	TRawl				58	15		35		360		1	469	
BUTTER SOLE	TRawl													
REX SOLE	TRawl													
DOVER SOLE	TRawl												21	
BRILLS	TRawl												106	
MIXED SOLE	TRawl													
FLOUNDERS	TRawl													
SKATE	L.L.	*	40	43	16	17	*			6	2		124	
	OTHER													
HALIBUT Lge.	L.L.				522	169	1		2				694	
MED.	L.L.				4 774	1 269	4		6		32		6 085	
CHIX	L.L.				713	210	*						923	
No. 2	L.L.				34	13			1		2		50	
MIXED	HL & T				557	15 LL	317	4 LL	28 LL	28 LL			7511 874	
RED & ROCK	TRawl	1	4	7	18	35	111	24	136	17	15	2	370	
COD	L.L.		1	7		1	11	50		55	27		160	
	HL & T					*	1		*	1	*		3	
GRAY COD	TRawl	20	30	55	87	38	30	18	8	61	39	81	514	
	L.L.											4	5	
	OTHER													
BLACK COD	TRawl				11	1	108	40	247	205	233		845	
	L.L.													
	OTHER													
LING COD	TRawl	*	5	20	8	90	67	23	155	22	8	*	398	
	L.L.		5	2	37	23	2		3			2	74	
	H.L.								6				115	
	TROLL													
	OTHER													
QULACHONS	G.N.													
HERRING	G.N.													
	SEINE	127 854	8 127			1 514	606						138 101	
OTHER FISH	TRawl	*	2	2	162	118	545	220	38	4	76	66	1 233	
& OTHER GEAR	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl	1	16	18	47	31	24	26	17	23	11	29	8	251
	HL & T			1	4	416	906	1 976	2 150	363	43	3		5 862
	L.L.			3		447	205	11		16	9	9	7	712
	G.N.					124	764	2 439	5 556	870	632	401		10 986
	SEINE						54	922	1 161	62	351	310		2 860

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.					11	29	636	133	408	52		1 269
	SEINE						110	473	88	270	39		980
	TROLL					1047	1210	791	914	203	*		4 165
SOCKEYE	G.N.				7	28	287	100	1	*			423
	SEINE						1305	706	4	*			2 015
	TROLL						2	*	*	*			3
PINKS	G.N.						171	1739	597				2 507
	SEINE						1898	12151	953	9	*		15 011
	TROLL					*	9	20	1		*		30
CHUMS	G.N.					*	2	183	133	2206	1 331		3 855
	SEINE						9	787	143	26552	8 059		35 550
	TROLL					*	*	*	3	4			8
RED SPRING	G.N.			1	6	7	16	20	4	7	4		65
	SEINE						74	194	4	6	5		283
	TROLL	5	5	8	4	33	325	532	264	118	15	21	8 1 338
WHITE SPRING	G.N.			3	5	9	396	221	4	10	3		651
	SEINE						39	40	4	*	1		84
	TROLL	1	1	*	1	12	100	258	81	24	1	2 4	485
STEELHEADS	G.N.				1	1	7	2	*	1	8		20
	SEINE						1	1		2	*		4
	TROLL					1	*	*	*				2
JACKS	G.N.						*	12	3	1	*		16
	SEINE						15	4	*	4	4		27
	TROLL			*	3	23	47	17	2	1	1		94
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE													4
ROCK SOLE													6
BUTTER SOLE													5
REX SOLE													7
DOVER SOLE													
BRILLS													1
MIXED SOLE													
FLOUNDERS													
SKATE													
HALIBUT L.G.													
MED.													
CHIX													
No. 2													
MIXED													1
RED & ROCK													
COD													
GRAY COD													
BLACK COD													
LING COD													
DULACHONS													
HERRING													
SEINE													
OTHER FISH													
& OTHER													
GEAR													
DAYS													
FISHING													

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					*	*	8	1	799			808
	SEINE									754			754
	TROLL					1245	2096	511	512	47			4 411
SOCKEYE	G.N.						3	4		*			7
	SEINE												*
	TROLL					*	*						*
PINKS	G.N.						1	455					456
	SEINE												
	TROLL						12	40	*				52
CHUMS	G.N.							*		2880			2 880
	SEINE									1667			1 667
	TROLL					*		*	1				1
RED SPRING	G.N.	3		1	4	1	1	1	*	10		4	25
	SEINE									1			1
	TROLL		*	1	38	343	200	89	49	2	*		722
WHITE SPRING	G.N.	*					*	*		16		1	18
	SEINE									*			*
	TROLL				2	76	139	96	28				341
STEEL-HEADS	G.N.						*	*		1			1
	SEINE												
	TROLL			*	1	1	*		*				3
JACKS	G.N.							*		*			*
	SEINE									30			30
	TROLL					16	21	6	27	1			71
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRAWL		5				14	5		10	595	40	4	673
ROCK SOLE	TRAWL		1				2				1 230	26	3	1 262
BUTTER SOLE	TRAWL													
REX SOLE	TRAWL													
DOVER SOLE	TRAWL													6
BRILLS	TRAWL													34
MIXED SOLE	TRAWL	275	624	19			26	31	21	2 139	221	6	3 362	
FLOUNDERS	TRAWL	14	64	*			3	*	1	139	2	6	229	
SKATE	TRAWL	16	25	2			3	2	5	14	11	2	80	
L.L.														
OTHER			T	*										*T
HALIBUT Lge.	L.L.						*							*
NED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T									1 TROLL				1T
RED & ROCK	TRAWL	23	33	2			*	3	*		80	22	*	164
COD	L.L.						1							1
	HL & T						6	*	1	1	4	*	*	13
OTHER														
GRAY COD	TRAWL	222	570	49			134	286		203	705	186	17	2 372
	L.L.						1							1
OTHER														
BLACK COD	TRAWL	*												*
	L.L.													
OTHER														
LING COD	TRAWL			1			1	28		13	120	50		213
	L.L.						1							1
	H.L.													
	TROLL													
	OTHER													1 333
OLACHONS	G.N.													
HERRING	G.N.													
	SEINE													
OTHER FISH	TRAWL	5	31	1			*			3	454	138	30	662
& OTHER GEAR	G.N.						*							*
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRAWL	59	82	8			11	14		14	146	37	5	376
	HL & T						167	1 567	3 132	1 580	951	148	72	7 760
	L.L.						3							4
	G.N.													
	SEINE													
														788
														68

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					*		18	30	131			179
	SEINE									2			2
	TROLL					986	755	278	138	37	*		2 194
SOCKEYE	G.N.							1	*				1
	SEINE												
	TROLL						*	*	*				1
PINKS	G.N.							5	2				7
	SEINE												
	TROLL				*	1	2	*					3
CHUNS	G.N.							2	3	478			483
	SEINE									293			293
	TROLL					*			1	1			2
RED SPRING	G.N.		3	*	*			1	1	6			11
	SEINE									*			*
	TROLL	*	2	3	94	134	44	23	18	19	22	1	360
WHITE SPRING	G.N.		*	1		*		1	1	2			5
	SEINE												
	TROLL	*	1	*	44	47	38	26	4	1	2		163
STEELHEADS	G.N.									*			*
	SEINE												
	TROLL												
JACKS	G.N.							*	*	*			1
	SEINE												
	TROLL			*	2	2	3	5	2	1			15
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL												
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
	L.L.												1
	OTHER												
				1T	1T								2 T
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												1 LL
RED & ROCK	TRAWL												
COD	L.L.												
	HL & T												
	OTHER												
				48	17	15	3	3	2	6	1	4	18 100
GRAY COD	TRAWL												
	L.L.												
	OTHER												
				*T	*T	*T							1 T
BLACK COD	TRAWL												
	L.L.												
	OTHER												
				*T									*
LING COD	TRAWL												
	L.L.												
	H.L.												
	TROLL												
	OTHER												
				491	107	195	29	8	4	23	118	65	34 1164
OLACHONS	G.N.												
HERRING	G.N.												
	SEINE												
				2									2
OTHER FISH & OTHER GEAR	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
				4	3	*				*			*
				3						2	3		1
DAYS FISHING	TRAWL**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
				2	250	122	316	1 052	1 046	406	183	167	93 3 659
							23				3		26
				5	2	1			43	32	99		182
				5						1 B.S.	3		8

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.				*		4	6	36	334	69		449
	SEINE									7	*		7
	TROLL				500	1278	642	435	84		*		2 939
SOCKEYE	G.N.						128	8	*				136
	SEINE												
	TROLL						1	*					1
PINKS	G.N.							4	7	*			11
	SEINE												
	TROLL				*		1	2	*				3
CHUNS	G.N.			*	*				3	5447	2 309		7 759
	SEINE									750	71		821
	TROLL						*	*	*	2	*		3
RED SPRING	G.N.	2	19	17	35	12	*	1	8	34	13		141
	SEINE												
	TROLL	4	7	25	24	146	330	113	49	84	20	11	23
WHITE SPRING	G.N.	2	4	16	20	7	*	*	17	79	29		174
	SEINE												
	TROLL	2	2	16	24	119	305	147	71	96	14	6	4
STEEL-HEADS	G.N.			*	1		*	*		*	1		3
	SEINE												
	TROLL			*		*	*						1
JACKS	G.N.						*	*	1	3	*		5
	SEINE												
	TROLL		*	*	*	5	6	12	58	10	1		93
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE											8		
ROCK SOLE													
BUTTER SOLE													
REX SOLE											*		
DOVER SOLE													
BRILLS													
MIXED SOLE													
FLOUNDERS	TRawl												
SKATE													
L.L.													
OTHER		*BS											
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK	TRawl												
COD	L.L.												
HL & T													
OTHER		4	30	29	56	34	8	6 BS	11	9	6	1	1
GRAY COD	TRawl												
L.L.													
OTHER			23										
BLACK COD	TRawl												
L.L.													
OTHER		*											
LING COD	TRawl												
L.L.													
H.L.		5											
TROLL		26											
OTHER		734	656	332	132	106	79	77	253	235	68	6	32
OLACHONS	G.N.												
HERRING	G.N.	67	36										
SEINE		370											
OTHER FISH	TRawl												
& OTHER	G.N.												
GEAR	L.L.												
HL & T		11											
SEINE		3	31	14	17	12	7	7	22	33	40	18	207
DAYS	TRawl												
FISHING	HL & T												
L.L.		25	43	517	493	640	1 271	1 513	921	686	351	204	124
G.N.		11		3								2	21
SEINE		17	36	47	118	35	114	32	45	941	712	40	2 139
		4 BS	3 BS	1 BS	16 BS	11 BS			18 BS	12 BS	3 6 BS	11 BS	82 BS
													37

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					1	*	4	9	874	256	2	1 146
	SEINE									261	62	*	323
	TROLL					191	2040	499	249	68	1		3 048
SOCKEYE	G.N.						23	19	*	*			42
	SEINE												
	TROLL						*	5					5
PINKS	G.N.						1	12	4				17
	SEINE												
	TROLL					*	1	13	*				14
CHUMS	G.N.				*			1	1	6336	3 089	248	9 675
	SEINE									2270	931	522	3 723
	TROLL					*		*	1	14	*		16
RED SPRING	G.N.	1	6	6	36	25	1	2	1	36	11	16	140
	SEINE										1		1
	TROLL	10	23	19	11	170	287	92	61	40	29	31	778
WHITE SPRING	G.N.	*	*	1	6	10		1	*	26	24	3	72
	SEINE										1		1
	TROLL	1	1	*	23	132	52	36	15	11	3	1	275
STEEL-HEADS	G.N.	*	*	*	*			*		1	3	8	13
	SEINE												
	TROLL				*	1	*	*					2
JACKS	G.N.							2	1	1	*		4
	SEINE									3	*		3
	TROLL		1	1	22	4	10	15	11	17	6	2	89
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	125	*	3	20	21	34	19	22	32	87	172	60	595
ROCK SOLE	TRawl	10	3 BS	*		1	1 BS			18 BS	*	9	14	12BS 34
BUTTER SOLE	TRawl			*										*
REX SOLE	TRawl													
DOVER SOLE	TRawl	1	*	1		1				8	3	1	15	7
BRILLS	TRawl				2					5				
MIXED SOLE	TRawl	16 BS	433	3 BS	312	1 HL	6 BS	289	1 BS	172	*BS 3 HL	16	3 BS	51BS5T 1705
FLOUNDERS	TRawl	2 BS	31 BS	10	*HL	17BS	4	2 BS	3	1 BS	4	3 BS	19	7
SKATE	TRawl	31	32	28	22	9	23		*T	17	7	9 BS	12	8
L.L.					6					6	9	23	30	25
OTHER		1 RS	1 BS	*HL	* BS	1 HL				1 BS				3 BS 1 T
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T													9
RED & ROCK	TRawl	32	46	45	45	8	1			3	14	32	25	262
COD	L.L.		15	10		6	6	3	5		*			27
	HL & T	*	*	75	76	71	31	73	24	24	44	42	3	463
OTHER		9 RS	10 BS	1 BS	1 BS	16 BS	3 BS	1 BS		32 BS	1BS			74BS
GRAY COD	TRawl	363	1 367	3 636	307	76	76	12	59	43	144	312	264	6 659
	L.L.				1						*			1
OTHER				*BS 1 HL	* HL	* HL	* HL							*BS 2T
BLACK COD	TRawl	*	*	5							*		*	6
	L.L.			*										*
OTHER		*		*										*
LING COD	TRawl			113	80	6	23	10	13	13	49	66	4	377
	L.L.			38							1			39
	H.L.			1 071	1 197	690	464	536	521	536	1 189	708	46	6 958
	TROLL													
OTHER				* BS		* BS	* BS	* RS	* BS		# RS			2 BS
QULACHONS	G.N.			162	147									15RS 3 15RS 312
HERRING	G.N.			2 204	1 836									95 709
	SEINE					2 346	1 723	4 360						
OTHER FISH	TRawl	150	94	119	4	4	1	1	*	1	9	349	451	1 183
& OTHER	G.N.													2
GEAR	L.L.													1
	HL & T	1		3	2	6	*	3	1	5	2	2		25
	SEINE	* RS	7 BS	26 BS	28 BS	11 BS				8 BS	8BS			88BS
DAYS	TRawl	89	140	153	38	13	17	13	16	17	39	87	61	683
FISHING	HL & T	31	80	738	624	776	1 366	2 480	1 424	723	823	372	48	9 485
	L.L.	6	34		2						2			44
	G.N.	16	19	14	104	60	10	36		16	1 466	1 178	228	3 147
	SEINE	3 RS	2 BS	6 BS	5 BS	5 BS	2 BS	1 BS		11 BS	129	2BS	47	1BS 16 43BS 192

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	<u>JAN 1- JAN 31</u>	<u>FEB 1- FEB 29</u>	<u>MAR 1- MAR 31</u>	<u>APR 1- MAY 3</u>	<u>MAY 4- MAY 31</u>	<u>JUN 1- JUN 28</u>	<u>JUN 29- AUG 2</u>	<u>AUG 3- AUG 30</u>	<u>AUG 31- SEPT 27</u>	<u>SEPT 28- NOV 1</u>	<u>NOV 2- NOV 30</u>	<u>DEC 1- DEC 31</u>	
COHO	G.N.						1	1		71	48		121
	SEINE						2			8	16		26
	TROLL					5	16	47	18	4			90
SOCKEYE	G.N.						54	19					73
	SEINE						139						139
	TROLL							*	*				*
PINKS	G.N.						2	*					2
	SEINE						*						*
	TROLL						*						*
CHUNS	G.N.						9			324	1 322	3	1 658
	SEINE									54	1 489		1 543
	TROLL												
RED SPRING	G.N.		2				1			*	1	*	4
	SEINE						*				*		*
	TROLL		*	*	*	20	12	14	3	3			53
WHITE SPRING	G.N.		*				6			1	2		9
	SEINE						*				*		*
	TROLL			*	7	26	13	3					49
STEEL-HEADS	G.N.		*							*	3	*	4
	SEINE										*		*
	TROLL												
JACKS	G.N.						*	*			*		1
	SEINE						1				1		2
	TROLL					1	3	12	8	*			24
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

*LESS THAN .5 CWT
**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.									*			*
	SEINE												
	TROLL						*	26	5	*			31
SOCKEYE	G.N.												
	SEINE												
	TROLL							*					*
PINKS	G.N.												
	SEINE												
	TROLL												
CHUMS	G.N.									2			2
	SEINE												
	TROLL												
RED SPRING	G.N.			1	1	1						1	4
	SEINE												
	TROLL			1	3	4	2	10	*	*	12		32
WHITE SPRING	G.N.			*	*								*
	SEINE												
	TROLL			*	3	7	3		*	3			16
STEELHEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL								*				*
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL							2			11	1	14
ROCK SOLE	TRAWL										4	2	6
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL								*	2	*	2	
BRILLS	TRAWL									*		*	
MIXED SOLE	TRAWL							* T 2		1		*T 3	
FLOUNDERS	TRAWL										3	*	3
SKATE	TRAWL								*			*	
	L.L.												
	OTHER												
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK	TRAWL	*						*		*	5	*	6
COD	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL	29						10		5	86	6	136
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
	OTHER												
LING COD	TRAWL							1		*	9		10
	L.L.												
	H.L.												
	TROLL												
	OTHER												
OLACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH	TRAWL	*									*		*
& OTHER GEAR	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL**	2						1		1	17	2	23
	HL & T		50	35	22	54	43		47	32	11		294
	L.L.								1				1
	G.N.									1		1	9
	SEINE												

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO G.N. TRAP & SEINE TROLL							4	404	265	1131	542		
							*	7	3	54	13	*	*
													78
SOCKEYE G.N. TRAP & SEINE TROLL					11	70	10932	1236	23	*			12 272
										*			*
PINKS G.N. TRAP & SEINE TROLL							19	27	4				50
CHUMS G.N. TRAP & SEINE TROLL					*	*	6	15	64	223			308
											*		*
RED G.N. SPRING TRAP & SEINE TROLL			1										1
				282	1035	950	843	67	9				3 186
			3	1	19	14		2	2	3	6		50
WHITE G.N. SPRING TRAP & SEINE TROLL				20	105	275	268	123	1				792
					5	6	*	1	1	*	1		14
STEELHEAD G.N. TRAP & SEINE TROLL				29	19	62	12	15	4				141
JACKS G.N. TRAP & SEINE TROLL						95	9						104
			*					*	*				1
G.N. SEINE TROLL													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4 - MAY 31	JUNE JUN 1- JUN 28	JULY JUN 29- AUG 2	AUGUST AUG 3- AUG 30	SEPTEMBER AUG. 31- SEPT 27	OCTOBER SEPT 28- NOV 1	NOVEMBER Nov 2- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
MON SOLE					1	2	7	*					10
CK SOLE	TRAWL				1	5	*	1					7
ITTER SOLE	TRAWL												
X SOLE	TRAWL												
WER SOLE	TRAWL				200	111	222	179		57			769
HILLS	TRAWL				4	1	1	1T 54	1T				60
XED SOLE	TRAWL			1	13	103		726 *T 816	358	104			*T 2 121
OUNDERS	TRAWL			*		1 TRAP	*	1 TRAP	1 TRAP	*	* TRAP		4 TRAP 1
ATE	TRAWL			*	1	9	3	2	3	4			22
L.L.													
OTHER						1 TRAP	2 TRAP	5 TRAP	1 TRAP	1 T 4 TRAP	1 TRAP		14 TRAP 1T
LIBUT LGE.	L.L.												
ED.	L.L.												
2HIX.	L.L.												
b. 2	L.L.												
FIXED	HL & T						2						2
D & ROCK	TRAWL			1	4	85	5	121	226	23	53		518
OD	L.L.					1		*	*	*	1	1	*
HL & T													4
OTHER							5 TRAP	43 TRAP	39 TRAP	13 TRAP	4 TRAPS	1 TRAP	105 TRAP
PAY COD	TRAWL			12	40	163	32	168	137	49	44		645
L.L.													
OTHER													
JACK COD	TRAWL						*	12	24	12			48
L.L.													
OTHER													
NG COD	TRAWL			*	5	38	2	45	58	24	7		179
L.L.													
H.L.		2	3	45	53	52	26	22	32	18	45	80	25
TROLL													403
OTHER													
MACHONS	G.N.					*	TRAP	2 TRAP	4 TRAP	3 TRAP	2 TRAPS	1 TRAP	12 TRAP
IRRING	TRAP						64	6	26	28	31	34	
SEINE													189
ELT	G.N.												
HER FISH	TRAWL			*		206			80	157			443
OTHER	G.N.												
AR	L.L.												
HL & T													1
SEINE													
YS	TRAWL					16 TRAP	1 TRAP	1 TRAP		* TRAP			18 TRAP
SHING	HL & T		1	4	21	4	27	39		12	10		118
L.L.		2	20	32	30	34	21	34		90	37	53	383
G.N.													1
TRAPS & SEINE			1		7	24	248	56		25	15		375

* LESS THAN .5 CWT

NY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C.

SHEET ASalmon

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.								*				*
	SEINE						7	6		15			28
	TROLL					235	459	2647	2175	935			6 451
SOCKEYE	G.N.								*				*
	SEINE						281	13					294
	TROLL					*	1	1	*				2
PINKS	G.N.								*				*
	SEINE						*	*					3
	TROLL						2	1					
CHUMS	G.N.								*				*
	SEINE							*		7			7
	TROLL						1	*					1
RED SPRING	G.N.								1				1
	SEINE						3	2					5
	TROLL		1		38	168	239	409	157	65			1 077
WHITE SPRING	G.N.								3				3
	SEINE						1	2					3
	TROLL			10	57	60	133	28	36				324
STEEL-HEADS	G.N.												
	SEINE												
	TROLL							1	1				2
JACKS	G.N.												
	SEINE						5	1					6
	TROLL						1	2	7	*			10
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL			8	4	6	10	16	9	5		4	62
ROCK SOLE	TRAWL			30	7	4	9	42	7	6	1	*	106
BUTTER SOLE	TRAWL			43	2								45
REX SOLE	TRAWL												
DOVER SOLE	TRAWL			9	1	48	313	448	213	57	*	64	1 153
BRILLS	TRAWL			2	10	5	70	466	393	156	42	6	1 150
MIXED SOLE	TRAWL				122	135	314	951	627	396	242	2	2 789
FLOUNDERS	TRAWL			*	1	27					36		64
SKATE	TRAWL			7	8	6	17	15	9	6	5	4	77
L.L.													
OTHER													
HALIBUT L.G.E.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T					1	1						2
RED & ROCK	TRAWL			26	7	82	60	62	57	24	39	1	358
COD	L.L.								*				*
	HL & T												
GRAY COD	TRAWL			30	825	502	708	820	520	257	61	44	3 767
L.L.													
OTHER													
BLACK COD	TRAWL					*	3	12	55	35	19		124
L.L.													*
OTHER									*				
LING COD	TRAWL			1	22	102	295	903	382	127	25	12	1 869
L.L.													
H.L.													
TROLL													
OTHER													
OLACHONS	G.N.												
HERRING	G.N.												
SEINE	SEINE												
OTHER FISH	TRAWL												
& OTHER GEAR	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL*			8	35	47	49	118	89	60	29	9	444
	HL & T			1	64	106	157	638	513	300			1 779
	L.L.												
	G.N.												
	SEINE												

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
Salmon

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					3	9	19	197	184			412
	SEINE							31	28	112			171
	TROLL		*			2963	3448	2489	7194	423	*		16 517
SOCKEYE	G.N.				171	1194	1303	52	3				2 723
	SEINE					1							1
	TROLL				*	*	5	3	*				9
PINKS	G.N.					*	2	1	*				3
	SEINE							1					1
	TROLL					*	3	9	*				12
CHUMS	G.N.							*	*	1676			1 676
	SEINE									3256			3 256
	TROLL		*	1	1	3			*				5
RED SPRING	G.N.				3	6	7	116	75	*			207
	SEINE					*							*
	TROLL	1	23	275	2414	6395	7248	4680	1499	640	146	18	64
WHITE SPRING	G.N.				1	*	1	*	*				3
	SEINE												
	TROLL		1	49	379	799	1333	847	406	81	11	2	4
STEEL-HEADS	G.N.				17	51	62	4	2	2			138
	SEINE												*
	TROLL		*	*	1	*	*	*	2	*			5
JACKS	G.N.					1	3	5	3	1			13
	SEINE												
	TROLL	*		3	4	1	1	1	2				12
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUNE 29- AUG. 2	AUG 3- AUG 30	AUG 31 SEPT 27	SEPT 28- NOV 1	NOV 2 NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
MON SOLE	TRawl			11	9	6	2	2	*	8			38	
	TRawl			30	5	10	17	29	4			5	100	
	TRawl			2									2	
	EX SOLE													
	OVER SOLE	TRawl	1		31	62	31	571	337	7	104		1 144	
	RILLS	TRawl			20	111	80	460	101	1 721	125		211 2 761	
	FIXED SOLE	TRawl	66	36	28	*11	151	699	716	139	2 012	128	6	7 *11 4 287
	LOUDERS	TRawl	210	74	4	4	4			6			23	327
	KATE	TRawl	2	1	2	26	8	5	14	6	2	2		68
	L.L.													
	OTHER													
ALL BUT LGE.	L.L.				49	15							64	
	MED.	L.L.			997	306							1 303	
	CHIX.	L.L.			410	121							531	
	NO. 2	L.L.			14	2							16	
	MIXED	HL & T			254	47							301	
ED & ROCK	TRawl	14	11	2	62	37	215	153	74	132	20		1	721
	SOD	L.L.			3	2							5	
	HL & T		*			*	*	*	*		1		2	
RAY COD	TRawl	25	148	7	1 782	570	644	709	68	1 184	229	12	12	5 390
	L.L.													
	OTHER												*	
JACK COD	TRawl				*	*								
	L.L.				*	7	16	44	349	7			423	
	OTHER				*	*							*	
RING COD	TRawl	2	1	2	59	273	741	610	128	756	64	9	2	2 647
	L.L.	2				131	80						98	311
	H.L.	50	149	238	147	197	172	76	24	27	302	292	43	1 717
	TROLL													
SNOHOVIES	SEINE	354	1 315											1 669
	G.N.													
	SEINE	60 015	685	2 055										62 755
HELT	G.N.													
	OTHER FISH	TRawl	6	1	27	60	186	99	257	66	235	305	246	1 1 489
	G.N.						*	*						*
CAR	L.L.													
	HL & T													
	SEINE	3 BS												3 BS
YS	TRawl	18	26	7	102	61	68	78	32	127	28	14	2	563
	HL & T	45	207	664	2 322	4 436	4 971	3 605	1 830	2 170	445	193	135	21 023
	L.L.	1				192	60						10	263
	G.N.					369	1 109	724	182	97	228			2 709
SHING	SEINE	1 BS	2	6			3		2	2	115			1 BS 130

* LESS THAN .5 CWT

NY SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C.

SALMON

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	<u>JAN 1- JAN 31</u>	<u>FEB 1- FEB 29</u>	<u>MAR 1- MAR 31</u>	<u>APR 1- MAY 3</u>	<u>MAY 4- MAY 31</u>	<u>JUN 1- JUN 28</u>	<u>JUN 29- AUG 2</u>	<u>AUG 3- AUG 30</u>	<u>AUG 31- SEPT 27</u>	<u>SEPT 28- NOV 1</u>	<u>NOV 2- NOV 30</u>	<u>DEC 1- DEC 31</u>	
COHO	G.N.										8		8
	SEINE						16			250			266
	TROLL					3514	2391	2180	8582	410			17 077
SOCKEYE	G.N.												
	SEINE						4862	1856					6 718
	TROLL					1	9	4	*				14
PINKS	G.N.												
	SEINE						1	*					1
	TROLL					1	3	1	*				5
CHUMS	G.N.									27			27
	SEINE						*	*		1392			1 392
	TROLL					*			*				*
RED SPRING	G.N.												
	SEINE						2						2
	TROLL	17	84	129	1172	2088	4656	1041	428	54	13		9 682
WHITE SPRING	G.N.												
	SEINE						1						1
	TROLL		2	6	68	193	486	118	16	2	1		892
STEELHEADS	G.N.												
	SEINE												
	TROLL				*	*	*	*	2				3
JACKS	G.N.												
	SEINE						2	*					2
	TROLL						2	*	2	*			4
	G.N.												
	SEINE												
	TROLL												

#LESS THAN .5 CWT

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2.	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 Nov 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
MON SOLE				17	54	13	*			4			88
CK SOLE				26	5	5	1						37
TER SOLE													
X SOLE													
VER SOLE				1	1	14	1						113
ILLS				30	104	67	168	172	184	13			738
XED SOLE				47	*LL	294	324	358	467	294	67	126	*LL 2 594
DUNDERS				18	102	497							392
ATE				15	13	75	4	19	56	61	49	9	65
L.L.				*	6	11	3	13	7	14	6	*	
OTHER													
LIBUT LGE.						17	1						18
ED.						258	18					10	286
HIX.						53	1						54
ID. 2						2	*						2
FIXED						141	14						155
D & ROCK				9	9	66	13	73	84	6	9	1	274
OD						*							15
L.L.						2	3	1	1	2	1	*	13
HL & T								*					
OTHER													
AY COD				11	180	347	216	810	102	92	69	150	37
L.L.												34	2 048
OTHER													
ACK COD								1	3	50	41	3	*
L.L.												51	98
OTHER													51
NG COD				*	4	12	41	349	208	223	252	173	12
L.L.								29	3			4	1 278
H.L.				4	184	175	118	61	72	136	99	18	1
TROLL												6	33
OTHER													923
LACHONS				G.N.									
RRING				G.N.									
SEINE				1 753									1 753
ELT				G.N.									
HER FISH				2	23	78	6	254	192	1 780	169	5	1
OTHER				G.N.									2 510
AR				L.L.									*
HL & T				HL & T									
SEINE				SEINE									
VS				TRawl*	3	6	26	30	104	61	69	26	6
SHING				HL & T	2	107	249	228	1 104	1 831	3 282	1 755	26
				L.L.					80	8		42	364
				G.N.								4	11 207
				SEINE								4	92
													4
													257

* LESS THAN .5 CWT

** SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C.

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.									3			3
	SEINE								217				217
	TROLL					693	1184	4779	4247	876	1		11 780
SOCKEYE	G.N.												
	SEINE												
	TROLL						1	4	2	*			7
PINKS	G.N.												
	SEINE												
	TROLL				*	*	3	2	*	*			6
CHUMS	G.N.									62			62
	SEINE								5019				5 019
	TROLL				*	*	*		*	2	*		3
RED SPRING	G.N.												
	SEINE	3(A)											3A
	TROLL	*	1	31	80	244	310	2290	1320	1059	2476	1 224	*
WHITE SPRING	G.N.												
	SEINE												
	TROLL			4	15	31	60	406	132	144	464	197	
STEEL-HEADS	G.N.												
	SEINE												
	TROLL					*	*	*	*				1
JACKS	G.N.												
	SEINE												
	TROLL			1	*	*	*	1	*		*		3
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

(A) INCIDENTAL TO HERRING

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE					4								4
ROCK SOLE					5	5							10
BUTTER SOLE													
REX SOLE					1								
DOVER SOLE					11	18	2 LL	59	10				60
GRILLS					26		143	11				2 LL	120
MIXED SOLE					8	7							195
FLOUNDERS						15							15
SKATE					1	1	3	*					5
L.L.													
OTHER													
HALIBUT L.G.	L.L.				4	2							6
MED.	L.L.				91	32							123
CHIX	L.L.				9	13							22
No. 2	L.L.												
MIXED	HL & T				34	1							35
RED & ROCK	TRAWL				3	4	*	*					7
COD	L.L.				12	30	14						56
	HL & T				1	2	7	*	*				11
GRAY COD	TRAWL				41	5	19	1					66
BLACK COD	L.L.												1
OTHER	OTHER				1								
LING COD	TRAWL				11	7	145	8					171
	L.L.				153	171							393
	H.L.				57	62	12						
	TROLL				105	60	104	37	49	117	9		722
QULACHONS	G.N.												
HERRING	G.N.												
SEINE	SEINE	14 372	334 639										349 011
OTHER FISH	TRAWL				*	5	*	45					50
& OTHER GEAR	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL				1	5	6	11	2				25
	HL & T				10	47	88	114	349	532	1 370	1 614	
	L.L.					5	12	24		8			49
	G.N.												3
	SEINE												70

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4- MAY 31	JUNE JUN 1- JUN 28	JULY JUNE 29 AUG 2	AUGUST AUGUST '3 AUG. 30	SEPTEMBER AUG. 31 SEPT 27	OCTOBER SEPT 28 NOV 1	NOVEMBER NOV 2 NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
MON SOLE					2								2
OCK SOLE					3								3
UTTER SOLE													
EX SOLE													
OVER SOLE													
IRILLS													
IXED SOLE													
LONDERS													
KATE													
ALIBUT LGE.													
MED.													
CHIX.													
NO. 2													
MIXED													
ED & ROCK COD													
RAY COD													
LACK COD													
ING COD													
ULACHONS													
ERRING													
MELT													
OTHER FISH													
BAR													
AYS													
ISHING													

* LESS THAN .5 CWT

ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C.

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							1		10			11
	SEINE						2	103		234			339
	TROLL				949	2137	1705	1825	2				6 618
SOCKEYE	G.N.						*	1					
	SEINE						1	15	1				1
	TROLL						1	19					17
PINKS	G.N.							15	9652				19
	SEINE												9 667
	TROLL				*		26	47	*				73
CHUMS	G.N.												
	SEINE						5	107		663			775
	TROLL			*			*	*	*				1
RED SPRING	G.N.												
	SEINE							9					9
	TROLL	17		136	192	328	706	189	89	1			1 658
WHITE SPRING	G.N.								*				
	SEINE												*
	TROLL	1		10	15	45	83	12	3	1			170
STEELHEADS	G.N.												
	SEINE								1				1
	TROLL				*		*	1					1
JACKS	G.N.												
	SEINE								5				5
	TROLL						*	*	*				1
	G.N.												
	SEINE												
	TROLL												

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4- MAY 31	JUNE JUN 1- JUN 28	JULY JUN 29- AUG 2	AUGUST AUG 3- AUG 30	SEPTEMBER AUG 31- SEPT 27	OCTOBER SEPT 28- NOV 1	NOVEMBER NOV 2- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
MON SOLE													
DCK SOLE	TRawl												
UTTER SOLE	TRawl												
EX SOLE	TRawl												
OVER SOLE	TRawl												
RILLS	TRawl				1 LL	1 LL			*				2 LL *
FIXED SOLE	TRawl			* LL 39	1 LL 652	*T *LL 363			3				1LL*T 1 057
LOUDERS	TRawl				1	*			*				1
KATE	TRawl				2	*			*				2
L.L.						*							*
OTHER													
ALIBUT LGE.	L.L.												
VED.	L.L.				122	8		2	*	3			135
CHIX.	L.L.				1 512	237		14	13	24			1 800
No. 2	L.L.				423	60		*					483
MIXED	HL & T				7	1			2				10
ED & ROCK	TRawl				267	11 LL 11			49	38 11			49LL 327
COD	L.L.	13			36	*	2	*					38
	HL & T				28	9	40	22	115	84			311
	OTHER				2	6	*	*					9
RAY COD	TRawl				26	151	6	4					187
	L.L.				*								*
	OTHER												
LACK COD	TRawl												
	L.L.				*		7		98	338	351		794
	OTHER												
ING COD	TRawl				7	33	11	*					51
	L.L.	68			118	156	145		1	10	11		509
	H.L.	4	1		64	249	61	98	27	18	1		523
	TROLL												
	OTHER												
BLACHONS	G.N.												
ERRING	G.N.												
SEINE													
WELT	G.N.												
OTHER FISH	TRawl				1	*							1
EAR	G.N.												
	L.L.				19								19
	HL & T												
	SEINE												
AYS	TRawl**				12	10	6	1					29
ISHING	HL & T	30	1		138	409	534	1 449	756	589	8		3 914
	L.L.		5		8	224	75		9	28	33		382
	G.N.								2		1		3
	SEINE							1	81		8		90

* LESS THAN .5 CWT

** SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C.

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.												
	SEINE												
	TROLL						6	1953	74	609			2 642
SOCKEYE	G.N.												
	SEINE												
	TROLL												
PINKS	G.N.												
	SEINE												
	TROLL						*	*					*
CHUMS	G.N.												
	SEINE												
	TROLL												
RED SPRING	G.N.												
	SEINE												
	TROLL			38				212	6	48			304
WHITE SPRING	G.N.												
	SEINE												
	TROLL			1				42	2	2			47
STEELHEADS	G.N.												
	SEINE												
	TROLL							1	*				1
JACKS	G.N.												
	SEINE												
	TROLL										*		*
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL												
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
	L.L.												
	OTHER												
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
	OTHER												
LING COD	TRAWL												
	L.L.												
	(H.L.)												
	TROLL												
	OTHER												
OLACHONS	G.N.												
HERRING	G.N.												
	SEINE												
OTHER FISH & OTHER GEAR	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

* * * * *

SHEET ASALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SUMMARY - DISTRICT 1

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 29	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 3	MAY MAY 4- MAY 31	JUNE JUN 1- JUN 28	JULY JUN 29- AUG 2	AUGUST AUG 3- AUG 30	SEPTEMBER AUG 31- SEPT 27	OCTOBER SEPT 28- NOV 1	NOVEMBER NOV 2- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
COHO	G.N.					*	59	1428	2029	2457	641		6 614
	SEINE					1	1	*	9	20			31
	TROLL				3	206	41687	23006	2187	329	95		67 513
SOCKEYE	G.N.												
	SEINE												
	TROLL												
PINKS	G.N.							6	35	3			44
	SEINE												
	TROLL												
CHUMS	G.N.					1	2	197	306	35125	51 486		87 117
	SEINE												
	TROLL									2			2
RED SPRING	G.N.	12	160	1036	1878	4995	2791	3401	605	26	20		14 924
	SEINE												
	TROLL	2	5	5	38	60	1	6	1	*	7	44	28 197
WHITE SPRING	G.N.	3	26	59	74	488	1018	2032	1540	72	49		5 361
	SEINE												
	TROLL	2	2	4	26	65	1	*	1	1	11	11	18 142
STEELHEADS	G.N.		18	46	118	15	14	30	54	52	40	111	498
	SEINE												
	TROLL												
JACKS	G.N.				*	1	152	309	233	3	2		700
	SEINE												
	TROLL								1	2	*		3
	G.N.												
	SEINE												
	TROLL												

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE		(BN 5)	9 (BN - 1)		28	62	41	42	48		6	4	2 6BS 242
ROCK SOLE	TRawl		1	*	1								2
BUTTER SOLE	TRawl												1
REX SOLE	TRawl		1										4
DOVER SOLE	TRawl	*	*	*	*		1	*	2	*			*
BIFILLS	TRawl			*									
MIXED SOLE	TRawl	68	29	132	81	63	104	99	64	13 (BS -*)	13	16	15BS 12 15BS 694
FLOUNDERS	TRawl	115 (BN 2)	229	15 (GN-5)	4	15	77	45	26	4	4	2	6 2BS 5GN542
SKATE	TRawl	16	12	40	13	48	53	25	13	8	8	7	5 248
L.L.													
OTHER		BN	1										1BS 2BS
HALIBUT LSL.	L.L.												
NED.	L.L.												
CHIX	L.L.												
ND. 2	L.L.												
MIXED	HL & T												
RED & ROCK	TRawl	1	2	8	3	3	2	4	3	1	*	*	27
COD	L.L.									2			2
HL & T		*	2	1	1					1	*	*	6
OTHER		BN	8 (BN -*)	*						(BS-1)		5BS	14BS *
GRAY COD	TRawl	57	38	194	126	134	31	30	45	2	5	4	1 667
L.L.													
OTHER			*										*RS *RS *T
BLACK COD	TRawl					*	*	*					1
L.L.													
OTHER													
LING COD	TRawl		22 (A*)	13 (A-2)	20 (A-3)	15 (A-4)	16	13	1	6	2		9A 108
L.L.													
H.L.		22	33	39		*				9	6	3	112
TROLL						*							
OTHER													*T *RS
QULACHONS	G.N.		6 319	2 807									9 126
HERRING	G.N.		21	338	447	80		134	137	78		20	1 255
SEINE		7											7
SNELT	G.N.	SEINE 17	SEINE 11	4 SEINE 133 28	12	18	295	SEINE 13 123	SEINE 20 207	41	7BS 3SEINE 3		197 SEINE 7BS 73
OTHER FISH	TRawl	41	3	44	45	28	12	16	4	1	2	3	* 199
& OTHER GEAR	G.N.		8	8	118	90	58	31	57	10	7	5	392
HL & T			*	*	1								2
SEINE		5	(BN 22)	(BS 9)									36BS 5
DAYS FISHING	TRawl	32	40	55	41	47	62	41	21	14	23	10	9 395
HL & T		7	3	38	57	88	6	2	2	14	51	43	42 353
L.L.													1
G.N.													
SEINE		75	573	3 357	3 454	5 065	13 900	16 180	3	7	3 977	6 894	11 452 1 64 928
		6 (BS 2)	5 (BS 7)	44 (BS 2)							(BS 3)	3 4BS	2 4 BS 22BS 67

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

A - INCIDENTAL TO SHRIMP

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	JUN 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.								3	1	508	70	582
	SEINE												
	TROLL					1	1	*	9	20			31
SOCKEYE	G.N.								3	2	1	1	7
	SEINE												
	TROLL												
PINKS	G.N.							*					*
	SEINE												
	TROLL												
CHUMS	G.N.								*	6448	7 044		13 492
	SEINE												
	TROLL									2			2
RED SPRING	G.N.			4					1	11	11		27
	SEINE												
	TROLL	2	3	5	38	60	*	6	1	*	7	44	28
WHITE SPRING	G.N.			3					1	2	32	27	65
	SEINE												
	TROLL	2	1	4	26	65	1	*	1	1	11	11	18
STEEL-HEADS	G.N.								*		2	4	6
	SEINE												
	TROLL												
JACKS	G.N.								*	*	*	*	1
	SEINE												
	TROLL									1	2	*	3
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE			8					17					25	
ROCK SOLE	TRAWL		1										1	
BUTTER SOLE	TRAWL												*	
REX SOLE	TRAWL													
DOVER SOLE	TRAWL		*											
BRILLS	TRAWL													
MIXED SOLE	TRAWL	43	14						*BS			*BS	57	
FLOUNDERS	TRAWL	11						5					16	
SKATE	TRAWL	10	5					1					16	
L.L.	L.L.													
HALIBUT L.S.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	H&T							*						
RED & ROCK	TRAWL	1	1										2	
COD	L.L.												2	
	H&T		*	2	1	1							6	
OTHER	OTHER													
GRAY COD	TRAWL	14	22					2					38	
L.L.	L.L.													
OTHER	OTHER		*	T										
BLACK COD	TRAWL													
L.L.	L.L.													
OTHER	OTHER													
LING COD	TRAWL		*	A	A	2 A	3 A	4	1				9A	
L.L.	L.L.													
H.L.	H.L.													
TROLL	TROLL		22	33	39		*		*BS	9	6	3	*BS 112	
OTHER	OTHER													
QULACHONS	G.N.												88	
HEMING	G.N.													
SEINE	SEINE		21	50									7	
			7											
SMELT	G.N.	17 SEINE	11 SEINE	4	13 SEINE	28	12						158 SE 7BS 47	
OTHER FISH	TRAWL	8	1										10	
& OTHER GEAR	G.N.												*	
L.L.	L.L.													
HL & T	HL & T		*	*	1								2	
SEINE	SEINE													
DAYS FISHING	TRAWL**	12	9	1 A	A	A	A	1		2 BS		2 BS	5	
HL & T	HL & T	7	2	38	57	88	4	2	2	14	51	43	42	350
L.L.	L.L.													
G.N.	G.N.													
SEINE	SEINE		3	7	28		1	28	1	1 258	1 918			3 244
			6	5	43					2 BS	BS 4			6 BS 54

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

**A INCIDENTAL TO SHRIMP.

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SALMON

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					*	20	1291	1730	1057	344		4 442
	SEINE					*							*
	TROLL												
SOCKEYE	G.N.				3	191	30838	15180	1223	257	82		47 774
	SEINE												
	TROLL												
PINKS	G.N.						5	27	2				34
	SEINE												
	TROLL												
CHUNS	G.N.					1	1	162	259	23559	38 493		62 475
	SEINE												
	TROLL												
RED SPRING	G.N.	5	123	857	1440	3674	2011	2645	504	10	9		11 278
	SEINE												
	TROLL	2				1							3
WHITE SPRING	G.N.	1	18	39	56	385	745	1625	1348	21	17		4 255
	SEINE												
	TROLL	1				*							1
STEEL-HEADS	G.N.	5	28	90	12	12	26	41	44	32	85		375
	SEINE												
	TROLL												
JACKS	G.N.					1	126	271	189	2	2		591
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30		AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	1 5 BN	1 BN		15	62	28	30	31		6	4	6BS 177	
ROCK SOLE	TRawl				1								1	
BUTTER SOLE	TRawl												1	
REX SOLE	TRawl		1										4	
DOVER SOLE	TRawl	*	*	*		1		2		*				
BRILLS	TRawl													
MIXED SOLE	TRawl	25	12	120	62	50	76	56	54	3	4	15BS 3	15BS 465	
FLOUNDERS	TRawl	104	2 BN 205	2	5 GN	3	14	51	30	19	2	*	2BS 5GN 430	
SKATE	TRawl	6	1 BN 5	38	11	46	37	13	3	3	4	*	1BS 166	
L.L.												1BS	1BS	
OTHER														
HALIBUT L.B.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T													
RED & ROCK	TRawl	*	1	8	3	3	2	4	3	1	*		25	
COD	L.L.													
HL & T														
OTHER		8 BN	* BN	*						1 BS		5 BS	14BS *	
GRAY COD	TRawl	43	16	190	121	133	25	24	42	4	4	*	602	
L.L.												*BS	*BS	
OTHER														
BLACK COD	TRawl				*		*						*	
L.L.														
OTHER														
LING COD	TRawl		22	11	20	13	12	11		1	1		91	
L.L.														
H.I.														
TROLL														
OTHER														
QUILACHONS	G.N.			1 147	44								1 191	
HERRING	G.N.											20	20	
SEINE														
SMELT	G.N.		3 SEINE		3								3 SEINE 3	
OTHER FISH	TRawl	33	2	43	36	17	2	4	*	*	*	*	138	
& OTHER GEAR	G.N.		*	26	6	14	12	21	4	3	1		67	
HL & T	L.L.													
SEINE														
DAYS FISHING	TRawl	20	22	48	35	40	31	21	17	2 BS	6	2	1 243	
HL & T	L.L.		1			2							3	
G.N.														
SEINE														
		2 BN	7 BN	1 2 BS						1 BS		4 BS	16BS 1	

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 89
AREA 29 CSALMON

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						7	31	96	80	20		234
	SEINE												
	TROLL												
SOCKEYE	G.N.				*	1949	1285	516	8	3			3 761
	SEINE												
	TROLL												
PINKS	G.N.						1	7	1				9
	SEINE												
	TROLL												
CHUNS	G.N.						*	1	5	567	725		1 298
	SEINE												
	TROLL												
RED SPRING	G.N.			3	45	107	53	23	11		*		242
	SEINE												
	TROLL												
WHITE SPRING	G.N.			*	3	10	34	18	54	3	3		125
	SEINE												
	TROLL												
STEELHEADS	G.N.	*		*	*		1	1	1	*	1		5
	SEINE												
	TROLL												
JACKS	G.N.						7	12	25	1	*		45
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30					
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE					13		13	12				2	40
ROCK SOLE	TRAWL			*									*
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL							*					*
DOVER SOLE	TRAWL												*
BRILLS	TRAWL			*									*
MIXED SOLE	TRAWL												
FLOUNDERS	TRAWL			3	12	19	13	28	43	10	13	10	172
SKATE	TRAWL			24	13	1	1	26	15	2	4	2	96
	L.L.			2	2	2	2	16	12	9	8	5	66
	OTHER												
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL					*	*	*	*	*	*	*	2
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL	*	4	5	1	6	6	1	2	1	*	1	27
	L.L.												
	OTHER												
BLACK COD	TRAWL					*							*
	L.L.												
	OTHER												
LING COD	TRAWL	*	2	*	2	4	1	1	5	1			16
	L.L.												
	H.L.												
	TROLL					*							
	OTHER												*
DULACHONS HERRING	G.N. G.N. SEINE			268	447	76	121	137	78				1 147
SMELT	G.N.			*	15	293	114	3 SEINE 202	41		3 SEINE *		6 SEINE 670
OTHER FISH & OTHER GEAR	TRAWL G.N. L.L. HL & T SEINE	*	1	9	11	10	12	3	1	2	3	*	52
				*	*		1	*					2
DAYS FISHING	TRAWL** HL & T L.L. G.N. SEINE	9	6	6	7	31	20	3	14	17	8	8	129
		1		122	230	233	986	1 354	2	435	187	271	3 819
												2	4

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A
Salmon

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 91
AREA 29 D

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u> CWT
COHO	G.N.							32	103	202	812	202	1 351
	SEINE												
	TROLL												
SOCKEYE	G.N.					15	8900	6538	446	63	9		15 971
	SEINE												
	TROLL												
PINKS	G.N.						*	1	*				1
	SEINE												
	TROLL												
CHUMS	G.N.						1	34	42	4551	5 223		9 851
	SEINE												
	TROLL												
RED SPRING	G.N.	7	37	172	393	1214	727	733	89	5	*		3 377
	SEINE												
	TROLL												
WHITE SPRING	G.N.	2	8	17	15	93	239	388	136	16	2		916
	SEINE												
	TROLL												
STEELHEADS	G.N.	13	18	28	3	2	3	12	7	6	21		113
	SEINE												
	TROLL												
JACKS	G.N.				*		19	26	19	*			64
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET B

ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRawl												
HOCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
	L.L.												
	OTHER												
HALIBUT Lge.	L.L.												
NED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	H.L.												
	TROLL												
	OTHER												
QULACHONS HERRING	G.N.				5 172		2 763						7 935
	G.N.												
	SEINE												
OTHER FISH & OTHER GEAR	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
	42	173	970	825	1 215	2 922	2 696	665	1 253	1 564			12 326

*LESS THAN .5 CWT

**ANY SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SECTION C - SHELLFISH

TOTAL SHELLFISH PRODUCTION BY MONTHS FOR
EACH AREA IS SHOWN IN THIS SECTION. CON-
SOLIDATION OF AREAS WHERE PRODUCTION IS SMALL
IS SHOWN AT THE FIRST OF THE SECTION.

MONTHLY CATCH STATISTICS - 1952

PAGE 94.

SHELLFISH - CONSOLIDATION OF AREAS 2BE, 3, 6, 7, 8

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
2BE	FEBRUARY	CLAMS (BUTTER)		384	
	MARCH	" "		566	NOT AVAIL-
	DECEMBER	" "		254	ABLE
	TOTAL	CLAMS (BUTTER)		1 204	
	MAY	CRABS	TRawl	10	INCIDENTAL
3	FEBRUARY	CLAMS (BUTTER)		59	NOT
	OCTOBER	" "		10	AVAIL-
	NOVEMBER	" "		325	ABLE
	DECEMBER	" "		85	
	TOTAL	CLAMS (BUTTER)		479	
	APRIL	CRABS	TRawl	10	INCIDENTAL
	JULY	CRABS	TRAP	6	3
6	FEBRUARY	CLAMS (BUTTER)		1 234	NOT
	MARCH	" "		1 612	AVAILABLE,
	TOTAL	CLAMS (BUTTER)		2 846	
7	FEBRUARY	CLAMS (BUTTER)		1 102	NOT
	MARCH	" "		2 294	AVAIL-
	APRIL	" "		822	ABLE
	DECEMBER	" "		390	
	TOTAL	CLAMS (BUTTER)		4 608	
	MAY	CRABS	TRawl	1	INCIDENTAL
8	FEBRUARY	CLAMS (BUTTER)		309	NOT
	MARCH	" "		268	AVAIL-
	APRIL	" "		161	ABLE
	DECEMBER	" "		110	
	TOTAL	CLAMS (BUTTER)		848	
	MAY	CRABS	TRAP	8	3

SHELLFISH - CONSOLIDATION OF AREAS 9, 10, 11, 21, 24, 27

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
9	FEBRUARY	CLAMS (BUTTER)		163	
	MARCH	" "		14	NOT AVAIL-
	DECEMBER	" "		97	ABLE
	TOTAL	CLAMS (BUTTER)		274	
	APRIL	CRABS	TRawl	1	INCIDENTAL
10	JANUARY	CLAMS (BUTTER)		279	
	FEBRUARY	" "		807	NOT AVAIL-
	MARCH	" "		489	ABLE
	APRIL	" "		213	
	DECEMBER	" "		67	
	TOTAL	CLAMS (BUTTER)		1 855	
11	JANUARY	CLAMS (BUTTER)		32	N/A
	OCTOBER	PRawns	TRAP	49	19
	NOVEMBER	"	"	29	14
	DECEMBER	" "	"	19	6
	TOTAL	PRawns		97	39
21	APRIL	CRABS	TRawl	3	INCIDENTAL
	SEPTEMBER	CRABS	"	*	"
24	FEBRUARY	CRABS	TRAP	29	16
		"	TRawl	28	INCIDENTAL
	MARCH	"	TRAP	51	27
		"	TRawl	2	INCIDENTAL
	MAY	"	"	24	"
	JUNE	"	TRAP	149	51
	JULY	"	"	113	21
	OCTOBER	"	"	43	20
	NOVEMBER	"	"	64	25
	DECEMBER	"	"	35	11
	TOTAL	CRABS	TRAP	484	171
	TOTAL	"	TRawl	54	INCIDENTAL
27	MAY	CRABS	TRAP	27	28

SHEET CSHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952.

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
			JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	CWT
SHRIMPS																
PRawns	TRAWL		1	19	14	3	2	1	1	*	*	1	3	4	50	
	TRAPS		22	76	58	34	46	59	77	83	56	78	88	75	752	
MIXED	TRAWL		370	898	1 233	688	448	467	387	584	423	620	315	601	7 240	
	TRAPS		46	48	13	2	14	2	4	3	5	15	30	23	205	
SHrimp DAYS	TRAWL		175	465	624	545	423	259	235	301	259	243	206	258	3 993	
	TRAPS		95	127	86	40	83	40	50	65	54	83	102	85	910	
CLAMS																
RAZOR					321	516	418								1 255	
BUTTER			3 212	13 429	18 105	11 560	701						2 671	5 245	54 923	
JAPANESE LITTLENECK			1	48	520	1 024	2 466								4 059	
NATIVE LITTLENECK			360	623	952	1 694	814						213	277	4 933	
MIXED			936	118	29	101	154					10	28	61	1 437	
CLAM DAYS			NA	NA	NA	NA	NA					NA	NA	NA	NA	
ABALONE		MUSSELS	16	13	23	19	33	4		5	17			5 M 16	119	
ABALONE DAYS		MUSSELS	7	10	28	16	32	4		4	15			3 M 7	112	
CRABS																
LBS IN SHELL TRAPS	TRAWL		302	406	507	603	2 483	3 276	4 034	3 435	1 523	855	880	638	18 942	
	TRAWL		4	54	143	156	143	228	108	64	57	47	27	14	1 045	
CRAB DAYS			13	366	410	438	475	549	581	518	453	487	563	552	5 733	
OYSTERS			SHUCKED - AMERICAN GALS	3 657	5 108	5 571	6 263	10 576	11 585	3 608	464	2 421	9 380	14 491	8 061	81 185

* LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHELLFISH

DISTRICT 2.

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUNE 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRawns	TRawl									1	2	*	3
	TRAPS												
MIXED	TRawl									15	14	6	35
	TRAPS												
SHRIMP DAYS	TRawl									14	17	6	37
	TRAPS												
<u>CLAMS</u>													
RAZOR		321	516	418									
BUTTER	1 024	8 624	13 238	6 334									1 255
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED										10			10
CLAM DAYS	NA	NA	NA	NA	NA					NA	NA	NA	NA
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	11	49	39	206	1 851	2 580	2 794	2 058	663	52	250	225	10 778
TRawl	2		122	143	87				11	3	9		377
CRAB DAYS	9	17	19	65	47	43	52	46	34	44	180	203	759
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

* LESS THAN .5 CWT

SHEET C

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHELLFISH

AREA 1

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
			JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	Aug 3- AUG 30	Aug 31- SEPT 27	Sept 28- NOV 1	Nov 2 - NOV 30	DEC 1- DEC 31	CWT
SHRIMPS															
PRAWNS	TRAWL														
	TRAPS														
MIXED	TRAWL														
	TRAPS														
SHRIMP DAYS	TRAWL														
	TRAPS														
CLAMS					321	516	418								1,255
RAZOR															
BUTTER															
JAPANESE LITTLENECK															
NATIVE LITTLENECK															
MIXED															
CLAM DAYS				NA	NA	NA									NA
ABALONE															
ABALONE DAYS															
CRABS															
LBS IN SHELL TRAPS					184	77	25	796	758	640				172	40
TRAWL						44									44
CRAB DAYS					56	20	9	18	20	16				107	31
OYSTERS															
SHUCKED - AMERICAN GALS															

#LESS THAN .5 CWT

NA = NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHELLFISH

SHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u> CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
SHRIMPS													
PRawns	TRawl												
	TRAPS												
MIXED	TRawl												
	TRAPS												
SHRIMP DAYS	TRawl												
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>				17	1765	2554	1981	1289					7 606
LBS IN SHELL TRAPS													
TRawl													
CRAB DAYS				3	20	32	26	13					94
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

SHEET C

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 99

AREA 4

SHELLFISH

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
SHRIMPS										1	2	*	3
PRawns	TRawl												
	TRAPS												
MIXED	TRawl									15	14	6	35
	TRAPS												
SHRIMP DAYS	TRawl									14	17	6	37
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER		218	1937	3324	3885						1 117	738	11 219
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS		NA	NA	NA	NA						NA	NA	NA
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS		11	49	39	5	1	1	11	11	23	50	75	101
TRawl		2		122	90	32				11	2	9	268
CRAB DAYS		9	17	19	6	1	2	8	13	18	41	69	119
OYSTERS													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
SPECIES	GEAR												
SHRIMPS													
PRAWNS	TRAWL												
	TRAPS												
MIXED	TRAWL												
	TRAPS												
SHRIMP DAYS	TRAWL												
	TRAPS												
CLAMS													
RAZOR													
BUTTER	527	2629	4671	1253							530	494	10 104
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	NA	NA	NA	NA							NA	NA	NA
ABALONE													
ABALONE DAYS													
CRABS										2		61	63
LBS IN SHELL TRAPS										1			1
TRAWL													
CRAB DAYS										3		35	38
OYSTERS													
SHUCKED - AMERICAN GALS													

*LESS THAN .5 CWT

NA - NOT AVAILABLE

SHELLFISH

DISTRICT 3

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
SHRIMPS													
PRAWNS	TRAWL												
	TRAPS	16	69	57	34	46	59	77	70	40	69	76	51 664
MIXED	TRAWL										2		129 131
	TRAPS	46	42	13	2	3	2	4	3	2	15	30	22 184
SHRIMP DAYS	TRAWL										(1)		37 37
	TRAPS	87	110	82	40	61	40	50	55	37	72	88	70 792
<u>CLAMS</u>		MUSSELS 16 DAYS 7											16 MUSSELS 7 DAYS
RAZOR													
BUTTER		2 188	4 804	4 864	5 194	700						699	3 010 21 459
JAPANESE LITTLENECK		1	48	520	1 024	2 466							4 059
NATIVE LITTLENECK		351	609	938	1 569	721						189	270 4 647
MIXED		927	118	25	100	153						28	58 1 409
CLAM DAYS		NA	NA	NA	NA	NA					NA	NA	NA
ABALONE				13	23	19	33	4		5	17		5 119
ABALONE DAYS				10	28	16	32	4		4	15		3 112
<u>CRABS</u>													
LBS IN SHELL TRAPS		3	30	53	2	33	178	141	7		86	109	38 680
	TRAWL	*	39	9	7	31	27	23	21	21	14	4	3 199
CRAB DAYS		4	19	31	10	35	86	60	12		52	52	13 374
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS	1 642	2 724	2 541	2 700	3 966	1 756	622	393	846	1 892	1 996	2 396	23 474

* LESS THAN .5 CWT

(1) INCIDENTAL TO OTHER TRAWL FISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHELLFISH

DISTRICT 1

	<u>JANUARY</u>		<u>FEBRUARY</u>		<u>MARCH</u>		<u>APRIL</u>		<u>MAY</u>		<u>JUNE</u>		<u>JULY</u>		<u>AUGUST</u>		<u>SEPTEMBER</u>		<u>OCTOBER</u>		<u>NOVEMBER</u>		<u>DECEMBER</u>		<u>TOTAL</u>
	JAN 1- JAN 31		FEB 1- FEB 29		MAR 1- MAR 31		APR 1- MAY 3		MAY 4- MAY 31		JUN 1- JUN 28		JUN 29- AUG 2		AUG 3- AUG 30		AUG 31- SEPT 27		SEPT 28- NOV 1		NOV 2- NOV 30		DEC 1- DEC 31		
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>																								
<u>SHRIMPS</u>																									
PRAWNS	TRAWL	1	19	14	3	2	1	1	*	*	*	*	*	*	*	*	*	1	4	47					
	TRAPS	6	7	1					13	16		9		12		24		88							
	TRAWL	370	898	1 233	688	448	467	387	584	423		603		301		466		7 074							
	TRAPS		6			11				3								1	21						
SHRIMP DAYS	TRAWL	175	465	624	545	423	259	235	301	259		229		189		215		3 919							
	TRAPS	8	17	4		22			10	17		11		14		15		118							
CLAMS																									
RAZOR																									
BUTTER			1	3	32	1																			37
JAPANESE LITTLENECK																									
NATIVE LITTLENECK		9	14	14	125	93												24	7	286					
MIXED		9		4	1	1												*	3	18					
CLAM DAYS		NA	NA	NA	NA	NA												NA	NA	NA					
ABALONE																									
ABALONE DAYS																									
CRABS																									
LBS IN SHELL TRAPS	TRAWL	288	327	415	395	593	518	1 105	1 370	860		717		521		375		7 484							
		2	15	12	6	25	201	85	43	25		30		14		11		469							
CRAB DAYS		328	330	360	363	393	420	469	460	419		391		331		336		4 600							
OYSTERS																									
SHUCKED - AMERICAN GALS 2015		2 384	3 030	3 563	6 610	9 829	2 986	71	1 575	7 488		12 495		5 665		57 711									

*LESS THAN .5 CWT

SHEET C
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 102
AREA 12

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
SHRIMPS													
PRawns	TRawl												
	TRAPS		25	22	32	59	77	70	40				325
MIXED	TRawl												
	TRAPS										*		*
SHRIMP DAYS	TRawl												
	TRAPS		17	14	16	22	25	31	17		1		143
<u>CLAMS</u>													
RAZOR		16 MUSSELS											
BUTTER		1061	2895	2898	1471						454	1 724	10 503
JAPANESE LITTLENECK													
NATIVE LITTLENECK		33	48	18									99
MIXED		2	2										4
CLAM DAYS	NA	(7 MUSSELS)	NA	NA									
ABALONE			13	23	19	33	4		5	17		5	119
ABALONE DAYS			10	28	16	32	4		4	15		3	112
<u>CRABS</u>						1					31	43	2 77
LBS IN SHELL TRAPS	TRawl		1										1
CRAB-DAYS						2					24	23	1 50
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

*LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
<u>PRawns</u>	TRawl												
	TRAPS	3	52	22	5								82
<u>MIXED</u>	TRawl												
	TRAPS												
<u>SHRIMP DAYS</u>	TRawl												
	TRAPS	7	22	14	5								48
<u>CLAMS</u>													
<u>RAZOR</u>													
<u>BUTTER</u>		85	261	392	422						15	33	1 208
<u>JAPANESE LITTLENECK</u>		*											*
<u>NATIVE LITTLENECK</u>		97	139	196	78						3	14	527
<u>MIXED</u>		409			14							13	436
<u>CLAM DAYS</u>		NA	NA	NA	NA						NA	NA	NA
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
<u>LBS IN SHELL TRAPS</u>													
	TRawl												
<u>CRAB DAYS</u>													
<u>OYSTERS</u>													
<u>SHUCKED - AMERICAN GALS</u>													

#LESS THAN .5 CWT

NA - NOT AVAILABLE

SHELL C

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

AREA 14

SHELLFISH

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
			JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
SHRIMPS															
PRawns	TRawl														
	TRAPS														
MIXED	TRawl														
	TRAPS														
SHRIMP DAYS	TRawl														
	TRAPS														
CLAMS															
RAZOR															
BUTTER							41								
JAPANESE LITTLENECK															
NATIVE LITTLENECK															
MIXED															
CLAM DAYS							NA								
ABALONE															
ABALONE DAYS															
CRABS															
LBS IN SHELL TRAPS															
TRawl								1			1	*			2
CRAB DAYS															
OYSTERS															
SHUCKED - AMERICAN GALS			355	800	789	1043	2069	375			54	412	494	439	6 830

#LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
<u>PRawns</u>	<u>TRawl</u>												
	<u>TRAPS</u>	13	17	10							8	8	56
<u>MIXED</u>	<u>TRawl</u>												
	<u>TRAPS</u>												
<u>SHRIMP DAYS</u>	<u>TRawl</u>												
	<u>TRAPS</u>	35	28	21							14	25	123
<u>CLAMS</u>													
<u>RAZOR</u>													
<u>BUTTER</u>	*	9	22	10								26	67
<u>JAPANESE LITTLENECK</u>	*	2	7	4									13
<u>NATIVE LITTLENECK</u>	42	126	103	249	255							18	793
<u>MIXED</u>													
<u>CLAM DAYS</u>	NA	NA	NA	NA	NA						NA	NA	
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
<u>LBS IN SHELL TRAPS</u>													
	<u>TRawl</u>												
<u>CRAB DAYS</u>													
<u>OYSTERS</u>													
<u>SHUCKED - AMERICAN GALS</u>													

#LESS THAN .5 CWT

NA - NOT AVAILABLE

SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 26	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
SPECIES	GEAR												
SHRIMPS													
PRAWNS	TRawl												
	TRAPS			7	14					15	39	24	99
MIXED	TRawl												
	TRAPS												
SHRIMP DAYS	TRawl												
	TRAPS			6	20					12	22	14	74
CLAMS													
RAZOR													
BUTTER	2	4	54	26							28	20	134
JAPANESE LITTLENECK	1	11	1	5									18
NATIVE LITTLENECK	86	185	327	398							138	21	1 155
MIXED	24		6										30
CLAM DAYS	NA	NA	NA	NA							NA	NA	NA
ABALONE													
ABALONE DAYS													
CRABS													
LBS IN SHELL TRAPS				4						*			4
TRawl													
CRAB DAYS													
OYSTERS													
SHUCKED - AMERICAN GALS	76	161	468	176	264	285	35		75	289	252	266	2 347

#LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

SHELLFISH

	SPECIES	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		TOTAL	
		JAN 1- JAN 31		FEB 1- FEB 29		MAR 1- MAR 31		APR 1- MAY 3		MAY 4- MAY 31		JUN 1- JUN 28		JUN 29- AUG 2		CWT		CWT		CWT		CWT		CWT		CWT	
		CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT
	<u>SHRIMP</u>																										
	<u>PRawns</u>																										
	<u>MIXED</u>																										
	TRAWL																										
	TRAPS																										
	TRAWL																										
	TRAPS	3	4	4	2	3	2	4	3	2	4	5	2	4	(A)							129	131				
	<u>SHRIMP DAYS</u>																										
	TRAWL																										
	TRAPS	19	22	20	15	25	18	25	24	19	22	22	22	22	(A)							37	(A)	37			
	<u>CLAMS</u>																										
	<u>RAZOR</u>																										
	BUTTER	741	1407	1239	1908	275																72	714	6356			
	JAPANESE LITTLENECK																										
	NATIVE LITTLENECK	35	312	819	2222																						3388
	MIXED	69	44	143	367	58																6	60	747			
		208	1	4		5															17	45	280				
	<u>CLAM DAYS</u>	NA	NA	NA	NA	NA															NA	NA	NA				
	<u>ABALONE</u>																										
	<u>ABALONE DAYS</u>																										
	<u>CRABS</u>																										
	LBS IN SHELL TRAPS	2	*	*	*																3						20
	TRAWL	*	11	*	2	3	23	16	21	20	12	2	2	112													112
	<u>CRAB DAYS</u>	3	2		1		12													3						21	
	<u>OYSTERS</u>																										
	SHUCKED - AMERICAN GALS	1116	1763	1284	1426	1580	1042	542	344	625	1112	1168	1611	13613													

*LESS THAN .5 CNT

NA - NOT AVAILABLE

(A) INCIDENTAL TO OTHER TRAWL

SHEET C

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

PAGE 109

AREA 18

SHELLFISH

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRAWNS	TRAWL												
	TRAPS												
MIXED	TRAWL												
	TRAPS												1 1
SHRIMP DAYS	TRAWL												
	TRAPS												1 1
<u>CLAMS</u>													
RAZOR													
BUTTER	299	196	259	1351	335						130	481	3 051
JAPANESE LITTLENECK			200	196	244								640
NATIVE LITTLENECK	57	82	121	422	408						42	157	1 289
MIXED	246		2										248
CLAM DAYS	NA	NA	NA	NA	NA						NA	NA	NA
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	1	1	2	2	6	2				5	1		20
TRAWL	*	*		*	1	*	2			2	2	1	9
CRAB DAYS	1	1	4	9	7	1				3	3		29
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

*LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
<u>PRawns</u>	TRawl												
	TRAPS												
<u>MIXED</u>	TRawl												
	TRAPS				3					7	2	1	13
<u>SHRIMP DAYS</u>	TRawl												
	TRAPS				2					10	2	1	15
<u>CLAMS</u>													
<u>RAZOR</u>													
<u>BUTTER</u>					6	49							55
<u>JAPANESE LITTLENECK</u>					37								37
<u>NATIVE LITTLENECK</u>													
<u>MIXED</u>		7	74		15	48					3	*	147
<u>CLAM DAYS</u>	NA	NA		NA	NA					NA	NA	NA	
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
<u>LBS IN SHELL TRAPS</u>						9	28	7		4	1	1	50
	TRawl												
<u>CRAB DAYS</u>						16	39	12		2	1	1	71
<u>OYSTERS</u>													
<u>SHUCKED - AMERICAN GALS</u>									16				16

#LESS THAN .5 CWT

NA - NOT AVAILABLE

SHELLFISH

AREA 20

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
			JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2- NOV 30	DEC 1- DEC 31	CWT	CWT
<u>SHRIMPS</u>																
PRawns	TRawl															
MIXED	TRAPS															
	TRawl															
	TRAPS		32	17	1						*	4	23	18	95	
<u>SHRIMP DAYS</u>	TRawl															
	TRAPS		17	16	1						1	4	13	12	64	
<u>CLAMS</u>																
RAZOR																
BUTTER																
JAPANESE LITTLENECK																
NATIVE LITTLENECK																
MIXED			33	41	11	71	100						8		264	
CLAM DAYS			NA	NA	NA	NA	NA						NA		NA	
ABALONE																
ABALONE DAYS																
<u>CRABS</u>																2
LBS IN SHELL TRAPS									2							
TRawl																
CRAB DAYS									4							4
<u>OYSTERS</u>																
SHUCKED - AMERICAN GALS			95			55	53	54	45	49	76	79	82	80	668	

#LESS THAN .5 CWT

NA - NOT AVAILABLE

SHELLFISHREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRAWNS	TRawl												
	TRAPS									5			5
MIXED	TRawl												
	TRAPS												
	11	21	5							*			37
<u>SHRIMP DAYS</u>	TRawl												
	TRAPS									5			43
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
<u>CLAM DAYS</u>													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS													
TRawl (A)				2	2	3	3	5					15
<u>CRAB DAYS</u>													
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

*LESS THAN .5 CWT

(A) CRAB DAYS FOR TRawl SHOWN ON SHEET B.

SHELLFISH

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 29	MAR 1- MAR 31	APR 1- MAY 3	MAY 4- MAY 31	JUN 1- JUN 28	JUN 29- AUG 2	AUG 3- AUG 30	AUG 31- SEPT 27	SEPT 28- NOV 1	NOV 2 - NOV 30	DEC 1- DEC 31	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRAWNS	TRAWL	1	6	1	*	*	1	1	*	*	1	4	16
	TRAPS	6	7	1					13	16	9	12	24
MIXED	TRAWL	150	502	513	234	273	244	387	306	226	390	156	330
	TRAPS					8				3		1	12
SHRIMP DAYS	TRAWL	76	176	222	179	233	162	235	171	145	151	91	147
	TRAPS	8	10	4		17			10	17	11	14	15
<u>CLAMS</u>													
RAZOR													
BUTTER			1	3	32	1							37
JAPANESE LITTLENECK													
NATIVE LITTLENECK		9	14	14	125	93					24	7	286
MIXED		9		4	1	1					*	3	18
CLAM DAYS		NA	NA	NA	NA	NA					NA	NA	NA
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	TRAWL	120	156	187	190	265	231	303	234	165	146	149	210
CRAB DAYS		121	85	149	160	166	176	198	193	174	141	123	172
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

NA - NOT AVAILABLE

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

SHELLFISH

	<u>SPECIES</u>	<u>GEAR</u>	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>	
			<u>JAN 1- JAN 31</u>	<u>FEB 1- FEB 29</u>	<u>MAR 1- MAR 31</u>	<u>APR 1- MAY 3</u>	<u>MAY 4- MAY 31</u>	<u>JUN 1- JUN 28</u>	<u>JUN 29- AUG 2</u>	<u>AUG 3- AUG 30</u>	<u>AUG 31- SEPT 27</u>	<u>SEPT 28- NOV 1</u>	<u>NOV 2 - NOV 30</u>	<u>DEC 1- DEC 31</u>	<u>CWT</u>	<u>CWT</u>
<u>SHRIMPS</u>																
PRAWNS	TRAWL		1	13	11	3	2									30
	TRAPS															
MIXED	TRAWL		60	211	559	324	49							*	1 203	
	TRAPS				6											6
SHRIMP DAYS	TRAWL		22	184	323	278	41							1	849	
	TRAPS			7												7
<u>CLAMS</u>																
RAZOR																
BUTTER																
JAPANESE LITTLENECK																
NATIVE LITTLENECK																
MIXED																
CLAM DAYS																
ABALONE																
ABALONE DAYS																
<u>CRABS</u>																
LBS IN SHELL TRAPS			4	5	1	3										13
(A)	TRAWL		2	7	6	6	17	72	21	13			2		146	
CRAB DAYS			4	4	1	4										13
<u>OYSTERS</u>																
SHUCKED - AMERICAN GALS																

#LESS THAN .5 CWT

(A) CRAB DAYS FOR TRAWL SHOWN ON SHEET B.

SHELLFISH

AREA 200

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u> CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRAWNS	TRAWL			2	*		*		*	*	*	*	4
MIXED	TRAPS												
	TRAWL	160	185	161	130	126	223	206	278	197	213	145	136 2 160
	TRAPS					3							3
SHRIMP DAYS	TRAWL	77	105	79	88	149	97	108	130	114	78	98	67 1 190
	TRAPS					5							5
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
<u>CLAM DAYS</u>													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS		23	38	95	63	78	73	117	117	112	88	58	52 914
TRAWL			8	6		8	129	64	30	25	30	12	11 323
CRAB DAYS		31	44	51	48	47	55	76	76	83	82	66	72 731
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

*LESS THAN .5 CWT

SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

SHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 29	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 3	<u>MAY</u> MAY 4- MAY 31	<u>JUNE</u> JUN 1- JUN 28	<u>JULY</u> JUN 29- AUG 2	<u>AUGUST</u> AUG 3- AUG 30	<u>SEPTEMBER</u> AUG 31- SEPT 27	<u>OCTOBER</u> SEPT 28- NOV 1	<u>NOVEMBER</u> NOV 2 - NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRAWNS	TRAWL												
	TRAPS												
MIXED	TRAWL												
	TRAPS												
<u>SHRIMP DAYS</u>	TRAWL												
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	145	129	128	141	247	214	685	1019	583	483	314	113	4 201
TRAWL													
CRAB DAYS	176	197	156	154	176	189	195	191	162	168	142	92	1 998
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS	2015	2384	3030	3563	6610	9829	2986	71	1575	7488	12 495	5 665	57 711

#LESS THAN .5 CWT

SECTION D

WEEKLY ACCUMULATIVE LANDING SHOWING
NUMBER OF SALMON CAUGHT IN 1952 BY
TYPE OF GEAR FOR AREAS 3, 4, 6, 7, 8,
9, 10, 12, 13, AND 23.

SUMMARY SHOWING NUMBERS OF SALMON CAUGHT IN 1952 BY AREA

AREA	COD	SOCKEYE	PINKS	CHUMS (ROUNDED TO NEAREST HUNDRED)	RED SPRING	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	329			26				*	357
1	473	28	14 482	25	300	43	4	7	16 358
2AE	509	* 6 915	447	53	42	3	1	4	13 452
2AN	429	** 3 127	621	3	3	*	1	1	7 476
2BE	640	3 045	2 907	994	175	39	265	67	7 223
2BW	1 509	12 945	14 508	375	457	59	114	142	7 225
3	1 949	1 747	12 129	253	307	30	14	35	7 884
4	1 804	1 759	13 778	928	30	14	19	37	16 553
5	8 919	1 635	6 397	1 540	76	16	57	57	7 485
6	9 351	1 937	1 566	1 871	93	16	11	17	11 760
7	10 116	3 422	2 251	1 109	36	12	5	5	11 930
8	11 310	2 753	2 303	3 676	250	16	23	24	12 442
9	12 2648	2 364	3 761	3 183	181	16	21	24	12 743
10	13 1 127	1 325	1 119	1 384	91	15	23	24	12 807
11	14 15	823	26	7	70	110	118	17	1 971
12	15 17	963	30	**	49	110	69	32	1 719
13	16 18	36	4	1 254	5	5	1	7	1 807
14	17 20	271	1 749	12	27	147	32	32	1 337
15	18 21	732	41	1	1	90	17	7	1 287
16	19 22	2 309	203	4	451	1 956	204	21	2 886
17	20 24	2 172	1 160	1	134	630	455	7	5 453
18	21 25	1 272	1	1	472	550	76	2	2 373
19	22 26	1 036	1	2	70	213	20	1	1 343
20	23 27	900	3	2 088	89	8	8	1	3 165
21	24 28	59	1	014	24	24	1	1	1 113
22	25 29AAB	604	6 732	7	4 685	649	217	1	13 079
23	26 29C	30	539	2*	104	15	204	34	10 709
24	27 29D	165	2 301	*	747	47	47	11	3 490
25	28 30	1	*	**	**	**	**	**	1 26
TOTAL	27 454	48 633	112 352	24 811	7 058	1	1 244	546	748 222 846

* BETWEEN 11 AND 50 FISH.

** 10 AND LESS.

SUMMARY SHOWING TOTAL WEIGHT OF SALMON CAUGHT IN 1952 BY AREA

AREA	COD	SOCKEYE	PINKS	CHUMS (IN CWT.)	RED SPRING	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	2 642	9 808	132	72 751	270	4	304	47	2 994
1	2AE	3 627	1	12 450	248	4 584	856	14	88 834
2AN	3 441	1	29 892	4 604	943	81	75	*	16 997
2BE	3 192	1	13 704	6 379	611	60	51	*	35 957
2BW	3 5 210	60	1 006	14 416	3 042	559	237	300	23 949
3	4 10 506	19 541	13 251	5 325	7 545	1 314	2 704	2 114	1 122
4	5 7 115	77 510	65 788	54 007	3 601	4 077	805	655	56 556
5	6 8 088	4 684	63 892	13 165	520	691	38	120	91 138
6	7 12 912	17 723	17 003	18 026	1 157	223	18	79	50 141
7	8 8 100	8 365	28 500	26 312	1 779	321	599	166	74 142
8	9 3 012	58 729	7 159	6 380	1 569	126	270	71	76 316
9	10 995	24 448	1 173	1 404	1 112	24	108	25	28 299
10	11 2 011	617	40	50	373	53	3	3	3 149
11	12 18 077	16 321	103 924	48 069	3 603	1 473	140	87	191 694
12	13 6 414	2 441	17 548	39 413	1 686	1 220	26	137	168 885
13	14 5 973	147	7	508	4 548	748	359	101	16 19 387
14	15 2 375	137	2	10	778	977	348	15	98 14 188
15	16 3 395	147	31	14	8 583	919	358	154	27 3 808
16	17 4 517	212	2	13	201	57	36	16	19 343
17	18 19	31	2	3	308	8	806	141	16 8 217
18	20 2 424	12 272	50	3	237	8	330	142	25 52 479
19	21 6 479	296	3	1	1 063	125	13	143	6 36 094
20	22 17 100	2 733	16	4	937	610	905	3 925	3 27 592
21	23 12 000	6 732	6	1	4 419	9 684	893	1 453	1 3 2 13 157
22	24 8 273	8	10	770	9 038	9 698	395	1 395	2 6 19 366
23	25 6 968	18	9 759	776	1 667	170	206	4 256	4 14 3551
24	26 6 613	7	13 494	12 221	11 281	4 125	916	45	131 228
25	27 4 442	47 774	34	1 9	8 551	1 9 851	3 377	113	719 31 644
26	28 4 234	3 761	9	1	1	1	15	64	31 6
27	29 1 351	15 971	1	1	1	1	1	1	150
28	29E	5	*	*	*	*	15	1	
TOTAL	196 091	308 659	512 467	318 609	102 326	23 351	5 081	3 031	1 469 635

* LESS THAN 50 LBS.

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1952 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

