

248CUT
440



British Columbia Catch Statistics

BY AREA AND TYPE OF GEAR
(As Reported On Sales Slips Received By The Department)

1954

DEPARTMENT OF FISHERIES OF CANADA
PACIFIC AREA




TABLE OF CONTENTS


PAGE	PAGE
FOREWORD	3
MAP OF SOUTHERN STATISTICAL AREAS	4
MAP OF NORTHERN STATISTICAL AREAS	5
DISTRICT SUMMARY & PROVINCIAL LANDINGS & VALUE	6
SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA 1954	7
CATCH STATISTICS - SHEET A - SALMON SHEET B - OTHER FISH	13 - 96
CONSOLIDATION OF SMALL AREAS	14
PROVINCIAL SUMMARY	15 - 16
DISTRICT 2 SUMMARY	17 - 18
AREAS ALASKA, 1 - 10, AND 30	19 - 48
DISTRICT 3 SUMMARY	49 - 50
AREAS 11 - 27, C	51 - 86
DISTRICT 1 SUMMARY	87 - 88
AREAS 28 & 29	89 - 96
CATCH STATISTICS - SHEET C - SHELLFISH	97 - 122
CONSOLIDATION OF SMALL AREAS	98
PROVINCIAL SUMMARY	99
DISTRICT 2 SUMMARY	100
AREAS 1, 3, 4, 5	101 - 104
DISTRICT 3 SUMMARY	105
AREAS 12 - 25	106 - 116
DISTRICT 1 SUMMARY	117
AREAS 28 - 29E	118 - 122
ACCUMULATIVE LANDINGS - SHEET D	123 - 140
SUMMARY OF SALMON BY AREAS SHOWING PIECES AND WEIGHT	124
ACCUMULATIVE LANDINGS OF SALMON BY WEEKS FOR AREAS 3,4,6,7,8,9,10,12,13,20,21, 23,29 A & B, 29 C AND 29 D	125 - 140

EXPLANATION OF WEIGHTS USED

WEIGHTS OF FISH ARE SHOWN IN THE FORM MOST COMMONLY USED. IN SOME INSTANCES, CONVERSION FACTORS HAVE BEEN USED TO CONVERT LANDINGS TO THE SAME BASIS.

WEIGHTS SHOWN ON TABLES ARE AS FOLLOWS:-

- (A) TRAWL FISH - ROUND WEIGHT EXCEPT FOR GRAY COD WHICH IS SHOWN DRESSED HEAD ON AND LING COD WHICH IS SHOWN DRESSED HEAD OFF.
- (B) TROLL FISH & HAND LINE - SALMON - DRESSED HEADS ON
- LING COD - DRESSED HEADS OFF
- RED & ROCK COD - ROUND
- OTHER FISH CAUGHT ON TROLL SHOWN AS DRESSED WEIGHT.
- (C) LONG LINE - DRESSED HEADS OFF
- (D) SEINE - ROUND WEIGHTS
- (E) GILLNET - ROUND WEIGHTS
- (F) TRAPS - ROUND WEIGHTS



"CATCH STATISTICS OF BRITISH COLUMBIA 1954" IS THE YEARLY SUMMARY OF INFORMATION COMPILED FROM DEPARTMENTAL COPIES OF SALES SLIPS THAT ARE COMPLETED BY ALL COMMERCIAL FISH BUYERS OPERATING WITHIN THE PROVINCE.

EACH MONTH A PRELIMINARY REPORT IS ISSUED SHOWING DETAILED REPORTS BY CATCH AND BY AREA. THESE FIGURES ARE REVISED WHERE NECESSARY AND ARE SUMMARIZED IN THIS ANNUAL REPORT AS FOLLOWS:

- SHEET A - MONTHLY LANDINGS OF SAFETY FOR EACH AREA BY SPECIES AND TYPE OF GEAR.
- SHEET B - MONTHLY LANDINGS OF OTHER FISH FOR EACH AREA BY TYPE OF GEAR. THE NUMBER OF DAYS FISHING FOR ALL FISHING BY TYPE OF GEAR IS SHOWN ON THIS SHEET.
- SHEET C - MONTHLY LANDINGS OF SHELLFISH FOR EACH AREA BY TYPE OF GEAR.
- SHEET D - ACCUMULATIVE CATCH OF SAFETY ON A PIECE BASIS BY WEEKS FOR THE MORE IMPORTANT AREAS.

THE PRELIMINARY MONTHLY REPORTS REFERRED TO ABOVE ARE PUBLISHED ON OR ABOUT THE 20TH OF THE MONTH FOR THE PRECEDING MONTHLY PERIOD. NORMALLY THE REPORTS ISSUED BETWEEN MAY AND OCTOBER SHOW WEEKLY CATCHES OF SAFETY FOR EACH AREA WHILE BETWEEN NOVEMBER AND APRIL ONLY MONTHLY TOTALS ARE SHOWN. IN 1954, BECAUSE OF THE EXTENSIVE FISHING ACTIVITY IN NOVEMBER, IT WAS DECIDED TO SHOW WEEKLY TOTALS FOR THAT MONTH. IT SHOULD BE NOTED THAT THE MONTHLY TOTALS SHOWN IN THIS REPORT FOR THE PERIOD MAY TO NOVEMBER DO NOT CORRESPOND WITH THE CALENDAR MONTHS BUT ARE MADE UP EITHER OF 4 OR 5 WEEK PERIODS SO THAT COMPARISON CAN BE MADE ONE YEAR WITH ANOTHER.

THE NUMBER OF WEEKS IN EACH OF THE MONTHLY PERIODS IS AS FOLLOWS: MAY (4 WEEKS), JUNE (4 WEEKS), JULY (5 WEEKS), AUGUST (4 WEEKS), SEPTEMBER (4 WEEKS), OCTOBER (5 WEEKS), NOVEMBER (4 WEEKS).

NO ATTEMPT HAS BEEN MADE IN ANY OF THESE YEARLY REPORTS TO EXPLAIN THE REASONS FOR THE STRENGTH OR ABSENCE OF VARIOUS RUNS OF FISH INTO ANY AREA. THIS CAN ONLY BE DONE BY ADMINISTRATORS OR BIOLOGISTS, WHO ARE ABLE TO TAKE INTO CONSIDERATION ALL FACTORS THAT MIGHT AFFECT CATCH. THERE ARE HOWEVER CERTAIN ECONOMIC, WEATHER AND CONSERVATION FACTORS THAT CAN BE ENUMERATED WHICH DO HAVE A BEARING ON THE COMMERCIAL CATCH.

IN 1954, RAINFALL IN MOST PARTS OF BRITISH COLUMBIA WAS ABOVE NORMAL WITH THE RESULT THAT CLOSURES OF AREAS DUE TO LOW STREAM CONDITIONS WERE NOT NECESSARY.

REGULATIONS ON HALIBUT, WHICH ARE FORMULATED BY THE INTERNATIONAL PACIFIC HALIBUT COMMISSION, WERE CHANGED IN 1954 TO ELIMINATE SPECIAL RESTRICTED FISHING AREAS IN HALIBUT AREA 2 AND TWO FISHING SEASONS WERE ALLOWED FOR THE ENTIRE DISTRICT. DURING THE FIRST MAIN SEASON THE QUOTA FOR AREA 2 WAS TAKEN IN A RECORD TIME OF 21 DAYS. THE SEASON OPENED MAY 16 AND CLOSED ON JUNE 5, WHILE THE SECOND SEASON WAS FROM AUGUST 1 TO AUGUST 8.

FISHERIES REGULATIONS RECOMMENDED BY THE INTERNATIONAL PACIFIC SALMON COMMISSION FOR THE FRASER SOCKEYE FISHERY WERE MODIFIED SEVERAL TIMES DURING THE SEASON IN ORDER TO PROVIDE ADEQUATE ESCAPEMENT OF THE ADAMS RIVER RUNS AND OTHER RUNS. A FEATURE OF THE 1954 REGULATIONS WAS THE SPECIAL OPENING OF DISTRICT 1 TO SALMON PURSE SEINERS FROM SEPTEMBER 27 - 30.

A. J. WHITMORE
CHIEF SUPERVISOR OF FISHERIES

DEPARTMENT OF FISHERIES OF CANADA
1110 WEST GEORGIA STREET, VANCOUVER 5, B. C.
FEBRUARY 4, 1955.

IN 1954 CHANGES WERE MADE IN THE FRASER RIVER LICENSING REGULATIONS WHICH ALLOWED FISHERMEN LIVING BELOW AND ABOVE THE PATTULLO BRIDGE TO FISH IN EITHER AREA. AREA 29D CATCHES WERE Affected BY THE LOWERING OF THE FRASER RIVER COMMERCIAL FISHING BOUNDARY FROM MISSION TO PATTULLO BRIDGE EFFECTIVE OCTOBER 8TH.

IN 1954 TWO SEPARATE STRIKE ACTIONS DISRUPTED FISHING AND RESULTED IN A REDUCED CATCH. BETWEEN JUNE 20 - 27 NET FISHING ACTIVITIES CEASED PENDING SETTLEMENT OF SALMON PRICE AGREEMENTS BETWEEN UNION AND OPERATORS. THE SECOND TIE-UP CAME AS A RESULT OF THE STRIKE OF TENDERMEN BETWEEN AUGUST 7-14. ONLY IN ISOLATED CASES WERE FISHING ACTIVITIES CARRIED ON DURING THIS PERIOD. A DETAILED EXAMINATION OF THE WEEKLY CATCH FIGURES WILL REVEAL THE RESULT OF THE REDUCED EFFORT, MAINLY AS IT Affected PINK AND EARLY COHO CATCHES IN NORTHERN AREAS.

THE 1954 FISHERY WAS FEATURED BY THE LARGE ADAMS RIVER SOCKEYE RUN TO THE FRASER RIVER WHICH REACHED ITS PEAK BY LATE AUGUST AND EARLY SEPTEMBER AND THE LATE CHUM RUN IN THE SOUTHERN HALF OF THE PROVINCE THAT WAS MAINTAINED LATE INTO NOVEMBER.

FINAL CLOSING DATES FOR NET FISHING IN THE VARIOUS DISTRICTS OF THE PROVINCE WERE AS FOLLOWS:

- | | |
|------------|---|
| DISTRICT 1 | - ABOVE NEW WESTMINSTER BRIDGE, OCT. 8 |
| | BALANCE OF DISTRICT 1, NOV. 26 |
| DISTRICT 2 | - AREAS 1, 2AE, 2AW, 9 & 10, OCT. 7 & 8 |
| | - AREAS 3 TO 8, SEPT. 24 |
| | - AREAS 2BE & 2BW, SEPT. 28 |
| DISTRICT 3 | - AREAS 20 - 27, OCT. 20 |
| | - AREAS 14 & 15 AND PARTS OF AREAS 12 & 13, OCT. 28 |
| | - AREAS 13, 16, 17 & 19, NOV. 18 |
| | - AREAS 12 & 18, NOV. 25 & 26 RESPECTIVELY |

SOCKEYE TROLLING WAS ALLOWED TO RESUME DURING THE MONTH OF DECEMBER.

MINIMUM CONTRACT PRICES OF NET CAUGHT SAFETY PROVIDED IN THE AGREEMENTS SIGNED BY THE FISHERMEN AND THE OPERATORS WERE AS FOLLOWS:


	PER LB.		PER LB.
SOCKEYE	22¢	CHUMS - SUMMER	5 3/4¢
PINKS	7 3/4¢	1 FALL	8¢ JOHNSTONE STRAIT & FRASER
COHO	13¢		6 1/4¢ OTHER AREAS

THE STATISTICS IN THIS REPORT ARE COMPILED BY THE STAFF OF THE MARKETS & ECONOMICS SECTION OF THE DEPARTMENT IN VANCOUVER UNDER THE DIRECTION OF S. L. YOUNG, ASSISTANT STATISTICIAN.

NOTE: - THIS REPORT IS PREPARED IN LIMITED NUMBERS AND EACH YEAR THE NUMBER HAS BEEN INCREASED TO MEET CURRENT NEEDS. THE 1951 AND 1953 REPORTS ARE OUT OF PRINT AND AS THE INFORMATION CONTAINED HEREIN IS NOT PUBLISHED IN ANY OTHER FORM AND AS NO REPLACEMENT COPIES ARE AVAILABLE, IT IS SUGGESTED THAT SPECIAL CARE BE TAKEN IN FILING THESE ANNUAL REPORTS FOR REFERENCE PURPOSES.

BLAKE A. CAMPBELL
CHIEF STATISTICIAN

DEPARTMENT OF FISHERIES
STATISTICAL MAP




DEPT. OF FISHERIES
STATISTICS MAP

CATCHES BY CANADIAN BOATS IN WATERS
NORTH OF DIXON ENTRANCE ARE CLASSIFIED
AS "ALASKA".

AREAS PREVIOUSLY DESIGNATED AS "A" AND "B"
ARE NOW SHOWN UNDER THIS HEADING.

AREA "C" - ALL FISH CAUGHT OFF THE COAST
OF THE STATE OF WASHINGTON
EXCEPT IN CAAPE BAY

(NORTHERN HAIN)



DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. 1954 AS REPORTED ON SALES SLIPSINCLUDING TOTAL LANDED VALUE

SPECIES	DISTRICT 1 CWT	DISTRICT 2 CWT	DISTRICT 3* CWT	TOTAL CWT	LANDED VALUE (1) 000's \$
RED SPRING	12 380	19 066	47 156	78 602	1 983
WHITE SPRING	19 080	4 972	16 114	40 166	514
STEELHEAD	1 135	3 887	597	5 619	79
COHO	9 920	82 523	96 841	189 284	3 133
SOCKEYE	156 029	114 622	199 361	470 012	10 398
CHUMS	72 411	238 761	432 819	743 991	5 453
PINKS	16	232 040	25 287	257 343	1 996
JACK SPRING	1 579	1 269	758	3 606	23
TOTAL SALMON	272 550	697 140	818 933	1 788 623	23 579
HERRING	1 196	1 555 294	2 053 133	3 609 623	4 565
HALIBUT	-	221 584	30 414	251 998	3 984
SOLES	1 037	34 095	19 139	54 271	274
LING COD	176	1 246	37 645	39 067	309
BLACK COD	-	9 343	1 941	11 284	137
GRAY COD	659	14 208	34 855	49 722	212
RED & ROCK COD	18	1 350	3 707	5 075	20
FLOUNDERS	337	25	2 221	2 583	7
SKATE	325	137	662	1 124	2
SMELT	253	13	-	266	3
EULACHONS	3 342	-	-	3 342	15
STURGEON	231	-	26	257	6
PERCH	-	4 314	-	4 314	13
NON-FOOD FISH	2 337	3 451	18 569	24 357	60
OTHER FISH	48	126	2 082	2 256	7
CLAMS	174	17 630	19 940	37 744	104
CRABS	10 631	21 690	9 562	41 883	459
SHRIMPS & PRAWNS	5 709	270	3 531	9 510	140
OYSTERS - U.S. GALS.	56 553	-	29 317	85 870	307
TOTAL				34 203	

(1) PRELIMINARY - SUBJECT TO REVISION WHEN ANNUAL SUPPLEMENTALS COMPILED

*INCLUDES AREA C

SALMONSUMMARY

LANDINGS OF SALMON AS REPORTED ON SALES SLIPS TOTALLED 178.86 MILLION POUNDS LANDED WEIGHT WHICH ON A ROUND WEIGHT BASIS WAS EQUAL TO 181.92 MILLION POUNDS.

SALMON LANDINGS ON A COMPARABLE ROUND WEIGHT BASIS FOR THE PAST FOUR YEARS WERE AS FOLLOWS:

1951	201.77	MILLION POUNDS
1952	151.13	" "
1953	190.81	" "
1954	181.92	" "

ON THE BASIS OF VOLUME CHUMS WERE HIGHEST, FAR EXCEEDING SOCKEYE, WHILE PINKS LANDINGS WERE THIRD HIGHEST. LANDINGS BY SPECIES IN 1954 IN ORDER OF IMPORTANCE BY VOLUME (ON A ROUND WEIGHT BASIS) WERE AS FOLLOWS:

	<u>MILLIONS OF POUNDS</u>	<u>% OF TOTAL</u>
CHUMS	74.40	40.9
SOCKEYE	47.02	25.8
PINKS	25.76	14.2
COHO	20.69	11.4
RED SPRING	8.81	4.8
WHITE SPRING	4.30	2.4
STEELHEAD	.56	.3
JACK SPRING	.38	.2
	<u>181.92</u>	<u>100.0</u>

CATCH BY SPECIES AND GEAR

(ALL LANDINGS CONVERTED TO ROUND WEIGHT)

SPECIES	GILLNET		SEINE		TROLLERS		TRAPS		TOTAL	
	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	%
CHUMS	29.35	39.4	45.03	60.5	.02	*	*	*	74.40	100.0
SOCKEYE	27.81	59.1	18.83	40.0	.17	.4	.21	.5	47.02	100.0
PINKS	9.02	35.0	16.60	64.4	.14	.6	*	*	25.76	100.0
COHO	5.74	27.7	3.18	15.4	11.71	56.6	.06	.3	20.69	100.0
RED SPRING	2.11	23.9	.16	1.8	6.34	72.0	.20	2.3	8.81	100.0
WHITE SPRING	2.26	52.6	.10	2.3	1.88	43.7	.06	1.4	4.30	100.0
STEELHEAD	.51	91.1	.05	8.9	*	*	*	*	.56	100.0
JACKS	.25	65.8	.05	13.2	.08	21.0			.38	100.0
TOTAL	77.05	42.35	84.00	46.18	20.34	11.18	.53	.29	181.92	100.0

*LESS THAN 5000 POUNDS OR LESS THAN .05%

CHUM LANDINGS OF 74.4 MILLION POUNDS MADE UP 40.9% OF ALL SALMON CAUGHT IN 1954. THIS IS THE HIGHEST CATCH OF CHUMS REPORTED SINCE THE SALES SLIP SYSTEM WAS STARTED IN 1951. LANDINGS OF CHUMS DURING THE LAST 4 YEARS HAVE BEEN AS FOLLOWS:

1951	63.3	MILLION POUNDS	57%	SEINE	43%	GILLNET
1952	31.9	" "	49%	"	51%	"
1953	54.4	" "	54%	"	46%	"
1954	74.4	" "	61%	"	39%	"

THE HIGHER PERCENTAGE OF CHUMS REPORTED BY SEINERS IN 1954 WAS DUE FOR THE MOST PART TO HEAVIER RUNS IN THESE AREAS SUCH AS THE QUEEN CHARLOTTE ISLANDS AND WEST COAST OF VANCOUVER ISLAND WHERE GILLNET PARTICIPATION IS LIMITED.

THE SOCKEYE LANDINGS OF 47.0 MILLION POUNDS ALSO REPRESENTED THE HIGHEST CATCH REPORTED SINCE THE INTRODUCTION OF SALES SLIPS. COMPARABLE FIGURES FOR 1951 WERE 29.8 MILLION POUNDS, 1952, 30.9 MILLION POUNDS AND 1953, 35.4 MILLION POUNDS.

THE PINK CATCH OF 25.8 MILLION POUNDS IN 1954 WAS THE LOWEST REPORTED DURING THE LAST 4 YEARS.

THE 20.69 MILLION POUNDS OF COHO LANDED WAS ALSO THE SMALLEST TOTAL REPORTED DURING THE LAST FOUR YEARS. RED AND WHITE SPRING LANDINGS TOTAL 13.11 MILLION POUNDS AS COMPARED WITH 15.35 MILLION POUNDS IN 1953, 14.10 MILLION POUNDS IN 1952 AND 12.74 MILLION POUNDS IN 1951.

(ALL WEIGHTS SHOWN AFTER THIS ARE ON BASIS OF LANDED WEIGHTS, I.E., GILLNET AND SEINE - ROUND, TROLL - DRESSED).

ON AN AREA BASIS THE MAIN FRASER RIVER (AREA 29 A & B) WAS MOST IMPORTANT, AND LANDINGS IN THIS AREA TOTALLED 22.2 MILLION POUNDS. THIS TOTAL WAS MADE UP OF 13.1 MILLION POUNDS OF SOCKEYE, 5.8 MILLION POUNDS OF CHUMS AND 2.4 MILLION POUNDS OF SPRINGS, PLUS SMALLER QUANTITIES OF OTHER SPECIES.


AREA 12 INCLUDING THE UPPER JOHNSTONE STRAIT AREA, WHICH FOR THE LAST THREE YEARS HAS BEEN HIGHEST IN LANDINGS, DROPPED TO SECOND PLACE WITH LANDINGS OF 19.2 MILLION POUNDS. THIS AREA WAS TOP FOR CHUMS AND COHO.

AREA 13 WHICH INCLUDES THE LOWER REACHES OF JOHNSTONE STRAIT, WAS THE THIRD MOST IMPORTANT AREA WITH TOTAL LANDINGS OF 12.7 MILLION POUNDS.

AREA 20 WHICH INCLUDES STRAIT OF JUAN DE FUCA, WAS THE FOURTH HIGHEST IN THE PROVINCE AND 12.7 MILLION POUNDS OF SALMON WERE REPORTED FROM THIS AREA OF WHICH 11.5 MILLION POUNDS WERE SOCKEYE.

AREA 23 MAINTAINED ITS REPUTATION AS THE MOST IMPORTANT SPRING SALMON AREA IN THE PROVINCE WITH LANDINGS TOTALLING 2.55 MILLION POUNDS.

CHART 1 - TOTAL SALMON BY SPECIES AS REPORTED IN 10 HIGHEST AREAS OF BRITISH COLUMBIA 1954



CATCH BY AREA

PAGE 9

AREA 1. 2AH & 2 AE (NORTH QUEEN CHARLOTTE ISLANDS) SALMON LANDINGS IN AREA 1 TOTALLED MORE THAN 3½ MILLION POUNDS. TROLLERS FISHING IN THIS AREA REPORTED 1.74 MILLION POUNDS OF COHO (2ND HIGHEST IN PROVINCE) AND 528,000 POUNDS OF SPRING SALMON. OF 7.5 MILLION POUNDS OF SALMON REPORTED IN AREA 2AW, SEINERS CAUGHT MORE THAN 5 MILLION POUNDS OF CHUMS AND 2.2 MILLION POUNDS OF PINKS.

WEEKLY LANDINGS OF PINKS AND CHUMS BY SEINE WERE AS FOLLOWS:

	PINK PIECES	CHUM PIECES	NUMBER OF DELIVERIES
WEEK ENDING AUG. 21	358,818	9,886	144
" 28	363,516	13,017	158
SEPT. 4	247,246	14,181	128
" 11	3,992	22,533	100
" 18	62,966	38,258	108
OCT. 2		52,821	53
" 9		39,877	70

LANDINGS FROM AREA 2AE TOTALLED 3.76 MILLION POUNDS WITH SEINERS REPORTING 1.9 MILLION POUNDS OF CHUMS AND 1.2 MILLION POUNDS OF PINKS.

AREA 2BE & 2BW (SOUTH QUEEN CHARLOTTE ISLANDS) NEARLY 2 MILLION POUNDS OF SALMON WERE TAKEN FROM AREA 2BE OF WHICH 1.45 MILLION POUNDS WERE CHUMS. 90% OF THE CHUMS TAKEN IN THIS AREA WERE REPORTED BY SEINERS IN THE THREE WEEKS ENDING OCTOBER 2.

THE CATCH OF SALMON IN AREA 2BW TOTALLED 135,000 POUNDS predominately SEINE CAUGHT CHUMS TAKEN DURING THE WEEK OF OCTOBER 2.

AREA 3 (NAAS RIVER) FISHERMEN OPERATING IN THIS AREA CAUGHT 5.74 MILLION POUNDS. TROLLERS ACCOUNTED FOR APPROXIMATELY 300,000 POUNDS OF SALMON WHILE GILLNETTERS AND SEINERS DIVIDED THE REMAINDER ALMOST EQUALLY.

A TOTAL OF 2.7 MILLION POUNDS OF PINKS WERE TAKEN FROM THE AREA WITH SEINERS ACCOUNTING FOR 1.85 MILLION POUNDS AND GILLNETTERS .88 MILLION POUNDS.

WEEKLY CATCH OF PINKS BETWEEN JULY 17 AND AUGUST 25 WERE AS FOLLOWS:

	GILLNET PIECES	SEINE PIECES	
WEEK ENDING JULY 24	17,230	39,230	
31	14,291	42,065	
AUG. 7	26,191	61,366	TENDERMAN STRIKE
14	587	-	
21	58,683	168,559	
28	50,590	75,693	

GILLNETTERS REPORTED A CATCH OF 98,000 SOCKEYE, 95% OF WHICH WERE CAUGHT PRIOR TO JULY 31.

THE REMAINDER OF THE CATCH IN THIS AREA WAS MADE UP OF CHUMS TOTALLING 1.2 MILLION POUNDS, COHO 745,000 POUNDS AND RED SPRINGS 254,000 POUNDS TOGETHER WITH SMALL QUANTITIES OF WHITE SPRING, STEELHEAD AND JACKS.

AREA 4 (SKEENA RIVER) THE 12.2 MILLION POUNDS OF SALMON REPORTED FROM

AREA 4 MADE THIS AREA THE FIFTH HIGHEST IN THE PROVINCE. GILLNETTERS ACCOUNTED FOR 10.7 MILLION POUNDS OR 87% OF TOTAL LANDINGS.

SOCKEYE WAS THE MOST IMPORTANT SPECIES IN THIS AREA AND TOTALLED NEARLY 4.0 MILLION POUNDS, FOLLOWED CLOSELY BY PINKS WITH 3.6 MILLION POUNDS. CHUMS TOTALLED SLIGHTLY LESS THAN 2.0 MILLION POUNDS WITH COHO REPORTED AS 1.6 MILLION POUNDS. WEEKLY CATCH OF SOCKEYE AND PINKS DURING THE MAIN WEEKS OF THE RUN WERE AS FOLLOWS:

	GILLNET SOCKEYE PIECES	GILLNET PINKS PIECES	SEINE PINKS PIECES
WEEK ENDING JULY 3	48,120	319	
10	56,819	990	10
17	103,594	5,293	
24	70,827	25,252	
31	165,037	64,783	221
AUG. 7	116,640	140,093	13,807
14	591	18,189	19,276 TENDERMAN STRIKE
21	7,039	276,356	21,107
28	1,314	101,007	11,840

IN ADDITION TO THE ABOVE GILLNETTERS REPORTED 85,000 COHO AND 115,000 CHUMS WHILE SEINERS REPORTED 1,100 COHO AND 5,700 CHUMS. GILLNETTERS ALSO REPORTED 528,000 POUNDS OF SPRING SALMON, 78% OF WHICH WAS CAUGHT DURING JULY.

AREA 5 (GRENVILLE-PRINCIPAL) LANDINGS FOR THIS AREA TOTALLED 3.66 MILLION POUNDS WITH PINKS AND CHUMS EACH CONTRIBUTING APPROXIMATELY ONE THIRD OF THE CATCH.

GILLNETTERS ACCOUNTED FOR 1.9 MILLION POUNDS OF SALMON REPORTED FROM THIS AREA WITH SEINERS CATCHING 1.4 MILLION POUNDS.

AREA 6 (KLENTU-BUTEDALE) SALMON LANDINGS FROM AREA 6 WERE SEVENTH HIGHEST IN THE PROVINCE AND TOTALLED 8.83 MILLION POUNDS. THIS REPRESENTED AN INCREASE FROM THE 4.9 MILLION POUNDS REPORTED IN 1953 BUT WAS LESS THAN THE 9.1 MILLION POUNDS REPORTED IN 1952 AND 12.2 MILLION POUNDS REPORTED IN 1951.

OF THE TOTAL LANDINGS CHUMS MADE UP 4.55 MILLION POUNDS, PINKS 2.84 MILLION POUNDS, SOCKEYE 705,000 POUNDS AND COHO 654,000 POUNDS.

ALTOGETHER 309,000 CHUMS WERE REPORTED FROM THIS AREA DURING THE YEAR WITH 211,000 CAUGHT BY SEINERS AND 98,000 BY GILLNETTERS.

SEINERS ALSO REPORTED 435,000 PINKS, 43,000 SOCKEYE AND 43,000 COHO WHILE GILLNETTERS CAUGHT 145,000 PINKS, 45,000 SOCKEYE AND 23,500 COHO.

AREA 7 (BELLA BELLA) NEARLY 7 MILLION POUNDS OF SALMON WERE REPORTED FROM THIS AREA DURING THE YEAR, ABOUT THE SAME AS WAS REPORTED IN 1953.

TWO THIRDS OF ALL FISH LANDED IN THIS AREA WERE CHUMS WITH PINKS ACCOUNTING FOR APPROXIMATELY 22% OF TOTAL.

THE MAIN FISHING EFFORT IN THIS AREA FOLLOWED THE TENDERMAN'S STRIKE.

	<u>CHUMS</u>		<u>PINKS</u>
	<u>GN (PCS)</u>	<u>SEINE (PCS)</u>	<u>GN (PCS)</u>
WEEK ENDING AUG. 21	17,092	42,682	32,643
28	22,002	39,241	36,187
SEPT. 4	53,118	15,580	23,865
11	23,187	8,990	3,089
18	51,970	43,244	5,128
25	21,505	14,591	349
<u>TOTAL FOR YEAR</u>	<u>192,144</u>	<u>174,835</u>	<u>208,730</u>

SEINERS ACCOUNTED FOR SLIGHTLY LESS THAN 50% OF THE FISH CAUGHT IN THIS AREA WHILE GILLNETTERS ACCOUNTED FOR 44%.

AREA 8 (NAMU-BELLA COOLA) TOTAL CATCH OF SALMON FOR THIS AREA AMOUNTED TO 8.80 MILLION POUNDS JUST SLIGHTLY LESS THAN REPORTED FROM AREA 6. CATCH BY SPECIES SHOWING THE BREAKDOWN ON BASIS OF GEAR AND WEIGHT IS AS FOLLOWS:

PINKS	3.66	MILLION POUNDS	(50% SEINE, 50% GILLNET)
CHUMS	2.84	"	(66% " , 34% "
COHO	1.26	"	(68% GILLNET, 21% TROLL, 11% SEINE)
SOCKEYE	.68	"	(76% GILLNET, 24% SEINE)

THE 3.66 MILLION POUNDS OF PINKS WAS THE SECOND HIGHEST IN THE PROVINCE AND ALTOGETHER 850,000 PINKS WERE REPORTED. OF THIS TOTAL 141,000 WERE TAKEN THE WEEK ENDING JULY 24, 327,000 THE WEEK ENDING JULY 31 AND 149,000 THE FOLLOWING WEEK. THE TENDERMAN'S STRIKE INTERVENED THE WEEK OF AUGUST 14 BUT FOLLOWING THE RE-OPENING OF THE FISHERY ANOTHER 117,000 PINKS WERE REPORTED.

THE CHUM CATCH FOR THE AREA TOTALLED NEARLY 190,000 FISH.

AREA 9 (RIVERS INLET) A TOTAL OF 5.0 MILLION POUNDS OF SALMON WAS TAKEN FROM THIS AREA, THE LOWEST CATCH SINCE THE SALES SLIP SYSTEM WAS INTRODUCED IN 1951.

GILLNET SOCKEYE FROM THIS AREA TOTALLED 3.56 MILLION POUNDS WITH CHUMS ACCOUNTING FOR 850,000 POUNDS AND COHO 297,000 POUNDS.

THE PEAK WEEK OF GILLNETTING (ENDING JULY 17) SAW FISHERMEN REPORTING 188,500 SOCKEYE WITH CATCH IN SUBSEQUENT TWO WEEKS DECLINING TO 147,500 AND 130,000 FISH RESPECTIVELY. TOTAL CATCH OF SOCKEYE FOR 1954 WAS JUST OVER 575,600.

AREA 10 (SMITH INLET) THIS AREA SHOWED A SIMILAR DECREASE IN PRODUCTION TO AREA 9, AND THE YEARLY CATCH TOTALLED 1.65 MILLION POUNDS OF WHICH GILLNET SOCKEYE ACCOUNTED FOR 1.2 MILLION POUNDS. A TOTAL OF 191,000 SOCKEYE WAS CAUGHT IN THIS AREA WITH THE PEAK WEEK OF JULY 17 SHOWING 83,000 FISH.

GILLNETTERS ALSO REPORTED 23,000 CHUMS, 9,500 PINKS AND 7,200 COHO.

AREA 11 LANDINGS FROM THIS AREA TOTALLED 187,000 POUNDS WITH SOCKEYE TOTAL-
LING 108,000 POUNDS, COHO 38,600 POUNDS AND CHUMS 28,700 POUNDS.

AREA 12 & 13 (JOHNSTONE STRAIT) THESE TWO AREAS ARE USUALLY AMONG THE FIVE TOP SALMON PRODUCING AREAS IN THE PROVINCE AND IN 1954 THEY REPORTED A TOTAL OF 31.85 MILLION POUNDS OF SALMON. THIS TOTAL WAS DOWN SHARPLY FROM 1953

AND 1951 BUT EXCEEDED THE 1952 CATCH BY NEARLY 6 MILLION POUNDS. LANDINGS
BY YEAR ARE AS FOLLOWS:

<u>AREA 12</u> MILL LBS.	<u>AREA 13</u> MILL LBS.	<u>TOTAL</u> MILL LBS.
26.5	13.6	40.1
19.2	6.9	26.1
35.2	17.0	52.2
19.2	12.7	31.9

THE CHUM RUN PREDOMINATED THE CATCH IN BOTH AREAS WITH FISHERMEN IN AREA 12 REPORTING 14.1 MILLION POUNDS AND IN AREA 13 10.9 MILLION POUNDS. THESE TWO AREAS COMBINED, PRODUCED ONE THIRD OF ALL CHUMS CAUGHT IN B. C. IN 1954.

GILLNETTERS ACCOUNTED FOR 6.5 MILLION POUNDS AND SEINERS FOR 18.5 MILLION POUNDS.

A REVIEW OF THE CHUM RUN REVEALS THAT IN 1954 A TOTAL OF MORE THAN 2 MILLION CHUMS WAS TAKEN FROM THESE TWO AREAS.

THE EARLY CHUM RUN IN THESE AREAS WAS LIGHT AND UP UNTIL SEPTEMBER 4 ONLY 65,000 FISH HAD BEEN TAKEN. HOWEVER, DURING THE WEEK OF SEPTEMBER 11 FISHING IMPROVED AND WEEKLY CATCHES OF CHUMS FOR THE REMAINDER OF THE YEAR WERE AS FOLLOWS:

	<u>AREA 12</u>		<u>AREA 13</u>	
	<u>GN</u> (PCS)	<u>SEINE</u> (PCS)	<u>GN</u> (PCS)	<u>SEINE</u> (PCS)
WEEK ENDING SEPT. 11				
18	4,780	36,795	5,290	14,954
25	4,074	72,707	4,634	34,859
OCT.	18,618	119,370	7,974	53,000
2	51,096	45,238	13,602	56,814
9	88,294	146,959	18,085	116,423
16	37,232	97,591	10,173	126,791
23	44,939	57,310	19,206	104,326
30	51,485	103,923	12,721	79,915
Nov.	6	35,172	17,149	12,323
	13	14,703	16,369	11,633
	20	8,120	8,472	14,146
	27	1,011	51	-
<u>TOTAL FOR YEAR</u>	<u>381,797</u>	<u>741,367</u>	<u>148,452</u>	<u>742,712</u>

AREA 12 WAS THE TOP COHO AREA IN THE PROVINCE WITH A TOTAL OF 2.39 MILLION POUNDS. TROLLERS ACCOUNTED FOR ONE HALF OF THE TOTAL WITH GILLNETTERS AND SEINERS OBTAINING A FAIRLY EVEN SPLIT OF THE REMAINDER.

FISHERMEN IN AREA 12 ALSO REPORTED 351,000 PINKS AND 104,000 SOCKEYE IN ADDITION TO 445,000 POUNDS OF SPRING SALMON.

A TOTAL OF MORE THAN 900,000 POUNDS OF COHO WAS REPORTED FROM AREA 13. TROLLERS ACCOUNTED FOR 72,000 FISH, MOSTLY BLUEBACK, WHILE SEINERS AND GILLNETTERS REPORTED 28,000 AND 40,000 FISH RESPECTIVELY.

AREA 14 (COMOX) NEARLY 1.5 MILLION POUNDS OF SALMON WAS REPORTED FROM AREA 14,

OF WHICH CHUMS ACCOUNTED FOR 940,000 POUNDS AND COHO 377,000 POUNDS. GILLNETTERS ACCOUNTED FOR 60% OF THE CHUMS WHILE TROLLERS MAINLY OPERATING SMALL INBOARD BOATS, REPORTED NEARLY 87,000 COHO, MOSTLY BLUEBACK.

AREA 15 LANDINGS FROM THIS AREA TOTALLED ONLY 330,000 POUNDS, MAINLY CHUMS AND COHO.

AREA 16 (PENDER HARBOUR) TOTAL SALMON CATCH IN THIS AREA WAS 2.3 MILLION POUNDS, SLIGHTLY MORE THAN ONE HALF THE TOTAL REPORTED IN 1953. CHUMS ACCOUNTED FOR 1.7 MILLION POUNDS OF WHICH GILLNETTERS REPORTED 1.5 MILLION POUNDS.

AREA 17 (NANAIMO) THE 3.5 MILLION POUNDS REPORTED FROM THIS AREA WAS ALMOST DOUBLE THE AMOUNT REPORTED DURING ANY OF THE PAST THREE YEARS. CHUMS MADE UP 3.0 MILLION POUNDS WITH GILLNETTERS ACCOUNTING FOR TWO THIRDS AND SEINERS ONE THIRD OF THE TOTAL. TROLLERS REPORTED 84,000 COHO FROM THIS AREA.

AREA 18 (COWICHAN) THIS AREA IS NORMALLY NOT A HEAVY SALMON PRODUCER BUT IN 1954, DUE TO THE MOVEMENT OF THE ADAMS RIVER SOCKEYE RUN, WAS THE TENTH MOST IMPORTANT AREA IN THE PROVINCE ON THE BASIS OF THE VOLUME OF SALMON REPORTED.

A TOTAL OF 6.88 MILLION POUNDS OF SALMON WAS CAUGHT OF WHICH SOCKEYE MADE UP 6.05 MILLION POUNDS AND CHUMS 790,000 POUNDS.

DURING THE THREE WEEKS ENDING SEPTEMBER 4 SEINERS REPORTED 131,000, 216,500 AND 460,000 SOCKEYE RESPECTIVELY FROM THIS AREA.

AREA 19 (VICTORIA) A TOTAL OF 223,000 POUNDS OF SALMON WAS CAUGHT IN THIS AREA MOST OF WHICH WAS SOCKEYE.

AREA 20 (STRAIT OF JUAN DE FUCA) SEINERS REPORTED 1.5 MILLION SOCKEYE FROM AREAS 20 AND 21 IN 1954, WITH GILLNETTERS ACCOUNTING FOR AN ADDITIONAL 83,000. MOST OF THESE SOCKEYE WERE PART OF THE ADAMS RIVER RUN TO THE FRASER RIVER. DURING THE WEEK ENDING AUGUST 28 MORE THAN ONE MILLION SOCKEYE WERE REPORTED FROM THESE AREAS. WEEKLY CATCH TOTALS BY SEINERS AND GILLNETTERS ARE AS FOLLOWS:

	SEINE (PCS)	GN (PCS)		SEINE (PCS)	GN (PCS)
WEEK ENDING JUL. 24	16,151	-	WEEK ENDING AUG. 21	67,885	10,079
31	84,725	25	28	1,006,995	49,645
AUG. 7	144,929	2,680	SEPT. 4	156,544	16,248
14	TENDERMAN STRIKE		11	59,126	1,678

AN ADDITIONAL 33,000 SOCKEYE WERE REPORTED FROM TRAPS LOCATED AT SOOKE IN AREA 20.

AREA 22 (NITINAT) THE CHUM RUN TO NITINAT LAKE ACCOUNTED FOR 2.9 MILLION POUNDS OF THE TOTAL SALMON CATCH OF 3.02 MILLION POUNDS REPORTED IN 1954. ALTOGETHER 217,000 CHUMS WERE TAKEN IN THIS AREA WITH SEINERS ACCOUNTING FOR 178,000 AND GILLNETTERS 39,000.

THE EARLY SOCKEYE CATCH TOTALLED 16,500 TAKEN ENTIRELY BY GILLNETTERS.

AREA 21-27 (NOT INCLUDING AREA 22) WHILE THE WEST COAST OF VANCOUVER ISLAND IS BASICALLY A TROLL FISHING AREA, IN 1954 SEINERS AND GILLNETTERS REPORTED 705,000 CHUMS, WEIGHING 8.6 MILLION POUNDS. ALL AREAS PARTICIPATED IN THIS CHUM FISHERY WITH AREA 23 REPORTING 3.8 MILLION POUNDS, AREA 25, 2.2 MILLION POUNDS, AREA 24, 1.2 MILLION POUNDS AND AREAS 26 AND 27, 781,000 AND 631,000 POUNDS RESPECTIVELY.

AREA 27 ALSO REPORTED 698,000 POUNDS OF PINKS, 95% OF WHICH WERE SEINE CAUGHT.

LANDINGS OF TROLLERS FROM AREA 21-27, 1954

AREA	COHO	RED(1) SPRING	WHITE SPRING	PINKS	SOCKEYE	TOTAL	DELIVERIES	AVERAGE CATCH PER DAY
				(000'S OF POUNDS)				
21	220	89	24	-	2	335	997	336
23	2089	1907	594	1	89	4680	23196	202
24	349	446	46	2	16	859	6374	135
25	429	893	241	*	26	1589	7218	220
26	504	229	31	1	6	771	4130	187
27	435	95	11	2	2	545	3055	178
TOTAL	4026	3659	947	6	141	8779	43973	200

(1) INCLUDES JACKS

THE AVERAGE CATCH PER DELIVERY OF 200 POUNDS WAS DOWN FROM THE 235 POUNDS REPORTED IN 1953.

ONE UNUSUAL FEATURE OF THE WEST COAST FISHERY IN 1954 WAS THE 21,000 SOCKEYE CAUGHT BY TROLLERS.

AREA 28 (HOWE SOUND) THE TOTAL CATCH OF ALL SALMON IN HOWE SOUND WAS 1.27 MILLION POUNDS AND HERE AGAIN CHUMS PREDOMINATED WITH GILLNETTERS REPORTING 1.18 MILLION POUNDS.

AREA 29 (FRASER RIVER INCLUDING SUB-AREA 28 A&B, 29 C AND 29 D) WHILE SEINERS OPERATED FOR 4 DAYS IN AREA 29 IN 1954, THEIR TOTAL CATCH WAS INSIGNIFICANT IN THE OVERALL TOTAL.

THIS AREA, THE MOST IMPORTANT IN THE PROVINCE IN 1954, ACCOUNTED FOR NEARLY 26 MILLION POUNDS OF SALMON, OF WHICH 22.2 MILLION WAS CAUGHT IN THE MAIN RIVER UP TO THE PATTULLO BRIDGE, 1.6 MILLION POUNDS IN THE MIDDLE AND NORTH ARM AND 2.1 MILLION ABOVE THE PATTULLO BRIDGE.

MONTHLY GILLNET TOTALS BY SPECIES FOR THIS AREA WERE AS FOLLOWS:

SPECIES	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	TOTAL
	(000'S OF POUNDS)							
RED SPRING	103	236	377	246	106	55	1	1124
WHITE SPRING	4	15	143	168	688	858	5	1881
SOCKEYE	-	-	1406	2876	10623	574	2	15481
CHUMS	-	-	1	5	439	3228	2391	6064
PINKS	-	-	-	1	*	-	-	1
COHO	-	-	2	34	295	606	21	958
STEELHEAD	4	1	4	2	20	55	11	97
JACKS	-	-	21	30	85	19	-	155
TOTAL	111	252	1954	3362	12256	5395	2431	25761
DAY'S FISHING	2474	2926	9300	11188	20389	14801	6424	67502
AVERAGE LBS. PER DELIVERY	45	86	210	301	601	365	378	382

IN 1954 THE NUMBER OF DELIVERIES MADE BETWEEN MAY 1 AND THE END OF NOVEMBER BY GILLNETTERS TOTALLED 67,502 AS COMPARED WITH 61,814 IN 1953. THE AVERAGE QUANTITY OF FISH PER DELIVERY IN 1954 WAS 382 POUNDS AS COMPARED WITH 358 IN 1953. HOWEVER IN 1954, 60% OF ALL DELIVERIES WERE SOCKEYE WHILE IN 1953 ONLY 37% WERE SOCKEYE AND 29% WERE PINKS.

ALTOGETHER A TOTAL OF 2,934,000 SALMON WEIGHING 26.0 MILLION POUNDS WAS CAUGHT IN THESE THREE FRASER RIVER AREAS IN 1954. NUMBER AND POUNDAGE BY SPECIES AS FOLLOWS:

SPECIES	NUMBER OF FISH	POUNDS 000'S	AVERAGE WEIGHT LBS.
SOCKEYE	2163	15588	7.21
CHUNS	452	6064	13.42
COHO	132	959	7.26
WHITE SPRING	80	1888	23.60
RED SPRING	68	1210	17.79
JACKS SPRING	32	155	4.84
STEELHEAD	9	113	12.55
TOTAL	2936	25978	

OTHER FISH

HERRING THE TOTAL HERRING CATCH IN 1954 WAS 180,482 TONS. WITH THE EXCEPTION OF 222 TONS REPORTED BY TRAWL, GILLNET AND TRAPS, THIS WAS ENTIRELY A PURSE SEINE OPERATION. OF THE TOTAL SEINE CATCH APPROXIMATELY 70,000 TONS WERE TAKEN IN THE FIRST HALF OF THE YEAR AND 110,000 TONS DURING THE START OF THE 1954-55 HERRING SEASON.

THE MOST IMPORTANT AREAS SHOW CONSIDERABLE CHANGE FROM 1952 AND 1953 AND WERE FEATURED BY LARGE HERRING CATCHES IN AREA 2AE TOTALLING 78.9 MILLION POUNDS. HOWEVER AREA 18 CONTINUED THE HIGHEST HERRING AREA WITH A TOTAL OF 82.8 MILLION POUNDS.

HALIBUT ON AN AREA BASIS, A & B WERE HIGHEST WITH 8.24 MILLION POUNDS, AND AREA 4 AND 2AE SHOWING 3.24 AND 2.85 MILLION POUNDS RESPECTIVELY.

SOLE LANDINGS OF SOLE IN 1954 TOTALLED 5.4 MILLION POUNDS AS COMPARED WITH 6.14 MILLION POUNDS IN 1953 AND 14.34 MILLION POUNDS IN 1952. SLIGHTLY MORE THAN ONE HALF OF ALL SOLES LANDED WERE ROCK SOLES WHILE LEMON SOLES ACCOUNTED FOR APPROXIMATELY 25%.

AREA 4 PRODUCED 2.75 MILLION POUNDS OF SOLE WHILE AREA 23 IN DISTRICT 3 WAS NEXT IN IMPORTANCE WITH 633,000 POUNDS.

GRAY COD TOTAL GRAY COD LANDINGS, MOSTLY TRAWL CAUGHT, TOTALLED NEARLY 5 MILLION POUNDS OR ABOUT 10% HIGHER THAN 1953.

TRAWLERS REPORTED 1.17 MILLION POUNDS FROM AREA 23 TO MAKE THIS AREA THE TOP IN THE PROVINCE. AREA 4 WITH 902,000 POUNDS WAS SECOND WHILE AREA 5 REPORTED 417,000 POUNDS.

LING COD LING COD PRODUCTION IN 1954 TOTALLED 3.9 MILLION POUNDS AS COMPARED WITH 2.94 IN 1953 AND 4.24 IN 1952. MOST OF THIS WAS TAKEN FROM THE WATERS BETWEEN VANCOUVER ISLAND AND THE MAINLAND WITH AREA 13 REPORTING

700,000 POUNDS, AREA 17, 587,000 POUNDS AND AREAS 14, 16 AND 18 SHOWING 304,000, 391,000 AND 294,000 POUNDS RESPECTIVELY.

LING COD PRODUCTION IN AREA 23 ON THE WEST COAST OF VANCOUVER ISLAND TOTALLED 611,000 POUNDS THE SECOND HIGHEST IN B. C.

BLACK COD TOTAL CATCH OF BLACK COD IN 1954 WAS 1.13 MILLION POUNDS DOWN FROM THE 1.35 MILLION POUNDS REPORTED IN 1953. LANDINGS FROM AREA A TOTALLED 463,000 POUNDS AND FROM AREA 2AW, 142,000 POUNDS.

RED & ROCK COD LANDINGS OF RED AND ROCK COD TOTALLED 507,000 POUNDS IN 1954 AS COMPARED WITH 450,000 POUNDS IN 1953 AND 916,000 POUNDS IN 1952.

OTHER FISH NO TUNA WAS LANDED BY FISHERMEN IN B. C. IN 1954. NON-FOOD FISH USED PRIMARILY FOR MINK FEED TOTALLED 2.44 MILLION POUNDS. LANDINGS OF OCEAN PERCH TOTALLED 431,000 POUNDS, MOST OF WHICH CAME FROM AREA 7.

EULACHON LANDINGS AS REPORTED ON SALES SLIPS TOTALLED 334,000 POUNDS ENTIRELY FROM THE FRASER RIVER AREAS.

SHELL FISH

CLAMS THE TOTAL VOLUME OF CLAMS DURING 1954 WAS 3.8 MILLION POUNDS AS COMPARED WITH 4.6 MILLION POUNDS IN 1953 AND 6.7 MILLION POUNDS IN 1952. OF THIS TOTAL, BUTTER CLAMS MADE UP 2.9 MILLION POUNDS.

AREA 17 WAS THE HIGHEST PRODUCING CLAM AREA IN THE PROVINCE WITH 721,000 POUNDS CLOSELY FOLLOWED BY AREA 12 WITH 710,000 POUNDS AND AREA 5 WITH 627,200 POUNDS.

CRABS CRAB PRODUCTION CONTINUED TO INCREASE IN 1954 AND TOTALLED 4.2 MILLION POUNDS AS COMPARED WITH 3.19 MILLION POUNDS IN 1953 AND 2.0 MILLION POUNDS IN 1952.

QUEEN CHARLOTTE AREAS 1 AND 2AE PRODUCED NEARLY 2 MILLION POUNDS OF CRAB, AREA 24, 801,000 POUNDS, AREA 29E, 658,000 POUNDS AND AREA 28, 223,000.

SHRIMPS AND PRAWNS SHRIMP AND PRAWN PRODUCTION DECLINED IN 1954 TO 951,000 POUNDS AS COMPARED TO THE 1.26 MILLION POUNDS IN 1953, BUT WAS UP FROM THE 830,000 POUNDS PRODUCED IN 1952.

TRAWLERS IN AREA 28 REPORTED 407,000 POUNDS OR NEARLY 43% OF ALL SHRIMPS REPORTED IN B. C.

OYSTER PRODUCTION OF OYSTERS IN 1954 REACHED AN ALL TIME HIGH OF 85,870 GALLONS (U.S.). OF THIS TOTAL 56,553 GALLONS WERE TAKEN FROM FORESHORE LEASES IN THE BOUNDARY BAY AREA 29E, WITH 14,897 GALLONS PRODUCED IN AREA 17, 6,603 GALLONS IN AREA 16 AND 5,169 GALLONS IN AREA 14.

SECTION A - SALMON

THE TOTAL SALMON LANDINGS BY MONTH IN CWT.
FOR EACH AREA ARE SHOWN ON SHEET A OF THIS
SECTION.

SECTION B - OTHER FISH

THE TOTAL LANDINGS BY MONTH IN CWT. FOR EACH
AREA IS SHOWN ON THE BACK OF EACH PAGE. DAYS
FISHING BY TYPE OF GEAR FOR ALL FISH SHOWN
AT BOTTOM OF SHEET B.

CONSOLIDATION OF AREA 29E, SHEETS A & B

MONTH	GEAR	SPECIES	QUANTITY CWT.	DAYS FISHING
AUGUST	GN	SMELOTS	13	6
SEPTEMBER	GN	SMELOTS	4	3
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
TOTAL	GN	SMELOTS	17	9

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					2	2848	16755	25127	12265	393		57395
	SEINE					1	3071	10012	15147	4145	10		32386
	TROLL					5106	34784	31933	26483	1196	1		99503
SOCKEYE	G.N.				376	989	114927	47365	108681	5775	20		278133
	SEINE				9	69	17975	118920	52378	1083			190439
	TROLL						270	1106	64				1440
PINKS	G.N.						16964	62158	11043	20			90185
	SEINE						24410	103450	38092	19			165971
	TROLL					1	425	617	144				1187
CHUMS	G.N.					29	16668	40713	52314	126448	57362		293534
	SEINE					1	28088	43569	102171	250570	25854		450253
	TROLL				8	1	52	65	75	3			204
RED SPRING	G.N.	17	190	711	1310	5157	8118	3073	1475	943	137		21131
	SEINE				41	411	1706	1091	231	89	3		3572
	TROLL	134	144	627	1882	9482	10331	14499	6518	6552	695	779	256
WHITE SPRING	G.N.	11	33	41	87	683	3462	2195	7045	8918	121		22596
	SEINE				2	52	820	435	255	27	1		1592
	TROLL	48	50	151	624	2678	3277	4658	2932	1298	105	79	78
STEEL-HEADS	G.N.	39	63	66	58	50	2094	1481	403	624	230		5108
	SEINE				10	11	315	101	29	15	2		483
	TROLL				1	1	8	7	11			*	28
JACKS	G.N.					7	948	421	891	229	3		2499
	SEINE						256	160	15	14	1		446
	TROLL	2	7	24	11	83	105	133	93	135	22	40	6

* LESS THAN .5 CWT

TOTAL ALL DISTRICTSOTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL		
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV 28- DEC 31			
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
LEMON SOLE	TRawl	958	1482	1901	1BS 2388	1599	846	516	304	219	920	880	1124	13138	
ROCK SOLE	TRawl	492	204	463	589	1588	2701	7546	5325	7129	1202	213	166	27618	
BUTTER SOLE	TRawl	159	605	853		51								1658	
REX SOLE	TRawl		5	3	13	16	28	65	36	5	6	4	1	182	
DOVER SOLE	TRawl	*		1	1	51	313	468	327	49	226			1436	
DRAILS	TRawl	1		69	240	7LL 1647	1426	1915	1LL 1379	1284	1442	247		9658	
FIXED SOLE	TRawl		74	176	4BS 184	5LL 66	5	1TRAP 1T	2LL 1T	1TRAP 1T	16	10	24	571	
TOTAL SOLE	TRawl	1610	2370	3466	5BS 3415	12LL 5018	5319	1TRAP 10511	3I 1 7372	1TRAP 8687	3812	1354	1315	54271	
FLOUNDERS	TRawl	438	749	380		163	11GN 11	6GN 13	25	29	*BS 14	1GN 145	23GN 249	2553	
SKATE	TRawl	76	108	167		134	99	50	80	57	56	97	82	1118	
OTHER						3TRAP	1LL		2TRAP					6	
HALIBUT LGE.	L.L.					8002	19085	13863	11700	665	75	2		53392	
MED.	L.L.					OT1 56573	53662	20875	22233	659	109	11		154123	
CHIX	L.L.					15208	7206	1382	2605	21	2			26424	
No. 2	L.L.					788	1610	1923	593	106	13	2		5035	
MIXED	HL & T		(1) OT9			5007	2423	OT2 45LL	5176	253 81LL	28LL			13024	
RED & ROCK	TRawl	160	146	103	174	447	388	883	262	158	123	149	220	3213	
COD	L.L.	18	34	48	38	5	119	146	10	226	172	32	23	877	
	HL & T	10	10	167	114	120	80	70	64	63	61	48	19	826	
B.S. & OTHER		7	47	10	2	6TRAP	20TRAP	17 19TRAP	1 6TRAP	10TRAP	4 7TRAP	3		159	
GRAY COD	TRawl	3667	4882	7887	6653	7423	5274	5542	1001	800	1699	2201	2672	49701	
	L.L.				6									6	
OTHER			3	2T		1	2 3T		2 1T		1			15	
BLACK COD	TRawl					1	3	54	27	143	187			415	
L.L.		187	168	575	144	492	2744	3TRAP 391	1TRAP 4093	1835	176	60		10869	
NON-FOOD FISH	TRawl	1408	818	1208	1672	2249	2847	1994	1681	2333	1897	2429	3821	24357	
LING COD	TRawl		18	59	188	346	1734	1358	2214	1130	1194	592	355	119	9307
	L.L.	195	92	435	131	425	193	13	57	19	21	67	203	1856	
	HL & T	213	483	7359	1BS 4625	3752	1TRAP 2063	8TRAP 2192	11TRAP 1451	9TRAP 1933	3TRAP 1935	1403	462	27904	
EULACHONS	G.N.				395	2947								3342	
HERRING	SEINE	612846	195642	570024		132	18042	2896	81294	63	20065	694060	678674	731540	3605273
	G.N.		17	35		55 43TRAP 875	74TRAP 136	6TRAP 110	7TRAP 15	47TRAP 5	1455TRAP				2850
HERRING	TRawl	1274		55		ANCH S 104		15				119	2ANCH S104	1465	
SMELT	G.N.	OT1	OT1				32	38	136	47 OT2	OT1	OT8	266		
OTHER FISH	TRawl	97	191	369	5STUR 8	20STUR 16	1STUR(2)574	(3) 2890	(4) 858	1	11	22	47 STUR 26	5084	
	G.N.				5STUR	11STUR	39STUR	52STUR	38STUR	23STUR	6	31STUR	29STUR	STUR 229	8
	L.L.			9	26	5		STUR TRAP 1	1STUR TRAP 1				1 STUR 2	42	
	HL & T	39	53	147	123	107	38	103	36	33	75	31	32	817	
	SEINE	8BS	13BS	46BS	133BS	37BS			6BS	101TRAP	14BS	6BS		364	
DAYS	TRawl	308	481	558	318	390	324	243	206	191	175	233	198	3625	
FISHING	HL & T	536	699	4224	4597	11917	17392	29276	19141	17036	2478	1222	592	109110	
	L.L.	14	42	81	68	5280	3295	865	1064	241	103	16	28	11097	
	G.N.		4HER 157	11HER 684	34HER 1982	123HER 3268	56HER 6032	25HER 66089	4HER 34029	2HER 39425	35126	14460		HER259 201252	
	SEINE	11BS	39BS	21BS	36BS	10BS 4	2BS 18	3534	4267	7BS 3985	4464	5BS	668	3BS	
														BS134 16940	

*LESS THAN .5 CWT

(1) TAGGED (2) 569 CWT. PERCH
(3) 2887 CWT. PERCH (4) PERCH

GN EUL 63 GN EUL45 GN Sm 34 GN Sm 36 GN Sm 90 GN Sm 33

IGN EUL 208 GN Sm 193

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
COHO	G.N.							2499	13611	16717	375		33202
	SEINE							1396	4979	5077	1540		12992
	TROLL					82	14062	14232	7502	451			36329
SOCKEYE	G.N.					35	96040	11433	64				107572
	SEINE						5949	1036	62				7047
	TROLL						2	1					3
PINKS	G.N.						16332	55743	9576				81651
	SEINE						23482	92115	34105				149702
	TROLL					1	322	315	49				687
CHUMS	G.N.					28	14657	37176	38853	2677			93401
	SEINE						27144	41405	45593	31077			145219
	TROLL					45	56	39	1				141
RED SPRING	G.N.			4	261	2759	4107	384	96	2			7613
	SEINE						474	77	4	1			555
	TROLL			32	3223	3269	3209	748	415	1	*		10897
WHITE SPRING	G.N.			1	33	426	1210	84	31				1785
	SEINE						326	17	4				347
	TROLL			6	730	916	948	147	92		1		2840
STEELHEADS	G.N.				6	5	1920	1432	183	6			3552
	SEINE						261	70	1				332
	TROLL						1	2					3
JACKS	G.N.					1	723	93	19				836
	SEINE						127	61	1				189
	TROLL				52	52	67	42	31				244

*LESS THAN .5 CWT

SUMMARY - DISTRICT 2OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	JULY 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT	
LEMON SOLE	TRawl	234	492	1294	1990	1276	584	209	94	27	40	246	359	6845
ROCK SOLE	TRawl	247		12	390	1131	2378	7119	5224	6006	1086	23	6	23622
BUTTER SOLE	TRawl	159	600	853		51								1663
REX SOLE	TRawl			2		16	28	59	20	5	6		1	137
DOVER SOLE	TRawl					313	458	244	39	226				1280
DRILLS	TRawl			7	30	104	116	70	33	71	77			508
MIXED SOLE	TRawl			40										40
TOTAL SOLE	TRawl	640	1092	2208	2410	2578	3419	7915	5615	6148	1435	269	366	34095
FLOUNDERS	TRawl	10	1		14									25
SKATE	TRawl	10	1	34	44	48								137
OTHER														
HALIBUT LGE.	L.L.				6849	18415	13861	11270	665	75	2			51137
MED.	L.L.				OT 1 43079	48351	20863	20007	659	109	11			133080
CHICK	L.L.				13823	6543	1382	2443	21	2				24214
No. 2	L.L.				732	1440	1922	571	102	12	2			4781
MIXED	HL & T		OT 9 (2)		2527	1672	OT 2 LL 7	3987	150 LL	18 LL				8372
RED & ROCK	TRawl	47	5	2	104	21	255	500		27	6	1	4	972
COD	L.L.		13	11	16	2	114	35	2	112	52	4	5	366
	HL & T								12					12
GRAY COD	TRawl	333	833	3561	3641	3153	411	498		64	88	540	1080	14202
	L.L.				6									6
	OTHER													
BLACK COD	TRawl					1	2	14						17
	L.L.		187	168	566	144	483	2438	389	3295	1498	98	60	9326
NON-FOOD FISH	TRawl	(1) 597	317	166	1148	100	56	2		38		657	370	3451
LING COD	TRawl	14	57	23	178	213	74	37	3	175	182	18	47	1021
	L.L.			5	1	20	40	1	6	5	1	2	5	86
	HL & T				1	18	42	44	30	3	1			139
HERRING	SEINE	253225	154833	570024		11496	1258	20	58		18883	91383	454114	1555294
	G.N.													
SMELT	G.N.	OT 1	OT 1							OT 2	OT 1	OT 8	OT 13	
OTHER FISH	TRawl		2	124		(3) .569	(3) 2887	(3) 858						4440
	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS	TRawl	27	39	79	85	72	46	42	27	48	17	21	22	525
FISHING	HL & T				30	2794	3566	6737	4988	4282	309	1		22707
	L.L.		14	19	43	3978	2713	826	813	178	63	5	13	8665
	G.N.				6	346	2078	53496	17767	13750	245			87688
	SEINE							2245	1964	1314	428			5951

*LESS THAN .5 CWT (1) SMALL LEMON SOLE AND GREYCOD (2) TAGGED (3) PERCH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 19

SHEET BOTHER FISHAREA ALASKA

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
LUMPS SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
HALIBUT LGE.	L.L.				551	13178	13834	1577	621	39			29800
MED.	L.L.				1308	22097	20793	1991	586	72			46847
CHIX	L.L.				44	1170	1381	81	16	1			2693
No. 2	L.L.				55	900	1920	114	97	12			3098
MIXED	HL & T						LL 6						116
RED & ROCK COD	TRAWL												
COD	L.L.			11				10		19	23		63
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.				284	1	98	1668	220	1589	769		4629
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												
	HL & T												
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
					15	28	575	781	51	74	27		1551

*LESS THAN .5 CWT



REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						*	1	2	17			20
	SEINE							20	984	373			1377
	TROLL					34	6284	8892	2181	30			17421
SOCKEYE	G.N.					*	3	*					3
	SEINE						*	2					2
	TROLL						1	*					1
PINKS	G.N.						1	47	5				53
	SEINE						22	5897	1339				7258
	TROLL					1	100	152	17				270
CHUMS	G.N.						*	20	99	132			251
	SEINE						6	119	777	2661			3563
	TROLL					*	18	28	12	1			59
RED SPRING	G.N.					*	5	*		2			7
	SEINE							*					*
	TROLL				22	1850	1208	1093	107	68	1		4349
WHITE SPRING	G.N.						7						7
	SEINE							*					*
	TROLL				2	362	290	249	12	8	*		923
STEEL-HEADS	G.N.						*	1		6			7
	SEINE							*					*
	TROLL						1	*	*				1
JACKS	G.N.								*				*
	SEINE					*	4	2	3	1	2	*	
	TROLL												12

AREA 1

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL		99										99
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL		99										99
FLOUNDERS	TRAWL		1										1
SKATE	TRAWL												
OTHER	TRAWL												
HALIBUT LGE.	L.L.				770	668	16	1448	33				2935
MED.	L.L.				4690	3244	52	2149	43				10178
CHIX	L.L.				1415	945	1	356	3				2720
No. 2	L.L.				104	74	1	62	1				242
MIXED	HL & T				521	156		666		119			119 1343
RED & ROCK COD	TRAWL		2										2
	L.L.					15	18			7			40
	HL & T							12					12
OTHER	TRAWL												
GRAY COD	TRAWL		17										17
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.					7	134	536	122	515	40		1354
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												
	HL & T					1	2	4	2	1	*		5
													10
HERRING	SEINE				566	26							592
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL		5										5
	HL & T				11	1532	1346	2795	2097	974	25		8760
	L.L.					397	257	28	160	38	2		882
	G.N.						2	8	4	11	5		30
	SEINE						3	74	61	56			194

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 23

AREA 2 AE

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							3	3	96			102
	SEINE							3	125	586			714
	TROLL					2	632	160	405	362			1561
SOCKEYE	G.N.							1	*				1
	SEINE							*	1				1
	TROLL						*						*
PINKS	G.N.							160	100				260
	SEINE							5677	6419				12096
	TROLL						22	3	1				26
CHUNS	G.N.							7	1004	2009			3020
	SEINE							1001	10691	7670			19362
	TROLL						*	*	6	*			6
RED SPRING	G.N.												
	SEINE												
	TROLL					67	132	121	8	10			338
WHITE SPRING	G.N.												
	SEINE												
	TROLL						18	39	31	1	1		90
STEEL-HEADS	G.N.								*				*
	SEINE								*				*
	TROLL												
JACKS	G.N.								*				*
	SEINE								*				*
	TROLL						1	1	2	*	*		4

*LESS THAN .5 CWT

AREA 2 AE

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	CWT
LEMON SOLE	TRAWL		1		156	11							171
ROCK SOLE	TRAWL	237			848	270	18						1373
BUTTER SOLE	TRAWL	159	600	554									1313
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRTLLS	TRAWL				20	3							23
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL	396	601	557	1024	284	16						2880
FLOUNDERS	TRAWL	10											10
SKATE	TRAWL												
OTHER													
HALIBUT LGE.	L.L.				1724	1050	6	2375		9			5182
MED.	L.L.				10402	4298	9	3589		2			18300
CHICK	L.L.				2935	988	*	565		*			4488
No. 2	L.L.				138	94	1	60					293
MIXED	HL & T		OT (1) 8		49	41		183			OT 8		273
RED & ROCK	TRAWL		2										2
COD	L.L.			6			3			9			18
OTHER													
GRAY COD	TRAWL	15		3		5	197						220
L.L.													
OTHER													
BLACK COD	TRAWL												
L.L.				1		11	121			212			345
NON-FOOD FISH	TRAWL	270	185			8							463
LING COD	TRAWL		54	2		24							80
L.L.				3		1	16						21
HL & T					*	1	1	1					3
HERRING	SEINE	4344	529686		4340	264	20	58			250248		788960
G.N.													
SMELT	G.N.												
OTHER FISH	TRAWL												
G.N.													
L.L.													
HL & T													
SEINE													
DAYS	TRAWL	7	10	2		10	4	1					34
FISHING	HL & T					40	64	164	56	174	229		727
L.L.				3		468	255	7	74		7		814
G.N.									10	48	103		161
SEINE									76	253	119		442

*LESS THAN .5 CWT (1) TAGGED

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 25

AREA 2 AW

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.								1	4			5
	SEINE							132	1132	397			1661
	TROLL				*	8	33	68					109
SOCKEYE	G.N.							2	*				
	SEINE												2
	TROLL												
PINKS	G.N.								2				2
	SEINE							34591	15896				50487
	TROLL						*		*				*
CHUMS	G.N.								83	81			164
	SEINE							2922	9222	9789			21933
	TROLL												
RED SPRING	G.N.												
	SEINE								2				2
	TROLL				300	128	44	2	1				475
WHITE SPRING	G.N.												
	SEINE												
	TROLL				39	17	7						63
STEELHEADS	G.N.								*	*			*
	SEINE												
	TROLL												
JACKS	G.N.							*					*
	SEINE												
	TROLL												

*LESS THAN .5 CWT

AREA 2 AW

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRAILS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER	OTHER												
HALIBUT LGE.	L.L.					380	501	2	28	4	24	2	941
MED.	L.L.					1587	2197	2	301	28	9	11	4135
CHICK	L.L.					345	337		36	1	*		739
No. 2	L.L.					14	43		4	4		2	67
MIXED	HL & T					80	7		LL 27			LL 27	87
RED & ROCK COD	TRAWL												
	L.L.	13	5	5	2					24	1	4	53
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.	171	65	227	127	6	20		400	244	98	60	1418
NON-FOOD FISH	TRAWL												
LING COD	TRAWL									*			
	L.L.	2	1	*							2	5	10
	HL & T												*
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAY'S FISHING	TRAWL												
	HL & T												
	L.L.	10	4	13	122	60	11	3	23				219
	G.N.				63	100	3	8	17	6	5	3	232
	SEINE												5
									302	336	123		761

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 27

AREA 2 BE

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
COHO	G.N.								158	9			167
	SEINE							*	1045	90			1135
	TROLL					7	17	115	213	59			411
SOCKEYE	G.N.												
	SEINE								1				1
	TROLL												
PINKS	G.N.								11	*			11
	SEINE							739	2518	*			3257
	TROLL						*	1					1
CHUMS	G.N.								724	225			949
	SEINE							*	9762	3875			13637
	TROLL								*				*
RED SPRING	G.N.												
	SEINE												
	TROLL				24	79	57	8		*			168
WHITE SPRING	G.N.								*				*
	SEINE												
	TROLL				7	23	13	1					44
STEEL-HEADS	G.N.								*				*
	SEINE												
	TROLL												
JACKS	G.N.							*	*	*			*
	SEINE												
	TROLL												

*LESS THAN .5 CWT

AREA 2 BE

OTHER FISH

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 29

AREA 2 BW

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
COHO	G.N.												
	SEINE								8	56			64
	TROLL				*								*
SOCKEYE	G.N.												
	SEINE								*				*
	TROLL												
PINKS	G.N.												
	SEINE												
	TROLL												
CHUMS	G.N.												
	SEINE									36	1248		1284
	TROLL												
RED SPRING	G.N.												
	SEINE												
	TROLL				2								2
WHITE SPRING	G.N.												
	SEINE												
	TROLL				1								1
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL												

*LESS THAN .5 CWT

OTHER FISH

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 31

AREA 3

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					*	154	1329	3379	39			4901
	SEINE						42	409	33				484
	TROLL					4	327	369	1370				2070
SOCKEYE	G.N.					28	6396	361	1				6786
	SEINE						188	62					250
	TROLL						*	*	*				*
PINKS	G.N.						1666	6927	151				8744
	SEINE						3510	15045	19				18574
	TROLL						20	40	8				68
CHUMS	G.N.					27	1567	2493	848	11			4946
	SEINE						2737	4015	441				7193
	TROLL						9	14	7				30
RED SPRING	G.N.				75	1208	332	10	6				1631
	SEINE						133	5					138
	TROLL				151	439	139	22	21				772
WHITE SPRING	G.N.				4	131	72	2	1				210
	SEINE						47	2					49
	TROLL				39	133	62	3	8				245
STEEL-HEADS	G.N.				1	3	87	66	22	*			179
	SEINE						2	2					4
	TROLL				*		*	2	*				2
JACKS	G.N.					1	103	16	5				125
	SEINE						8	2					10
	TROLL				8	13	3	2	2				28

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER													
HALIBUT LGE.	L.L.				132	121		12					265
	MED.	L.L.			560	361		11					932
	CHIX	L.L.			94	59		6					159
	No. 2	L.L.			33	5							38
	MIXED	HL & T			6	4		5	LL 82				1182 15
RED & ROCK COD	TRAWL												
	L.L.												25
	HL & T						*		25				*
OTHER													
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL				12					509			521
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												1
	HL & T						*	1	*	1			2
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												2881
	L.L.				283	558	532	482	1026				334
	G.N.				8	187	121		2	16			8533
	SEINE					86	840	4059	1848	1696	4		633
								322	304	7			

*LESS THAN .5 CWT

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 33

AREA 4

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
COHO	G.N.					*	818	4355	3272				8445
	SEINE						2	91	3				95
	TROLL					6	3867	2134	1327				7334
SOCKEYE	G.N.					6	30259	9491	25				39781
	SEINE						14	19					33
	TROLL						1	1					2
PINKS	G.N.						4524	26384	1649				32557
	SEINE						11	3215	425				3651
	TROLL					*	105	62	9				176
CHUMS	G.N.					1	3670	12582	2314				18567
	SEINE						18	673	176				867
	TROLL						16	10	5				31
RED SPRING	G.N.			4	185	668	2890	152	12				3911
	SEINE						6	1					7
	TROLL			6	304	715	513	152	171				1861
WHITE SPRING	G.N.			1	29	60	718	25	2				835
	SEINE						4						4
	TROLL			2	86	190	160	35	52				525
STEEL-HEADS	G.N.			*	5	2	1109	1166	112				2394
	SEINE						*	4					4
	TROLL				*		*	*					*
JACKS	G.N.						504	31	3				538
	SEINE						*	*					*
	TROLL				8	17	16	12	11				64

*LESS THAN .5 CWT

AREA 4

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT	
LEMON SOLE	TRawl	112	341	1102	1682	1078	572	209	94	27	40	235	223	5724
ROCK SOLE	TRawl			12	309	267	1669	6722	5224	5333	739		6	20281
BUTTER SOLE	TRawl			2		16	28	59	20	5	6		1	137
REX SOLE	TRawl					313	458	244	39	226				1220
DOVER SOLE	TRawl			2	6	17	29		33	7				94
GRIFFS	TRawl													
MIXED SOLE	TRawl													
TOTAL SOLE	TRawl	112	341	1118	1997	1378	2611	7448	5615	5411	1011	235	289	27566
FLOUNDERS	TRawl					14								14
SKATE	TRawl			34	33	44								111
OTHER														
HALIBUT LGE.	L.L.					1309	1014		2843	5				5171
MED.	L.L.				OT1	10988	3580		3025	2				OT1 17595
CHIX	L.L.					6181	955		388					7524
No. 2	L.L.					156	66		85					307
MIXED	HL & T		OT (1) 1			283	187	OT 2	1324					OT3 1794
RED & ROCK	TRawl	16	*	2	11	16	155				6			206
COD	L.L.				*									*
OTHER	HL & T													
GRAY COD	TRawl	303	312	1294	3305	3006	206			64	82	102	339	9019
	L.L.				6									6
OTHER	OTHER													
BLACK COD	TRawl					1	1							2
	L.L.					1	37		39					130
NON-FOOD FISH	TRawl	7	17	166	(2) 957	10	37		(4) 38			314	183	1732
LING COD	TRawl	2	1	15	73	69	41	25	3	1	4	6	19	259
	L.L.					4	2		1					7
	HL & T					9	13	5	4	*				31
HERRING	SEINE	8894	3170	960		4388								17412
	G.N.													
SMELETS	TRawl	*	1	1							2	1	8	13
SHELT	G.N.													
OTHER FISH	TRawl			19		(3) 159								178
	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl	8	16	52	60	58	24	30	24	40	11	18	14	355
	HL & T				11	349	828	1577	1220	1107				5092
	L.L.				1	1599	564		214	4				2382
	G.N.				6	259	743	15867	7447	2850				27172
	SEINE							4	57	8				69

*LESS THAN .5 CWT (1) TAGGED (2) LEMON, BUTTER AND ROCK SOLE (3) PERCH (4) TURBOT

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 35

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

AREA 5

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						115	1914	992				3021
	SEINE						57	959	144				1160
	TROLL					11	501	466	51				1029
SOCKEYE	G.N.						2846	973	22				3841
	SEINE						991	566	44				1601
	TROLL						*						*
PINKS	G.N.						620	3881	1699				6200
	SEINE						639	4234	1059				5932
	TROLL						10	12	*				22
CHUMS	G.N.						590	3659	1914				6163
	SEINE						2577	2278	563				5418
	TROLL						*	1					1
RED SPRING	G.N.					1	9	17	4				31
	SEINE						23	4					27
	TROLL			4	446	335	530	98	18				1431
WHITE SPRING	G.N.					2	5	11	3				21
	SEINE						14	1					15
	TROLL			2	156	140	191	38	4				531
STEELHEADS	G.N.						9	19	5				33
	SEINE						2	3					5
	TROLL					*	*						*
JACKS	G.N.						6	5	1				12
	SEINE						11	4	*				15
	TROLL				25	12	8	3	*				48

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
LEMON SOLE	TRAWL	122	51	189	28						11	77	478
ROCK SOLE	TRAWL	10									23		33
BUTTER SOLE	TRAWL			299									299
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL			5	10								15
MIXED SOLE	TRAWL			40									40
TOTAL SOLE	TRAWL	132	51	533	28	10					34	77	865
FLOUNDERS	TRAWL												
SKATE	TRAWL	10	1										11
OTHER													
HALIBUT LGE.	L.L.				932	282		530					1794
HED.	L.L.				5071	2501		1614					9185
CHIX	L.L.				1546	627		241					2414
No. 2	L.L.				87	30		23					140
MIXED	HL & T				717	550		558					1825
RED & ROCK	TRAWL	31	1								1	4	37
COD	L.L.					13					1		14
OTHER	HL & T												
GRAY COD	TRAWL	15	504	2264	215						432	741	4171
	L.L.												
OTHER													
BLACK COD	TRAWL			1	*	8	9						18
NON-FOOD FISH	TRAWL	320	115								343	184	962
LING COD	TRAWL	12	2	6							12	28	60
	L.L.					7	9					*	16
	HL & T					6	12	17	2				37
HERRING	SEINE												
	G.N.												
SHELT	G.N.												
OTHER FISH	TRAWL		2	105									107
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL	12	8	25	6	1					3	8	63
FISHING	HL & T				8	352	374	488	169	32			1423
	L.L.				4	3	695	355	61			10	1128
	G.N.						1	1059	1146	613			2819
	SEINE							237	199	42			478

*LESS THAN .5 CWT

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 37

AREA 6

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov. 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						192	1203	988				2283
	SEINE						344	2338	1298				3030
	TROLL						22	47	110				179
SOCKEYE	G.N.						3348	300	6				3654
	SEINE						3116	259	16				3391
	TROLL						*	*					*
PINKS	G.N.						1650	3793	2389				7832
	SEINE						5174	10545	4851				20570
	TROLL						1	9	8				18
CHUMS	G.N.						2696	4799	5465				12960
	SEINE						13528	15048	3992				32539
	TROLL						*	*	2				2
RED SPRING	G.N.						4	39	22	11			76
	SEINE						67	23	4				94
	TROLL						14	8	71	6	4	*	103
WHITE SPRING	G.N.						12	88	11	6			117
	SEINE							177	5	3			185
	TROLL						4	12	54	5	5	1	81
STEEL-HEADS	G.N.							18	15	7			40
	SEINE							7	3	1			11
	TROLL												
JACKS	G.N.						14	5	2				21
	SEINE						19	10	1				30
	TROLL						*	1	*	*			1

*LESS THAN .5 CWT

AREA 6OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
GRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
HALIBUT LGE.	L.L.				44	42			1				87
MED.	L.L.				368	299		13		6			685
CHICK	L.L.				65	44		1					110
No. 2	L.L.				46								46
MIXED	HL & T				2	2		16					20
RED & ROCK COD	TRAWL						1			2			3
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL									41			41
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL				*	1		3		*			1
	L.L.												3
	HL & T												
HERRING	SEINE	7812	13064			136	118			18883	61123	81606	182742
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
					13	22	79	34	40		1		189
					89	57		5		14			165
						2	1356	1089	1214				3661
							652	391	162				1205

*LESS THAN .5 CWT

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 39

AREA 7

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG. 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						31	892	1142				2065
	SEINE						41	539	231				811
	TROLL					10	1522	989	655				3176
SOCKEYE	G.N.						456	115	1				572
	SEINE						140	38	*				178
	TROLL						*	*					*
PINKS	G.N.						51	3622	1809				5482
	SEINE						224	7733	1482				9439
	TROLL						34	11	1				46
CHUMS	G.N.						89	5167	16977				22233
	SEINE						428	13385	9864				23677
	TROLL						1	1	*				2
RED SPRING	G.N.				1	1	10	18	24				54
	SEINE						4	8	*				12
	TROLL				63	90	411	227	51				842
WHITE SPRING	G.N.						*	4	6	10			20
	SEINE						1	3	1				5
	TROLL				19	29	118	36	6				208
STEEL-HEADS	G.N.						8	11	8				27
	SEINE						4	3	*				7
	TROLL						*	*	*				*
JACKS	G.N.						3	10	3				16
	SEINE						15	20	*				35
	TROLL				6	2	23	9	5				45

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	JULY 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
LEMON SOLE	TRAWL				60								60
ROCK SOLE	TRAWL				81		356	379		673	347		1836
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
TRILLS	TRAWL				16		60	70		64	77		287
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL				157		416	449		737	424		2183
FLOUNDERS	TRAWL												
SKATE	TRAWL				3								3
OTHER	TRAWL												
HALIBUT LGE.	L.L.					265	217		53	2			537
MED.	L.L.					3919	3830		1576				9325
CHIX	L.L.					632	607		328	1			1568
No. 2	L.L.					19	44		40				103
MIXED	HL & T					799	382		812				1993
RED & ROCK COD	TRawl				69		100	500		27			696
	L.L.												2
	HL & T												
	OTHER												
GRAY COD	TRawl				47			498		6			551
	L.L.												
	OTHER												
BLACK COD	TRawl						1	14					15
	L.L.						1						1
NON-FOOD FISH	TRawl			(1) 75			11	2					88
LING COD	TRawl				3		25	12		174	178		392
	L.L.						8	11		4			23
	HL & T						1	3		11	17	1	33
HERRING	SEINE	233919	134255			2066	850					1160	372250
	G.N.												
SNELT	G.N.												
OTHER FISH	TRawl					(2) 279	(2) 2887	(2) 858					4024
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl				7		14	11	3	8	6		49
	HL & T						81	133	562	412	244		1432
	L.L.						258	198		77	1		534
	G.N.						1	1		274	1266	2888	4430
	SEINE									52	270	174	496

*LESS THAN .5 CWT (1) TURBOT, SOLE AND SKATE (2) PERCH

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 41

AREA 8

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.						578	2708	5302				8588
	SEINE						910	486	42				1438
	TROLL					8	618	996	999				2621
SOCKEYE	G.N.					1	5089	133	7				5230
	SEINE						1500	87	*				1587
	TROLL						*	*	*				*
PINKS	G.N.						6939	9708	1479				18126
	SEINE						13902	4425	97				18424
	TROLL						27	25	5				57
CHUMS	G.N.					*	4336	7037	7198				18571
	SEINE						7850	1938	16				9804
	TROLL						1	2	6				9
RED SPRING	G.N.					850	361	46	27				1284
	SEINE						241	28	*				269
	TROLL			4	118	168	105	42					437
WHITE SPRING	G.N.					192	100	15	7				314
	SEINE						83	6					89
	TROLL			*	40	44	10	4					98
STEEL-HEADS	G.N.					*	403	152	28				583
	SEINE						246	55					301
	TROLL						*	*	*				*
JACKS	G.N.					*	38	24	5				67
	SEINE						74	25	*				99
	TROLL				5	10	11	10					36

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL				143	42	1						185
ROCK SOLE	TRAWL					16	83						99
BUTTER SOLE	TRAWL				51								51
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
BRILLS	TRAWL				8	57	24						89
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL				151	166	108						425
FLOUNDERS	TRAWL												
SKATE	TRAWL				6	4							10
OTHER	OTHER												
HALIBUT LGE.	L.L.					48	4		158				210
HED.	L.L.					849	179		570				1598
CHIX	L.L.					75	25		60				160
No. 2	L.L.					25	*		27				52
MIXED	HL & T					31	144		127	LL 9			LL9 302
RED & ROCK COD	TRAWL				20	5							25
	L.L.						41						48
	HL & T												
	OTHER												
GRAY COD	TRAWL				52	142	8						202
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.							98					138
NON-FOOD FISH	TRAWL			(1)	116	90							206
LING COD	TRAWL				100	120	8						228
	L.L.						1						1
	HL & T												10
HERRING	SEINE										7020	70626	77646
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL				(2)	131							131
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL				8	3	4						15
	HL & T					9	116	417	472	492			1505
	L.L.					45	12		14		2		73
	G.N.												12131
	SEINE												1261

*LESS THAN .5 CWT (1) SMALL SOLE (2) PERCH

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 43

AREA 9

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
CONO	G.N.						333	1107	1212	210			2862
	SEINE							2	29	38			69
	TROLL						11	15	11				37
SOCKEYE	G.N.					35585	53	2	*				35640
	SEINE						1						1
	TROLL												
PINKS	G.N.					630	1106	177					1913
	SEINE						14						14
	TROLL					*	*						*
CHUMS	G.N.					1573	601	257	219				2650
	SEINE						26	17	5834				5877
	TROLL												
RED SPRING	G.N.				27	315	116	10	*				468
	SEINE					6		1					7
	TROLL			*		22	6	1					29
WHITE SPRING	G.N.				29	189	13	1	*				232
	SEINE								*				*
	TROLL					9	1	*					10
STEEL-HEADS	G.N.					196	2	1					199
	SEINE												
	TROLL												
JACKS	G.N.				44	2	*						46
	SEINE						*		*				*
	TROLL				*	4	1						5

*LESS THAN .5 CWT

AREA 9

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER													
HALIBUT LGE.	L.L.				8	1		33					42
MED.	L.L.				146	36		161					343
CHIX	L.L.				41	4		1					46
No. 2	L.L.				*			6					6
MIXED	HL & T												
RED & ROCK COD	TRAWL												
COD	L.L.												
GRAY COD	TRAWL												
L.L.													
OTHER													
BLACK COD	TRAWL							8					
L.L.													8
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
L.L.													
HL & T													
HERRING	SEINE	2600								23240	25056	50906	
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRAWL												
HL & T													
L.L.													
G.N.													
SEINE													
					1		12	15	12				40
					68	22		8					98
					23	20891		817					22512
								659					82
								2	5	122			
									75				

*LESS THAN .5 CWT

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						278	99	266				643
	SEINE								3				3
	TROLL						2	11	112				125
SOCKEYE	G.N.						12058	6	*				12064
	SEINE												
	TROLL												
PINKS	G.N.						251	115	105				471
	SEINE								*				*
	TROLL								*				*
CHUMS	G.N.						136	811	1980				2927
	SEINE								36				36
	TROLL								1				1
RED SPRING	G.N.						146	3	2				151
	SEINE												
	TROLL						1	7	28				36
WHITE SPRING	G.N.						27	1	1				29
	SEINE												
	TROLL						*	5	4				9
STEEL-HEADS	G.N.						90	*	*				90
	SEINE												
	TROLL												
JACKS	G.N.						11	*	*				11
	SEINE												
	TROLL												

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	CWT
LEMON SOLE	TRAWL				77								77
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
FIRLLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL				77								77
FLOUNDERS	TRAWL												
SKATE	TRAWL				2								2
OTHER	OTHER												
HALIBUT LGE.	L.L.				26	46		132					204
MED.	L.L.				353	454		720					1527
CHIX	L.L.				63	56		33					152
No. 2	L.L.				2	*		27					29
MIXED	HL & T								LL 3				LL3
RED & ROCK	TRAWL				4								4
COD	L.L.								8				8
OTHER	OTHER												
GRAY COD	TRAWL				22								22
L.L.	L.L.												
OTHER	OTHER												
BLACK COD	TRAWL									10			10
L.L.	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL				2					*			2
L.L.	L.L.									*			*
HL & T	HL & T												*
HERRING	SEINE												25408
G.N.	G.N.												25408
SMELT	G.N.												
OTHER FISH	TRAWL												
G.N.	G.N.												
L.L.	L.L.												
HL & T	HL & T												
SEINE	SEINE												
DAYS	TRAWL				4								4
FISHING	HL & T												39
L.L.	L.L.												33
G.N.	G.N.												6123
SEINE	SEINE												3

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 47

AREA 30

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												
	SEINE												
	TROLL						251	5					256
SOCKEYE	G.N.												
	SEINE												
	TROLL						*						*
PINKS	G.N.												
	SEINE												
	TROLL						3						3
CHUMS	G.N.												
	SEINE												
	TROLL												
RED SPRING	G.N.												
	SEINE												
	TROLL						15	39	*				54
WHITE SPRING	G.N.												
	SEINE												
	TROLL						2	10					12
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL						1						1

*LESS THAN .5 CWT

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER	OTHER												
HALIBUT LGE.	L.L.				17	104		134					255
MED.	L.L.				886	1754		890					3530
CHICK	L.L.				153	326		170					649
No. 2	L.L.				8	108		36	*				152
MIXED	HL & T							142	LL 38				LL 38 142
RED & ROCK COD	TRAWL												
	L.L.						44		36				80
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
	43					86			219				348
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.						*		1				1
	HL & T								2				3
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE								*				*
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
	3				13	40		34	26				75
						6	69						116

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 49

SUMMARY - DISTRICT 3

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV 28- DEC 31	CWT
COHO	G.N.					2	329	2805	5455	5567	164		14322
	SEINE					1	1675	5033	10070	2598	10		19387
	TROLL					5009	20713	17689	18975	745	1		63132
SOCKEYE	G.N.				374	954	4822	7157	2260	28			15595
	SEINE				9	69	12026	117884	52316	25			182329
	TROLL						268	1105	64				1437
PINKS	G.N.						631	6403	1465	19			8518
	SEINE						928	11335	3987	19			16269
	TROLL						103	302	95				500
CHUMS	G.N.					1	2005	3491	9065	87711	25453		127731
	SEINE					1	944	2164	56578	219484	25854		305025
	TROLL				8	1	7	9	36	2			63
RED SPRING	G.N.	7	44	14	17	38	234	227	319	386	114		1400
	SEINE				41	411	1232	1014	227	88	3		3016
	TROLL	93	98	623	1834	6171	7048	11282	7768	6137	694	772	220
WHITE SPRING	G.N.	2	6	4	18	110	813	433	132	324	55		1897
	SEINE				2	52	494	418	251	26	1		1244
	TROLL	42	46	147	613	1886	2335	3706	2779	1201	105	70	43
STEELHEADS	G.N.		1		9	36	134	29	23	65	124		421
	SEINE				10	11	54	31	28	15	2		151
	TROLL				1	1	7	5	11		*		25
JACKS	G.N.				4	16	30	22	34	1			107
	SEINE					129	99	14	14	1			257
	TROLL	2	7	21	9	31	37	66	50	103	22	40	6

*LESS THAN .5 CWT

SUMMARY - DISTRICT 3

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	CWT
LEMON SOLE	TRAWL	715	926	513	1BS	318	163	173	153	123	124	792	615
ROCK SOLE	TRAWL	245	199	451	197	453	323	427	100	1123	116	190	160
BUTTER SOLE	TRAWL	5											5
REX SOLE	TRAWL	5	1	13				6	16			4	45
DOVER SOLE	TRAWL	*		1	1	51		10	89	10			153
DRILLS	TRAWL	1		62	210	7LL	1543	1303	1645	111	1346	1213	1365
FIXED SOLE	TRAWL		69	125	4BS	163	5LL	51	4	1T 1TRAP	2LL 1T	1TRAP 1T	16
TOTAL SOLE	TRAWL	951	1204	1153	5BS	907	12LL	2261	1813	1TRAP 2445	3LL 1639	1TRAP 2471	2269
FLOUNDERS	TRAWL	341	670	346	141		11		5			144	243
SKATE	TRAWL	50	89	110	75	34		23	41	32	*ES 29	48	57
OTHER							3TRAP	1LL		2TRAP			6
HALIBUT LGE.	L.L.					1153		670	2	430			2255
MED.	L.L.					13404		5311	12	2225			21043
CHIX	L.L.					1385		653		162			2210
No. 2	L.L.					53		170	1	22	4	1	254
MIXED	HL & T					2430		751 38LL	1189	103	63LL	1	26LL
RED & ROCK	TRAWL	113	140	100	69	424	133	383	262	130	117	148	216
COD	L.L.	18	21	37	22	2	5	111	8	114	120	28	510
	HL & T	10	5	167	113	118	83	69	52	63	61	48	19
B.S. & OTHER		7	47	10	2	6TRAP	17TRAP	20	19TRAP	1	6TRAP	10TRAP	2
GRAY COD	TRAWL	3324	4010	4264	2915	3947	4822	5004	990	727	1600	1655	1581
	L.L.					3	2T		2	1T		1	
BLACK COD	TRAWL					1	2	3T		40	27	143	187
L.L.	OTHER					1		9	305	3TRAP	2	1TRAP 793	337
NON-FOOD FISH	TRAWL	693	354	700	331	1309	2573	1727	1532	2257	1844	1726	3433
LING COD	TRAWL	4	2	153	162	1503	1273	2163	1121	1010	410	335	67
L.L.		195	92	430	130	404	153	12	51	14	20	65	203
HL & T		213	483	7331	1BS	4623	3719	1TRAP 2019	8TRAP 2109	11TRAP 1421	9TRAP 1930	3TRAP 1934	1383
HERRING	SEINE	359621	40809		132	6546	1638	81274	5	20055	675177	587291	277426
	G.N.		17	35		43TRAP	74TRAP	6TRAP	7TRAP		1455TRAP		204994
HERRING	TRAWL	1274	55			ANCH. S.104	15					119	2 ANCH. S.104 1465
SMELT	G.N.												
OTHER FISH	TRAWL	97	184	232	7	20STUR.	11	1STUR.		1		11	21
G.N.								2STUR.			1STUR.		
L.L.													
HL & T													
SEINE		35	53	146	123	107	38	103	36	33	75	31	32
	BS8	BS13	BS46	BS133		BS37				BS6	101TRAP	BS 14	BS 6
DAYS	TRAWL	262	410	432	200	245	211	165	155	129	136	195	160
FISHING	HL & T	451	627	4207	4523	9000	13794	22528	14136	1273	2169	1193	503
L.L.		14	28	62	25	1295	502	39	231	63	40	11	15
G.N.													
TRAP & SEINE		4HER	20	11HER	65	39	448	1028	3278	5059	5249	18312	5997
	11BS	39BS	21BS	36BS	10BS	4	2BS	18	1289	2303	7BS 2671	3991	BS 5 668
													BS 3 BS134 10944

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 51AREA 11

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
	CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						32		85				117
	SEINE								58				53
	TROLL						70	34	107				211
SOCKEYE	G.N.						1078						1078
	SEINE						*		*				*
	TROLL												
PINKS	G.N.						26		28				54
	SEINE								*				*
	TROLL						1	*	2				3
CHUMS	G.N.						16		209				225
	SEINE								62				62
	TROLL								*				*
RED SPRING	G.N.						9		*				9
	SEINE												
	TROLL						9	10	7				26
WHITE SPRING	G.N.						2						2
	SEINE												
	TROLL						3	4	2				9
STEEL-HEADS	G.N.						10						10
	SEINE												
	TROLL												
JACKS	G.N.						1						1
	SEINE												*
	TROLL						*						

*LESS THAN .5 CWT

OTHER FISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31		
LEMON SOLE	TRAWL			10	3	22	81	73	2	50	30	4		275	
ROCK SOLE	TRAWL			70	3	214	371			9				667	
BUTTER SOLE	TRAWL														
REX SOLE	TRAWL														
DOVER SOLE	TRAWL														
BRILLES	TRAWL					116	78	61		4	31			290	
MIXED SOLE	TRAWL														
TOTAL SOLE	TRAWL			80	3	141	373	505	2	63	61	4		1232	
FLOUNDERS	TRAWL					*	5	2							
SKATE	TRAWL													7	
OTHER	OTHER														
HALIBUT LGE.	L.L.					32	9		31					72	
MED.	L.L.					346	33		62					441	
CHICK	L.L.					51			3					54	
No. 2	L.L.					2								2	
MIXED	HL & T									LL 3	LL 5			LL 8	
RED & ROCK	TRAWL					15	23	288						327	
COD	L.L.		4							8	31			43	
	HL & T														
OTHER	OTHER														
GRAY COD	TRAWL			4	50	15	233	22	5	61	8	9		407	
	L.L.														
OTHER	OTHER														
BLACK COD	TRAWL			*			4			10	1			15	
	L.L.														
NON-FOOD FISH	TRAWL					(1) 750	(2) 2280	(1) 988		(3) 597	(4) 555	13		5213	
LING COD	TRAWL		2			15	39	47		3	1			107	
	L.L.		78								*	6		86	
	HL & T													2	
HERRING	SEINE												61524	84159	145683
	G.N.														
SMELT	G.N.														
OTHER FISH	TRAWL														
	G.N.														
	L.L.														
	HL & T														
	SEINE														
DAYS	TRAWL			9	2	13	25	16	1	5	7	1		79	
FISHING	HL & T							14	8	15				37	
	L.L.		15			8	4		6	1	5			39	
	G.N.													428	
	SEINE													2	

*LESS THAN .5 CWT (1) TURBOT (2) 587 CWT. TURBOT (3) 219 CWT. TURBOT (4) 568 CWT. TURBOT

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov. 28- DEC 31	CWT
COHO	G.N.					2	264	1698	2647	1599	43		6253
	SEINE						316	715	4394	509	1		5935
	TROLL					624	5660	2903	2508	46			11741
SOCKEYE	G.N.				19	86	2190	1063	224	14			3596
	SEINE						1737	544	798	6			3085
	TROLL						10	12	4				26
PINKS	G.N.						571	5743	789	9	*		7112
	SEINE						830	4439	2839	11			8119
	TROLL				*	93	245	82	*				420
CHUMS	G.N.					1	1983	1372	3732	31957	6646		45691
	SEINE						920	1295	33535	54571	4745		95066
	TROLL				*	2	7	16	*				25
RED SPRING	G.N.				*	32	169	52	37	64	18		372
	SEINE						207	140	91	10	*		448
	TROLL				217	199	756	513	229	4		1	1919
WHITE SPRING	G.N.				14	103	777	47	17	31	19		1008
	SEINE						130	35	70	3	*		238
	TROLL				30	39	175	167	29			1	441
STEEL-HEADS	G.N.				1	13	56	15	11	41	71		208
	SEINE						12	3	4	2	*		21
	TROLL				*	*	2	*	1				3
JACKS	G.N.					1	5	10	4	1	*		21
	SEINE						18	6	2	1	*		27
	TROLL				*	*	3	5	3	*			11

*LESS THAN .5 CWT

AREA 12OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER NOV 28- DEC 31	TOTAL			
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT			
LEMON SOLE	TRAWL				61	13			19	6	9	17	10	135		
ROCK SOLE	TRAWL					7				4	9	2	2	24		
BUTTER SOLE	TRAWL								*					*		
REX SOLE	TRAWL															
DOVER SOLE	TRAWL															
PRILLS	TRAWL															
BLACK SOLE	TRAWL				7											
TOTAL SOLE	TRAWL				68	20			19	10	18	25	16	176		
FLOUNDERS	TRAWL				10	5	9				1	24	34	83		
SKATE	TRAWL				*	1	2					2		5		
OTHER								LL 1					LL 1			
HALIBUT LGE.	L.L.					974	534	2	355					1865		
MED.	L.L.					8151	3623	12	1213					12999		
CHIX	L.L.					697	431	*	73					1201		
NO. 2	L.L.					54	157	1	22					234		
MIXED	HL & T					1329	495	LL 26	620	11 21	LL 3			LL 50 2444		
RED & ROCK COD	TRAWL				1	5				20	5	5	9	45		
	L.L.							94		17	13		14	138		
	HL & T					1								1		
	OTHER															
GRAY COD	TRAWL				23	1	24		*		49	67	41	26	231	
	L.L.													*		
	OTHER															
BLACK COD	TRAWL							4	210	1	152	9		376		
	L.L.															
NON-FOOD FISH	TRAWL								144	23		40	22	229		
LING COD	TRAWL					1	*			*	2	2	1	4	10	
	L.L.							2						146	166	
	HL & T								29	15	20	15	11		90	
HERRING	SEINE	76376	815			1021	214					18528	17019	113973		
	G.N.															
SMELT	G.N.															
OTHER FISH	TRAWL				*		*						1	1		
	G.N.													STUR. 1		
	L.L.															
	HL & T															
	SEINE															
DAYS FISHING	TRAWL				2		3	4		4	2	4	8	35		
	HL & T							448	613	2216	1544	1255	58		6135	
	L.L.								669	308	31	124	10	3	1151	
	G.N.									36	212	1983	3078	2654	6181	1353
	SEINE										712	307	1074	951	181	3225

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 55AREA 13

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						26	744	1430	718	9		2927
	SEINE						91	115	3029	522	3		3760
	TROLL					919	996	389	190	36			2532
SOCKEYE	G.N.						274	121	93	6			494
	SEINE						1186	291	1117	18	*		2612
	TROLL						5	2	1				8
PINKS	G.N.						33	150	593	10			786
	SEINE						95	351	1021	8			1475
	TROLL				*		1	3	1				5
CHUMS	G.N.						1	2045	3814	9069	4156		19085
	SEINE						12	187	15000	58148	16875		90222
	TROLL						*	1	*	*	*		1
RED SPRING	G.N.						14	9	14	31	18		66
	SEINE						74	36	54	24	1		189
	TROLL	31	19	3	9	66	216	355	146	53	12	23	32
WHITE SPRING	G.N.						28	365	29	39	2		463
	SEINE						48	11	38	8	1		106
	TROLL	24	15	2	3	55	163	400	146	37	11	15	18
STEELHEADS	G.N.						9	3	2	5	21		40
	SEINE						1	1	4	3	1		10
	TROLL	*				1	1	*					2
JACKS	G.N.						1	1	3	2	*		7
	SEINE						13	1	3	3	*		20
	TROLL	2	3	*	1	5	10	5	2	2	1	*	31

*LESS THAN .5 CWT

AREA 13

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
LEMON SOLE	TRawl				3						1	6	11
ROCK SOLE	TRawl				24		*						24
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
DRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl				27		1				1	6	36
FLOUNDERS	TRawl		3	2							2	6	19
SKATE	TRawl		1										1
OTHER	OTHER												
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T						1						1
RED & ROCK	TRawl		*										*
COD	L.L.												
	HL & T		10	30	6	13	30	10	19	19	11	2	150
	OTHER												
GRAY COD	TRawl		6			5						7	18
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
NON-FOOD FISH	TRawl											40	83
LING COD	TRawl												
	L.L.												
	HL & T		2290	1658	1134	369	208	118	500	441	195	73	6926
HERRING	SEINE		8150				198			75905	21135		105388
	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T		34	47	40	67	30	4	50	2	2	41	8
	SEINE												
DAYS FISHING	TRawl		2	2		1						5	11
	HL & T		92	170	870	709	657	1982	2450	1088	659	289	150
	L.L.												
	G.N.												
	SEINE												
								142	572	1258	1605	608	4185
								197	73	532	1005	279	2177

*LESS THAN .5 CWT

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 57

AREA 14

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	JULY 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.							2	297	580	4		883
	SEINE						4	*	3	30			37
	TROLL					490	1534	501	273	52	*		2850
SOCKEYE	G.N.						4	*	2	*			6
	SEINE						1	85					86
	TROLL						*	*					*
PINKS	G.N.							3	*				3
	SEINE							1					1
	TROLL				*		1	5					6
CHUMS	G.N.						*		86	5141	541		5768
	SEINE									3477	178		3655
	TROLL						*	*	1				1
RED SPRING	G.N.		5	1	2	*			9	41	4		62
	SEINE						43	1	21	10	*		75
	TROLL		4	12	124	111	194	134	65	16	1		661
WHITE SPRING	G.N.		*		*	*			13	12			25
	SEINE						29		6	*			35
	TROLL		*	*	20	81	188	132	60	12			493
STEEL-HEADS	G.N.							*			1		1
	SEINE												
	TROLL					*	1						1
JACKS	G.N.								1	*			1
	SEINE						*	*		2	*		2
	TROLL		*	3	5	4	5	7	14	7	2		47

*LESS THAN .5 CWT

AREA 14

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	425	719	218	7	15	13	19	20		543	441	597	3017
ROCK SOLE	TRawl	176	135	185		4					42	96	47	685
BUTTER SOLE	TRawl		5											5
REX SOLE	TRawl													4
DOVER SOLE	TRawl													4
DRAILS	TRawl					1	1	6			38	8		54
MIXED SOLE	TRawl		6											6
TOTAL SOLE	TRawl	601	859	409	7	20	14	25	20		623	549	644	3771
FLOUNDERS	TRawl	152	569	229							87	215	244	1496
SKATE	TRawl	14	27	14	*	4						18	13	90
OTHER														
HALIBUT LGE.	L.L.													
RED	L.L.													
CHICK	L.L.													
NO. 2	L.L.													
MIXED	HL & T													
RED & ROCK COD	TRawl	55	43	41	13	5			*		71	117	136	481
L.L.														
HL & T			5	3		1	*		1	5	3			18
OTHER														
GRAY COD	TRawl	1773	742	923	71	407		753	91		765	141	235	5901
L.L.														
OTHER											1			1
BLACK COD	TRawl													
L.L.														
NON-FOOD FISH	TRawl	(1) 314	(2) 87	18		70		(3) 2			145	175	61	872
LING COD	TRawl			22	3	1		1	10		277	184	21	519
L.L.														
HL & T			682	528	219	144	200	130	184	183	177	70		2517
HERRING	SEINE						75740			19025	1570	12275		108610
G.N.														
SMELT	G.N.													
OTHER FISH	TRawl	72	95	198	*	1					7	8	27	408
G.N.														
L.L.														
HL & T			1	9	4	23	5	8	19	11	6	6	2	94
SEINE														
DAYS FISHING	TRawl	104	120	97	5	22	10	11	8		51	52	53	533
HL & T		1	176	130	251	1042	2394	1212		793	166	48	9	6222
L.L.														
G.N.				4	2	5	1	1	9	141	1281	99		1543
SEINE								INC TO HERR.	2	INC TO HERR.	162	6		170

*LESS THAN .5 CWT (1) REDUCTION (2) 82 CWT. REDUCTION (3) DOGFIS

SHEET A
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 59
AREA 15

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
COHO	G.N.							2	71	126			199
	SEINE									*			*
	TROLL					303	512	116	50	3	*		964
SOCKEYE	G.N.						1		1				2
	SEINE						*	*					*
	TROLL						*	*					
PINKS	G.N.							*	1				1
	SEINE							*					*
	TROLL						*	*					
CHUMS	G.N.								288	1028			1316
	SEINE									190			190
	TROLL						*	1					1
RED SPRING	G.N.		1	1					1	10			13
	SEINE												
	TROLL		1	17	139	93	54	13	25	12	1		355
WHITE SPRING	G.N.		*	*				*	2	18			20
	SEINE												
	TROLL		1	4	84	48	50	12	4	1			204
STEEL-HEADS	G.N.									2			2
	SEINE												*
	TROLL					*		*					
JACKS	G.N.								2	1			3
	SEINE												
	TROLL		1	*	4	3	4	4	2	1	1		20

*LESS THAN .5 CWT

AREA 15OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHICK	L.L.												
No. 2	L.L.												
MIXED	HL & T						*						*
RED & ROCK COD	TRAWL												
	L.L.												
	HL & T												
	OTHER												
		7	1	1	2	2	*	*	*				13
GRAY COD	TRAWL												
	L.L.												
	OTHER												
			T 1										T 1
BLACK COD	TRAWL												
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												
	HL & T												
		254	32	1	2	3	*	1	19	9	22	343	
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
		101	67	305	631	701	210	165	78	8	16	2282	
			2	3			1	2	96	377			481
									5				5

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 61

AREA 16

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
COHO	G.N.						2	5	155	514	18		694
	SEINE								55	27	1		83
	TROLL					503	870	254	111	18	1		1757
SOCKEYE	G.N.						119	19	49	6			193
	SEINE								24	*			24
	TROLL						*	1	*				1
PINKS	G.N.						*	4	*	*			4
	SEINE												
	TROLL				*		1						1
CHUMS	G.N.						4	1	403	11492	3327		15227
	SEINE								315	1693	48		2056
	TROLL						*	*	1	*			1
RED SPRING	G.N.	6	20	7	5	5	35	3	19	81	10		191
	SEINE								1	1			2
	TROLL	24	13	25	27	127	506	187	76	84	43	20	17
WHITE SPRING	G.N.	2	4	3	2	7	6	5	50	176	19		274
	SEINE								7	*			7
	TROLL	16	23	35	26	91	494	240	118	97	33	25	18
STEEL-HEADS	G.N.		1	*	*		*		*	3	2		6
	SEINE									*			*
	TROLL			*		*	*						*
JACKS	G.N.	*					*	*	2	4	*		6
	SEINE								*	*	*		*
	TROLL	1	8	2	6	7	11	5	20	8	3	1	72

*LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT	
LEMON SOLE	TRAWL			GN *		2							GN* 2	
ROCK SOLE	TRAWL					2							2	
BUTTER SOLE	TRAWL													
REX SOLE	TRAWL													
DOVER SOLE	TRAWL													
DRILLS	TRAWL													
BAKED SOLE	TRAWL		T 1										T 1 BS 2	
TOTAL SOLE	TRAWL		GN * T 1		4								T1 BS2 GN* 4	
FLOUNDERS	TRAWL								BS*		T1		BS* T 1	
SKATE	TRAWL													
OTHER		LL *	LL *										T* T* LL *	
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHEX	L.L.													
No. 2	L.L.													
MIXED	HL & T					*							*	
RED & ROCK COD	TRAWL													
L.L.		5	4	3	*								7 19	
HL & T	10	3	43	12	21	16	5	4	4	4	6	2	130	
OTHER		BS 1	BS *				1		BS 2		BS 3		BS 6 1	
GRAY COD	TRAWL												*	
L.L.		*												
OTHER		T *		T *			T *						T *	
BLACK COD	TRAWL													
L.L.		*	*	4									4	
NON-FOOD FISH	TRAWL													
LING COD	TRAWL													
L.L.		17	12	*									29	
HL & T		1026	774	685	221	225	166	238	303	BS* 189	57	BS * 3864		
HERRING	SEINE			132	501	1094	786	5					2518	
G.N.														
SMELT	G.N.													
OTHER FISH	TRAWL												*	
G.N.													*	
L.L.		9	26	5	*								41	
HL & T	1	5	16	24	23	27	41	11	18	27	17	17	227	
SEINE	BS 8	BS 13	BS 39	BS 83	BS 34				BS 6		BS 14	BS 6	BS 203	
DAYS FISHING	TRAWL				1								1	
HL & T	73	80	648	405	568	1642	1648	629	639	305	180	78	6025	
L.L.		16	35	15	2							4	72	
G.N.		19	39	25	28	6	119	43	317	4023	939		5522	
SEINE	BS 9	BS 23	BS 14	BS 22	BS 9				BS 7	15	69	BS 5 4	BS 3	BS 92 88

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 63

AREA 17

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	CWT
COHO	G.N.							11	3	1175	61		1250
	SEINE							*		81	1		82
	TROLL					1162	941	226	181	27	*		2537
SOCKEYE	G.N.							251	219	2	*		472
	SEINE							10		*			10
	TROLL						*	*	*				*
PINKS	G.N.							2	*				2
	SEINE							*	*				*
	TROLL						*	*	*				
CHUMS	G.N.							14	5	12872	6754		19645
	SEINE									9308	571		9879
	TROLL						5	*	*	1	*		6
RED SPRING	G.N.	1	15	5	10			4	2	99	55		191
	SEINE									3			3
	TROLL	29	53	23	38	80	147	160	39	18	33	27	92
WHITE SPRING	G.N.	*	1	1	2			3	6	43	11		67
	SEINE							*		1			1
	TROLL	2	8	3	1	7	35	48	23	11	11	6	155
STEELHEADS	G.N.			*	*			*		3	2		5
	SEINE									*			*
	TROLL		*		1	*	*						1
JACKS	G.N.		*					3	*	25	1		29
	SEINE							*		3			3
	TROLL	*	3	11	*	2	6	4	3	2	2	33	5

*LESS THAN .5 CWT

AREA 17

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	110	114	77	BS 1	86	2	2	25	17	14	20	25	52 BS 1 544
ROCK SOLE	TRawl	2	11	54		52	3	5	20	2	4	13	2	26 194
BUTTER SOLE	TRawl													
REX SOLE	TRawl			1										1
DOVER SOLE	TRawl			1				10						11
TRILLS	TRawl													TROLL *
FIXED SOLE	TRawl		20	BS 1	23	BS 4 * T 13	4 T	12	T 1	T 1	T 1	T 1	1	BS 5 T 9 69
TOTAL SOLE	TRawl	112	145	BS 1	156	BS 5 * T 151	4 T	17	T 1	7	T 1	19	T 1	28 78 BS 6 T 9 819
FLOUNDERS	TRawl	*	12	GN *	34	BS 3 *				5				
SKATE	TRawl	11	21	36	BS *	33	2	2	2	2	5	5	14	25 BS * 158
OTHER														
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T						*							*
RED & ROCK COD	TRawl	14	32	39	17	*	1	7	3	1	14	16	14	158
	L.L.			1		*								1
	HL & T		2	71	54	54	30	12	14	32	31	25	8	333
	OTHER	BS 5	BS 15	BS 10	BS 2		BS 17							BS 49
GRAY COD	TRawl	54	1011	882	272	50		6	10	5	16	145	129	2580
	L.L.													
	OTHER			T 1	*BS 1 T	* T	* T							T 2 BS *
BLACK COD	TRawl													
L.L.														
NON-FOOD FISH	TRawl	40	(1) 15		79	2	14	(2) 14	5	13	21	41	84	328
LING COD	TRawl			37	27	2		1	1	1	*	8	3	80
	L.L.					12								12
	HL & T		*BS 1035	1 BS 939	738	467	316	300	530	715	598	140 BS 1	5778	
HERRING	SEINE				5024	330					128452	55737		189543
G.N.	787 OT	17 OT 55	35			OT 15							OT 857	52
SMELT	G.N.													
OTHER FISH	TRawl	3	63	11	2	1		1			*	4	1	86
	G.N.											*		*
	L.L.													
	HL & T			75	23	31	2	4	3	2	1	*		141
	SEINE			BS 7	BS 50	BS 3								BS 60
DAYS FISHING	TRawl	28	88	118	49	7	2	6	4	4	7	25	26	364
	HL & T	66	122	584	565	619	1670	1850	749	668	430	401	166	7690
	L.L.			2		3								5
	G.N.	HERR. 4 1	HERR. 11 17	9	18			130	46	3658	1963			HERR. 15 5842
	SEINE	BS 1	BS 7	BS 7	BS 14	BS 1	BS 2		2		282	44		BS 32 328

*LESS THAN .5 CWT (1) REDUCTION 10 CWT. (2) TURBOT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 65

AREA 18

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							15	6	38	29		88
	SEINE						*	28	10	7	4		49
	TROLL				*	6	3	7	7				23
SOCKEYE	G.N.						3	839	353				1195
	SEINE						4	25361	33972				59337
	TROLL												
PINKS	G.N.							1	*				1
	SEINE							50	1				51
	TROLL												
CHUMS	G.N.							1	14	264	4034		4313
	SEINE							4	4	149	3437		3594
	TROLL												
RED SPRING	G.N.		3					7	2	3	9		24
	SEINE							8	3	*	2		13
	TROLL				4	3	8	3	1	*	*		19
WHITE SPRING	G.N.		1					5	8	2	4		20
	SEINE							3	4	*	*		7
	TROLL					2	1	13	2	1	1		21
STEEL-HEADS	G.N.							*			23		28
	SEINE							*			1		1
	TROLL												
JACKS	G.N.							4	2	*	*		6
	SEINE							2	2	*	1		5
	TROLL					1	*	*					1

*LESS THAN .5 CWT

AREA 18OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- Dec 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	101	91	167	47	19	43	3	20	174	111	29	805
ROCK SOLE	TRawl	2	3	7	10	1		2	7	48		2	82
BUTTER SOLE	TRawl										*		*
REX SOLE	TRawl												*
DOVER SOLE	TRawl	*	*	*	*								*
DRILLS	TRawl	1											1
EXED SOLE	TRawl		2	2	18	12							34
TOTAL SOLE	TRawl	104	96	176	75	32	43	5	27	222	111	31	922
FLOUNDERS	TRawl	2	4	4	*								10
SKATE	TRawl	21	33	53	12	3	*		2	7	20	21	29
OTHER													201*
HALIBUT LGE.	L.L.												
MED.	L.L.						1						1
CHICK	L.L.												
NO. 2	L.L.												
MIXED	HL & T					3							3
RED & ROCK	TRawl	15	21	10	10	1		1		9	9	14	90
COD	L.L.												
HL & T			17	13	32	14	19	20	3	4	5	7	134
OTHER	BS 2	BS 31											BS33
GRAY COD	TRawl	1417	2049	1581	508	68	*	1	79	259	1205	1184	8351
L.L.													
OTHER			GN 2		* T								GN2 T*
BLACK COD	TRawl											*	*
L.L.													
NON-FOOD FISH	TRawl	(1) 266	252	682	(2) 83	4	17			165	497	1337	3183
LING COD	TRawl			79	10	2	*		*	15	14	84	243
L.L.													*
HL & T			228	521	401	305	515	260	147	156	140	28	2701
HERRING	SEINE	5500							1040	469250	352385		828175
G.N.	OT 487								119 OT	2 OT			608 OT
SMELT	G.N.												
OTHER FISH	TRawl	19	26	21	2	7			1	4	8	15	103
G.N.													
L.L.													
HL & T			6	5	*				*	*			11
SEINE													
DAYS	TRawl	108	181	154	48	9	4	1	21	36	94	60	716
FISHING	HL & T		165	159	246	216	329	192	98	53	59	16	1533
L.L.							1						1
G.N.			3				2	280	77	143	1041		1546
SEINE	BS 1	BS 9					2	484	234	13	154		BS10 887

*LESS THAN .5 CWT (1) 150 CWT. REDUCTION (2) TURBOT, BIG EYE 47 CWT.

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov. 28- DEC 31	CWT
COHO	G.N.							5	8				13
	SEINE							66	40				106
	TROLL							2	39	1			42
SOCKEYE	G.N.							129	8				137
	SEINE							1183	723				1906
	TROLL							*					*
PINKS	G.N.							*					*
	SEINE							*					*
	TROLL												*
CHUMS	G.N.							*	2				2
	SEINE							4	*				4
	TROLL							*	*				*
RED SPRING	G.N.							1					1
	SEINE							7	1				8
	TROLL			*				1	*	*	5		6
WHITE SPRING	G.N.							1	*				1
	SEINE							1	1				2
	TROLL							*	*		1		1
STEEL-HEADS	G.N.							*					*
	SEINE							1					1
	TROLL												*
JACKS	G.N.							*	1				1
	SEINE							*	*				*
	TROLL							*					*

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL	4		25	11								40
ROCK SOLE	TRAWL	2			5								7
BUTTER SOLE	TRAWL												*
REX SOLE	TRAWL			*									*
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL	6		25	16								47
FLOUNDERS	TRAWL		1	*	*								1
SKATE	TRAWL	2	1	3	2								8
OTHER													
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHEX	L.L.												
No. 2	L.L.												
MIXED	HL & T				*								*
RED & ROCK COD	TRAWL	*	2	2	7								11
	L.L.												
	HL & T		*		*								
	OTHER												
GRAY COD	TRAWL	67	87	105	66								325
	L.L.												
	OTHER				T *								T *
BLACK COD	TRAWL												
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL			6	7								13
	L.L.												
	HL & T			48	73	26	65	20	74	84	93	38	538
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL	9	8	11	11								39
	HL & T			35	53	11	40	15	32	118	40	26	8
	L.L.												
	G.N.												60
	SEINE												82

*LESS THAN .5 CNT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG. 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO G.N. TRAP & SEINE TROLL								273	504	269			1046
						1	1229	3684	1653	112			6679
								5	25				30
SOCKEYE G.N. TRAP & SEINE TROLL							2	4468	1279				5749
					3	17	8231	84865	15692				108798
PINKS G.N. TRAP & SEINE TROLL								5	3				8
							3	16	1				20
								*					*
CHUMS G.N. TRAP & SEINE TROLL								45	31	205			261
						1	12	219	104	208			544
RED G.N. SPRING TRAP & SEINE TROLL								15	7	4			25
					41	411	904	791	52	18			2217
								2	*	1	13		16
WHITE G.N. SPRING TRAP & SEINE TROLL								6	5	1			13
					2	52	284	365	124	6			833
								1	*		1		2
STEEL-HEADS G.N. TRAP & SEINE TROLL								4	6	*			10
					10	11	41	25	20	10			117
JACKS G.N. TRAP & SEINE TROLL							*	9	5				14
							94	90	6				190
								*		*			*

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRAWL			38	3			49	21	16	5		132	
ROCK SOLE	TRAWL			*	3					1			4	
BUTTER SOLE	TRAWL													
REX SOLE	TRAWL			4				16					20	
DOVER SOLE	TRAWL			*				83	10				93	
DRILLS	TRAWL			2	2			15	21	10			50	
MIXED SOLE	TRAWL			18	1	TRAP 1		TRAP 1					TRAP 2 19	
TOTAL SOLE	TRAWL			62	9	TRAP 1		163	TRAP 1 52	27	5		TRAP 2 318 *	
FLOUNDERS	TRAWL			*				9	7	9	1			
SKATE	TRAWL			3	2								31	
OTHER						TRAP 3			TRAP 2				TRAP 5	
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T												3	
RED & ROCK COD	TRAWL			3	5	7		196	56	10	1		278	
	L.L.				*			*					*	
	HL & T													
	OTHER					TRAP 6	TRAP 20	TRAP 19	TRAP 6	TRAP 10	TRAP 7		TRAP 68	
GRAY COD	TRAWL			50	6	5		98	107	110			376	
	L.L.													
	OTHER													
BLACK COD	TRAWL							*					*	
	L.L.							TRAP 3	TRAP 1				TRAP 4	
NON-FOOD FISH	TRAWL													
LING COD	TRAWL			20	15	(1) 38		1003	(2) 981	343	30		2430	
	L.L.			4	4			84	28	11			131	
	HL & T			3	1	21	25	16	TRAP 1 23	TRAP 8 22	TRAP 11 14	TRAP 9 45	TRAP 3 9	TRAP 32 211
HERRING	SEINE													
	G.N.													
SMELT	G.N.													
OTHER FISH	TRAWL			*								1	1	
	G.N.												* STUR. 3	
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRAWL			11	4	1	2	18	14	4	2		56	
	HL & T			1	1	6	11	10	9	11	16	27	132	
	L.L.													
	G.N.													
TRAP & SEINE								2	559	241	60		862	
								8	222	1108	495	17	1852	

*LESS THAN .5 CWT (1) TURBOT (2) 31 CWT. TURBO

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 71

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

AREA 21

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.							2	2				4
	SEINE						8	38		5			51
	TROLL					1	802	378	909	110			2200
SOCKEYE	G.N.					79		21	14				114
	SEINE						52	4905					4957
	TROLL						11	6	1				18
PINKS	G.N.							1					1
	SEINE						*	1					1
	TROLL												*
CHUMS	G.N.							5		531			536
	SEINE									2	*		2
	TROLL												*
RED SPRING	G.N.							*					*
	SEINE						1	8		*			9
	TROLL				10	263	242	98	236	26			875
WHITE SPRING	G.N.								*				*
	SEINE						1	2					3
	TROLL				5	56	64	37	72	4			238
STEEL-HEADS	G.N.					*			*				*
	SEINE							1					1
	TROLL					*		1	*				1
JACKS	G.N.							1	*				1
	SEINE							2	1	10	1		14
	TROLL												

*LESS THAN .5 CWT

AREA 21OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV 28- DEC 31	CWT
LEMON SOLE	TRAWL				9	14	3	2	2	5	*		35
ROCK SOLE	TRAWL		49	54	21	7	3	11			*		145
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL							6					6
DOVER SOLE	TRAWL			*	6								6
FLILLS	TRAWL				6	27	271	288	1	104	5		702
FIXED SOLE	TRAWL		44	92	10	1					*		147
TOTAL SOLE	TRAWL		93	161	78	282	299	14	109		5		1041
FLOUNDERS	TRAWL			*									*
SKATE	TRAWL				5	2	2	8	3				20
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHICK	L.L.												
No. 2	L.L.												
MIXED	HL & T				*			4					4
RED & ROCK COD	TRAWL			2	12	88	56		20				178
	L.L.						*						*
	HL & T												*
	OTHER												
GRAY COD	TRAWL		731	776	297	668	432	8	7		27		2946
	L.L.												
	OTHER												
BLACK COD	TRAWL					1		2					3
	L.L.						20						20
NON-FOOD FISH	TRAWL				78	(1) 252	(2) 170		(2) 174		91		763
LING COD	TRAWL		4	8	20	645	727	97		98			1599
	L.L.												
	HL & T				1	5	11	10	13	1			41
HERRING	SEINE						4550						4550
	G.N.												
SMAELT	G.N.												
OTHER FISH	TRAWL			1	*								1
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL		8	26	15	40	24	16	10	2	2		143
	HL & T				2	130	262	153	379	71			997
	L.L.						2						2
	G.N.					61		9	1				71
	SEINE						1	40		5			46

*LESS THAN .5 CWT (1) 130 CWT. TURBOT (2) TURBOT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHTS; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	JULY 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.										107		107
	SEINE										258		258
	TROLL												
SOCKEYE	G.N.				323	253							576
	SEINE												
	TROLL												
PINKS	G.N.												
	SEINE												
	TROLL												
CHUMS	G.N.									5391			5391
	SEINE									23799			23799
	TROLL												
RED SPRING	G.N.										5		5
	SEINE										12		12
	TROLL												
WHITE SPRING	G.N.										1		1
	SEINE										6		6
	TROLL												
STEEL-HEADS	G.N.				3	1					*		4
	SEINE										*		*
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL												

AREA 22OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER													
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												
	HL & T												
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
						277	216				291		784
											177		177

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 75

AREA 23

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	NOV. 28- DEC 31	CWT
COHO	G.N.					*	5	26	213	304			548
	SEINE							1	113	155			269
	TROLL					526	5954	6776	7357	281	*		20894
SOCKEYE	G.N.				32	536	1146	246	18				1978
	SEINE							1	*	*			1
	TROLL					*	194	679	18				891
PINKS	G.N.						1	2	*				3
	SEINE								*	*			*
	TROLL			*	*	1	9	3					13
CHUMS	G.N.						1		191	7841			8033
	SEINE								1545	28650			30195
	TROLL		*	6	1	*	*	2	1				10
RED SPRING	G.N.					1	7	136	228	45			417
	SEINE							9	3	8			20
	TROLL	9	10	419	1187	3443	3548	4792	2750	2614	152	14	44
WHITE SPRING	G.N.					*	*	1	1	1			3
	SEINE								1	1			2
	TROLL	*		95	475	1259	989	1424	1025	654	19	*	*
STEEL-HEADS	G.N.				5	22	59	7	4	10			107
	SEINE									*			*
	TROLL			*		1	3	5	*		*		9
JACKS	G.N.			*	3	9	3	2	1				18
	SEINE								1	5			6
	TROLL	*		1	4	10	9	16	12	36	1	*	*

*LESS THAN .5 CWT

AREA 23OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL 29				41	26	10	26	11		11		154
ROCK SOLE	TRAWL 17		2	6	18	31	28	7	117	3	90		319
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL				1	34							33
DOVER SOLE	TRAWL				95	520	426	1183	1194	896	1272	234	5620
SHOALS	TRAWL				5								5
BLKED SOLE	TRAWL												
TOTAL SOLE	TRAWL 46		2	148	598	467	1237	1212	1013	1275	335		6333
FLOUNDERS	TRAWL 50			8							8		66
SKATE	TRAWL 1			12	8	10	26	12		14	3		85
OTHER													
HALIBUT LGE.	L.L.				52	96		2					150
MED.	L.L.				1179	637		75					1893
CHIX	L.L.				132	87		9					223
No. 2	L.L.				4	*							4
MIXED	HL & T				338	107		46					491
RED & ROCK COD	TRAWL 11			12	11	5	32	59	32	6			163
L.L.	9				1	2		1					13
HL & T		2			1			*					3
OTHER													
GRAY COD	TRAWL			967	1961	3905	3393	739	414	330	83		11702
L.L.													
BLACK COD	TRAWL				*	*	40	25	143	187			393
L.L.							1						1
NON-FOOD FISH	TRAWL 70			(1) 36	239		(2) 459	282	304	162	50		1612
LING COD	TRAWL 1			62	657	397	1145	756	357	103	53		3538
L.L.	60				191	71		7				40	322
HL & T	210	336	823	33	206	203	194	80	49	6	6	54	2030
HERRING	SEINE 53953	12707									65267	35033	167020
ANCHOVIES	G.N.												
SHELT	SEINE G.N.				104								104
OTHER FISH	TRAWL 3			2	1	*		STUR. *			*		6
G.N.					*	STUR. 1		1					* STUR. 1
L.L.													1
HL & T													
SEINE													
DAYS FISHING	TRAWL 5		1	29	88	88	92	93	48	22	10		477
HL & T	219	233	1135	1852	3668	3373	5048	3703	3495	329	38	103	23193
L.L.	6				84	58		13			4		163
G.N.					84	532	644	256	275	625			2316
SEINE								3	25	430			453

*LESS THAN .5 CWT (1) UNCLASSIFIED (2) 159 CWT. TURBOT, 289 CWT. DOGFISH

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 77

AREA 24

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.										2		2
	SEINE						27	12	83	159			281
	TROLL					267	775	1574	857	14			3487
SOCKEYE	G.N.												
	SEINE				6	3	747	187					943
	TROLL				*	22	132	5					159
PINKS	G.N.												
	SEINE					*	79	14					93
	TROLL				*	1	11	3					15
CHUMS	G.N.									106			106
	SEINE						*	8	2238	9464			11710
	TROLL			*	*	*	*	*	7				7
RED SPRING	G.N.									*			*
	SEINE						3	4	1				8
	TROLL	3	39	47	852	669	1159	1120	531	18			4438
WHITE SPRING	G.N.												
	SEINE						2						2
	TROLL	*	3	5	81	117	100	121	35	*			462
STEEL-HEADS	G.N.												*
	SEINE						*						
	TROLL					*	1	1	1				3
JACKS	G.N.												
	SEINE						3						3
	TROLL	*	*	1	2	6	4	7	*				20

LESS THAN .5 CWT

AREA 24OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- Nov 27	Nov 28- DEC 31	CWT
LEMON SOLE	TRawl	46	2	13	15	36	2		8				122
ROCK SOLE	TRawl	46	50	60	13	23	3	5	67	877		83	1227
BUTTER SOLE	TRawl												
REX SOLE	TRawl		5		9								14
DOVER SOLE	TRawl			*	8								8
DRILLS	TRawl												
BLAKED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl	137	71	77	125								
SKATE	TRawl	1	6	4									
OTHER				LL	4								LL *
HALIBUT LGE.	L.L.					15	16						31
RED. MED.	L.L.					274	99						373
CHIX	L.L.					39	14						53
No. 2	L.L.					*							*
BLAKED	HL & T					113	5						125
RED & ROCK	TRawl	18	42	8	4	364	9						492
COD	L.L.	9			1		1						11
	HL & T					7		1					12
OTHER						1	4	*	*	*			
GRAY COD	TRawl	13	92	38	154	962	46	365	38	5	45		1758
BLACK COD	TRawl												
NON-FOOD FISH	TRawl	8			133	220	(1) 46	98					505
LING COD	TRawl	3	2	8	35	764	69	216	169	323			*
	L.L.	135				47	17						1589
	HL & T				7	77	82	86	56	19			199
		146	544										1017
HERRING	SEINE	44242	3808									263	48313
	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl	*	2		1								3
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl	8	9	32	12	67	14	11	8	18	2	8	189
	HL & T		20	260	126	754	1029	1665	1572	910	38		6374
	L.L.												105
	G.N.												15
	SEINE												473

*LESS THAN .5 CWT (1) TURBOT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 75

AREA 25

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.								*	22			22
	SEINE								103	422			525
	TROLL					16	895	1551	1804	28	*		4294
SOCKEYE	G.N.									*			*
	SEINE									1			1
	TROLL				*		17	223	17				257
PINKS	G.N.												
	SEINE								46				46
	TROLL						3	2	1				6
CHUMS	G.N.								17	535			552
	SEINE								2481	19002			21483
	TROLL				2	*	*	1	3		*		6
RED SPRING	G.N.									1			1
	SEINE								*	1			1
	TROLL		75	356	627	464	2683	2167	1623	304	626	*	8925
WHITE SPRING	G.N.												
	SEINE												
	TROLL		6	85	201	209	886	619	165	13	28		2112
STEEL-HEADS	G.N.												
	SEINE												
	TROLL						1	*	3				4
JACKS	G.N.									*			*
	SEINE									*			*
	TROLL		*	1	1	2	2	5	*	*			11

LESS THAN .5 CWT

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRAWL				9	24	11						44
ROCK SOLE	TRAWL					1							1
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL				3								3
SHRIMP	TRAWL			19	403	122	7						551
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL			31	428	133	7						599
FLOUNDERS	TRAWL												
SKATE	TRAWL				1	3							4
OTHER	OTHER												
HALIBUT LGE.	L.L.				9								9
MED.	L.L.				103								103
CHICK	L.L.				6								6
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL				76	86	38						200
COD	L.L.	10			4								4
	HL & T		5	*									10
	OTHER												5
GRAY COD	TRAWL				108	65	28						201
L.L.	L.L.												
OTHER	OTHER												
BLACK COD	TRAWL												
L.L.	L.L.												
NON-FOOD FISH	TRAWL				*								*
LING COD	TRAWL					9	104	29	2	158			302
L.L.	L.L.	63			17								80
HL & T	HL & T	283	6	28	35	135	58	53	4	*			602
HERRING	SEINE	86953	10488										97441
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL				1 STUR.	*							1 STUR. *
	G.N.												
	L.L.												*
	HL & T						*						
	SEINE												
DAYS FISHING	TRAWL				3	20	3	1	2				29
HL & T	HL & T		137	234	633	566	2109	1518	1599	180	241	1	7218
L.L.	L.L.	6			11								17
G.N.	G.N.												38
SEINE	SEINE							1	68	393			462

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 81

AREA 26

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							1					1
	SEINE							1	33	239			273
	TROLL					95	937	1736	2171	99			5038
SOCKEYE	G.N.												
	SEINE									*			*
	TROLL				*	*	4	42	11				57
PINKS	G.N.							18					18
	SEINE							30	1	*			31
	TROLL				*		*	9	*				9
CHUMS	G.N.												
	SEINE							1	393	7418			7812
	TROLL				*			*	1				1
RED SPRING	G.N.												
	SEINE												
	TROLL			31	67	282	276	520	502	498	70	42	2288
WHITE SPRING	G.N.												
	SEINE												
	TROLL			2	6	27	35	74	144	23	*	*	311
STEEL-HEADS	G.N.												
	SEINE												
	TROLL						*		1	*			1
JACKS	G.N.												
	SEINE												
	TROLL			*	*	*	2	1	2	*			5

*LESS THAN .5 CWT

AREA 26OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL				1								1
ROCK SOLE	TRAWL			57	368	62		11	105				603
BUTTER SOLE	TRAWL												*
REX SOLE	TRAWL				*								*
DOVER SOLE	TRAWL												
TRILLS	TRAWL			95	7LL 1T 172	19		1LL T2	172				8LL 3T 458
MIXED SOLE	TRAWL				511	T*		2LL					7LL T*
TOTAL SOLE	TRAWL			152	32LL 1T 541	81		3LL T2 11	277				15LL 3T 1062
FLOUNDERS	TRAWL												
SKATE	TRAWL			3	1				1				5
OTHER													
HALIBUT LGE.	L.L.				49	7		9					65
MED.	L.L.				2267	498		729					3494
CHICK	L.L.				209	35		55					299
NO. 2	L.L.				*	3		*					8
MIXED	HL & T				356	32		428	1L 44	1L 34	1L 14		92LL 816
RED & ROCK	TRAWL				2								3
COD	L.L.			16	18	1	2						137
	HL & T					1							1
OTHER													
GRAY COD	TRAWL				44								44
	L.L.												
	OTHER												
BLACK COD	TRAWL				5								679
	L.L.												
NON-FOOD FISH	TRAWL				6								6
													85
LING COD	TRAWL			5	34	19		2	25				491
	L.L.			231	83	27		14	9				233
	HL & T			10	6	44	29	62	50	28	4		
HERRING	SEINE	53227	1285										64850
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL				STUR. 20								STUR. 20
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL			4	11	6		1	5				27
	HL & T			64	426	407	1101	635	1070	110			4130
	L.L.			8	285	98		75	31	25			536
	G.N.												1
	SEINE												158

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 63

AREA 27

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.							21	34	113			168
	SEINE						*	373	496	72			941
	TROLL					102	648	1199	2376	23			4348
SOCKEYE	G.N.						5		*	*			5
	SEINE					49	68	452	*				569
	TROLL						2	7	7				16
PINKS	G.N.							475	51	*			526
	SEINE							6322	110				6432
	TROLL					*	2	16	3				21
CHUMS	G.N.							13	273	1808			2094
	SEINE							441	901	2876			4218
	TROLL				*	*	*	1	1				2
RED SPRING	G.N.							*		2			2
	SEINE							10					10
	TROLL		3	74	200	173	134	184	149	3		34	954
WHITE SPRING	G.N.									*			*
	SEINE							1	*				1
	TROLL		*	6	25	19	26	24	9	*			109
STEEL-HEADS	G.N.							*	*				*
	SEINE							*	*				*
	TROLL						*	*	*	*			*
JACKS	G.N.							*					*
	SEINE							*					*
	TROLL				*	*	1	1	*				2

* LESS THAN .5 CWT

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER													
HALIBUT LGE.	L.L.				22	8		33					63
MED.	L.L.				1174	420		147					1741
CHEX	L.L.				251	96		22					369
No. 2	L.L.				6								6
MIXED	HL & T				262	26	LL 12	45	LL 35	LL 21	LL 14		LL 82 333
RED & ROCK	TRAWL												
COD	L.L.	6	12										
	HL & T		*										
OTHER													
GRAY COD	TRAWL												
	L.L.												
OTHER													
BLACK COD	TRAWL												
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.	29	104		52	38	3	24	4	4	62	17	337
	HL & T		87	21	114	49	90	88	28				477
HERRING	SEINE	39370	3556										130924 173850
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS	TRAWL												
FISHING	HL & T												
	L.L.	26	118	402	302	677	661	841	17				
	G.N.	6	2	158	94	6	33	21	7	4	11	1	3055
	SEINE												332
													474
						7	6	173	89	79			354

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 85

AREA C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												
	SEINE												
	TROLL						1	111	42	10			164
SOCKEYE	G.N.												
	SEINE												
	TROLL							3	1				4
PINKS	G.N.												
	SEINE												
	TROLL						*						*
CHUMS	G.N.												
	SEINE												
	TROLL						*						*
RED SPRING	G.N.												
	SEINE												
	TROLL						380	29	10	4			423
WHITE SPRING	G.N.												
	SEINE												
	TROLL						49	15	4	2			70
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL								*				*

*LESS THAN .5 CWT

AREA C

OTHER FISH

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 87

SUMMARY - DISTRICT 1

	<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV. 28- DEC 31	CWT
COHO	G.N.						20	339	2955	6323	234		9871
	SEINE									7			7
	TROLL				15	9	12	6					42
SOCKEYE	G.N.				2	14065	28775	106357	5747	20			154966
	SEINE									1063			1063
	TROLL												
PINKS	G.N.						1	12	2	1			16
	SEINE												
	TROLL												
CHUMS	G.N.						6	46	4386	36060	31904		72402
	SEINE									9			9
	TROLL												
RED SPRING	G.N.	10	146	693	1032	2360	3777	2462	1060	555	23		12118
	SEINE												
	TROLL	41	46	4	16	88	14	8	2		7	36	262
WHITE SPRING	G.N.	9	27	36	36	147	1439	1678	6882	8594	66		18914
	SEINE									1			1
	TROLL	6	4	4	5	62	26	4	6	5	8	35	165
STEEL-HEADS	G.N.	39	62	66	43	9	40	20	197	553	106		1135
	SEINE												
	TROLL												
JACKS	G.N.					2	209	298	850	195	2		1556
	SEINE												
	TROLL		3	2		16		1	1		*	23	

*LESS THAN .5 LBT

SUMMARY - DISTRICT 1

OTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL 9	64	94	80	160	84	151	87	68	88	19	71	975
ROCK SOLE	TRAWL *	5	*	2	4			1					12
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL					2							2
MIXED SOLE	TRAWL	5	11	16	15	1							48
TOTAL SOLE	TRAWL 9	74	105	98	179	87	151	88	68	88	19	71	1037
FLOUNDERS	TRAWL 87	78	34	8	11GN	6GN	13	20	29	14	1GN	1	337
SKATE	TRAWL 16	18	23	15	17	27	39	25	28	49	25	43	325
OTHER													
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHICK	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL 1	1	1	2				1					6
	L.L. 5			1	2	1							1
	HL & T						1						9
	OTHER							2					2
GRAY COD	TRAWL 10	39	62	97	323	41	40	11	9	11	5	11	659
	L.L.												
	OTHER												
BLACK COD	TRAWL L.L.												
NON-FOOD FISH	TRAWL 113	147	342	193	760	213	265	149	38	53	46	18	2337
LING COD	TRAWL 7		6	13	11	11	11	6	9		2	5	70
	L.L. 28		1	15	2	39					20		105
EULACHONS	GN			395	2947								3342
HERRING	SEINE G.N.			55	875	136	110	15	5				1196
SMELT	G.N.					32	38	136	47				253
OTHER FISH	TRAWL 5	13	5 STUR.	1	5	5	2			1	3	.5 STUR.	35
	G.N. * STUR.	5 STUR.	11 STUR.	39 STUR.	52 STUR.	36 STUR.	23 STUR.	6	31 STUR.	28 STUR.	1 STUR.		226 STUR.
	L.L. 4	*	1										5
	HL & T												
	SEINE												
DAYS FISHING	TRAWL 19	32	47	33	73	67	36	24	14	22	17	16	400
	HL & T 85	72	17	39	123	32	11	17	11		25	84	516
	L.L. 7				7								
	G.N. 137	619	34 HER. 1937	123 HER 2474	56 HER. 2926	25 HER. 9315	4 HER. 11203	2 HER. 20426	16059	8463		HER. 244 73569	
	SEINE		GN EUL. 63	GN EUL. 145	GN SMELT 34	GN SMELT 36	GN SM. 90	GN SM. 33	45			GN EUL. 208 45	
												GN SM. 193	

*LESS THAN .5 CWT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 89

AREA 28

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	Nov. 28- DEC 31	CWT
COHO	G.N.								1	3	262	25	291
	SEINE												
	TROLL					12	9	12	6		*		39
SOCKEYE	G.N.							6	13	124	4	*	147
	SEINE												
	TROLL												
PINKS	G.N.							*					*
	SEINE												
	TROLL						*						*
CHUMS	G.N.								*	3777	7998		11775
	SEINE												
	TROLL										*		*
RED SPRING	G.N.							7	1	*	2	10	20
	SEINE												
	TROLL	41	46	4	16	86	14	8	2	*		7	36
WHITE SPRING	G.N.							3	2	5	12	12	34
	SEINE												
	TROLL	6	4	4	5	62	26	4	6	5		8	35
STEELHEADS	G.N.	*								*	*	1	1
	SEINE												
	TROLL												
JACKS	G.N.								1	*	1	*	2
	SEINE												
	TROLL				3	2	*	16		1	1		*

*LESS THAN .5 CWT

AREA 28

OTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
FIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL										GN 2		GN 2
SKATE	TRAWL		*										*
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHICK	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL												
L.L.													
HL & T		5	*	1	2	*	1				*	*	9
OTHER													2
GRAY COD	TRAWL			*									*
L.L.													
OTHER											T *	T *	
BLACK COD	TRAWL												
L.L.													
NON-FOOD FISH	TRAWL												
LING COD	TRAWL			1	*		1			*			2
L.L.													
HL & T		*	1	15	2	39	*		GN *	19		GN *	76
HERRING	SEINE												
G.N.													
SMELT	G.N.												
OTHER FISH	TRAWL			*			2	*		*			2
G.N.													* STUR. *
L.L.													
HL & T		4	*	1	*								5
SEINE													
DAYS FISHING	TRAWL			INC. TO SHRIMP	INC. TO SHRIMP	INC. TO SHRIMP			INC. TO SHRIMP			INC. TO SHRIMP	
HL & T		65	71	14	39	123	28	11	17	10		25	84
L.L.													507
G.N.				1				15	15	37	1268	2039	3375
SEINE													

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER Nov. 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.	*				*	19	306	2559	5182	208		8274
	SEINE									7			7
	TROLL					3			*				3
SOCKEYE	G.N.				2	*	11211	23912	91131	3632	20		129908
	SEINE									1063			1063
	TROLL												
PINKS	G.N.						1	10	2	1			14
	SEINE												
	TROLL												
CHUMS	G.N.						6	37	3877	29890	23786		57596
	SEINE									9			9
	TROLL												
RED SPRING	G.N.	6	120	572	687	1807	2577	1687	817	387	13		8673
	SEINE												
	TROLL	*			*								*
WHITE SPRING	G.N.	6	22	27	25	119	1039	1161	5880	5968	54		14301
	SEINE									1			1
	TROLL	*				*			*				*
STEELHEADS	G.N.	19	52	50	32	8	36	16	164	494	105		976
	SEINE									*			*
	TROLL					*							*
JACKS	G.N.			*	*	2	191	262	774	149	2		1380
	SEINE									*			*
	TROLL												

*LESS THAN .5 CWT

AREA 29 A&BOTHER FISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 1	MAY 2- MAY 29	MAY 30- JUN 26	JUN 27- JULY 31	AUG 1- AUG 28	AUG 29- SEPT 25	SEPT 26- OCT 30	OCT 31- NOV 27	NOV 28- DEC 31	CWT	
LEMON SOLE	TRAWL	9	35	93	78	146	33	135	84	67	80	17	66	843
ROCK SOLE	TRAWL	*	*	*	2			*						2
BUTTER SOLE	TRAWL													
REX SOLE	TRAWL													
DOVER SOLE	TRAWL													
PRILLS	TRAWL						2							
MIXED SOLE	TRAWL		5	11	15	15								2
TOTAL SOLE	TRAWL	9	40	104	95	161	35	135	84	67	80	17	66	846
FLOUNDERS	TRAWL	5	16	32	5	GN 5	9	18	29	14	GN 1	1	GN 21	134
SKATE	TRAWL	3		23	12	15	15	36	22	24	11	14	24	199
OTHER														
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHICK	L.L.													
No. 2	L.L.													
MIXED	HL & T													
RED & ROCK	TRAWL		1	1	1	2				1	*			6
COD	L.L.				1									1
OTHER	HL & T													
GRAY COD	TRAWL	1	32	62	88	294	24	37	10	9		3	5	565
OTHER	L.L.													
BLACK COD	TRAWL													
LING COD	TRAWL			7	5	12	3	9	6	7		1	3	53
HL & T	L.L.				1									1
EULACHONS	G.N.				170	211				*		1		29
HERRING	SEINE													381
G.N.														
SMAELT	G.N.													
OTHER FISH	TRAWL		4	11	STUR. 5	1	4	1				1	3	STUR. 5 25
	G.N.		STUR. *	STUR. 1	STUR. 11	STUR. 6	STUR. 12	STUR. 13	STUR. 9	2	STUR. 8	1	STUR. 12	STUR. 1
	L.L.													STUR. 73 3
	HL & T													
	SEINE													
DAYS	TRAWL	6	20	46	30	55	24	33	21	12	9	12	14	282
FISHING	HL & T		1	3			4			1				9
	L.L.					7								7
	G.N.		79	511	1520	1757	2080	6585	8696	16229	12690	6352		56400
	SEINE				GN EUL. 45	GN EUL. 57					45			GN EUL. 102 45

*LESS THAN .5 CWT (1) SOLE, TURBOT, SKATE, GREY COD (2) 400 CWT. GREYFISH CARCASSES (3) 160 CWT. GREYFISH CARCASSES AND 5 CWT. TURBOT (4) TURBOT

SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SALMON

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 93

AREA 29 C

*LESS THAN .5 CWT

OTHER FISH

*LESS THAN .5 CWT (1) TURBOT

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 95

AREA 29 D

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER Nov. 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						*	15	242	738			995
	SEINE												
	TROLL												
SOCKEYE	G.N.						2480	4035	1744	2002			10261
	SEINE												
	TROLL												
PINKS	G.N.							*	*	*			*
	SEINE												
	TROLL												
CHUMS	G.N.						*	8	389	1710	8		2115
	SEINE												
	TROLL												
RED SPRING	G.N.	4	26	121	323	502	1152	758	204	157			3247
	SEINE												
	TROLL												
WHITE SPRING	G.N.	3	5	9	10	26	375	495	727	2542			4192
	SEINE												
	TROLL												
STEEL-HEADS	G.N.	20	10	16	11	1	4	3	28	53			146
	SEINE												
	TROLL												
JACKS	G.N.						13	21	32	41			107
	SEINE												
	TROLL												

*LESS THAN .5 CWT

AREA 29 DOTHER FISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL												
ROCK SOLE	TRAWL												
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												
DRILLS	TRAWL												
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL												
FLOUNDERS	TRAWL												
SKATE	TRAWL												
OTHER	OTHER												
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRAWL												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL												
	L.L.												
	OTHER												
BLACK COD	TRAWL												
	L.L.												
NON-FOOD FISH	TRAWL												
LING COD	TRAWL												
	L.L.												
	HL & T												
EULACHONS	G.N.			225	2736								2961
HERRING	SEINE												
	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.	STUR. *	STUR. 4		STUR. 32	STUR. 39	STUR. 22	STUR. 14	STUR. 22 *	STUR. 16			STUR. 149 *
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL												
	HL & T												
	L.L.												
	G.N.	57	108	417	652	754	2262	1804	1392	1626	1		9073
	SEINE			EUL. 18 GN	EUL. 88 GN								EUL. 106 GN

*LESS THAN .5 CWT

SECTION C - SHELLFISH

TOTAL SHELLFISH PRODUCTION BY MONTHS FOR
EACH AREA IS SHOWN IN THIS SECTION. CON-
SOLIDATION OF AREAS WHERE PRODUCTION IS
SMALL IS SHOWN AT THE FIRST OF THE SECTION.

SHELLFISH - CONSOLIDATION OF AREAS 2AE, 2AW, 6, 7 AND 8

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
2AE	APRIL	CRABS	TRAPS	495	16
	MAY	"	"	924	26
	JUNE	"	"	457	21
	JULY	"	"	1 345	43
	AUGUST	"	"	1 954	49
	SEPTEMBER	"	"	1 266	23
	OCTOBER	"	"	350	6
	TOTAL	CRABS	TRAPS	6 791	184
2AW	AUGUST	CRABS	TRAPS	141	2
6	MARCH	CLAMS (BUTTER)		890	263
7	MARCH	CLAMS (BUTTER)		548	204
	APRIL	" "		1 805	509
	TOTAL	CLAMS (BUTTER)		2 353	713
8	APRIL	CRABS	TRAPS	15	24

SHELLFISH - CONSOLIDATION OF AREAS 21, 22 AND 23

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
21	MARCH	CRABS	TRawl	3	INCIDENTAL
	APRIL	"	"	39	"
	MAY	"	"	8	"
	JULY	"	TRAP	168	23
	TOTAL	CRABS	TRawl	50	INCIDENTAL
	"	"	TRAPS	168	23
22	APRIL	CRABS	TRAPS	11	4
23	APRIL	CRABS	TRawl	4	INCIDENTAL
	MAY	"	"	21	"
	NOVEMBER	"	"	11	"
	"	CLAMS (BUTTER)		70	
	"	(NATIVE LITTLENECK)		7	27
	DECEMBER	" (BUTTER)		109	
	"	(NATIVE LITTLENECK)		2	41
	TOTAL	CRABS	TRawl	36	INCIDENTAL
	"	CLAMS (BUTTER)		179	
	"	(NATIVE LITTLENECK)		9	68

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 99

SHEET CSHELLFISHTOTAL ALL DISTRICTS

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 1	<u>MAY</u> MAY 2- MAY 29	<u>JUNE</u> MAY 30- JUN 26	<u>JULY</u> JUN 27- JULY 31	<u>AUGUST</u> AUG 1- AUG 28	<u>SEPTEMBER</u> AUG 29- SEPT 25	<u>OCTOBER</u> SEPT 26- OCT 30	<u>NOVEMBER</u> Oct 31- Nov 27	<u>DECEMBER</u> Nov 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns													
TRawl	8	35	13	5	23	5	3	*		1	1	9	103
TRAPS	20	63	159	99	65	68	61	74	29	69	57	90	854
Mixed													
TRawl	378	1014	1767	553	775	601	894	606	452	554	318	458	8370
TRAPS	18	3	33	28	1	1				22	50	27	183
SHRIMP DAYS													
TRawl	184	402	942	378	546	275	345	275	264	336	232	280	4459
TRAPS	70	82	190	88	49	40	27	39	33	90	86	123	917
<u>CLAMS</u>													
RAZOR													
	51		226	1198	927	91	83	108		34			2718
BUTTER											612	2045	28969
JAPANESE LITTLENECK												27	4500
NATIVE LITTLENECK													
	132	461	1164	941	1619	156							
MIXED													
	101	220	285	358	332	14					10	38	1445
	20	51	7	6							1		112
CLAM DAYS											13	288	1111
	1397	3024	6223	3514	1603	116	13	34					17336
ABALONE													
			25	30	84	7	1	4					151
ABALONE DAYS													
			28	22	60	8	2	3					123
<u>CRABS</u>													
LBS. IN SHELL TRAPS													
	747	842	1976	3026	5586	5053	4100	4334	5061	6269	1683	1386	40063
TRawl													
	72	74	303	130	197	307	153	22	33	116	231	182	1820
CRAB DAYS													
	298	345	625	683	770	755	826	573	754	817	421	423	7290
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													
	5271	9005	11012	9702	8274	7075	2696	944	3269	5682	10142	12798	85870

*LESS THAN .5 CWT

SUMMARY - DISTRICT 2SHELLFISHSHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>												*	*
PRAWNS													
TRAWL													
TRAPS													
MIXED	3	112	114	4						15	9	13	270
TRAWL													
TRAPS													
SHRIMP DAYS	1	24	27	3						18	32	24	129
TRAWL													
TRAPS													
<u>CLAMS</u>													
RAZOR	51		226	1198	927	91	83	108		34			2718
BUTTER	1105	2195	9797	1805							3	7	14912
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	718	1202	3894	1129	611	25	13	34		8	1	2	7637
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS	13	1	972	1764	3192	3217	2704	2913	2572	3982	6		21336
TRAWL	1	*								67	175	111	354
CRAB DAYS	7	1	139	172	111	130	151	79	67	234	6		1097
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

* LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 101

SHEET CSHELLFISHAREA 1

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns													
	TRawl												
	TRAPS												
MIXED													
	TRawl	91	8										99
	TRAPS												
SHRIMP DAYS													
	TRawl	18	4										22
	TRAPS												
<u>CLAMS</u>													
RAZOR	51		226	1198	927	91	(1) 83	108		34			2718
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	50		374	620	611	25	13	34		8			1735
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS			965	916	2066	2677	844	472	1293	3562			12795
	TRawl												
CRAB DAYS			133	84	56	83	62	20	35	220			693
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT (1) BAIT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 3

SHELLFISHSHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRAWNS	TRAWL												
MIXED													
<u>SHRIMP DAYS</u>	TRAWL												
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER	15	36											51
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	9	20											29
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS				259	132	24							415
TRAWL													
CRAB DAYS			31	15	10								56
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 103

SHEET C

SHELLFISH

AREA 4

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>												*	*
PRAWNS													
TRAWL													
TRAPS													
MIXED	3	21	106	4						15	9	13	171
TRAWL													
TRAPS													
SHRIMP DAYS	1	6	23	3						18	32	24	107
TRAWL													
TRAPS													
<u>CLAMS</u>													
RAZOR													
BUTTER	561	1028	3747								3	7	5346
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	282	427	1376								1	2	2088
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS	13	1	7	61	55	59	515	346	13	40	6		1116
TRAWL	1	*								67	175	111	354
CRAB DAYS	7	1	6	15	12	16	46	8	9	7	6		133
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 5SHELLFISHSHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 1	<u>MAY</u> MAY 2- MAY 29	<u>JUNE</u> MAY 30- JUN 26	<u>JULY</u> JUN 27- JULY 31	<u>AUGUST</u> AUG 1- AUG 28	<u>SEPTEMBER</u> AUG 29- SEPT 25	<u>OCTOBER</u> SEPT 26- OCT 30	<u>NOVEMBER</u> Oct 31- Nov 27	<u>DECEMBER</u> Nov 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
<u>PRawns</u>	TRawl												
<u>MIXED</u>	TRAPS												
	TRawl												
	TRAPS												
<u>SHRIMP DAYS</u>	TRawl												
	TRAPS												
<u>CLAMS</u>													
<u>RAZOR</u>													
<u>BUTTER</u>	529	1131	4612										6272
<u>JAPANESE LITTLENECK</u>													
<u>NATIVE LITTLENECK</u>													
<u>MIXED</u>													
<u>CLAM DAYS</u>	377	755	1677										2809
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
<u>LBS. IN SHELL TRAPS</u>				18	15					30			63
	TRawl										*		*
<u>CRAB DAYS</u>				2	2					1			5
<u>OYSTERS</u>													
<u>SHUCKED - U.S. GALS.</u>													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 105

SHEET CSHELLFISHSUMMARY - DISTRICT 3

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 1	<u>MAY</u> MAY 2- MAY 29	<u>JUNE</u> MAY 30- JUN 26	<u>JULY</u> JUN 27- JULY 31	<u>AUGUST</u> AUG 1- AUG 28	<u>SEPTEMBER</u> AUG 29- SEPT 25	<u>OCTOBER</u> SEPT 26- OCT 30	<u>NOVEMBER</u> Oct 31- Nov 27	<u>DECEMBER</u> Nov 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRAWNS	TRAWL	6	33	4	2	16						9	70
	TRAPS	14	56	149	93	63	68	56	65	24	63	37	73
MIXED	TRAWL	227	429	828	286	375	75	83	29	3	10	15	157
	TRAPS	18	3	33	28	1	1				22	50	27
SHRIMP DAYS	TRAWL	77	110	316	182	288	11	22	6	1	4	8	91
	TRAPS	62	75	172	77	45	40	22	29	25	81	65	103
<u>CLAMS</u>													
RAZOR													
	BUTTER	860	2310	3412	4415	267	77				607	2039	13987
JAPANESE LITTLENECK		132	461	1164	941	1619	156					27	4500
	NATIVE LITTLENECK	98	202	282	335	297					10	37	86
MIXED		20	51	7							1		106
CLAM DAYS		677	1814	2327	2367	972	87				5	285	1103
ABALONE				25	30	84	7	1	4				151
ABALONE DAYS				28	22	60	8	2	3				123
<u>CRABS</u>													
LBS. IN SHELL TRAPS	TRAWL	414	484	485	783	1844	1296	644	390	759	453	681	748
		8	3	237	117	77	2	92	1			11	33
CRAB DAYS		31	52	68	64	188	176	150	27	38	82	87	105
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.		2140	2918	3737	3941	3128	2117	1301	944	1375	1921	2589	3206
													29317

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 12SHELLFISHSHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRAWNS		20	75	37	56	62	49	58	14	29	16	19	435
TRAWL													
TRAPS													
MIXED													
TRAWL													
TRAPS			9										9
<u>SHRIMP DAYS</u>													
TRAWL													
TRAPS		7	22	11	18	13	12	16	10	8	6	8	131
<u>CLAMS</u>													
RAZOR													
BUTTER	113	640	2408	2406							422	1107	7096
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	71	444	650	722							197	517	2801
ABALONE			25	30	84	7	1	4					151
ABALONE DAYS			28	22	60	8	2	3					123
<u>CRABS</u>													
LBS. IN SHELL TRAPS					15	22	16				14		67
TRAWL													
CRAB DAYS					21	21	12				5		59
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 107

SHEET C

SHELLFISH

AREA 13

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns		22											22
TRAPS			12	32	4								48
MIXED	5	14											19
TRAWL				28									28
SHRIMP DAYS	2	5											7
TRAPS			5	38	7								50
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS													
TRAWL													
CRAB DAYS													
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

SHELLFISHSHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SHR IMPs</u>														
PRAWNS	TRAWL	11		2	5								18	
MIXED	TRAPS													
MIXED	TRAWL	377	487	188	28							41	1121	
	TRAPS													
SHRIMP DAYS	TRAWL	85	112	109	26							3	335	
	TRAPS													
<u>CLAMS</u>														
RAZOR														
BUTTER		354	723	50	50								1177	
JAPANESE LITTLENECK														
NATIVE LITTLENECK														
MIXED														
CLAM DAYS		128	274	35	24								461	
ABALONE														
ABALONE DAYS														
<u>CRABS</u>														
LBS. IN SHELL TRAPS														
CRAB DAYS	TRAWL	1					33						34	
OYSTERS														
SHUCKED - U.S. GALS.		351	544	751	904	520	256	165		290	375	492	321	5169

*LESS THAN .5 CWT

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SHRIMPS</u>													2	
PRAWNS	TRAWL	2												
	TRAPS	9	13	23							2	3	50	
MIXED	TRAWL	1	20		4								25	
	TRAPS													
SHRIMP DAYS	TRAWL	2	3		3								8	
	TRAPS	31	14	27							5	5	82	
<u>CLAMS</u>														
RAZOR														
BUTTER		4	1	3	11								19	
JAPANESE LITTLENECK		4	13	54	23								94	
NATIVE LITTLENECK		1	9	6	20								36	
MIXED														
CLAM DAYS		5	12	18	22								57	
<u>ABALONE</u>														
ABALONE DAYS														
<u>CRABS</u>														
LBS. IN SHELL TRAPS														
	TRAWL													
CRAB DAYS														
<u>OYSTERS</u>														
SHUCKED - U.S. GALS.		250	214	205	234	185	168	60			60	128	147	1651

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SHELLFISH

SHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRAWNS												9	9
TRAWL													
TRAPS					3	6	7	7	10	34	19	26	112
MIXED													
TRAWL													
TRAPS			7								13	5	25
SHRIMP DAYS													
TRAWL													
TRAPS			7		14	13	10	13	15	63	31	36	202
<u>CLAMS</u>													
RAZOR													
BUTTER	1	3	30	162	138							3	337
JAPANESE LITTLENECK	9	39	2	1									51
NATIVE LITTLENECK	35	65	29	163	175							39	506
MIXED													
CLAM DAYS	17	46	39	106	87							17	312
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS						6	21	6	4			7	44
TRAWL					1								1
CRAB DAYS						4	13	4	3			7	31
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.	455	586	1033	1395	1261	431	157	28	51	359	483	364	6603

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 111

AREA 17

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>											*		
PRAWNS	4	*	4	*	11								19
	5	22	39	24								20	110
MIXED	TRAWL	202	18	334	94	347	75	83	29	3	5	15	116
	TRAPS	12	3	16	*	1	1					17	50
SHRIMP DAYS	TRAWL	63	17	202	70	262	11	22	6	1	2	8	85
	TRAPS	22	52	108	28	6	14					4	16
<u>CLAMS</u>													
RAZOR													
BUTTER		347	636	488	912	4						98	758
JAPANESE LITTLENECK		102	334	983	578	1410	127						3243
NATIVE LITTLENECK		47	45	171	17	20						5	19
MIXED		16	51	7									324
CLAM DAYS		380	745	948	654	640	50					39	431
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS						4							4
TRAWL	*	1	*	BS*	4		2	59	1				67
CRAB DAYS						4							4
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.	986	1444	1650	1321	1087	1198	871	850	964	1043	1402	2081	14897

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 18

SHELLFISHSHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHR IMPs</u>													
PRAWNS													
TRAWL													
TRAPS												5	5
MIXED													
TRAWL	19		7								5		31
TRAPS											*		*
SHRIMP DAYS													
TRAWL	10		2								2		14
TRAPS											1	20	21
<u>CLAMS</u>													
RAZOR													
BUTTER	41	307	433	874	109	75						62	1901
JAPANESE LITTLENECK	17	75	125	339	209	29						7	801
NATIVE LITTLENECK	15	83	43	49	22							26	238
MIXED	4											13	17
CLAM DAYS	76	293	418	781	187	34						102	1891
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS		*		*	2	8	12	4					26
TRAWL				2							*		2
CRAB DAYS		1		1	3	12	12	5					34
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 113

AREA 19

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHR IMPs</u>													
PRAWNS													
TRAWL													
TRAPS													
MIXED													
TRAWL													
TRAPS										1			1
SHRIMP DAYS													
TRAWL													
TRAPS										1			1
<u>CLAMS</u>													
RAZOR													
BUTTER					1						17		18
JAPANESE LITTLENECK													
NATIVE LITTLENECK		33	86	80						10	25		234
MIXED													
CLAM DAYS		19	58	53						4	22		156
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS						4	4	1			1		10
TRAWL													
CRAB DAYS						4	3	2			1		10
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

SHELLFISHSHEET C.

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMP</u>													
TRAWL													
TRAPS			1										1
MIXED													
TRAWL													
TRAPS	6		1										70
<u>SHrimp DAYS</u>													
TRAWL													
TRAPS	9	2	3										59
<u>CLAMS</u>													
RAZOR													
CUTTER					15	2							17
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													1
<u>CLAM DAYS</u>					5	3							9
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
LBS. IN SHELL TRAPS		*	2										2
TRAWL				23	2								25
<u>CRAB DAYS</u>			1	8									9
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.	98	130	98	87	75	64	48	66	70	84	84	93	997

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 115

AREA 24

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns	TRawl												
Mixed	TRAPS												
	TRawl												
	TRAPS												
SHRIMP DAYS	TRawl												
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS	414	484	483	772	1823	1256	207		401	439	680	741	7700
TRawl	8	1	234	45	45							33	366
CRAB DAYS	31	50	60	59	160	135	76		20	77	86	98	852
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

SHELLFISHSHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 1	<u>MAY</u> MAY 2- MAY 29	<u>JUNE</u> MAY 30- JUN 26	<u>JULY</u> JUN 27- JULY 31	<u>AUGUST</u> AUG 1- AUG 28	<u>SEPTEMBER</u> AUG 29- SEPT 25	<u>OCTOBER</u> SEPT 26- OCT 30	<u>NOVEMBER</u> OCT 31- Nov 27	<u>DECEMBER</u> Nov 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
<u>PRawns</u>	TRawl												
<u>MIXED</u>	TRAPS												
	TRawl												
	TRAPS												
<u>SHRIMP DAYS</u>	TRawl												
	TRAPS												
<u>CLAMS</u>													
<u>RAZOR</u>													
<u>BUTTER</u>													
<u>JAPANESE LITTLENECK</u>													
<u>NATIVE LITTLENECK</u>													
<u>MIXED</u>													
<u>CLAM DAYS</u>													
<u>ABALONE</u>													
<u>ABALONE DAYS</u>													
<u>CRABS</u>													
<u>LBS. IN SHELL TRAPS</u>	TRawl							216	379	354			949
<u>CRAB DAYS</u>								11	16	15			42
<u>OYSTERS</u>													
<u>SHUCKED - U.S. GALS.</u>													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 117

SHEET C

SHELLFISH

SUMMARY - DISTRICT 1

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHR IMPs</u>								*					
PRAWNS	TRAWL	2	2	9	3	7	5	3		1	1		33
	TRAPS	6	7	10	6	2		5	9	5	6	20	17
MIXED	TRAWL	148	473	825	263	400	526	811	577	449	529	294	288
	TRAPS	*											*
SHRIMP DAYS	TRAWL	106	268	599	183	268	264	323	269	263	314	192	165
	TRAPS	8	7	18	11	4		5	10	8	9	21	20
<u>CLAMS</u>													
RAZOR													
BUTTER		4		17	46	1					2		70
JAPANESE LITTLENECK													
NATIVE LITTLENECK		3	18	3	23	35	14				1	1	93
MIXED				6									6
CLAM DAYS		2	8	2	18	20	4				2	1	57
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS		320	357	519	479	550	540	752	1031	1730	1834	996	638
	TRAWL	63	71	66	13	120	305	61	21	33	49	45	38
CRAB DAYS		260	292	418	407	471	449	525	467	565	501	328	318
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.		3131	6067	7275	5761	5146	4958	1395		1894	3761	7553	9592
													56553

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 28SHELLFISHSHEET C

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 1	<u>MAY</u> MAY 2- MAY 29	<u>JUNE</u> MAY 30- JUN 26	<u>JULY</u> JUN 27- JULY 31	<u>AUGUST</u> AUG 1- AUG 28	<u>SEPTEMBER</u> AUG 29- SEPT 25	<u>OCTOBER</u> SEPT 26- OCT 30	<u>NOVEMBER</u> Oct 31- Nov 27	<u>DECEMBER</u> Nov 28- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>								*	*	1	1	*	33
PRAWNS	TRAWL	2	2	9	3	7	5	3	*	*	1	1	33
	TRAPS	6	7	10	6	2		5	9	5	6	20	93
MIXED	TRAWL	101	365	525	213	321	366	662	389	299	378	212	213 4044
	TRAPS	*											*
SHRIMP DAYS	TRAWL	70	176	344	150	200	182	233	170	153	196	125	117 2116
	TRAPS	8	7	18	11	4		5	10	8	9	21	20 121
<u>CLAMS</u>													
RAZOR													
	BUTTER	4			17	46	1				2		70
JAPANESE LITTLENECK													
	NATIVE LITTLENECK	3	18	3	23	35	14				1	1	93
MIXED					6								6
CLAM DAYS		2	8	2	18	20	4				2	1	57
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS		105	167	212	229	213	220	315	205	127	155	133	148 2229
	TRAWL												
CRAB DAYS		125	157	212	224	218	209	298	239	184	159	126	121 2272
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 119

AREA 29 A&B

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns													
TRawl													
Traps													
Mixed													
TRawl	3												3
Traps													
SHRIMP DAYS													
TRawl	2												2
Traps													
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
<u>ABALONE</u>													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS	7	7	4	1		23	61	61	15	31	43	57	310
TRawl	6	32	65	11	91	115	56	18	28	3	24	23	472
CRAB DAYS	3	3	2	1		5	8	6	2	3	6	6	45
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

AREA 29 C

SHELLFISH

SHEET C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER Oct 31- Nov 27	DECEMBER Nov 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>											*	*	*
PRawns		*											
MIXED	TRAWL	44	108	300	50	79	160	149	188	150	151	82	75
	TRAPS												
SHRIMP DAYS	TRAWL	34	92	255	33	68	82	90	99	110	118	67	48
	TRAPS												
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS		30	35	59	22	17	42	81	80	62	80	37	83
	TRAWL	57	39	1	2	29	190	5	3	5	46	21	15
CRAB DAYS		27	25	66	19	12	49	74	59	65	81	31	53
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.													

*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1954

PAGE 121


SHEET C

SHELLFISH

AREA 29 E

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 1	MAY MAY 2- MAY 29	JUNE MAY 30- JUN 26	JULY JUN 27- JULY 31	AUGUST AUG 1- AUG 28	SEPTEMBER AUG 29- SEPT 25	OCTOBER SEPT 26- OCT 30	NOVEMBER OCT 31- NOV 27	DECEMBER NOV 28- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>													
PRawns													
TRAWL													
TRAPS													
MIXED													
TRAWL													
TRAPS													
SHRIMP DAYS													
TRAWL													
TRAPS													
<u>CLAMS</u>													
RAZOR													
BUTTER													
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS													
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS. IN SHELL TRAPS	176	148	244	227	320	255	295	685	1526	1568	783	350	6579
TRAWL													
CRAB DAYS	105	107	138	163	241	186	145	163	314	258	165	138	2123
<u>OYSTERS</u>													
SHUCKED - U.S. GALS.	3131	6087	7275	5761	5146	4953	1395		1894	3761	7553	9592	56553

*LESS THAN .5 CWT



SECTION D

WEEKLY ACCUMULATIVE LANDING SHOWING
NUMBER OF SALMON CAUGHT IN 1954 BY
TYPE OF GEAR FOR AREAS 3, 4, 6, 7, 8,
9, 10, 12, 13, 20, 21, 23, 29A&B, 29C
AND 29D.

SUMMARY SHOWING NUMBERS OF SALMON CAUGHT IN 1954 BY AREA

AREA	COHO	SOCKEYE	PINKS	CHUMS (ROUNDED TO NEAREST HUNDRED)	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	2 097	1 11*	1 559	1 340	229	43	4	67
1 2AE	2 284	1 11**	2 572	2 033	23	4	5	5 273
2AW	1 155	1 11**	1 365	1 921	25	3	4	5 917
2BE	1 184	1 11**	1 657	1 258	13*	2	12	12 469
2BW	1 747	1 016	5 635	1 221	119	25	1	12 114
3	1 789	5 719	7 387	1 821	286	10	127	16 795
4	1 578	841	2 490	1 833	108	17	8	16 480
5	6 683	877	5 803	3 090	107	12	10	16 906
6	7 687	149	3 193	3 669	108	11	11	10 506
7	1 221	1 305	8 524	1 896	129	22	10	13 220
8	1 289	5 757	1 908	95	234	1	17	17 007
9	1 85	1 46	1 175	12	27	2	2	2 357
10	1 12	2 892	1 462	1 2*	127	50	1	2 264
11	1 14	964	1 462	1 2*	127	50	1	1 920
12	1 15	293	42	1 *	127	50	1	1 920
13	1 17	989	42	1 *	127	50	1	1 920
14	1 18	23	15 821	7	113	113	1	1 920
15	1 19	122	15 363	165	104	104	1	1 920
16	1 20	22	3 052	520	104	104	1	1 920
17	1 21	22	3 492	188	104	104	1	1 920
18	1 22	22	584	37	104	104	1	1 920
19	1 23	22	693	8	104	104	1	1 920
20	1 24	22	645	20	104	104	1	1 920
21	1 25	22	42	18	104	104	1	1 920
22	1 26	22	138	185	104	104	1	1 920
23	1 27	22	42	1 992	104	104	1	1 920
24	1 28	22	143	1 554	104	104	1	1 920
25	1 29	22	-	-	1	1	1	1 920
26	1 30	22	35	-	-	4	1	41
TOTAL	24 451	67 104	54 439	59 414	5 800	2 180	530	214 706

* LESS THAN 50 FISH

SUMMARY SHOWING TOTAL WEIGHT OF SALMON CAUGHT IN 1954 BY AREA
(IN CWT)

AREA	COHO	SOCKEYE	PINKS	CHUMS	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	164	18 818	4	7 581	*	70	70	661
1 2AE	2 377	2 175	2	12 382	22 388	423	423	35 581
2AW	1 713	1 64	1	50 489	22 097	356	330	37 581
2BE	1 54	3 4	3 269	14 586	477	38	90	74 903
2BW	7 455	7 036	7	27 386	1 284	44	63	19 781
3	15 875	39 816	36	384	12 169	1 364	1	35 351
4	5 210	5 442	12	154	626	504	504	57 439
5	6 542	7 045	28	420	11 582	579	567	163
6	6 052	7 750	14	967	45 912	273	363	162
7	8 12	6 647	5	817	36 607	908	301	121 683
8	9 2	12 968	35	641	927	1 489	1 489	36 557
9	10 771	12 064	1	471	2 964	273	273	88 296
10	11 386	1 078	57	287	1 900	1 900	884	88 032
11	12 396	6 707	15	651	140 782	38	199	50 059
12	13 23	9 229	3	114	2 266	1 504	242	191 11
13	14 370	1 183	2	10	109 308	1 504	301	16 596
14	15 161	2 534	218	1	1 507	363	363	35 148
15	16 7	3 869	60	532	140 782	1 497	1 497	126 593
16	17 725	1 14	2 043	52*	1 284	1 223	224	103 12
17	18 161	114	547	28	907	48	48	68 865
18	19 725	2 255	5	576	6	4	4	1 865
19	20 725	2 255	5	89	884	259	259	59 186
20	21 711	2 870	1	102	108	241	241	126 593
21	22 370	4 841	1	258	52	7	7	126 593
22	23 5457	5 457	590	57	813	945	945	126 593
23	24 330	8 284	147	52	22 041	464	464	126 593
24	25 4 841	130	971	14	705	927	927	126 593
25	26 5 312	14 650	10	261	1 173	302	302	126 593
26	27 5 457	14 971	10	261	2 115	192	192	126 593
27	28 330	130	971	14	705	927	927	126 593
28	29 4 841	14 650	10	261	2 115	192	192	126 593
29	29C	995	-	-	3	54	54	126 593
30	30	256	-	*	3	12	12	126 593
TOTAL	189 224	470 012	257 343	743 991	78 602	40 166	40 166	5 619 3 606 1 788 623

* LESS THAN 50 LBS.

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

PAGE 125

AREA 3

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

AREA 4

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

PAGE 127

AREA 6

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

AREA 7

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

PAGE 129

AREA 8

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

AREA 9

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

PAGE 131

AREA 10

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

PAGE 133

AREA 13

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

AREA 20

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

PAGE 135

AREA 21

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

AREA 23

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

PAGE 137
AREA 29 A&B

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

SHEET D

1954 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDING

PAGE 139

AREA 29 D

SHEET D

•
•
•
•
•
•
•
•
•
•