



ZYBLU7

2ND PRINTING, APRIL, 1958

# British Columbia Catch Statistics

BY AREA AND TYPE OF GEAR  
(As Reported On Sales Slips Received By The Department)

# 1953

DEPARTMENT OF FISHERIES OF CANADA  
PACIFIC AREA




TABLE OF CONTENTS

PAGE 1


	PAGE		PAGE
FOREWORD	3	AREAS 28 & 29	89 - 96
MAP OF SOUTHERN STATISTICAL AREAS	4	CATCH STATISTICS - SHEET C - SHELLFISH	97 - 122
MAP OF NORTHERN STATISTICAL AREAS	5	CONSOLIDATION OF SMALL AREAS	98
DISTRICT SUMMARY & PROVINCIAL LANDINGS & VALUE	6	PROVINCIAL SUMMARY	99
SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA 1953	7	DISTRICT 2 SUMMARY	100
CATCH STATISTICS - SHEET A - SALMON SHEET B - OTHER FISH	13 - 96	AREAS 1, 3, 4, 5	101 - 104
CONSOLIDATION OF SMALL AREAS	14	DISTRICT 3 SUMMARY	105
PROVINCIAL SUMMARY	15 - 16	AREAS 11 - 24	106 - 116
DISTRICT 2 SUMMARY	17 - 18	DISTRICT 1 SUMMARY	117
AREAS ALASKA, 1 - 10, AND 30	19 - 48	AREAS 28 - 29E	118 - 122
DISTRICT 3 SUMMARY	49 - 50	ACCUMULATIVE LANDINGS - SHEET D	123 - 140
AREAS 11 - 27, C.	51 - 86	SUMMARY OF SALMON BY AREAS SHOWING PIECES AND WEIGHT	124
DISTRICT 1 SUMMARY	87 - 88	ACCUMULATIVE LANDINGS OF SALMON BY WEEKS FOR AREAS 3,4,6,7,8,9,10,12,13,20,21, 23, 29 A & B, 29 C AND 29 D.	125 - 140

EXPLANATION OF WEIGHTS USED

THE WEIGHTS SHOWN FOR EACH TYPE OF FISH ARE IN THE FORM  
MOST COMMON FOR THE TYPE OF GEAR. IN CASES WHERE FISH HAS  
BEEN LANDED IN OTHER WAYS CONVERSION FACTORS HAVE BEEN  
APPLIED.

WEIGHTS SHOWN ON TABLES ARE AS FOLLOWS:-

- (A) TRawl FISH - ROUND WEIGHT EXCEPT FOR GRAY COD WHICH IS  
SHOWN DRESSED HEAD ON AND LING COD WHICH  
IS SHOWN DRESSED HEAD OFF.
- (B) TROLL FISH &  
HAND LINE - SALMON - DRESSED HEADS ON  
- LING COD - DRESSED HEADS OFF  
- RED & ROCK COD - ROUND  
- OTHER FISH CAUGHT ON TROLL  
SHOWN AS DRESSED WEIGHT.
- (C) LONG LINE - DRESSED HEADS OFF.
- (D) SEINE - ROUND WEIGHTS.
- (E) GILLNET - ROUND WEIGHTS.
- (F) TRAPS - ROUND WEIGHTS.



THIS 1953 REPORT OF FISH CATCH STATISTICS IN BRITISH COLUMBIA IS THE COMPUTATION OF SALES SLIPS RECEIVED FROM ALL FISH BUYERS PURCHASING FISH WITHIN THE PROVINCE DURING THE YEAR.

PRELIMINARY REPORTS WERE ISSUED EACH MONTH IN 1953 SHOWING DETAILED CATCH BY AREA. WHERE NECESSARY THESE MONTHLY FIGURES HAVE BEEN REVISED AND ARE ASSEMBLED IN THIS ANNUAL REPORT IN SUCH A WAY AS TO PROVIDE INFORMATION IN AN ACCESSIBLE FORM. THIS IS THE THIRD REPORT OF THIS KIND TO BE ISSUED, AND EACH YEAR HAS SEEN AN INCREASE IN THE NUMBER OF REQUESTS FOR THIS STATISTICAL SUMMATION FROM ALL BRANCHES OF THE FISHING INDUSTRY.

THE MONTHLY REPORTS REFERRED TO ABOVE ARE PUBLISHED ON OR ABOUT THE 20TH OF THE MONTH FOR THE PRECEDING MONTHLY PERIOD. BETWEEN MAY AND NOVEMBER, THESE MONTHLY REPORTS SHOW WEEKLY CATCHES OF SALMON FOR EACH AREA WHILE FOR THE OTHER FIVE MONTHS ONLY MONTHLY TOTALS ARE SHOWN. IT WILL BE NOTED THAT THE MONTHLY TOTALS SHOWN IN THIS REPORT FOR THE PERIOD MAY TO NOVEMBER INCLUSIVE DO NOT CORRESPOND WITH THE CALENDAR MONTH, BUT ARE MADE UP EITHER OF 4 OR 5 WEEKLY PERIODS. THIS WAS DONE IN ORDER TO PROVIDE A UNIFORM COMPARISON EACH YEAR. THE NUMBER OF WEEKS FOR EACH OF THE MONTHLY PERIODS IS AS FOLLOWS:

MAY (4 WEEKS)	AUGUST (4 WEEKS)
JUNE (4 WEEKS)	SEPTEMBER (4 WEEKS)
JULY (5 WEEKS)	OCTOBER (5 WEEKS)
NOVEMBER (4 WEEKS)	

IT IS NOT THE INTENTION OF THIS REPORT TO TRY AND EXPLAIN IN DETAIL THE REASONS FOR THE STRENGTH OF VARIOUS RUNS OF FISH IN ANY AREA. THIS CAN ONLY BE DONE BY ADMINISTRATORS OR BIOLOGISTS TAKING INTO CONSIDERATION ALL FACTORS. HOWEVER, FROM THE POINT OF VIEW OF CATCH, CERTAIN ECONOMIC, WEATHER AND CONSERVATION FACTORS DO HAVE A DIFFERENT BEARING ON CATCH AND THESE CAN BE ENUMERATED.

WEATHER CONDITIONS IN 1953 IN SUCH PHASES AS RAINFALL, STORMS, ETC. WERE NOT SUCH AS TO CALL FOR SPECIAL FISHING REGULATIONS TO ALTER THE NORMAL PATTERN OF CATCH.

REGULATIONS ON HALIBUT, WHICH ARE ADMINISTERED BY AN INTERNATIONAL COMMISSION, WERE IN LINE WITH THOSE ESTABLISHED IN PREVIOUS YEARS ALTHOUGH THE QUOTA, IN THE MAIN HALIBUT AREA, WAS CAUGHT IN THE RECORD TIME OF 24 DAYS.

IN 1952, STRIKE ACTIONS IN MOST OF THE FISHERIES RESULTED IN A GREATLY REDUCED CATCH FOR MOST SPECIES OF FISH. WHILE THERE WERE TWO CASES OF SIMILAR ACTION IN 1953, THE ONLY MARKED EFFECT IN PRODUCTION WAS IN THE HERRING FISHERY DURING THE FIRST TWO MONTHS OF 1953. WITH THE EXCEPTION OF VERY SMALL QUANTITIES OF HERRING USED FOR FOOD AND BAITS PURPOSES, NO HERRING WAS CAUGHT DURING THE FIRST THREE MONTHS OF 1953. UNDER NORMAL CIRCUMSTANCES THIS PERIOD WOULD HAVE YIELDED ABOUT ONE HALF THE YEAR'S CATCH.

THE ONLY OTHER TIE UP THAT OCCURRED DURING 1953 WAS DURING THE PERIOD JUNE 15 TO JUNE 24 WHEN NO SALMON AGREEMENT HAD BEEN FINALIZED FOR THE YEAR.

NINETEEN HUNDRED AND FIFTY-THREE SAW THE INCREASING USE OF NYLON NETS BY GILLNETTERS. IN CERTAIN AREAS OF THE PROVINCE, NYLON ALMOST ENTIRELY REPLACED LINEN DUE TO THEIR INCREASED EFFICIENCY. THIS NECESSITATED SOME ADJUSTMENT OF REGULATION MEASURES IN THE ADMINISTRATION OF THE FISHERY TO ASSURE REQUIRED SPAWNING STOCKS.

WHILE THESE MEASURES HAD THE EFFECT OF OFFSETTING THE GREATER EFFICIENCY OF THE NEW TYPE GEAR TO THE END OF MAINTAINING THE TOTAL CATCH AT THE LEVEL NORMALLY PERMISSIBLE, THEY DID BRING ABOUT A CHANGE IN THE SEASONAL PATTERN OF CATCH.

FINAL CLOSING DATES FOR NET FISHING IN THE VARIOUS DISTRICTS OF THE PROVINCE WERE AS FOLLOWS:

DISTRICT 1 FRASER RIVER NOVEMBER 27, 1953

HOWE SOUND & BURRARD INLET NOVEMBER 23, 1953

DISTRICT 2 FINAL CLOSURE ON SEPTEMBER 25, 1953

DISTRICT 3 FINAL CLOSURE ON NOVEMBER 20, 1953

REGULATIONS AFFECTING SALMON TROLLING ALLOWED FISHING DURING THE MONTH OF DECEMBER.

MINIMUM CONTRACT PRICES FOR NET CAUGHT SALMON AS PROVIDED IN THE AGREEMENTS SIGNED BY THE FISHERMEN AND THE OPERATORS WERE AS FOLLOWS:

SOCKEYE	22¢	CHUMS - SUMMER -	5½¢
PINKS	7½¢	" - FALL -	8½¢ JOHNSTONE STR. AND FRASER
COHO	11¢	6½¢ OTHER AREAS	


THE STATISTICS IN THIS REPORT ARE COMPILED BY THE STAFF OF THE MARKETS & ECONOMICS SECTION OF THE DEPARTMENT IN VANCOUVER UNDER THE DIRECTION OF MR. S. L. YOUNG, ASSISTANT STATISTICIAN.

NOTE:- THIS REPORT IS PREPARED IN LIMITED NUMBERS TO MEET CURRENT NEEDS. THE INFORMATION CONTAINED HEREIN IS NOT PUBLISHED IN ANY OTHER FORM AND AS NO REPLACEMENT COPIES ARE AVAILABLE IT IS SUGGESTED THAT SPECIAL CARE BE TAKEN IN FILING THESE ANNUAL REPORTS FOR REFERENCE PURPOSES.

A. J. WHITMORE  
CHIEF SUPERVISOR OF FISHERIES

BLAKE A. CAMPBELL  
CHIEF STATISTICIAN

DEPARTMENT OF FISHERIES  
STATISTICAL MAP




CATCHES BY CANADIAN BOATS IN WATERS  
NORTH OF DIXON ENTRANCE ARE CLASSIFIED  
AS ALASKAN.

AREAS PREVIOUSLY DESIGNATED AS "A" AND "B"  
ARE NOW SHOWN UNDER THIS HEADING.

**AREA NO. 9 - ALL FISH CAUGHT OFF THE COAST  
OF THE STATE OF WASHINGTON  
SOUTH OF CAPE FLATTERY**

DEPT. OF FISHERIES  
STATISTICAL MAP



DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. 1953 AS REPORTED ON SALES SLIPSINCLUDING TOTAL LANDED VALUE

SPECIES	DISTRICT 1 CWT	DISTRICT 2 CWT	DISTRICT 3* CWT	TOTAL CWT	LANDED VALUE (1) 000's \$
RED SPRING	13 830	24 305	57 544	95 679	2 198
WHITE SPRING	16 259	5 140	20 573	41 972	538
STEELHEAD	514	3 489	629	4 632	59
COHO	6 224	68 057	136 768	211 049	2 939
SOCKEYE	83 326	185 801	84 244	353 371	7 788
CHUMS	47 904	204 821	291 525	544 250	3 782
PINKS	65 917	96 565	452 640	615 122	4 509
JACKS	1 029	1 119	918	3 066	35
TOTAL SALMON	235 003	589 297	1 044 841	1 869 141	21 848
HERRING	1 245	886 988	2 094 179	2 982 412	3 678
HALIBUT		225 766	23 052	248 818	3 661
SOLES	549	40 275	20 557	61 381	303
LING COD	124	908	28 395	29 427	193
BLACK COD	1	11 160	2 479	13 640	152
GRAY COD	306	4 938	26 667	31 911	135
RED & ROCK COD	77	1 015	3 388	4 480	18
FLOUNDERS	427	107	843	1 377	6
SKATE	160	37	750	947	4
SMELT	339	-	-	339	4
OLACHONS	3 449	47	-	3 496	15
TUNA	-	-	113	113	2
ANCHOVIES			7 458	7 458	11
OTHER FISH	1 854	7 643	17 892	27 389	57
CLAMS	363	18 552	26 949	45 864	127
ABALONE			228	228	3
CRABS	10 665	18 763	2 502	31 930	343
SHRIMPS & PRAWNS	6 492	640	5 454	12 586	166
OYSTERS - U.S. GALS.	43 441		23 035	66 476	276
<b>TOTAL</b>				<b>31 002</b>	

(1) PRELIMINARY - SUBJECT TO REVISION WHEN ANNUAL SUPPLEMENTALS COMPILED

\* INCLUDES AREA C

## SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA 1953

 SALMON

TOTAL LANDINGS OF SALMON, AS REPORTED ON SALES SLIPS, WERE 186.91 MILLION POUNDS. ON A ROUND WEIGHT BASIS THIS REPRESENTED A TOTAL OF 190.8 MILLION POUNDS.

ON THE BASIS OF IMPORTANCE BY VOLUME, THIS CATCH WAS MADE UP AS FOLLOWS:

	MILLION POUNDS (ROUND WEIGHT BASIS)	% OF TOTAL
1. PINKS	61.74	32.4
2. CHUMS	54.43	28.5
3. SOCKEYE	35.34	18.5
4. COHO	23.16	12.1
5. RED SPRING	10.79	5.6
6. WHITE SPRING	4.56	2.4
7. STEELHEAD	.47	.3
8. JACKS	.32	.2
TOTALS	190.81	100.0

OF THE TOTAL CATCH OF SALMON, SEINERS ACCOUNTED FOR 86.88 MILLION POUNDS OR 45.5%, WHILE GILLNETTERS REPORTED 76.65 MILLION POUNDS OR 40.2%. TROLLERS ACCOUNTED FOR NEARLY 26.0 MILLION POUNDS WHILE THE TRAP CATCH AMOUNTED TO ONE AND A THIRD MILLION POUNDS.

CATCH BY SPECIES AND BY GEAR  
(ALL LANDINGS CONVERTED TO ROUND WEIGHT)

SPECIES	GILLNET		SEINE		TROLLERS		TRAPS		TOTAL	
	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	%	MILL LBS	%
PINKS	14.72	23.9	45.0	72.9	1.52	2.4	.50	.8	61.74	100.0
CHUMS	25.06	46.0	29.34	53.9	.02	*	.01	*	54.43	100.0
SOCKEYE	27.59	78.0	7.35	20.8	.03	.1	.37	1.1	35.34	100.0
COHO	4.70	20.3	4.62	20.0	13.71	59.2	.13	.5	23.16	100.0
RED SPRING	2.06	19.1	.32	2.9	8.16	75.7	.25	2.3	10.79	100.0
WHITE SPRING	1.94	42.5	.13	2.9	2.41	52.9	.08	1.7	4.56	100.0
STEELHEAD	.40	86.6	.05	10.1	.01	1.4	.01	1.9	.47	100.0
JACKS	.17	53.4	.07	20.7	.08	25.9	-	-	.32	100.0
TOTAL	76.64	40.17	86.88	45.53	25.94	13.60	1.35	.70	190.81	100.0

\*LESS THAN 5000 LBS. OR LESS THAN .05%

ON THE BASIS OF VOLUME, PINKS, AS IN 1952, WERE THE MOST IMPORTANT SPECIES OF SALMON CAUGHT.

THE PINK CATCH DURING THE LAST THREE YEARS HAS BEEN AS FOLLOWS:

1951	60.18 MILLION POUNDS	- 71% SEINE, 26% GILLNET
1952	51.28 "	- 70.2% " 29.3% "
1953	61.74 "	- 72.9% " 23.9% "

THE CHUM CATCH TOTALLED 54.43 MILLION POUNDS IN 1953, WAS SECOND IN IMPORTANCE FROM A VOLUME STANDPOINT. OF THE TOTAL, GILLNETTERS ACCOUNTED FOR 25.05 MILLION POUNDS AS AGAINST 29.34 MILLION POUNDS FOR SEINERS.

THE SOCKEYE CATCH OF 35.34 MILLION POUNDS WAS THE HIGHEST OF THE LAST THREE YEARS. GILLNETTERS ACCOUNTED FOR 78.0% OF THE TOTAL POUNDAGE REPORTED AS COMPARED WITH 20.8% FOR SEINERS.

TROLLERS ACCOUNTED FOR NEARLY 26.0 MILLION POUNDS OF SALMON OF WHICH 13.7 MILLION POUNDS WAS COHO AND 8.16 MILLION POUNDS WERE RED SPRING. THIS TOTAL IS DOWN FROM THE 1951 AND 1952 TROLL CATCHES WHICH WERE AS FOLLOWS:

	TOTAL MILLION POUNDS	COHO MILLION POUNDS	RED SPRING MILLION POUNDS
1951	29.18	19.51	7.15
1952	27.78	17.20	8.67
1953	25.94	13.71	8.16

\* AN ANALYSIS OF CATCH BY AREAS, SHOWS THAT ONCE AGAIN AREA 12 WHICH INCLUDES THE UPPER PART OF JOHNSTONE STRAIT HAD THE HIGHEST CATCH IN THE PROVINCE WITH LANDINGS TOTALLING 35.2 MILLION POUNDS. THIS INCLUDED 18.8 MILLION POUNDS OF PINKS, 10.4 MILLION POUNDS OF CHUMS, NEARLY 3.0 MILLION POUNDS OF COHO AND 2.5 MILLION POUNDS OF SOCKEYE.

LANDINGS OF FISH IN THIS AREA FOR EACH OF THE PAST THREE YEARS WERE AS FOLLOWS:

1951	26.5 MILLION POUNDS
1952	19.2 MILLION POUNDS
1953	35.2 MILLION POUNDS

AREA 20, WHICH INCLUDES THE STRAIT OF JUAN DE FUCA WAS THE SECOND MOST IMPORTANT AREA IN THE PROVINCE FROM THE STANDPOINT OF CATCH AND ALTOGETHER 23.76 MILLION POUNDS OF FISH WERE REPORTED FROM THIS AREA. THIS INCLUDED 16.8 MILLION POUNDS OF PINKS, 3.7 MILLION POUNDS OF SOCKEYE AND 2.6 MILLION POUNDS OF COHO.

THE MAIN FRASER RIVER (AREA 29 A&B) REPORTED THE THIRD LARGEST LANDING OF FISH FOR THE PROVINCE WITH A TOTAL 17.8 MILLION POUNDS. AN ADDITIONAL .8 MILLION POUNDS AND 3.8 MILLION POUNDS WAS REPORTED FROM THE TWO OTHER FRASER RIVER DISTRICTS, NAMELY AREA 29 C AND 29 D RESPECTIVELY.


AREA 13, WHICH INCLUDES THE LOWER PORTION OF JOHNSTONE STRAIT RANKED FOURTH ON A VOLUME BASIS WITH LANDINGS TOTALLING 17.0 MILLION POUNDS. CHUMS AND PINKS TOTALLED 7.4 AND 7.3 MILLION POUNDS RESPECTIVELY. AREA 9 (RIVERS INLET) HAD THE HIGHEST TOTAL LANDINGS OF SOCKEYE WITH MORE THAN 8.8 MILLION POUNDS BEING REPORTED. AREA 23 WAS THE PROVINCE'S MOST IMPORTANT AREA FOR SPRING SALMON.

SUMMARY OF SALMON CATCH BY AREA 1953

AREA 1, 2AW AND 2AE (NORTH QUEEN CHARLOTTE ISLANDS) SLIGHTLY MORE THAN 25 MILLION POUNDS OF SALMON WERE LANDED FROM AREA 1 IN 1953. TROLLERS REPORTED LANDINGS 1.57 MILLION POUNDS OF COHO, THE SECOND HIGHEST IN THE PROVINCE, 588,000 POUNDS OF RED SPRING AND 119,000 POUNDS OF WHITE SPRING. THE PEAK OF THE COHO FISHERY IN THIS AREA LASTED FROM THE 3RD WEEK OF JULY TO THE 4TH WEEK OF AUGUST WITH CATCH IN THIS PERIOD RANGING FROM 16,800 COHO TO 30,000 COHO PER WEEK. TROLL CAUGHT SPRINGS REACHED A PEAK THE FIRST AND SECOND WEEK OF JUNE WITH LANDINGS OF 114,000 POUNDS AND 108,000 POUNDS RESPECTIVELY.

\* ALL WEIGHTS SHOWN AFTER THIS IN SUMMARY ARE ON BASIS OF LANDED WEIGHT (I.E.: GILLNET AND SEINE = ROUND, TROLL = DRESSED)

CHART 1 - TOTAL SALMON BY SPECIES AS REPORTED IN 10 HIGHEST AREAS OF BRITISH COLUMBIA 1953



SEINE CAUGHT CHUMS TOTALLING SLIGHTLY LESS THAN A MILLION POUNDS WERE REPORTED FROM AREA 2AE THE FIRST THREE WEEKS OF SEPTEMBER. LANDINGS OF CHUMS IN PIECES BY WEEK FROM THIS AREA WERE AS FOLLOWS:

WEEK ENDING AUGUST 29	-	4,176
" " SEPTEMBER 5	-	33,777
" " " 12	-	20,545
" " " 19	-	36,488

TOTAL LANDINGS FOR AREA 2AE WERE 385,000 POUNDS MOSTLY TROLL CAUGHT SPRINGS AND COHO.

AREA 2BE AND 2BW (SOUTH QUEEN CHARLOTTE ISLANDS) SALMON LANDINGS IN AREA 2BE TOTALLED 424,000 POUNDS OF WHICH TROLLERS CAUGHT FROM 130,000 POUNDS OF COHO AND 139,000 POUNDS OF RED SPRING.

THE TOTAL SALMON REPORTED FROM 2BW WAS LESS THAN 14,000 POUNDS.

AREA 3 (NAAS RIVER) SALMON LANDINGS FROM THIS AREA IN 1953 TOTALLED 6.15 MILLION POUNDS, THE TENTH HIGHEST IN THE PROVINCE. GILLNETTERS ACCOUNTED FOR 52% OF THE TOTAL POUNDAGE, SEINERS 40% AND TROLLERS 8%.

OF THE TOTAL SALMON, CHUMS TOTALLED 2.37 MILLION POUNDS, PINKS 1.37 MILLION POUNDS AND SOCKEYE 1.34 MILLION POUNDS.

GILLNETTERS ACCOUNTED FOR MOST OF THE SOCKEYE TAKEN IN THE NAAS AREA. TOTAL LANDINGS OF SOCKEYE BY GILLNET BY WEEK DURING THE PEAK PERIOD ARE AS FOLLOWS:

<u>No. of Pieces</u>		
WEEK ENDING JUNE 27	-	30,939
" " JULY 4	-	32,335
" " JULY 11	-	37,983
" " JULY 18	-	22,936
" " JULY 25	-	16,298
" " AUGUST 1	-	30,960

THE PEAK OF THE PINK RUN WAS REPORTED FROM THIS AREA DURING THE WEEK ENDING AUGUST 1. DURING THIS WEEK SEINERS CAUGHT 60,348 AND GILLNETTERS 44,212 PINKS.

AREA 4 (SKEENA RIVER) A TOTAL OF 9.0 MILLION POUNDS OF SALMON WAS REPORTED CAUGHT IN THIS AREA IN 1953. GILLNETTERS ACCOUNTED FOR 8.4 MILLION POUNDS OF THE TOTAL WITH TROLLERS TAKING MOST OF THE REMAINDER.

SOCKEYE LANDINGS BY GILLNET MADE UP NEARLY HALF OF THE TOTAL SALMON LANDED BY GILLNET WITH PINKS ACCOUNTING FOR 2.28 MILLION POUNDS AND CHUMS 770,000 POUNDS.

LANDINGS OF SOCKEYE AND PINKS BY WEEKS SHOWS THAT THE PEAK CATCH OCCURRED FOR BOTH SPECIES IN THE WEEK IMMEDIATELY FOLLOWING THE TIME THE AREA WAS CLOSED FOR CONSERVATION PURPOSES. WEEKLY LANDINGS OF SOCKEYE AND PINKS IN 1953 FOR THIS AREA WERE AS FOLLOWS:

Wk. END.	SOCKEYE No.	PINKS No.	TOTAL GN. DEL.	Wk. END.	SOCKEYE No.	PINKS No.	TOTAL GN. DEL.
JUNE 27	41,292	149	1,672	AUGUST 1	CLOSED TO NET		
JULY 4	45,076	457	2,386	AUGUST 8	208,923	225,716	3,810
JULY 11	88,100	4,212	3,376	AUGUST 15	32,686	115,770	3,041
JULY 18	70,002	6,980	3,057	AUGUST 22	3,473	19,842	1,128
JULY 25	168,901	40,572	3,398	AUGUST 29	506	7,712	988

AREA 5 (GRENVILLE-PRINCIPLE) TOTAL SALMON LANDINGS FROM THIS AREA IN 1953 TOTALLED 2.88 MILLION POUNDS. THIS COMPARED WITH LANDINGS OF 7.42 MILLION POUNDS IN 1952 AND 4.7 MILLION POUNDS IN 1951. LANDINGS BY SPECIES WERE AS FOLLOWS:

CHUMS	-	842,400 POUNDS
PINKS	-	619,100 POUNDS
SOCKEYE	-	508,900 POUNDS
COHO	-	458,600 POUNDS
RED SPRING	-	355,300 POUNDS

GILLNETTERS ACCOUNTED FOR 52% OF THE CATCH FROM THIS AREA, SEINERS 30% AND TROLLERS 18%.

AREA 6 (KLEMUTU-BUTEDALE) LANDINGS FROM THIS AREA WERE ALSO DOWN FOR THE PREVIOUS TWO YEARS AND TOTALLED 4.9 MILLION POUNDS OF SALMON COMPARED WITH 9.1 MILLION POUNDS IN 1952 AND 12.2 MILLION POUNDS IN 1951.

OF THE TOTAL, SEINERS ACCOUNTED FOR 3.5 MILLION POUNDS WHICH INCLUDED 2.4 MILLION POUNDS OF CHUMS AND 600,000 POUNDS OF PINKS.

THE TOTAL NUMBER OF PINKS CAUGHT IN THIS AREA IN 1953 BY BOTH SEINE AND GILLNET WAS ONLY 147,000 AS AGAINST 1,013,000 IN 1951.

CHUM LANDINGS BY GILLNET AND SEINE WERE 3.16 MILLION POUNDS, THE SIXTH HIGHEST IN THE PROVINCE.

AREA 7 (BELLA BELLA) MORE THAN 7.0 MILLION POUNDS OF SALMON WERE CAUGHT IN THIS AREA DURING THE YEAR. CHUMS PREDOMINATED THE CATCH AND TOTALLED 5.0 MILLION POUNDS, WHILE PINKS TOTALLED JUST SLIGHTLY MORE THAN 1.0 MILLION POUNDS.

GILLNETTERS ACCOUNTED FOR 46% OF THE POUNDAGE REPORTED FROM THIS AREA WHILE SEINERS REPORTED 44%.

AREA 8 (NAMU-BELLA COOLA) LANDINGS OF SALMON TOTALLING 11.3 MILLION POUNDS MADE THIS THE FIFTH MOST IMPORTANT SALMON AREA IN THE PROVINCE. THIS TOTAL WHILE UP FROM THE 1952 LANDINGS, WAS ONLY SLIGHTLY MORE THAN HALF OF THE 21.3 MILLION POUNDS REPORTED IN 1951.

LANDINGS BY SPECIES SHOW FOLLOWING BREAKDOWN ON BASIS OF GEAR.

SPECIES	MILLIONS POUNDS	% OF TOTAL	SEINE %	GILLNET %	TROLL %
CHUMS	6.10	54.0	54	46	
PINKS	2.83	25.0	58	42	*
COHO	1.26	11.2	16	59	24
SOCKEYE	.83	7.3	35	65	
OTHER	.28	2.5	—	—	—
TOTAL	11.30	100%	44	53	3

LANDINGS IN AUGUST MADE UP NEARLY ONE HALF OF YEARLY LANDINGS FOR THIS AREA.

AREA 9 (RIVERS INLET) THIS INLET FOR THE THIRD YEAR IN A ROW WAS ONE OF THE MAJOR SOCKEYE PRODUCING AREAS IN THE PROVINCE. SOCKEYE LANDINGS MADE UP 88% OF THE TOTAL SALMON CATCH FOR THIS AREA WHICH AMOUNTED TO 10.1 MILLION POUNDS. WEEKLY LANDINGS OF SOCKEYE DURING THE PEAK OF THE RUN IN THIS AREA WERE AS FOLLOWS:

WEEK ENDING	NUMBER OF FISH SOCKEYE	GILLNET DELIVERIES
JULY 4	56,119	1,963
JULY 11	248,845	3,900
JULY 18	432,522	6,496
JULY 25	385,594	5,527
AUGUST 1	392,043	5,652

ALTOGETHER 1,522,054 SOCKEYE WERE REPORTED FROM THIS AREA IN 1953, COMPARED WITH 1,016,200 IN 1951 AND 938,700 IN 1952.

AREA 10 (SMITH INLET) THIS AREA ALSO CONTINUES TO BE AN IMPORTANT SOCKEYE AREA AND A TOTAL OF 367,049 SOCKEYE WERE CAUGHT IN THIS AREA IN 1953. THIS CATCH MADE UP 80% OF ALL FISH REPORTED IN THIS AREA.

AREA 11 TOTAL LANDING OF SALMON FOR THIS AREA TOTALLED JUST OVER 300,000 POUNDS OF WHICH 175,000 POUNDS WERE SOCKEYE.

AREA 12 & 13 (JOHNSTONE STRAIT) IN 1953, LANDINGS OF FISH FOR AREA 12 TOTALLED 35.2 MILLION POUNDS AND AREA 13, 17.0 MILLION POUNDS. THE COMBINED TOTAL OF 52.2 MILLION POUNDS IS JUST SLIGHTLY LESS THAN 30% OF THE TOTAL SALMON CAUGHT IN B.C.

#### CATCH BY SPECIES AND TYPE OF GEAR

SPECIES	No. OF FISH (IN THOUSANDS)	POUNDS (IN MILLIONS)	GILLNET %	SEINE %	TROLL %
PINKS	4,873	26.06	10.2	88.1	1.7
CHUMS	1,610	17.84	32.6	67.4	*
COHO	549	3.97	26.4	33.0	40.6
SOCKEYE	583	3.34	26.1	73.8	.1
RED SPRING	53	.62	7.9	23.2	68.9
OTHER	30	.40	43.0	15.5	41.5
		<u>52.23</u>			
NUMBER OF DAYS FISHING EFFORT		<u>24,472</u>		<u>8,826</u>	<u>16,563</u>

WEEKLY PEAKS FOR THE VARIOUS SPECIES IN AREA 12 WERE AS FOLLOWS:

SPECIES	GEAR	WEEK ENDING	No. OF FISH
SOCKEYE	GILLNET	JULY 25	20,436
	SEINE	JULY 18	74,468
PINKS	GILLNET	AUGUST 29	91,279
	SEINE	AUGUST 22	725,036
CHUMS	GILLNET	OCTOBER 24	99,491
	SEINE	OCTOBER 24	100,735
COHO	GILLNET	SEPTEMBER 26	15,144
	SEINE	SEPTEMBER 5	17,078
	TROLL	AUGUST 1	30,334

AREA 14 (COMOX) A TOTAL OF 1.8 MILLION POUNDS OF SALMON WAS REPORTED FOR THIS AREA IN 1953. ALTOGETHER A TOTAL OF 100,000 CHUMS WAS REPORTED OF WHICH 44.6% WAS TAKEN BY GILLNET AND 55.4% BY SEINE.

TROLL CAUGHT COHO, MAINLY BLUEBACKS IN JUNE AND JULY MADE UP MOST OF THE REMAINING CATCH FROM THIS AREA.

AREA 15 SALMON LANDINGS FROM THIS AREA TOTALLED LESS THAN 500,000 POUNDS OF WHICH 175,000 WERE TROLL CAUGHT COHO.

AREA 16 (PENDER HARBOUR) NEARLY 4 MILLION POUNDS OF SALMON WERE REPORTED FROM THIS AREA IN 1953. GILLNETTERS REPORTED 1.83 MILLION POUNDS OF CHUMS 192,000 POUNDS OF PINKS AND 134,000 POUNDS OF COHO. SEINERS ON THE OTHER HAND REPORTED SLIGHTLY OVER 200,000 POUNDS OF CHUMS BUT 846,000 POUNDS OF PINKS.

TROLLERS CAUGHT 268,400 POUNDS OF COHO, MOSTLY BLUEBACKS, 113,000 POUNDS OF RED SPRING AND 109,000 POUNDS OF WHITE SPRING.

AREA 17 (NANAIMO) LANDINGS OF SALMON FROM THIS AREA HAVE REMAINED VERY CONSTANT DURING THE PAST THREE YEARS. TOTALS FOR 1951 WERE 1.8 MILLION POUNDS; FOR 1952, 1.94 MILLION POUNDS; FOR 1953, 1.59 MILLION POUNDS.

CHUMS MADE UP 56% OF THE TOTAL CATCH FROM THIS AREA WITH COHO, MOSTLY TROLL CAUGHT, ACCOUNTING FOR 28%.

AREA 18 (COWICHAN) ONLY 390,000 POUNDS OF SALMON WERE REPORTED FROM THIS AREA WITH CHUMS MAKING UP 67% OF THE TOTAL.

AREA 19 (VICTORIA) THE SALMON CATCH IN AREA 19 IN 1953 TOTALLED 39,500 POUNDS.

AREA 20 (STRAIT OF JUAN DE FUCA) AS A RESULT OF THE LARGE PINK RUN TO THE FRASER AND PUGET SOUND, COUPLED WITH GOOD SOCKEYE CATCHES, SEINERS IN THIS AREA WERE ABLE TO REPORT A TOTAL CATCH OF 22.2 MILLION POUNDS.

#### WEEKLY CATCHES BY SEINERS IN 1953 WERE AS FOLLOWS:

WEEK ENDING	SOCKEYE	PINKS	COHO	No. OF DELIVERIES
JULY 4	20,498	309	35,649	171
JULY 11	29,807	313	10,626	151
JULY 18	18,462	2,544	10,985	114
JULY 25	170,849	4,870	8,167	164
AUGUST 1	152,573	32,222	11,712	263
AUGUST 8	54,046	55,897	32,351	264
AUGUST 15	85,744	236,826	26,399	284
AUGUST 22	40,463	386,328	27,369	293
AUGUST 29	6,686	816,497	46,423	302
SEPTEMBER 5	1,265	684,225	19,984	313
SEPTEMBER 12	680	423,982	70,384	316
SEPTEMBER 19	109	180,030	31,455	158

TRAPS ACCOUNTED FOR 1.35 MILLION POUNDS OF SALMON AND GILLNETTERS 175,000 POUNDS.

ALTOGETHER A TOTAL OF 645,900 SOCKEYE, 2,920,800 PINKS AND 358,000 COHO WAS CAUGHT IN THIS AREA IN 1953.

AREA 22 (NITINAT) A SMALL COMMERCIAL CHUM RUN IN NITINAT LAKE RESULTED IN 60,000 CHUMS AND 3,000 COHO BEING CAUGHT BY GILLNETTERS AND SEINERS IN OCTOBER.

THE ONLY OTHER FISHING IN THIS AREA OCCURRED DURING THE PERIOD MAY 15 TO JUNE 12 WHEN GILLNETTERS REPORTED NEARLY 36,000 SOCKEYE.

AREA 21-27 NOT INCLUDING AREA 22 (WEST COAST OF VANCOUVER ISLAND) WHILE THESE WEST COAST AREAS ARE USUALLY CONSIDERED MOST IMPORTANT FOR TROLL CAUGHT SALMON, NET FISHING IN CERTAIN OF THE AREAS IN 1953 DID RESULT IN FAIR RETURNS.

ALTOGETHER NEARLY 600,000 CHUMS WERE REPORTED FROM THESE 6 AREAS MOSTLY BY SEINERS. AREA 25 (NOOTKA) REPORTED 212,000 CHUMS, AREA 23 (BARSBY

THE SOCKEYE CATCH WHICH TOTALLED 179,000 FISH WAS CONFINED MAINLY TO TWO AREAS, NAMELY, TOFINO WHERE SEINERS CAUGHT NEARLY 86,000 SOCKEYE; AND BARCLAY SOUND WHERE GILLNETTERS REPORTED 78,000 SOCKEYE.

TROLLERS ON THE WEST COAST REPORTED A TOTAL OF MORE THAN TEN MILLION POUNDS OF COHO AND SPRING SALMON DURING THE YEAR. IN ADDITION TROLL CAUGHT PINKS REPORTED FROM THESE SIX AREAS TOTALLED 715,000 POUNDS.

BASED ON AVERAGE PRICES PAID DURING THE YEAR FOR THE AVERAGE GROSS RETURN PER DAY FISHING FOR TROLLERS WAS APPROXIMATELY \$43.25.

#### LANDINGS BY TROLLERS FROM AREAS 21-27, 1953

AREA	COHO	RED SPRING	WHITE SPRING	PINKS	TOTAL	DAYS FISH- ING	AVERAGE CATCH PER DAY	DAYS	LBS.
							(000's OF POUNDS)		
21	654.0	235.1	108.3	125.0	1122.4	2201	509.9		
23	1865.4	2138.1	730.2	254.3	4988.0	21148	235.9		
24	808.7	568.8	73.7	137.1	1588.3	9299	170.8		
25	682.9	741.0	230.3	79.4	1733.8	6467	268.1		
26	499.1	443.1	74.0	72.3	1088.5	5048	215.6		
27	435.5	165.6	19.4	47.1	667.6	3276	203.8		
<b>TOTAL</b>	<b>4945.6</b>	<b>4291.7</b>	<b>1236.1</b>	<b>715.2</b>	<b>11188.6</b>	<b>47439</b>	<b>235.8</b>		

AVERAGE RETURN PER DAY FISHING \$43.25

AREA 28 (HOWE SOUND) TOTAL SALMON LANDING FOR THIS AREA TOTALLED 1.16 MILLION POUNDS OF WHICH GILLNETTERS ACCOUNTED FOR 725,000 POUNDS OF CHUMS AND 280,000 POUNDS OF PINKS.

AREA 29 (INCLUDING SUB-AREA 29 A&B, 29 C AND 29 D) ALL FISH CAUGHT IN THE FRASER RIVER AREAS WITH THE EXCEPTION OF A FEW DRAGGER AND TROLL FISH CAUGHT AT THE MOUTH OF THE FRASER ARE GILLNET SALMON.

IN 1953, 22.33 MILLION POUNDS OF SALMON WERE REPORTED BY FRASER RIVER GILLNETTERS, OF WHICH, 17.75 MILLION POUNDS WERE TAKEN IN THE MAIN RIVER UP TO THE PATULLO BRIDGE, 790,000 POUNDS WERE CAUGHT IN THE MIDDLE AND NORTH ARMS, AND 3.79 MILLION POUNDS WERE FROM ABOVE THE PATULLO BRIDGE.

GILLNETTING STARTS IN FEBRUARY BUT IS OF LITTLE COMMERCIAL SIGNIFICANCE UNTIL THE FIRST PART OF MAY. THE TOTAL SALMON CAUGHT BY GILLNET EACH MONTH IN 1953 IS AS FOLLOWS:

SPECIES	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	TOTAL	
								(000's OF POUNDS)	
RED SPRING	206	290	301	272	143	15	1	1228	
WHITE SPRING	8	24	104	171	1020	252	5	1584	
SOCKEYE	-	60	5876	2044	337	12	-	8329	
CHUMS	-	-	-	*	43	1239	2780	4062	
PINKS	-	-	3	523	5583	201	1	6311	
COHO	-	-	5	53	227	165	70	520	
STEELHEAD	2	2	4	2	10	7	9	36	
JACKS	-	-	24	27	49	*	-	101	
<b>TOTAL</b>	<b>216</b>	<b>377</b>	<b>6317</b>	<b>3092</b>	<b>7412</b>	<b>1891</b>	<b>2866</b>	<b>22171</b>	
DAY'S FISHING	3661	3545	16523	14098	11624	5919	6444	61814	
AVERAGE LBS. PER DELIVERY	59	106	382	219	638	319	444	358	

ALTOGETHER A TOTAL 2,925,000 SALMON WEIGHING 22,332 MILLION POUNDS WAS CAUGHT IN THESE THREE FRASER RIVER AREAS IN 1953. TOTAL NUMBER AND POUNDAGE OF EACH SPECIES IS AS FOLLOWS:

SPECIES	NUMBER OF FISH IN THOUSANDS	POUNDS 000's	AVERAGE WEIGHT LBS.
SOCKEYE	1,328	8,329	6.27
PINKS	1,016	6,311	6.21
CHUMS	327	4,065	12.43
WHITE SPRING	72	1,594	22.1
RED SPRING	81	1,361	16.8
COHO	73	519	7.1
JACKS	23	102	4.43
STEELHEADS	5	51	10.20
		<u>2,925</u>	<u>22,332</u>

#### - OTHER FISH -

#### HERRING

NO HERRING PRICE AGREEMENT WAS REACHED IN THE FALL OF 1952, AND THEREFORE HERRING SEINING IN THE FIRST THREE MONTHS OF 1953 WAS RESTRICTED TO A SMALL QUANTITY OF FISH TAKEN FOR FOOD AND BAITS PURPOSES. HOWEVER, THE SUMMER SEINE HERRING FISHERY STARTED EARLIER THAN USUAL AND RECORD CATCHES WERE MADE DURING THE LAST THREE MONTHS OF 1953. THE TOTAL HERRING CATCH FOR 1953 WAS 298.2 MILLION POUNDS OR 149,000 TONS. WITH THE EXCEPTION OF 2.7 MILLION POUNDS CAUGHT BY GILLNET AND TRAIL, THIS WAS ENTIRELY A PURSE SEINE OPERATION.

THE MORE IMPORTANT AREAS WERE AS FOLLOWS:

AREA	MILLION POUNDS	HERRING QUOTA SUBDISTRICT
18	60.0	LOWER EAST COAST
5	56.6	DISTRICT 2 (NORTHERN)
17	51.8	LOWER EAST COAST
23	43.0	WEST COAST V.I.
13	20.9	MIDDLE EAST COAST
14	16.3	MIDDLE EAST COAST
6	13.2	DISTRICT 2 (CENTRAL)
OTHER	36.4	MIXED SUB-DISTRICTS
<b>TOTAL</b>	<b>298.2</b>	

#### HALIBUT

DETAILED STATISTICS ON HALIBUT ARE COMPILED AND PUBLISHED BY THE INTERNATIONAL HALIBUT COMMISSION UNDER WHOSE DIRECTION HALIBUT FISHING IS REGULATED ON THE PACIFIC COAST.

IN 1953, A TOTAL OF 24,88 MILLION POUNDS OF HALIBUT WAS LANDED BY CANADIAN BOATS AT CANADIAN PORTS. THIS WAS THE LARGEST CATCH BY CANADIAN BOATS SINCE 1930.

THE CATCH BY STATISTICAL AREA AS REPORTED ON SALES SLIPS IS AS FOLLOWS: ALASKA (AREA A & B), 6.72 MILLION POUNDS; AREA 2 AE, 4.94 MILLION POUNDS; AREA 4, 3.00 MILLION POUNDS; AREA 2 BE, 2.16 MILLION POUNDS; AREA 5 2.08 MILLION POUNDS; AREA 1, 1.58 MILLION POUNDS; OTHER, 4.40 MILLION POUNDS; TOTAL ALL AREAS, 24.88 MILLION POUNDS.

SOLE

LANDINGS OF SOLE BY TRAWLERS WERE REDUCED SHARPLY FROM THE 1952 CATCH AND TOTALLED ONLY 6,14 MILLION POUNDS AS COMPARED WITH 14,34 MILLION POUNDS IN 1952 AND 10,13 MILLION POUNDS IN 1951. OF THE TOTAL CATCH IN 1953, 30,3% WAS LEMON SOLE, 28,9% WAS ROCK SOLE AND 15,2% WAS GRILLS, WITH OTHER TYPES ACCOUNTING FOR THE REMAINING 19,6%.

AREA 4, IN DISTRICT 2, ACCOUNTED FOR 50% OF THE SOLE CATCH WITH LANDINGS TOTALLING SLIGHTLY MORE THAN 3,0 MILLION POUNDS. AREA 23 AND AREA 2 AE WERE NEXT IN IMPORTANCE WITH LANDINGS TOTALLING 650,000 AND 540,000 POUNDS RESPECTIVELY.

GRAY COD

LANDINGS OF GRAY COD IN 1953 ALMOST ENTIRELY BY TRAWLERS TOTALLED 3,19 MILLION POUNDS. THIS REPRESENTED A SHARP DECLINE FROM THE 4,5 MILLION POUNDS REPORTED IN 1952 AND THE 5,27 MILLION POUNDS IN 1951. MOST OF THE GRAY COD WAS CAUGHT IN DISTRICT 3 AND THE MORE IMPORTANT AREAS WERE AREA 17, 759,000 POUNDS, AREA 18, 697,000 POUNDS, AREA 23, 410,000 POUNDS, AREA 24, 231,000 POUNDS AND AREA 21, 203,000 POUNDS.

LING COD

LING COD LANDINGS WERE ALSO DOWN IN 1953 AND TOTALLED JUST SLIGHTLY LESS THAN 3 MILLION POUNDS. OF THIS TOTAL, TROLLERS AND HANDLINERS REPORTED 2,06 MILLION POUNDS, TRAWLERS 753,000 POUNDS AND LONG LINERS 119,000 POUNDS.

MOST OF THE LING COD WAS CAUGHT ON THE EAST COAST OF VANCOUVER ISLAND WITH AREA 13 REPORTING 554,000 POUNDS, AREA 17, 481,000 POUNDS, AREA 18, 300,000 POUNDS AND AREA 16, 265,000 POUNDS.

TRAWLERS REPORTED 339,000 POUNDS OF LING COD FROM AREA 23 AND 146,000 POUNDS FROM AREA 24.

BLACK COD

BLACK COD LANDINGS TOTALLED 1,36 MILLION POUNDS OF WHICH 851,000 POUNDS CAME FROM ALASKA (AREAS A & B) AND 111,400 POUNDS FROM AREA 12.

RED & ROCK COD

RED AND ROCK COD LANDINGS DROPPED TO SLIGHTLY LESS THAN 450,000 POUNDS IN 1953 COMPARED WITH 916,000 POUNDS IN 1952 AND 937,000 POUNDS IN 1951. TRAWLERS ACCOUNTED FOR 164,000 POUNDS AND LONGLINERS 149,000 POUNDS.

MISCELLANEOUS FISH

LANDINGS OF OULACHONS FROM THE FRASER RIVER TOTALLED SLIGHTLY OVER ONE THIRD OF A MILLION POUNDS AS COMPARED WITH NEARLY A MILLION POUNDS THE PREVIOUS YEAR. THIS DECLINE WAS ATTRIBUTED PARTIALLY TO POOR MARKET CONDITIONS.

TUNA LANDINGS IN BRITISH COLUMBIA, ALL FROM SOUTH OF CAPE FLATTERY, TOTALLED ONLY 11,300 POUNDS.

- SHELL FISH -CLAMS

THE TOTAL VOLUME OF CLAMS DUG IN 1953 WAS 4,58 MILLION POUNDS, DOWN FROM THE 1952 TOTAL OF 6,66 MILLION POUNDS BUT EQUAL TO THE 1951 PRODUCTION OF 4,50 MILLION POUNDS. BUTTER CLAMS MADE UP APPROXIMATELY 80% OF THE TOTAL.

AREA 12 WAS THE HIGH AREA IN THE PROVINCE FOR BUTTER CLAMS WITH 1,4 MILLION POUNDS, FOLLOWED BY AREA 5 WITH 633,000 POUNDS, AREA 4 WITH 381,000 POUNDS AND AREA 7 WITH 284,000 POUNDS.

CRABS

LANDINGS OF CRABS INCREASED IN 1953 AND TOTALLED 3,19 MILLION POUNDS, GREEN WEIGHT, AS COMPARED WITH 2,0 MILLION POUNDS IN 1952 AND 1,8 MILLION POUNDS IN 1951. WHILE MOST OF THESE CRABS WERE CAUGHT IN TRAPS, TRAWLERS REPORTED 382,000 POUNDS.

SHRIMPS AND PRAWNS

CATCHES OF SHRIMPS AND PRAWNS ALSO INCREASED SHARPLY WITH TOTAL LANDINGS FOR THE YEAR TOTALLING ONE AND A QUARTER MILLION POUNDS. SHRIMP WAS ALMOST ENTIRELY A TRAWL OPERATION WHEREAS PRAWNS WHICH TOTALLED JUST OVER A HUNDRED THOUSAND POUNDS WERE CAUGHT MOSTLY BY TRAPS. TRAWLERS REPORTED 436,000 POUNDS OF SHRIMP FROM AREA 17, 375,000 POUNDS FROM AREA 28 AND 242,700 POUNDS FROM AREA 29C.

OYSTERS

DUE TO UNFAVORABLE MARKET CONDITIONS IN THE LATTER PART OF THE YEAR PRODUCTION OF OYSTERS DROPPED IN 1953 TO 66,476 SHUCKED GALLONS AS COMPARED WITH 81,185 GALLONS IN 1952. OF THIS TOTAL 43,400 GALLONS WERE REPORTED FROM 29E, 11,620 FROM AREA 17, 4,800 GALLONS FROM AREA 14 AND 4,600 GALLONS FROM AREA 16.

SECTION A - SALMON

THE TOTAL SALMON LANDINGS BY MONTH IN CWT.  
FOR EACH AREA ARE SHOWN ON SHEET A OF THIS  
SECTION.

SECTION B - OTHER FISH

THE TOTAL LANDING BY MONTH IN CWT. FOR EACH  
AREA IS SHOWN ON THE BACK OF EACH PAGE. DAYS  
FISHING BY TYPE OF GEAR FOR ALL FISH SHOWN AT  
THE BOTTOM OF SHEET B.

CONSOLIDATION OF AREA 29E, SHEETS A & B

MONTH	GEAR	SPECIES	QUANTITY CWT.	DAYS FISHING
SEPTEMBER	G.N.	COHO	2	3
OCTOBER	G.N.	COHO CHUMS WHITE SPRING	51 * *)	36
NOVEMBER	G.N.	COHO	*	1
DECEMBER	TRAP	GRAY COD	2	INCIDENTAL TO CRAB TRAP
TOTAL	G.N.	COHO CHUMS WHITE SPRING	53 * *)	40
	TRAP	GRAY COD	2	INCIDENTAL TO CRAB TRAP

\*LESS THAN .5 CWT.

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 15  
TOTAL ALL DISTRICTS

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		TOTAL
	JAN 1- JAN 31	CWT	FEB 1- FEB 28	CWT	MAR 1- MAR 31	CWT	APR 1- MAY 2	CWT	MAY 3- MAY 30	CWT	MAY 31- JUN 27	CWT	JUN 28- AUG 1	CWT	AUG 2- AUG 29	CWT	AUG 30- SEPT 26	CWT	SEPT 27- OCT 31	CWT	NOV 1- Nov 30	CWT	DEC 1- DEC 31	CWT	
COHO	G.N.										49		1635		14861		20335		9199		920				46 999
	SEINE										9		5545		17891		20905		3135		45				47 530
	TROLL										9838		39430		37892		28055		1304		1				116 520
SOCKEYE	G.N.							1265			8617		222050		40325		3494		121		2				275 874
	SEINE								2		454		56730		19518		513		3						77 220
	TROLL										17		196		61		3								277
PINKS	G.N.										14		8851		68835		67445		2112		10				147 267
	SEINE												16175		266194		172218		350						454 937
	TROLL										164		1317		6806		4614		17						12 918
CHUMS	G.N.	(1) 9									432		16050		46441		51527		95082		41029				250 570
	SEINE								4		26		44227		39117		41534		156897		11708				293 513
	TROLL								1		3		39		45		73		3						167
RED SPRING	G.N.		78	199	1234	2787					5380		5193		3273		1894		506		62				20 609
	SEINE										104		688		2262		2049		514		62		1		5 681
	TROLL		151	389	852	3758	10032				19818		20186		8269		4672		884		124		254		69 389
WHITE SPRING	G.N.		27	51	102	174					544		2279		2477		10367		3177		179				19 377
	SEINE								7		68		910		623		461		18						2 087
	TROLL		78	137	161	949	2697				4873		6360		3365		1626		174		29		59		20 508
STEELHEADS	G.N.			31	44	90	77				140		1190		1607		589		123		126				4 017
	SEINE										4		21		310		150		64		9				558
	TROLL		1								1		3		12		19		19		1				57
JACKS	G.N.										1		73		682		382		540		17		8		1 703
	SEINE												3		316		231		53		58				661
	TROLL		2	5	9	31	92				164		172		93		80		19		18		17		702
STURGEON	G.N.			8	14	151	93				66		44		49		70		25		22				542
	TRAP & SEINE												1		1										2
	TROLL																								

(1) CAUGHT DECEMBER 1952,  
SOLD JANUARY, 1953

LESS THAN .5 CWT

TOTAL ALL DISTRICTS

SHEET B

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		<u>JANUARY</u>	<u>FEBRUARY</u>	<u>MARCH</u>	<u>APRIL</u>	<u>MAY</u>	<u>JUNE</u>	<u>JULY</u>	<u>AUGUST</u>	<u>SEPTEMBER</u>	<u>OCTOBER</u>	<u>NOVEMBER</u>	<u>DECEMBER</u>	<u>TOTAL</u>
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31	
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	968	1103	1261	6053	4092	942	2113	2150	794	796	729	1290	22 291
ROCK SOLE	TRawl	545	469	479	299	2362	3427	4013	3109	2535	238	266	12	17 754
BUTTER SOLE	TRawl	200	1370	1726	175									3 471
REX SOLE	TRawl			12	8	18	106	293	330	46		7		820
DOVER SOLE	TRawl	1	2	8	1	93	617	1893	1235	821	141	1	10	4 823
BRILLS	TRawl		5	86	308	788	2156	1552	942	2546	802	156		9 341
MIXED SOLE	TRawl	18	62	225	242	364	210	383	633	325	5	28	386	2 881
TOTAL SOLE	TRawl	1732	3011	3797	7086	7717	7458	10247	8399	7067	1982	1187	1698	61 381
FLOUNDERS	TRawl	55	229	128	127	59	35	28	28	13	183	306	186	1 377
SKATE	TRawl	91	103	102	97	66	42	64	50	50	73	78	113	929
OTHER	TRawl	1	3	7	5								2	18
HALIBUT LGE.	L.L.					8366	16786	8359	6725	773	17	3		41 033
MED.	L.L.					58499	66258	19009	11387	951	130	11		156 245
CHIX	L.L.					19365	13808	1669	890	24	14	2		35 772
No. 2	L.L.					1030	1814	1743	256	737	4	4		5 568
MIXED	HL & T					4369	3352	113	2299		30	17		10 200
RED & ROCK	TRawl	129	162	110	44	104	110	205	24	129	223	141	253	1 636
	L.L.	5	19	102	107	31	75	317	52	551	180	29	24	1 492
	HL & T	12	24	189	245	86	85	82	52	75	70	62	25	1 007
	OTHER	71	51	31	14	37	32	26	30	26	6	21	345	
GRAY COD	TRawl	2868	2979	3068	3750	2102	949	2851	1694	3288	2737	2250	2435	31 871
	L.L.			5									1	6
	OTHER	2	1	2	14		1		3	6		3	2	34
BLACK COD	TRawl		1			1	12	63	29	36	13			155
	L.L.	1	633	1619	116	312	3619	1559	3746	1441	249		175	13 470
	OTHER					5	5	3	1					15
LING COD	TRawl	80	7	101	314	703	1395	2141	1531	653	287	149	66	7 527
	L.L.	36	92	394	129	265	109	36	11	27	11	79	1	1 190
	HL & T	13	51	3420	471	2520	1905	1728	1196	1293	1672	1395	491	20 655
	OTHER			4		5	3	5	26	8	4			55
HERRING	SEINE	40603	39534	17282		12100	7217	56902	31809	117579	84573	1007252	784393	2 953 044
	G.N.	10624	12144	195	171	800	62	20	18	270	439	1965	660	27 368
COULACHONS	G.N.			TRAP 47	3392	57								3 496
SMELETS	G.N.					10	143	37	110	38	2			339
ANCHovies	SEINE	2650	642	1385	350	2330	101							7 458
OTHER FISH	TRawl	420	1199	524	1163	2336	1718	3515	3557	1994	2495	3568	3169	25 658
	G.N.					16					1			17
	L.L.		4	2	3						1	6	5	21
	HL & T	10	6	107	118	70	61	32	21	35 (113 TUNA) 69		56	40	(113 TUNA) 625
	SEINE	63	68	94	114	25			24	3		19	114	524
DAYS	**TRawl	390	566	483	491	484	360	421	324	302	387	268	546	5 022
FISHING	HL & T	430	347	3198	6287	10858	22170	31704	23051	17519	2654	1088	780	120 786
	L.L.	11	37	104	108	5173	4664	796	515	218	79	42	39	11 792
	G.N.	41	286	1 TRAP 683	3327	5435	9889	72675	43911	32149	26910	9490		204 826
	TRAP & SEINE	BS 54	BS 29	BS 41	BS 28	3 BS 15	81	5017	5867 BS 5	4021 BS 1	3770	277 BS 9	33	19 246

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

STURGEON - SEE SHEET A

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.					38	1357	11788	11075	19			24 277
	SEINE					1	987	3882	1893	5			6 768
	TROLL					1083	16398	13703	5569	259			37 012
SOCKEYE	G.N.					4888	153599	17803	70				126 360
	SEINE					13	7231	2154	19				9 417
	TROLL					17	7						24
PINKS	G.N.					14	7847	41486	1736	1			51 084
	SEINE						9162	34968	572				44 702
	TROLL						258	425	96				779
CHUMS	G.N.					429	14672	42287	43223	231			100 844
	SEINE					25	43917	35441	23030	1459			103 872
	TROLL					1	24	39	40	1			105
RED SPRING	G.N.			56	679	2392	2006	386	167				5 686
	SEINE					2	373	154	3				532
	TROLL			306	3797	7768	4645	1272	298	1			18 087
WHITE SPRING	G.N.			8	80	277	614	63	49	3			1 094
	SEINE						265	20	1				286
	TROLL			53	689	1764	971	218	65				3 760
STEELHEADS	G.N.			7	19	50	1023	1556	465				3 120
	SEINE						240	117	2				359
	TROLL					1	4	4	1				10
JACKS	G.N.					62	438	71	20				591
	SEINE					1	103	50	8				162
	TROLL			8	56	132	107	44	19				366
	G.N.												
	SEINE												
	TROLL												

\* LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET 8

ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	JANUARY FEB 1- FEB 28	FEBRUARY MAR 1- MAR 31	MARCH APR 1- MAR 31	APRIL APR 1- May 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	6d	204	940	5403	3847	892	1949	1992	561	66	232	179	16 421
ROCK SOLE	TRawl		214	46	31	2254	3408	3180	3087	2535	231	3		14 989
BUTTER SOLE	TRawl	200	1370	1712	153									3 445
REX SOLE	TRawl			5	1	19	106	293	330	46				799
DOVER SOLE	TRawl				1	37	612	935	452	326	28			2 391
BRILLS	TRawl		2		15	40	128	144	46	110	277	156		918
MIXED SOLE	TRawl					85	26	*34	467	164			386	1 312
TOTAL SOLE	TRawl	265	1790	2703	5706	5281	5172	6685	6374	3742	602	391	565	40 275
FLOUNDERS	TRawl	36		4	65				1	1				107
SKATE	TRawl	1		24	4					2			6	37
OTHER														
HALIBUT Lge.	L.L.					7866	16236	8343	6698	759	14	3		39 919
MED.	L.L.					49619	59456	18993	11323	801	93	11		140 306
CHIX	L.L.					17983	12012	1569	888	24	14	2		33 482
NO. 2	L.L.					959	1735	1739	254	716	4	4		5 411
MIXED	HL & T					2439	1252	49	2299		9			6 648
RED & ROCK COD	TRawl	22		3	1	56	91	98	3	17				281
	L.L.			45	93	18	45	187	43	180	95	22	4	733
	HL & T					1								1
GRAY COD	TRawl	349	202	607	1323	255	80	785	206	138	214	291	488	4 938
	L.L.													
BLACK COD	TRawl					1	6	1						8
	L.L.			633	1619	98	220	3008	1437	2844	951	161	171	11 152
LING COD	TRawl	80	2	31	121	74	40	128	173	32	14	38	48	781
	L.L.				44	23	1	10	2	2	1			83
	HL & T			8	3	20	8	5						44
HERRING	SEINE	2030	13300	16230		8042	480			49	97202	261657	469388	869 027
	G.N.	OT 6686	OT 10320									OT 955		17 961
OUNLACHONS	G.N.			TRAP 47										47
SMAELT	G.N.													
OTHER FISH	TRawl				693	304	1125	950		88	770	2025	1687	7 642
	G.N.										1			i
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl**	12	37	91	178	136	61	79	71	49	26	27	44	811
	HL & T			1	265	2820	5280	7659	6841	3599	192	1		26 658
	L.L.			37	87	4329	4070	749	509	156	52	20	20	10 029
	G.N.			TRAP 1	102	774	4258	52486	22302	13045	62			93 030
	SEINE					12	1983	1910	770	43				4 718

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

ANNA, ALASKA

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953


ALL TYPES FISH EXCEPT SALMON & SHELLFISH

	SUMMARY	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	JAN 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31			
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
LEMON SOLE	TRawl														
ROCK SOLE	TRawl														
BUTTER SOLE	TRawl														
REX SOLE	TRawl														
DOVER SOLE	TRawl														
BRILLS	TRawl														
MIXED SOLE	TRawl														
TOTAL SOLE	TRawl														
FLOUNDERS	TRawl														
SKATE	TRawl														
OTHER															
HALIBUT LSE.	L.L.				2135	8215	8322	284	737	6	1			19,700	
MED.	L.L.				4144	16957	18872	461	714	50	7			41,205	
CHIX	L.L.				81	821	1666	85	23	13	2			2,691	
NO. 2	L.L.				177	936	1736	17	214	3	*			3,583	
MIXED	H.L. & T						25L							25	
RED & ROCK	TRawl														
COD	L.L.				28	52	7	112	20	129	50	4		432	
	H.L. & T														
OTHER															
GRAY COD	TRawl								*					*	
L.L.															
OTHER															
BLACK COD	TRawl														
L.L.															
OTHER					558	1444	78	16	2313	1128	(1) 2054	603	68	52	8,319
LING COD	TRawl														
L.L.															
HL & T					*									1	
OTHER															
HERRING	SEINE														
G.N.															
OUOLACHONS	G.N.														
SMELT	G.N.														
OTHER FISH	TRawl														
G.N.															
L.L.															
HL & T															
SEINE															
DAYS FISHING	TRawl**														
HL & T															
L.L.					28	70	77	438	700	57	107	31	8	5	1,524
G.N.															
SEINE															

\* LESS THAN .5 CWT

(1) 28 CWT. DUMPED

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C.



**SHEILA**  
**SALMON**

**REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953**  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER • Dec 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						22	5	3				30
	SEINE							22	10	5			37
	TROLL				285	7599	6755	1083	2				15 724
SOCKEYE	G.N.						139	2					141
	SEINE						24						24
	TROLL				*	7	3	*					10
PINKS	G.N.						18	107	10				135
	SEINE							52					52
	TROLL					87	184	19					290
CHUMS	G.N.						20	16	1	47			84
	SEINE						3			1459			1 452
	TROLL				*	9	12	14	1				36
RED SPRING	G.N.						1	1					2
	SEINE						*						*
	TROLL			8	1546	3008	1047	228	42	*			5 879
WHITE SPRING	G.N.						1	1					2
	SEINE						*						*
	TROLL			2	257	652	249	24	2				1 185
STEELHEADS	G.N.						2						2
	SEINE												
	TROLL				*	*	2	2	*				4
JACKS	G.N.						*	*					*
	SEINE												
	TROLL				4	10	4	1	1				20
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 29- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 29	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1 Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl													
ROCK SOLE	TRawl													
BUTTER SOLE	TRawl													
REX SOLE	TRawl													
DOVER SOLE	TRawl													
BRILLS	TRawl													
MIXED SOLE	TRawl													
TOTAL SOLE	TRawl													
FLOUNDERS	TRawl													
SKATE	TRawl													
	OTHER													
HALIBUT Lge.	L.L.					570	1052	17		8				1 647
KED.	L.L.					3494	5064	62		23				8 643
CHIX	L.L.					2209	2229	1						4 439
No. 2	L.L.					75	98	1		2				175
MIXED	H & T					440	442							884
RED & ROCK COD	TRawl													
	L.L.		17	1				22		2				42
	HL & T													
	OTHER													
GRAY COD	TRawl													
	L.L.													
	OTHER													
BLACK COD	TRawl													
	L.L.		70	15			30	540		222				877
	OTHER													
LING COD	TRawl					1		*	4					1
	L.L.													4
	HL & T													
	OTHER													
HERRING	SEINE													
	G.N.													
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl													
	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl	2				3								5
	HL & T			18	1217	2252	3529	2583	712	3				10 314
	L.L.			5	621	398	28		16					1 076
	G.N.						24	26	5	4				59
	SEINE						3	7	1	43				54

\* LESS THAN .5 CWT

# SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 23  
AREA 2 AE

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												12
	SEINE												127
	TROLL						33	306	324	341	199		1 203
SOCKEYE	G.N.												
	SEINE												2
	TROLL							2					*
PINKS	G.N.												*
	SEINE												24
	TROLL							*	3	21			
CHINS	G.N.												12
	SEINE												602
	TROLL							*	*	895			895
RED SPRING	G.N.												1
	SEINE												*
	TROLL							*	1	*			
WHITE SPRING	G.N.						125	391	231	9	48		804
	SEINE												
	TROLL												
STEEL-HEADS	G.N.						23	97	37	2	5		164
	SEINE												
	TROLL												*
JACKS	G.N.												
	SEINE												
	TROLL						*	2	2	*	2		6
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	FISHERY	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1 - MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2 AUG 29	AUG 30 SEPT 26	SEPT 27 OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
		CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CWT
LEMON SOLE	TRawl	43		159		71								273
ROCK SOLE	TRawl					1478	217							1 685
RUTTER SOLE	TRawl	200	1370	1712	163									3 445
REX SOLE	TRawl													
DOVER SOLE	TRawl													
BRILLS	TRawl													
MIXED SOLE	TRawl													
TOTAL SOLE	TRawl	243	1370	1871	163	1549	217							5 413
FLOUNDERS	TRawl	36												36
SKATE	TRawl			4										4
HALIBUT L.L.	L.L.					2498	2924							5 602
MED.	L.L.					17645	15928							33 949
CMIX	L.L.					4816	4235							9 074
No. 2	L.L.					313	331							631
MIXED	H. & T					117	26							147
RED & ROCK COD	TRawl			1			60							32
	L.L.						6							
	HL & T													
	OTHER													
GRAY COD	TRawl	276		170	152									598
	L.L.													*
	OTHER													*
BLACK COD	TRawl					*								642
	L.L.					22								
	OTHER													4
LING COD	TRawl	2		1		1	*							11
	L.L.					1	4							
	HL & T													
	OTHER													
HERRING	SEINE					1573								1 573
	G.N.													
OLACHONS	G.N.													
SMELT	G.N.													(1) 703
OTHER FISH	TRawl					21	682							
	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl	7	7	25	8	5	5							57
	HL & T					45	125	138	104	112	118			642
	L.L.					575	774		25	16	3			1 393
	G.N.													58
	SEINE													54

(1) 21 CWT. M NK FEED

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A

SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD CW)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER • DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.									16			16
	SEINE						*	51	385				436
	TROLL					5	73	89	58	12			217
SOCKEYE	G.N.												
	SEINE						76						76
	TROLL						*						*
PINKS	G.N.												
	SEINE							98	1				99
	TROLL												
CHUNS	G.N.								483				483
	SEINE							626	9332				9 958
	TROLL							1					1
RED SPRING	G.N.												
	SEINE								*				*
	TROLL			4	248	380	130	4	1				767
WHITE SPRING	G.N.												
	SEINE												
	TROLL			1	37	55	12	*					105
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL				*	1	*						1
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
RICK SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
HALIBUT L.S.	L.L.				155	303					2		460
MED.	L.L.				1365	1489					7	4	2,865
CHIX	L.L.				292	273					1		566
No. 2	L.L.				21	32					4		57
MIXED	H.L. & T				8	10							18
RED & ROCK COD	TRawl L.L. H.L. & T OTHER			9						3	18	4	34
GRAY COD.	TRawl L.L. OTHER												
BLACK COD	TRawl L.L. OTHER			158						55	93	119	425
LING COD	TRawl L.L. H.L. & T OTHER									1	1		2
HERRING	SEINE G.N.												
OUNLACHONS	G.N. SMELT												
OTHER FISH	TRawl G.N. L.L. H.L. & T SEINE												
DAYS FISHING	TRawl** H.L. & T L.L. G.N. SEINE			6	112	108	54	22	18	4	6	12	324
				10	81	78				6		15	202
										68			68
							5	15	299				319

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE JUN 1- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												23
	SEINE												211
	TROLL						13	380	747	123	43		1,306
SOCKEYE	G.N.												*
	SEINE												*
	TROLL							*	*				*
PINKS	G.N.												
	SEINE												
	TROLL							1	14				15
CHUNS	G.N.												259
	SEINE												794
	TROLL							*					*
RED SPRING	G.N.												
	SEINE												
	TROLL						258	896	230	4	*		1,388
WHITE SPRING	G.N.												
	SEINE												
	TROLL						47	132	54	*			233
STEEL-HEADS	G.N.												*
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL						2	8	2	1			13
	G.N.												
	SEINE												
	TROLL												

#LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 26	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT Lge.	L.L.				98	28							6 206
MED.	L.L.				1317	613							12 108
CHIX	L.L.				189	97							1 050
No. 2	L.L.				13	1							239
MIXED	HL & T					27							2 019
RED & ROCK COD	TRawl												
L.L.													
HL & T													
OTHER													
GRAY COD	TRawl												
L.L.													
OTHER													
BLACK COD	TRawl												
L.L.													
OTHER													
LING COD	TRawl												
L.L.													
HL & T													
OTHER													
HERRING	SEINE												
G.N.													
OUNLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRawl**												
HL & T													
L.L.													
G.N.													
SEINE													
					31	47	281	340	66	47			781
						8			404				443
										40			40
										58			58

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.										12		12
	SEINE										8		8
	TROLL												
SOCKEYE	G.N.												
	SEINE												
	TROLL												
PINKS	G.N.										*		*
	SEINE												
	TROLL												
CHUMS	G.N.										104		104
	SEINE										14		14
	TROLL												
RED SPRING	G.N.												
	SEINE												
	TROLL												
WHITE SPRING	G.N.										*		*
	SEINE												
	TROLL												
STEEL-HEADS	G.N.												
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL												
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE JUN 1- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30 SEPT 26	OCTOBER SEPT 27 OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- Dec 31	TOTAL
	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
HALIBUT Lge.	L.L.					48	48						96
MED.	L.L.					305	179						484
CHIX	L.L.					107	2						109
No. 2	L.L.					2	*						2
MIXED	HL & T												
RED & ROCK COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
OUNLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												
	HL & T												13
	L.L.												27
	G.N.												3
	SEINE												

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31	CWT
COHO	G.N.					8	215	1513	1920				3 656
	SEINE					1	53	391	2				447
	TROLL					8	118	1069	1793				2 988
SOCKEYE	G.N.				2149	9427	209	10					11 795
	SEINE					13	523	1030					1 566
	TROLL					*	1	1	*				2
PINKS	G.N.					4	3381	875	111				4 371
	SEINE					*	5484	3833	*				9 317
	TROLL						11	18	16				45
CHUMS	G.N.					231	3398	3638	2783				10 050
	SEINE					25	9045	4496	19				13 585
	TROLL						2	11	16				29
RED SPRING	G.N.			3	176	1245	251	17	19				1 711
	SEINE					2	72	9					83
	TROLL			21	243	508	89	24	55				940
WHITE SPRING	G.N.			*	10	100	45	6	4				165
	SEINE					*	53	2					55
	TROLL			7	64	198	36	7	22				244
STEEL-HEADS	G.N.				1	13	108	121	91				334
	SEINE						7	20					27
	TROLL						*	1	1				2
JACKS	G.N.					32	75	9	5				121
	SEINE					1	9	4	*				14
	TROLL			*	9	13	3	2	8				35
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													470
HALIBUT LGE.	L.L.					130	340						
MED.	L.L.					437	1156						1 593
CHIX	L.L.					91	83						174
NO. 2	L.L.					12	23						35
MIXED	HL & T					87	8						95
RED & ROCK COD	TRawl					1							1
	L.L.						1						1
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl					2	10						12
	L.L.												
	OTHER												
LING COD	TRawl					8	13						21
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
OULACHONS	G.N.					47 TRAPNET							47
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl*					46	375	715	440	892	1604		4 072
	HL & T					2	169	131					302
	L.L.												
	G.N.					1 TRAPNET	2	146	1456	5807	1481	1604	10 497
	SEINE							12	476	311			800

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A

SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					29	317	3337	1934				5 617
	SEINE							14					14
	TROLL					75	603	1630	780				3 088
SOCKEYE	G.N.					2730	24027	15698	16				42 471
	SEINE							*					*
	TROLL					*	1	1					2
PINKS	G.N.					9	2708	19950	165				22 832
	SEINE							36					36
	TROLL						14	49	13				76
CHUNS	G.N.					192	1690	4738	1084				7 704
	SEINE							27					27
	TROLL					*	3	8	6				17
RED SPRING	G.N.			53	411	702	1153	101	5				2 425
	SEINE												
	TROLL			198	714	1105	354	129	113	1			2 614
WHITE SPRING	G.N.			8	54	71	353	15	1				502
	SEINE												
	TROLL			33	147	242	92	31	26	*		*	571
STEEL-HEADS	G.N.			7	13	36	426	1217	280				1 979
	SEINE												
	TROLL			*	*	*		1	*				2
JACKS	G.N.					30	245	31	1				307
	SEINE												
	TROLL			5	20	44	17	11	4				101
	G.N.												
	SEINE												
	TROLL												

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31		FEBRUARY FEB 1- FEB 28		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 2		MAY MAY 3- MAY 30		JUNE MAY 31- JUN 27		JULY JUN 28- AUG 1		AUGUST AUG 2- AUG 29		SEPTEMBER AUG 30- SEPT 26		OCTOBER SEPT 27- OCT 31		NOVEMBER NOV 1- Nov 30		DECEMBER DEC 1- DEC 31		TOTAL		
	CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT				
LEMON SOLE	TRawl		165		742		5434		3775		767		1949		1966		561		15		159		179		15 712		
ROCK SOLE	TRawl		214		6		22		250		2090		3141		3071		2374		14		3				11 185	*	
BUTTER SOLE	TRawl				5		1		18		101		293		330		46								794		
REX SOLE	TRawl						1		23		605		935		452		290		7						2 313		
DOVER SOLE	TRawl				*		7		32		126		17		27		2		51		12				274		
BRILLS	TRawl								85		26				117		164								392		
MIXED SOLE	TRawl																								30 670		
TOTAL SOLE	TRawl		379		753		5465		4183		3715		6335		5963		3437		87		174		179		71		
FLOUNDERS	TRawl						4		65								1		1						25		
SKATE	TRawl						19		4								2										
HALIBUT Lge.	L.L.									1296		2039				3									3 338		
N.D.	L.L.									10164		5925				8	10T								16 098		
CHIX	L.L.									6547		2749													9 295		
No. 2	L.L.									183		179													362		
MIXED	H. & T									648		254													902		
RED & ROCK COD	TRawl						1		1		27		24		4		3								60		
COD	L.L.									*															7		
OTHER	HL & T																										
GRAY COD	TRawl		202		358		1093		170		77				*				14		198		120		2 232		
L.L.																											
OTHER																											
BLACK COD	TRawl										6		1			86									7		
L.L.																										86	
OTHER																											
LING COD	TRawl		2		27		107		68		37		67		36		5				4		8		361		
L.L.										13																13	
HL & T										2		3		*												5	
OTHER																											
HERRING	SEINE									5269		36													31678	36 983	
G.N.																										17 006	
OT 6686																											
OT 10320																											
OULACHONS	G.N.																										*
SMELT	G.N.																										
OTHER FISH	TRawl									120		75		221		44				338		894		523		(1) 2 215	
G.N.																											
L.L.																											
HL & T																											
SEINE																											
DAYS FISHING	TRawl**		22		55		158		108		46		60		56		43		12		19		24		603		
HL & T										157		506		860		768		995		476		3		1		3 766	
L.L.												1388		1037											2 434		
G.N.												100		495		2280		12217		8967		1557				25 616	
SEINE																										5	

(1) 1830 CWT. MINK FEED

\* LESS THAN .5 CWT  
 \*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31		FEBRUARY FEB 1- FEB 28		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 2		MAY MAY 3- MAY 30		JUNE MAY 31- JUN 27		JULY JUN 28- AUG 1		AUGUST AUG 2- AUG 29		SEPTEMBER AUG 30- SEPT 25		OCTOBER SEPT 27- OCT 31		NOVEMBER NOV 1- NOV 30		DECEMBER DEC 1- DEC 31		TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.													87	1537	997									2 621
	SEINE													67	402	689									1 158
	TROLL								88		463		232		24										807
SOCKEYE	G.N.										2		2715		801		33								3 551
	SEINE												1125		394		18								1 537
	TROLL												1												1
PINKS	G.N.										*		363		1532		346								2 241
	SEINE												415		3322		207								3 944
	TROLL										*		*		6		*								6
CHUMS	G.N.												405		1623		4535								6 563
	SEINE												631		767		462								1 850
	TROLL										*		*		1										1
RED SPRING	G.N.								2				8		8		20								38
	SEINE												4		2		*								6
	TROLL							73	698	1638		997		95		8								3 509	
WHITE SPRING	G.N.												2		3		17								22
	SEINE												3												3
	TROLL								8	115	427		193		36		3							782	
STEEL-HEADS	G.N.										*		20		12		9								41
	SEINE												2		5		*								7
	TROLL												1												1
JACKS	G.N.										*		11		2		5								18
	SEINE												4		1										5
	TROLL								3	17	38		18		4		*							80	
	G.N.																								
	SEINE																								
	TROLL																								

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	22	40	28	50					44	73		257
ROCK SOLE	TRawl				504	1096				1	*		1 601
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl			2						118	144		264
BRILLS	TRawl										386		386
MIXED SOLE	TRawl									163	217	386	2 508
TOTAL SOLE	TRawl	22	42	28	50	504	1096						
FLOUNDERS	TRawl											6	7
SKATE	TRawl		1										
HALIBUT LGE.	L.L.					729	1040	2	2				1 773
MED.	L.L.					7591	5462	38	1				13 092
CHIX	L.L.					2879	1369	2					4 250
NO. 2	L.L.					128	63	*					191
MIXED	HL & T					826	662	43					1 531
RED & ROCK COD	TRawl	22											22
	L.L.					1	8	1	1				11
	HL & T												
	OTHER												
GRAY COD	TRawl	73	44	53	4					14	93	368	649
	L.L.												
	OTHER												
BLACK COD	TRawl					20	11	4	32				67
	L.L.												
	OTHER												
LING COD	TRawl	78		7	1					4	34	40	164
	L.L.			1									5
	HL & T												4
	OTHER												
HERRING	SEINE		3840	11440							142 593	408 583	566 456
	G.N.												
OUNLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl			573	93						1 131	1 164	(4) 2 961
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl	5	6	4	6	12	6				8	20	67
	HL & T				38	376	651	519	190	15			1 792
	L.L.					1025	744	4		6			1 779
	G.N.						1	1	1357	880	1037		3 276
	SEINE								164	254	64		482

(1) 2288 CWT MINK FEED

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHTS; TROLL - DRESSED HEAD ON)

	COHO	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- Feb 28	MAR 1- MAY 31	APR 1- MAY 2	MAY 3- MAY 30	JUN 1- JUN 27	JUN 28- AUG 1						
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
COHO	G.N.							102	1045	28				1 175
	SEINE							253	1115					1 368
	TROLL					13	346	587	50					995
SOCKEYE	G.N.							2530	258	1				2 782
	SEINE							2515	465					2 993
	TROLL						*	2						2
PINKS	G.N.							169	1218	14				1 401
	SEINE							436	5562	6				6 004
	TROLL							5	36	1				42
CHINS	G.N.							1358	5948	85				7 391
	SEINE							14297	9904					24 201
	TROLL							2	2					4
RED SPRING	G.N.						3	14	16	*				33
	SEINE							68	17					85
	TROLL			2	51	105	149	91	4					402
WHITE SPRING	G.N.						9	27	12	1				49
	SEINE							138	6					144
	TROLL		*	2	11	30	61	36	4					144
STEEL-HEADS	G.N.							11	12	*				23
	SEINE							6	2					8
	TROLL							*						*
JACKS	G.N.							15	4	*				19
	SEINE							29	12					41
	TROLL			*	1	5	3							9
	G.N.													
	SEINE													
	TROLL													

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl						125						125
ROCK SOLE	TRawl						5						5
BUTTER SOLE	TRawl						4						4
REX SOLE	TRawl						7						7
DOVER SOLE	TRawl						2						2
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl						143						143
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT Lge.	L.L.				56	91		158					305
NED.	L.L.				595	773		350					1,638
CHIX	L.L.				150	78		17					245
No. 2	L.L.				2	5		5					19
MIXED	HL & T				10	5 LL 10	24	243					292
RED & ROCK COD	TRawl						7						7
L.L.													
HL & T													
OTHER													3
GRAY COD	TRawl						3						
L.L.													
OTHER													
BLACK COD	TRawl						47						52
L.L.													
OTHER			5										
LING COD	TRawl						3						3
L.L.							8						8
HL & T							3	*					3
OTHER													
HERRING	SEINE									40142	86854	4296	131292
TRawl										955	955		955
OLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl						128						128
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRawl**						4						4
HL & T			1		30	71	307	470	64				943
L.L.			1		99	125		14					239
G.N.							7	921	1102	21			2,051
SEINE							562	386	1				949

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

**SHEET A**  
**SALMON**

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER Dec 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						10	825	843				1 678
	SEINE						60	533	182				775
	TROLL				436	3983	746	230					5 395
SOCKEYE	G.N.						327	76	2				405
	SEINE						252	90	*				342
	TROLL						3	*					3
PINKS	G.N.						43	2214	279				2 536
	SEINE						490	7085	237				7 812
	TROLL				*		79	45	3				127
CHUNS	G.N.						17	7724	20025	18			27 764
	SEINE						1132	10296	10552				21 980
	TROLL				1		4	*	*				5
RED SPRING	G.N.						1	32	74				107
	SEINE						2	19	2				23
	TROLL				127	259	513	167	8				1 074
WHITE SPRING	G.N.						1	3	19				23
	SEINE						*	4	*				4
	TROLL				29	77	94	13	1				214
STEEL-HEADS	G.N.						1	14	10				25
	SEINE						4	7	*				11
	TROLL						*						*
JACKS	G.N.						1	5	7				13
	SEINE						2	10	5				17
	TROLL				6	16	28	8	2				60
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		TOTAL
	JAN 1- JAN 31		FEB 1- FEB 28		MAR 1- MAR 31		APR 1- MAY 2		MAY 3- MAY 30		MAY 31- JUN 27		JUN 28- AUG 1		AUG 2- AUG 29		AUG 30- SEPT 26		SEPT 27- Oct 31		NOV 1- Nov 30		DEC 1- DEC 31		
	CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT		CWT				
LEMON SOLE	TRawl																								18
ROCK SOLE	TRawl																								356
BUTTER SOLE	TRawl																								70
REX SOLE	TRawl																								153
DOVER SOLE	TRawl																								605
GRILLS	TRawl																								1
MIXED SOLE	TRawl																								
TOTAL SOLE	TRawl																								
FLOUNDERS	TRawl																								
SKATE	TRawl																								
OTHER																									
HALIBUT Lge.	L.L.																								169
MED.	L.L.																								5 682
CHIX	L.L.																								1 051
No. 2	L.L.																								57
MIXED	HL & T																								401
RED & ROCK COD	TRawl																								128
L.L.																									18
OTHER																									*
GRAY COD	TRawl																								640
L.L.																									
OTHER																									
BLACK COD	TRawl																								*
L.L.																									70
OTHER																									
LING COD	TRawl																								61
L.L.																									7
HL & T																									6
OTHER																									
HERRING	SEINE	2080	9460	5390					1200	444										3340	5566	21627	49 157		
OULACHONS	G.N.																								
SMELT	G.N.																								
OTHER FISH	TRawl								184										88					(1) 1 178	
G.N.																									
L.L.																									
HL & T																									
SEINE																									
DAYS FISHING	TRawl**								7	6									5	6				31	
HL & T									109	353									129	8				1 965	
L.L.									150	226														376	
G.N.																									5 362
SEINE																									686

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

(1) 88 CWT. MINK FEED

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD WT)

	COHO	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
G.N.						*		224	2500	4732				7 456
	SEINE							554	1225	279				2 058
	TROLL					10		771	1261	1047	3			3 092
SOCKEYE	G.N.					1		5127	234	7				5 369
	SEINE							2714	161	1				2 876
	TROLL							2	*	*				2
PINKS	G.N.							195	11079	716				11 930
	SEINE							2337	13717	100				16 154
	TROLL							19	60	38				117
CHUMS	G.N.					6		5694	15485	11935				33 120
	SEINE							18809	8119	962				27 890
	TROLL							1	2	3				6
RED SPRING	G.N.					89		420	257	66	28			850
	SEINE								227	54	1			262
	TROLL					6		82	149	213	14	*		454
WHITE SPRING	G.N.					16		80	59	15	6			176
	SEINE								71	8	1			80
	TROLL					1		24	47	13	2			87
STEEL-HEADS	G.N.					5		1	193	168	73			440
	SEINE								221	81	2			304
	TROLL								*	*	*			1
JACKS	G.N.								25	15	2			42
	SEINE								59	22	3			84
	TROLL					*		3	12	9	1	*		25
STURGEON	G.N.									*				*
	SEINE													
	TROLL													

#LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	OCT 31-	NOV 1- NOV 30	DEC 1- DEC 31	CWT
		CNT	CNT	CWT	CNT	CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl				11	1			26					38	
ROCK SOLE	TRawl				9			12	16		108			145	
BUTTER SOLE	TRawl														
RED SOLE	TRawl													1	
DOVER SOLE	TRawl													219	
BRILLS	TRawl													(1) 234	
MIXED SOLE	TRawl													937	
TOTAL SOLE	TRawl														
FLOUNDERS	TRawl													*	
SKATE	TRawl													*	
OTHER															
HALIBUT LGE.	L.b.				29	30	2			3				64	
MED.	b.b.				485	1081	21			2				1 529	
CHIX	b.b.				124	207								331	
No. 2	L.b.				1	9	2							12	
MIXED	H.L. & T				17	17 11 73								107	
RED & ROCK COD	TRawl				3									3	
	L.L.				*	32	35							67	
	HL & T														
OTHER															
GRAY COD	TRawl			25	1		510	206		74				(2) 816	
	L.L.														
	OTHER														
BLACK COD	TRawl				1		84	103		27				1	
	L.L.													214	
	OTHER														
LING COD	TRawl			7	1		37	137		6				188	
	L.L.				1		5							6	
	HL & T													1	
	OTHER														
HERRING	SEINE								480T	9980	26644			36 672	
	G.N.														
OLACHONS	G.N.														
SMELT	G.N.														
OTHER FISH	TRawl				24					423				(3) 456	
	G.N.														
	L.L.														
	HL & T														
	SEINE														
DAYS FISHING	TRawl**			6	2		12	15	1	8				44	
	HL & T				11		72	404	586	355	6			1 526	
	L.L.				26		48	14			2			90	
	G.N.				130		483	2826	5695	4417				13 551	
	SEINE								682	530	40			1 252	

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 184 CWT. MINK FEED

(2) 288 CWT. MINK FEED

(3) ALL MINK FEED

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					1	208	895	452				1 556
	SEINE							113					113
	TROLL					5	184	69	48				306
SOCKEYE	G.N.					6	87785	492	1				88 284
	SEINE							13					13
	TROLL							*					*
PINKS	G.N.						665	4215	67				4 947
	SEINE							1043					1 043
	TROLL						3	3	*				5
CHUMS	G.N.						1629	2118	386				4 133
	SEINE							229					229
	TROLL						*						*
RED SPRING	G.N.				1	22	224	104	16				367
	SEINE							46					46
	TROLL				*	8	10	27	1				46
WHITE SPRING	G.N.				*	17	103	7	1				126
	SEINE												
	TROLL				*	2	2	1					5
STEELHEADS	G.N.						143	12	2				157
	SEINE							2					2
	TROLL												
JACKS	G.N.					*	55	5	*				60
	SEINE							1					1
	TROLL				*	1	1	4	*				6
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SQUID &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
DRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
HALIBUT LGE.	L.L.					8	7						15
RED.	L.L.					94	60						154
CHIX	L.L.					17	7						24
No. 2	L.L.					1							
MIXED	HL & T												
RED & ROCK COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE									43740			43 740
	G.N.												
OLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												162
	HL & T					2	10	30	75	45			97
	L.L.					58	39						26 244
	G.N.					2	31	23538	2241	432			34
	SEINE								34				

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR SOUTHERN COLUMBIA - 1954

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 27- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						172	131	103	19			425
	SEINE							16					16
	TROLL												
SOCKEYE	G.N.					21522	33	*					21 555
	SEINE							1					1
	TROLL												
PINKS	G.N.					305	296	28	1				630
	SEINE						216						216
	TROLL												
CHUMS	G.N.					461	997	942	166				2 566
	SEINE						976						976
	TROLL												
RED SPRING	G.N.					97	41	5	*				143
	SEINE						7						7
	TROLL						52						52
WHITE SPRING	G.N.					23	1		3				27
	SEINE												
	TROLL												
STEEL-HEADS	G.N.					121	*	*	*				122
	SEINE						*						*
	TROLL												
JACKS	G.N.					11	*		*				11
	SEINE						*						*
	TROLL												
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2 AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT Lge.	L.L.					44	8		3				55
MED.	L.L.					431	55		18				504
CHIX	L.L.					76	6						82
No. 2	L.L.					10	1						15
MIXED	H.L. & T												
RED & ROCK COD	TRawl								35	3			38
COD	L.L.												
HL & T													
OTHER													
GR.Y COD	TRawl									*			*
L.L.													
OTHER													
BLACK COD	TRawl								134				134
L.L.													
OTHER													
LING COD	TRawl					23			2				25
L.L.													
HL & T													
OTHER													
HERRING	SEINE												3154
G.N.													3 154
OLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl									1			1
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRawl								19				19
HL & T													
L.L.						18	5			10	1		34
G.N.									5634	320	172	55	
SEINE										22			6 181
													22

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.												
	SEINE												
	TROLL					110	1572	194	12				1 888
SOCKEYE	G.N.												
	SEINE												
	TROLL						2	*					2
PINKS	G.N.												
	SEINE												
	TROLL				*		38	5					43
CHUNS	G.N.												
	SEINE												
	TROLL				*		2	*					2
RED SPRING	G.N.												
	SEINE												
	TROLL				39	26	80	3					148
WHITE SPRING	G.N.												
	SEINE												
	TROLL				5	3	16	1					25
STEEL-HEADS	G.N.												
	SEINE												
	TROLL						*						*
JACKS	G.N.												
	SEINE												
	TROLL				*	1	9	*					10
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER OCT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
	OTHER												
HALIBUT LGE.	L.L.				2	10							19
	MED.	L.L.			92	530							643
CHIX	L.L.				22	75							97
No. 2	L.L.				2	2							5
MIXED	H. & T				212			17					229
RED & ROCK	TRawl												
COD	L.L.						17						46
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
QULACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SALMON  
SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SUMMARY - DISTRICT 3

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
													CWT
COHO	G.N.					10	228	2492	6832	6914	119		16 585
	SEINE					8	4558	14009	19012	3130	45		40 762
	TROLL					8755	22362	24188	22470	1045	1		79 421
SOCKEYE	G.N.				1265	3130	9659	2070	54				16 183
	SEINE				2	441	49499	17364	494	3			67 803
	TROLL					17	179	54	3				253
PINKS	G.N.						972	19638	9568	94			30 272
	SEINE						7013	231225	171647	350			410 235
	TROLL					164	1056	6380	4516	17			12 133
CHUMS	G.N.	(1) 9				3	1373	4133	7851	79550	8 903		101 822
	SEINE				4	1	310	3676	18504	155438	11 708		189 641
	TROLL				1	2	16	6	35	2			52
RED SPRING	G.N.	55	43	45	44	85	174	163	293	337	37		1 276
	SEINE				104	686	1889	1896	511	52	1		5 149
	TROLL	99	330	830	3436	6224	12050	15536	6995	4373	883	116	247 51 119
WHITE SPRING	G.N.	19	10	25	19	26	629	686	108	609	55		2 186
	SEINE				7	68	645	603	460	18			1 801
	TROLL	49	83	143	882	1998	3109	5381	3145	1556	174	20	45 15 586
STEEL-HEADS	G.N.	1		6	36	74	132	29	21	52	32		383
	SEINE				4	21	70	33	62	9			199
	TROLL	1		1	1	3	7	15	18	1			47
JACKS	G.N.				1	4	9	37	26	13			91
	SEINE					2	213	181	45	58			439
	TROLL	2	5	9	23	36	32	65	47	58	17		328
STURGEON	G.N.					1							1
	TRAP & SEINE					1	1						2
	TROLL												

#LESS THAN .5 CWT

(1) CAUGHT DECEMBER, 1952,  
SOLD JANUARY, 1953.

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28-	AUG 2- AUG 1	AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	856	858	301	484	194	44	131	133	231	723	496	1108	5 559
ROCK SOLE	TRawl	545	252	427	261	108	19	833	20	7	263	12	2 747	26
BUTTER SOLE	TRawl			14	12							7		20
REX SOLE	TRawl			6	7							1	10	2 432
DOVER SOLE	TRawl	1	2	8		56	5	958	783	495	113			8 423
BRILLS	TRawl			3	86	293	748	2028	1408	896	2433	525		1 350
MIXED SOLE	TRawl	4	30	225	240	240	160	141	126	143	4	28		20 557
TOTAL SOLE	TRawl	1406	1154	1067	1297	1346	2256	3471	1958	3305	1372	795	1130	843
FLOUNDERS	TRawl	13	135	91	52	37		4			129	286	96	735
SKATE	TRawl	84	93	69	74	46	26	34	31	40	63	69	106	15
	OTHER	1	7	5									2	1 114
HALIBUT L.S.	L.L.					500	550	16	31	14	3			
MED.	L.L.					8880	6792	16	64	150	37			15 939
CHIX	L.L.					1382	906		2					2 290
No. 2	L.L.					71	79	4	2	1				157
MIXED	H. & T					1930	1500	64		20	21	17		3 552
RED & ROCK	TRawl	107	162	105	42	46	19	113	21	112	223	141	255	1 342
COD	L.L.	5	17	57	13	13	29	130	9	371	85	7	20	756
	HL & T	11	18	188	244	81	79	79	50	69	67	60	25	971
	OTHER	50	42	31	14	37	32	26	30	26	6		21	315
GRAY COD	TRawl	2517	2769	3353	2385	1760	845	2009	1446	3135	2519	1953	1 939	26 630
	L.L.			5									1	6
	OTHER	2	1	2	13		1		3	6		3		31
BLACK COD	TRawl						6	62	29	36	13			147
	L.L.						18	92	611	122	902	480	88	2 318
	OTHER						5	4	3	1	1			14
LING COD	TRawl	5	67	186	618	1344	2003	1451	619	273	110	18		6 694
	L.L.	36	92	394	129	221	86	35	1	25	9	78	1	1 107
	HL & T	13	51	3420	4942	2495	1881	1710	1191	1292	1672	1381	491	20 540
	OTHER			4		5	3	5	26	6	3			54
HERRING	Seine	38523	26234	452		4058	6737	56902	31809	117531	743171	745595	315005	2 086 017
	TRawl & G.N.	3938	1824	180		35	30	20	9	79	377	1010	660	8 162
QUACHONS	G.N.													7 458
ANCHOVIES	Seine		2650	642	1385	350	2330	101						16 735
OTHER FISH	TRawl	416	1159	502	462	1192	563	2512	3529	1906	1725	1323	1446	
	G.N.										1			1
	L.L.		4	2	3						6	5		20
	HL & T	10	6	107	118	70	61	32	21	35(113 TUNA) 69	56	40	625 TUNA 113	508
	Seine	54	61	94	114	25			24	3	19	114		
DAYS FISHING	TRawl**	366	483	368	277	266	199	281	219	240	347	229	474	3 749
	HL & T	362	589	3121	5986	7995	16879	24007	16199	13874	2653	1041	752	93 552
	L.L.	11	32	67	19	850	594	47	6	62	27	22	19	1 756
	G.N.	41	135	99	133	907	1984	3638	6945	7189	19526	1682		42 209
	TRAP & SEINE	BS 41	BS 24	BS 41	BS 26	3 BS 15	69	3034	5 BS 3957	1 BS 3251	3727	277 BS 9	BS 33	14 510

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

STURGEON - SEE SHEET A

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.						35	17	62				114
	SEINE						*		33				33
	TROLL						47	35	16				98
SOCKEYE	G.N.					1733	11	*					1 744
	SEINE					1							1
	TROLL												
PINKS	G.N.					33	271	17					321
	SEINE					*							*
	TROLL					4	6	*					10
CHUMS	G.N.					25	39	174					238
	SEINE							589					589
	TROLL												
RED SPRING	G.N.					7	1	2					10
	SEINE					*							*
	TROLL					2	5	1					8
WHITE SPRING	G.N.					1	*	1					2
	SEINE					*							*
	TROLL					*	5	*					5
STEEL-HEADS	G.N.					5	3						8
	SEINE												
	TROLL												
JACKS	G.N.					2	*	*					2
	SEINE												
	TROLL					*	*	*					1
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRAWL			19	75								94
ROCK SOLE	TRAWL			2	10	22							34
BUTTER SOLE	TRAWL												
REX SOLE	TRAWL												
DOVER SOLE	TRAWL												37
BRILLS	TRAWL			1	36								
MIXED SOLE	TRAWL												
TOTAL SOLE	TRAWL			22	121	22							165
FLOUNDERS	TRAWL												4
SKATE	TRAWL			2	2								
OTHER													
HALIBUT Lge.	L.L.					24							27
MED.	L.L.					107	2	1	22	13			144
CHIX	L.L.					2							7
No. 2	L.L.					2							2
MIXED	H.L. & T						35 LL						35
RED & ROCK COD	TRAWL			18				44	9	15			68
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRAWL			127	92								317
	L.L.												
	OTHER												
BLACK COD	TRAWL							189	122	103			414
	L.L.												
	OTHER												
LING COD	TRAWL			4	9	*							13
	L.L.												11
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
OLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRAWL												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRAWL**			6	13	3							26
	HL & T												23
	L.L.												37
	G.N.												426
	SEINE												22

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 81 CWT. MINK FEED

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD On)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
COHO	G.N.					3	144	1664	4184	2462	22		5 499
	SEINE					1	229	2824	4731	900	3		8 688
	TROLL					1307	5795	3436	1884	31			12 453
SOCKEYE	G.N.				70	578	5649	1617	26	*			7 940
	SEINE					149	12545	3762	225	*			16 681
	TROLL					*	31	19	1				51
PINKS	G.N.						867	15357	6185	47			22 456
	SEINE						3865	93018	64122	105			161 110
	TROLL					*	332	2314	1493	1			4 143
CHUMS	G.N.					3	1317	3484	3887	36338	3 194		48 223
	SEINE					1	276	2744	11662	38957	2 559		56 199
	TROLL				*	1	1	4	25	*			31
RED SPRING	G.N.	5	4	7		12	156	96	99	57	8		444
	SEINE					3	379	455	99	8	*		944
	TROLL	2	2	4	213	708	891	308	33	11			2 172
WHITE SPRING	G.N.	6	3	4		16	617	308	26	48	9		1 037
	SEINE					2	208	99	28	3			340
	TROLL	1	1	*	22	131	160	75	4	1			395
STEELHEADS	G.N.	*	*	2		18	54	18	9	39	29		169
	SEINE					*	17	5	7	1			30
	TROLL					*	1	1	*				2
JACKS	G.N.					*	4	10	3	1			18
	SEINE					1	17	11	2	2	*		33
	TROLL				*	1	7	8	1				17
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUNE 27	JULY JUN 25- AUG 1	AUGUST AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	OCT 27- NOV 30	NOV 1- Nov 30	DEC 1- DEC 31
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	14	42	18	24	3				3		5	25	135
ROCK SOLE	TRawl	5	7	65	12			475	5			5		574
BUTTER SOLE	TRawl													
REX SOLE	TRawl													
DOVER SOLE	TRawl					13								13
DRILLS	TRawl					6			151	3	41			202
MIXED SOLE	TRawl			17	16	2	3			96		19		155
TOTAL SOLE	TRawl	19	67	101	38	25		475	156	102	41	29	26	1 074
FLounders	TRawl		50	34									22	105
SKATE	TRawl	1	8	4	7	2					*	7	5	34
	OTHER													
HALIBUT Lge.	L.L.					434	457	16		7	3			917
NED.	L.L.					5679	4727	14		102	13			16 535
CHIX	L.L.					717	625			*				1 343
No. 2	L.L.					59	69	4						132
MIXED	HL & T					960	742			20	11 LL			1 733
RED & ROCK	TRawl	6	11	16	1	26		23				6	5	95
COD	L.L.						21	22		293	41			377
	HL & T					2	*							2
	OTHER													
GRAY COD	TRawl	33	112	129	9	80			186	93	118	11	21	792
	L.L.													
	OTHER													
BLACK COD	TRawl						92	225		551	243		3	1 114
	L.L.													
	OTHER													
LING COD	TRawl	*		3		3		15	4	10	3	3		41
	L.L.					8	5	8		16	2			39
	HL & T			15	19	2	7	7	2	*	1			53
	OTHER													
HERRING	SEINE									620	46917	8242		55 779
	G.N.													
OUNLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	1	53	1	40	282				316	131	3	1	(1) 828
	G.N.													
	L.L.							1						1
	HL & T													
	SEINE													
DAYS FISHING	TRawl**	8	29	33	4	5		6	4	11	4	4	6	114
	HL & T		2	2	29	333	804	1960	2005	1446	66			6 647
	L.L.					430	339	10		33	6			819
	G.N.		3	4	3	156	477	2122	4924	4522	7656	548		20 425
	SEINE					35	1348	1703	1462	972	110			5 630

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 232 CWT. MINK FEED AND  
316 CWT. REDUCTION INCLUDED

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					2	33	434	891	622	5		1 987
	SEINE					*	190	1295	1941	1011	5		4 442
	TROLL					1003	1640	662	395	20			3 720
SOCKEYE	G.N.				8	42	548	145	4	*			747
	SEINE					2	4756	2998	148	2			7 906
	TROLL					*	*	1	*				2
PINKS	G.N.					*	58	2074	1981	20			4 143
	SEINE						731	40128	27498	226	*		68 583
	TROLL						16	95	88	1			200
CHUMS	G.N.					*	1	604	2116	6849	248		9 818
	SEINE						13	674	3626	52620	7170		64 103
	TROLL					*	*	1	6	*			8
RED SPRING	G.N.	1	*	1	2	5	12	14	15	*			50
	SEINE				*	106	303	78	17	1			505
	TROLL	14	45	4	4	142	752	762	296	80	5	7	19
WHITE SPRING	G.N.	*		1	*	1	7	357	24	30	*		421
	SEINE						78	64	25	4			171
	TROLL	18	29	1	2	45	355	517	148	48	2	4	14
STEEL-HEADS	G.N.				*	2	9	2	2	3	1		19
	SEINE				*	6	4	3	2	*			15
	TROLL			*	*	*	*	*	*				2
JACKS	G.N.					*	13	12	1				26
	SEINE					9	6	2	5	*			22
	TROLL	1	*		*	*	3	5	6	3	*	6	8
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COUNCIA - 1953

SHEET D

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 2		MAY MAY 3 - MAY 30		JUNE MAY 31- JUN 27		JULY JUN 28- AUG 1		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		TOTAL	
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEACH SOLE	TRawl	12	3	2	3																1			21	
ROCK SOLE	TRawl	11	2	2																				15	
BUTTER SOLE	TRawl																								
REX SOLE	TRawl																								
DOVER SOLE	TRawl																								
GILLS	TRawl																				1			4	
MIXED SOLE	TRawl	1		2																	2			40	
TOTAL SOLE	TRawl	24	5	6	3																			5	
FLOUNDERS	TRawl																								3
SKATE	TRawl	2	1	*																					
HALIBUT LGE.	L.L.																								
	NED.																								
CHIX	L.L.																								
NO. 2	L.L.																								4
MIXED	H. & T																								
RED & ROCK	TRawl	8	1	*																	1			10	
COD	L.L.																								
	HL & T																								
	OTHER																								414
GRAY COD	TRawl	118	46	180	70																				
	L.L.																								8
	OTHER																								*
BLACK COD	TRawl	*																							*
	L.L.																								17
	OTHER																								
LING COD	TRawl																								
	L.L.																								
	HL & T																								
	OTHER																								5524
HERRING	SEINE																								208 663
	G.N.																								
OLACHONS	G.N.																								
SMELT	G.N.																								
OTHER FISH	TRawl	58		2	1																				(1) 68
	G.N.																								
	L.L.																								
	HL & T																								
	SEINE																								
DAYS	TRawl**	10	10	8	4																				9 915
FISHING	HL & T	81	152	536	724	528	2210	2813	1530	859	242	136	105												4 047
	L.L.																								3 196
	G.N.																								
	SEINE																								

(1) ? CWT. MINK FEED

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHTS; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CNT	CWT	CWT
COHO	G.N.							1	128	730	14		873
	SEINE							1	13	83	32		129
	TROLL					939	1952	728	584	34			4 237
SOCKEYE	G.N.						2	1					3
	SEINE						*						*
	TROLL						*						
PINKS	G.N.						*	46	22	*			68
	SEINE						10	1	*				11
	TROLL					*	2	15	5				22
CHUMS	G.N.					29			83	3922	653		4 697
	SEINE								9	5145	1 089		6 243
	TROLL					*		*	*	*			1
RED SPRING	G.N.					*			1	26	3		30
	SEINE					*		*	5	6			11
	TROLL	3	3	32	120	416	254	42	48	1			919
WHITE SPRING	G.N.					*	*		1	27	2		30
	SEINE						1		18	1			20
	TROLL	*	1	4	14	269	301	57	46	*			692
STEELHEADS	G.N.					*				*			
	SEINE									1			1
	TROLL	*	*	*		1	*	*					2
JACKS	G.N.									*			*
	SEINE							*	1	27			28
	TROLL				2	2	9	5	6	12	1		37
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	118	323	7	10	1				11	266	296	75	1 167
ROCK SOLE	TRawl	90	45	234	10						7	166		552
GUTTER SOLE	TRawl													
REX SOLE	TRawl										*			2
COVER SOLE	TRawl		2								3	10		16
BRILLS	TRawl				3	1					3	*T	7	11
MIXED SOLE	TRawl										14	286	469	75
TOTAL SOLE	TRawl	208	430	241	23	2					77	281	4	365
FLOUNDERS	TRawl	3									10	13	2	66
SKATE	TRawl	13	23	4	AT	111								4
OTHER														
HALIBUT LGE.	L.L.													
	MED.													
	L.L.													
	CHIX													
	NO. 2													
	MIXED													
RED & ROCK COD	TRawl	15	36	2		3					38	63	7	162
	L.L.													3
	HL & T				*	11	*	1	1	*	*	5	5	24
	OTHER													
GRAY COD	TRawl	165	427	217	49	2				82	331	250	94	1 617
	L.L.											3		3
	OTHER													*
BLACK COD	TRawl	*												
	L.L.													
	OTHER													
LING COD	TRawl			3	*					8	72	32	1	115
	L.L.				2									2
	HL & T			196	412	153	119	93	54	88	120	112		1 347
	OTHER													
HERRING	SEINE							9380	29664	117531	6469			163 044
	G.N.													
OUNACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	22	26	5	19	8					79	10	92	(1) 261
	G.N.													
	L.L.													
	HL & T			4	19	8	4	3	3	8	4	4		57
	SEINE													
DAYS FISHING	TRawl**	35	72	34	6	2				2	42	41	12	246
	HL & T	3		72	222	271	1656	3082	1381	1073	93	37		7 890
	L.L.				2									2
	G.N.													1 411
	SEINE													247

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 26 CWT. MINK FEED AND  
69 CWT. REDUCTION INCLUDED

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 59  
AREA 15

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							25	119	103	1		248
	SEINE							1	*				1
	TROLL					680	817	173	76	4			1 750
SOCKEYE	G.N.							1	*				1
	SEINE							1					1
	TROLL				*	*	*						1
PINKS	G.N.							297	247	2			546
	SEINE							46	10				56
	TROLL				*	9	29	6					44
CHUMS	G.N.							2	75	835	55		967
	SEINE							*		80			80
	TROLL							*	*				*
RED SPRING	G.N.		5	3	7			1	2	9	*		27
	SEINE							1					1
	TROLL	1	1	7	46	122	174	96	33	25	17	3	525
WHITE SPRING	G.N.		1	7	10			1	1	11	*		31
	SEINE									*			*
	TROLL	*	*	1	5	55	91	52	21	10	*	*	236
STEELHEADS	G.N.			1	*			*		1			2
	SEINE												
	TROLL			*	*	*	*						1
JACKS	G.N.							1	*	*			1
	SEINE												
	TROLL	*		1	2	2	3	3	3	1	1		16
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	JUN 1- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												*
MIXED SOLE	TRawl												*
TOTAL SOLE	TRawl												*
FLOUNDERS	TRawl												
SKATE	TRawl												2
	OTHER												
		11	11										
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
NO. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRawl												2
	L.L.												73
	HL & T												7
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER						*						
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												20
	L.L.												715
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
OUNACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T						*						
	SEINE												
DAYS FISHING	TRawl**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
	4	5	131	222	264	979	949	354	205	84	29	3	3,229
				1							2	3	
			5	10	12			57	126	336	12	554	
								1	1	6		RS 4	10

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					1	2	139	198	976	29		1 345
	SEINE					1	5	41	57	38	*		142
	TROLL					551	1242	331	487	72	1	*	2 684
SOCKEYE	G.N.					3	79	69	11	*			162
	SEINE							2	5	*			7
	TROLL					1	*	*	*				2
PINKS	G.N.					*	1193	697	24				1 919
	SEINE						6372	2091	4				8 457
	TROLL					7	40	30	1				78
CHUMS	G.N.							1	204	14825	3 317		18 347
	SEINE							3	204	1679	150		2 026
	TROLL					*	*	1	*				2
RED SPRING	G.N.	39	18	21	24	8	*	9	24	158	25		336
	SEINE					1	2	3	1	4			11
	TROLL	20	12	47	117	161	225	282	76	92	60	24	17
WHITE SPRING	G.N.	12	5	12	9	8	1	18	39	446	43		593
	SEINE	-				4	3	6	1	*			13
	TROLL	12	18	38	64	101	161	393	111	120	45	10	15
STEELHEADS	G.N.	1	*	5	1	*	*	*	1	1	*		10
	SEINE								*	*			*
	TROLL		*	*	*	*	*	*					1
JACKS	G.N.						*	9	10	6	*		27
	SEINE							1	2	2			5
	TROLL	*	*	1	1	5	4	10	10	17	12	10	7
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	1			1								2
ROCK SOLE	TRawl				*								*
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												3
MIXED SOLE	TRawl	2 BS*T 1	*T	*T	*BS								5
TOTAL SOLE	TRawl	4	*	*	1								1
FLOUNDERS	TRawl	*BS			1 BS								
SKATE	TRawl	*									*	2	3
OTHER			*T	*LL	*T								
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRawl	1	*	2	5								1
L.L.													21
HL & T		11	13	59	75	22	22	6	3	11	1	2	247
OTHER		15 BS		1 BS					1 BS			BS 3	30
GRAY COD	TRawl	14		68									82
L.L.													
OTHER		*T	2 BS	*T		*T		*	3	*T	*		
BLACK COD	TRawl											*	*
L.L.			1									*	*
OTHER				*T									
LING COD	TRawl												
L.L.			1	3									63
HL & T			652	547	372	153	180	104	136	316	123	10	2 593
OTHER				1 BS									1
HERRING	SEINE	6 BS	1 BS	13 BS		6503	4625	1945		1526			14 619
G.N.		64	1	48									124
OUNACHONS	G.N.												*
SMELT	G.N.												
OTHER FISH	TRawl	*			*								
G.N.													1
L.L.			4		3							6	18
HL & T		10	5	19	41	31	26	18	13	19	11	5	209
SEINE		54 BS	58 BS	49 BS	65 BS					3 BS	BS 6	BS 73	308
DAYS FISHING	TRawl**	2		4	1								7
HL & T		100	76	594	626	544	1007	1672	713	744	392	175	95
L.L.			13		2	8						14	13
G.N.		9	60	44	102	89	38	66	480	510	471	630	50
SEINE		32 BS	8 BS	10 BS	12 BS		INC. TO HERR.	119	1 BS 64	88	6 BS 6	BS 16	352

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A

SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRIT. SH. COLUMBIA - 1953

AREA 17

(GILLNET AND SEINE - ROUND WEIGHT - TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE JUN 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							1	75	935			1 011
	SEINE						62		2	44			103
	TROLL					910	1412	747	264	42	*		3 375
SOCKEYE	G.N.						20	6	2	*			28
	SEINE						145		4				149
	TROLL							1					1
PINKS	G.N.						*	7	68	1			76
	SEINE						9		799				809
	TROLL					*	*	18	7				25
CHUMS	G.N.	(1) 9							14	6095			6 118
	SEINE								*	2824			2 824
	TROLL								1	1	*		2
RED SPRING	G.N.	5	12	14	11	*	*	*	10	41			94
	SEINE						4		*	3			3
	TROLL	9	48	7	63	90	235	85	61	21	10	25	62
WHITE SPRING	G.N.	*	1	1	*		*	*	4	46			53
	SEINE						*		*	*			1
	TROLL	16	13	2	28	44	219	67	46	7	1	1	7
STEEL-HEADS	G.N.	*	*	*	*				1	*			2
	SEINE												
	TROLL	*	*				1	*	*	1			3
JACKS	G.N.							*	*	3			3
	SEINE						2		*	10			12
	TROLL	1	5	8	16	11	9	4	4	2	1	1	65
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

(1) CAUGHT DEC. 31, 1952,  
DELIVERED JAN., 1953.

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	JAN 1-	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
		JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	504	347	135	67	45	23	58	46	98	212	58	345	1 938
ROCK SOLE	TRawl	43	83	89	28	7			2		*	20		272
BUTTER SOLE	TRawl													
REX SOLE	TRawl	*				1	*				*			1
DOVER SOLE	TRawl								1	2	14			18
BRILLS	TRawl													
MIXED SOLE	TRawl													
TOTAL SOLE	TRawl	547	450	243	107	96	42	80	60	103	226	79	345	2 378
FLOUNDERS	TRawl	9	36	20	4 BS	T3 BS	6 *	4 BS	*	*	37		*	15
SKATE	TRawl	37	41	34		19	8	9	6	6	9	21	39	229
OTHER			1 BS	511	2 BS									8
HALIBUT LGE.	L.L.													
MED.	L.L.													
CHIX	L.L.													
NO. 2	L.L.													1
MIXED	HL & T													
RED & ROCK	TRawl	35	76	49	9	1	3	6	1	2	28	19	100	329
COD	L.L.			11	1		1							13
	HL & T	*	2	36	50	30	26	19	17	19	21	34	5	252
OTHER		26 BS	42 BS	22 BS	14 BS	33 BS	6 BS		2 BS				18 BS	161
GRAY COD	TRawl	648	985	2007	156	32	85	65	41	1581	1094	187	702	7 583
	L.L.			5										5
OTHER		1 BS	1 BS	*T	5 T	*T								7
BLACK COD	TRawl	1		*										*
	L.L.													
OTHER														2
LING COD	TRawl			32	5	5	7	14	6	8	26	13	4	170
	L.L.			2			11							13
	HL & T	4	499	888	466	392	438	302	340	538	580	157	4 604	
OTHER			3 BS	*BS	3 BS	*BS		19 BS						25
HERRING	SEINE	38517	26028			4058	234	2051	200		175731	261885	2398	511 102
	G.N.	622	29340	602 1204 OT	132						36000		659 OT	6 513
OUЛАCHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	167	283	155	84	32	1	50	15	44	* 308	236	442	(1) 1 817
	G.N.										*			
	L.L.			2										2
	HL & T	1	4	19	3		*		*	4	2	39		72
SEINE		3 BS	* BS	39 BS	25 BS								3 BS	70
DAYS FISHING	TRawl**	137	148	143	47	33	16	23	14	44	106	25	174	910
	HL & T	55	123	414	696	535	1451	2046	1499	741	437	337	178	8 512
	L.L.			23	3									29
	G.N.	30	57	37	17	23	3	8	13	115	2440			2 743
SEINE		6BS	16 BS	13 BS	14 BS	15 BS	2 BS	7	5 BS	23	116		5 BS	222

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 725 CWT. MINK FEED AND  
255 CWT. REDUCTION INCLUDED

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

AREA 18

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> Nov 1- Nov 30	<u>DECEMBER</u> DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						1	1	9	119	48		178
	SEINE						5	2	5	4	5		21
	TROLL					1	6	14	28	*			49
SOCKEYE	G.N.						27	19		*			46
	SEINE						333	16	2				351
	TROLL						*						
PINKS	G.N.						2	50	81	*			133
	SEINE						16	94	292				402
	TROLL						*	4	8				12
CHUMS	G.N.								*	325	1436		1761
	SEINE						*	1	*	118	740		859
	TROLL												
RED SPRING	G.N.	*	*				*	*	*	*	1		3
	SEINE						2	*		*	*		3
	TROLL						5	9	9	11			34
WHITE SPRING	G.N.		*					*	1	*	1		3
	SEINE						1			*	*		1
	TROLL		*			1	10	11	16	7			45
STEEL-HEADS	G.N.								*	*	2		2
	SEINE									*			
	TROLL								*				
JACKS	G.N.							*		*	*		1
	SEINE						*	*		*			1
	TROLL						*	1	1				2
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	207	27	42	222	72	10	50	53	41	186	97	540	1 559
ROCK SOLE	TRawl	395	42	2	10	7						12		475
BUTTER SOLE	TRawl													
REX SOLE	TRawl					1		1	3	2	2	1	2	13
DOVER SOLE	TRawl		1					1	1	*	7			10
BRILLS	TRawl		2						8					52
MIXED SOLE	TRawl			13 BS		34	1	6						
TOTAL SOLE	TRawl	604	75	62	232	121	11	57	67	43	195	110	542	2 119
FLOUNDERS	TRawl	1	*	4 BS	1			4	*		14		45	53
SKATE	TRawl	31	14	12	25	10	*	4	8	4	12	28	57	210
OTHER				1 BS										1
HALIBUT Lge.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													*
MIXED	HL & T					*	*							
RED & ROCK COD	TRawl	41	34	3	16	1	3	4	1	2	12	30	101	243
	L.L.											6		6
	HL & T		3	14	17	10	10	17	13	6	4	12	16	122
	OTHER	9 BS	7BS			1 BS								17
GRAY COD	TRawl	1527	1156	314	757	54	7	36	47	112	439	1421	1095	6 965
	L.L.									61				7
	OTHER		1BS	*T					*			*	*	1
BLACK COD	TRawl													
	L.L.													*
	OTHER					*								*
LING COD	TRawl			10	14	5	6	8	7	7	25	57	4	143
	L.L.													
	HL & T			397	449	316	370	340	242	292	242	170	41	2 859
	OTHER													
HERRING	SEINE							1850			357206	239866		598 922
	G.N.										OT 994	OT 1		1 316
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	167	794	286	277	100		12	15		19	579	442	(1) 2 691
	G.N.										*		1	3
	L.L.					*	1	1						
	HL & T													
	SEINE													
DAYS FISHING	TRawl**	173	167	52	60	27	3	11	13	15	58	136	243	958
	HL & T		4	227	250	157	217	239	187	208	154	126	30	1 799
	L.L.											5		5
	G.N.			1	2			13	59	14	215	284		588
	SEINE	3 BS	2BS				1 5	21	11	13	19	35		105

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

(1) 924 CWT. MINK FEED AND  
175 CWT. REDUCTION INCLUDED.

SHEET A

SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHTS TROLL - DRESSED HEAD ON)

AREA 19

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1 JAN 31	FEB 1- Feb 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- Dec 31	
	CWT	CWT	CWT	CHT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
DODD	G.N.							1	24	3			28
	SEINE						62			3			65
	TROLL					1	2	33	35	14			85
SOCKEYE	G.N.							2					2
	SEINE						83						83
	TROLL						*						*
PINKS	G.N.							9	4	*			13
	SEINE						1						1
	TROLL						*	28	20	*			49
CHUMS	G.N.								*	6			5
	SEINE									4			4
	TROLL							*	*	*			1
RED SPRING	G.N.		1						2	1			4
	SEINE						4						4
	TROLL				2	24	3	3	1	1	*		34
WHITE SPRING	G.N.									*			4
	SEINE						1						1
	TROLL					2	6	4	1	1	*		12
STEEL-HEADS	G.N.								*				*
	SEINE												*
	TROLL												
JACKS	G.N.												
	SEINE						1						1
	TROLL							*	*	*			1
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	TRawl	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u>TOTAL</u>
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28-	AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl											30	31	*
ROCK SOLE	TRawl	*											3	3
BUTTER SOLE	TRawl													
REX SOLE	TRawl													
DOVER SOLE	TRawl											7		7
BRILLS	TRawl													2
MIXED SOLE	TRawl											37	31	3
TOTAL SOLE	TRawl	*	2											73
FLOUNDERS	TRawl											1	1	1
SKATE	TRawl	*												
OTHER														
HALIBUT L.G.	L.L.													
NED.	L.L.													
CHIX	L.L.													
NO. 2	L.L.													*
MIXED	H.L. & T					*	*							
RED & ROCK	TRawl	*										9	*	9
COD	L.L.													
H.L. & T														4
OTHER			1	1			1	*	*	*	*			
GRAY COD	TRawl	6	22									13	52	15
L.L.														110
OTHER														
BLACK COD	TRawl													
L.L.														
OTHER														
LING COD	TRawl											2	3	5
L.L.														
H.L. & T			41	29	36	52	105	268	70	20				621
OTHER														
HERRING	SEINE											5270		5270
G.N.														5
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	1												1
G.N.														
L.L.														
H.L. & T												*		*
SEINE														
DAYS FISHING	TRawl	1	4									5	9	14
HL & T				10	14	16	42	79	112	151	60	1		485
L.L.														
G.N.														25
SEINE								11	6	13	4		2	13

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMONREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)AREA 20

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	JUN 28- AUG 29	AUG 30- SEPT 26	SEPT 27- Oct 31	Nov 1- Nov 30	DEC 1- DEC 31	CWT
COHO G.N. TRAP & SEINE TROLL							2	139	468	256			865
						6	3953	9646	11316	329			25 250
						*		32	86	21			139
SOCKEYE G.N. TRAP & SEINE TROLL						11	215	23	1				250
					2	197	27764	8726	108				36 797
PINKS G.N. TRAP & SEINE TROLL							1	294	252				547
						*	2380	89375	75438	15			167 208
								11	33	1			45
CHUMS G.N. TRAP & SEINE TROLL								3	13	39			55
					4		21	246	597	130			998
										*			*
RED SPRING G.N. TRAP & SEINE TROLL		5	3			*	1	5	9	1			24
					104	681	1385	1120	316	10			3 616
		*	7	*	3	13		3	7	1	1		35
WHITE SPRING G.N. TRAP & SEINE TROLL		1					*	2	9	*			12
					7	62	349	431	384	6			1 239
			1		*	1		2	3				7
STEEL-HEADS G.N. TRAP & SEINE TROLL						*	2	1	3	*			6
					4	21	47	24	51	5			152
									*				*
JACKS G.N. TRAP & SEINE TROLL						*	*	2	*				3
						1	182	157	37				377
						*		*	*	*			1
STURGEON G.N. TRAP & SEINE TROLL					*	1	1	*	*	*			2

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
		CNT	CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl			31	19			4				9		63
ROCK SOLE	TRawl		16	19	*	1		1						37
BUTTER SOLE	TRawl											7		7
REX SOLE	TRawl			2	*			176	280					458
DOVER SOLE	TRawl			12				*						12
DRILLS	TRawl			11		*TRAP	*TRAP	1 TRAP	*TRAP	1 TRAP	1 TRAP			14
MIXED SOLE	TRawl		16	75	19	1	*TRAP	1 TRAP 181	*TRAP 280	1 TRAP	1 TRAP	16		591
TOTAL SOLE	TRawl													
FLounders	TRawl		14	10		*TRAP		* TRAP	*TRAP	* TRAP	* TRAP			23
SKATE	TRawl		2	3	2		*TRAP		2 TRAP			20		27
OTHER														2
HALIBUT Lge.	L.L.													
MED.	L.L.													8
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T						1	8						9
RED & ROCK COD	TRawl	1	8					10	2			3		24
	L.L.													8
	HL & T		1					2	1	1	1			6
	OTHER				4 TRAP	TRAP 25	TRAP 26	TRAP 28	TRAP 25	TRAP 6				114
GRAY COD	TRawl	3	59	1	22			15	11			27		138
	L.L.													
	OTHER			1 T										1
BLACK COD	TRawl							*	2					2
	L.L.													54
	OTHER													14
LING COD	TRawl		4	3				5	*					12
	L.L.													1
	HL & T		23	66	117	34	18	57	40	27	35	25	7	443
	OTHER				2 TRAP	3 TRAP	TRAP 5	TRAP 7	8 TRAP	3 TRAP				28
HERRING	SEINE							950						950
	G.N.							35 TRAP	30 TRAP	TRAP 20	TRAP 9	TRAP 79	17 TRAP	190
QUACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl			9					*			140		(1) 149
	G.N.											*		*
	L.L.													
	HL & T					3					2			5
	SEINE													20
DAYS FISHING	TRawl**	4	16	15	2		7	4				8		56
	HL & T	10	45	73	18	19	45	53	144	68	10	5		491
	L.L.													4
	G.N.		6	5			9	79	80	138	66			383
	TRAP & SEINE					3	18	897	1175	822	16			2 931

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

(1) 140 CWT. MINK FEED

SHEET A  
SALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

AREA 21

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- Feb 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER Nov 1- Nov 30	DECEMBER Dec 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.							4	3				7
	SEINE						49	179	72				300
	TROLL					23	771	2565	3022	159			6 540
SOCKEYE	G.N.				13			4					17
	SEINE						374	116	2				492
	TROLL				*	8	3	*	*				12
PINKS	G.N.							24	7				31
	SEINE						9	2181	1405				3 595
	TROLL				1	27	585	633	4				1 250
CHUNS	G.N.							*	1				1
	SEINE							8	10				18
	TROLL						1		*				*
RED SPRING	G.N.							*					*
	SEINE						5	12	3				20
	TROLL			*	3	301	1281	382	376	8			2 351
WHITE SPRING	G.N.							*	*				*
	SEINE						*	2	4				6
	TROLL				1	84	560	234	202	2			1 083
STEEL-HEADS	G.N.								*				*
	SEINE							*	1				1
	TROLL						*	1	2				3
JACKS	G.N.							*					*
	SEINE						1	5	*				6
	TROLL						1	4	1				6
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl			5	7	2	8	27	35	21	1	64	177
ROCK SOLE	TRawl		14	146		1	7	8				9	185
BUTTER SOLE	TRawl												
REX SOLE	TRawl												1 593
DOVER SOLE	TRawl			6	4	1	544	499	438	106			898
BRILLS	TRawl		*	8	3	21	196	585	72	3			103
MIXED SOLE	TRawl			29			23	51					
TOTAL SOLE	TRawl		25	190	14	25	778	1120	545	130	1	73	2 901
FLOUNDERS	TRawl				21	3						8	32
SKATE	TRawl		1		3	1	5	13	11	3		1	39
	OTHER												
HALIBUT Lge.	L.L.												
NED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												5
MIXED	HL & T												
RED & ROCK	TRawl		1		5	*	23	9	27	5		31	101
COD	L.L.						*						*
	HL & T												
	OTHER												
GRAY COD	TRawl		6	604	51	17	633	620	60	36		5	2 032
	L.L.												*
	OTHER												35
BLACK COD	TRawl							17	13	2	1		
	L.L.												
	OTHER												
LING COD	TRawl		1	5	3	9	238	951	26	6	2	3	1 244
	L.L.												
	HL & T												35
	OTHER												
HERRING	SEINE							38046					38 046
	G.N.												
OUNLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl		8				310	2424	669	933		144	(1) 4 488
	G.N.												
	L.L.												
	HL & T												1
	SEINE												
DAYS FISHING	TRawl	1	2	22	4	2	42	101	25	24	1	13	237
	HL & T			1	10	111	555	639	804	81			2 201
	L.L.												20
	G.N.					11		6	3				35
	SEINE							5	19	11			

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 4473 CWT. MINK FEED

**Sheet A**  
**SALMON**

**REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953**  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	COHO	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- Feb 28	MAR 1- MAR 31	APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 10- AUG 1	AUG 2- AUG 29	AUG 30- AUG 29	SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.												273	
	SEINE												109	
	TROLL													
SOCKEYE	G.N.					875	480							1 355
	SEINE													
	TROLL													
PINKS	G.N.													
	SEINE													
	TROLL													
CHUNS	G.N.										2941			2 941
	SEINE										3678			3 678
	TROLL													
RED. SPRING	G.N.										2			2
	SEINE										2			2
	TROLL		*											*
WHITE SPRING	G.N.										1			1
	SEINE										3			3
	TROLL		*											*
STEEL- HEADS	G.N.					3					*			3
	SEINE										*			*
	TROLL													
JACKS	G.N.													
	SEINE													
	TROLL													
	G.N.													
	SEINE													
	TROLL													

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1959

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUN MAY 31- JUN 27	JULY JUN 28- AUG 24	AUGUST AUG 25- AUG 24	SEPTEMBER SEPT 1- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
GRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT LGE.	L.L.												
MED.	L.L.												
CHIX	L.L.												
NO. 2	L.L.												
HIXED	HL & T												
RED & ROCK COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												*
	L.L.												
	HL & T		*										
	OTHER												
HERRING	SEINE												
	G.N.												
OUNLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												1
	HL & T												
	L.L.		1										
	G.N.												
	SEINE												
					183	245							
												293	
												89	
												721	
												89	

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

**SHEET A**  
**SALMON**

**REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953**  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 75  
AREA 23

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.					4	10	36	543	309			902
	SEINE							18	169	87			274
	TROLL					513	4878	6955	5838	470			18 654
SOCKEYE	G.N.				299	2016	1359	148	10				3 832
	SEINE					20	28			1			49
	TROLL					2	??	13	1				93
PINKS	G.N.						*	11	7				13
	SEINE								*	*			*
	TROLL					18	38?	1281	848	9			2 543
CHUNS	G.N.						1	*	203	5885			6 089
	SEINE								602	13518			14 120
	TROLL					1	1	4		*			6
RED SPRING	G.N.				1	63	4	38	129	17			252
	SEINE					1		1	6	11			19
	TROLL	24	188	586	2636	4401	4450	5154	2488	1361	29	15	49 21 381
WHITE SPRING	G.N.				*	1	3	*	1	*			6
	SEINE												
	TROLL	1	22	92	748	1593	1050	1772	1407	605	7	*	4 7 302
STEELHEADS	G.N.				30	54	62	5	5	8			164
	SEINE					*			*	*			1
	TROLL	*	1	*	*	2	2	7					13
JACKS	G.N.				1	4	2	1	*				8
	SEINE					*			1	11			12
	TROLL				3	14	2	19	3	4	*	*	45
STURGEON	G.N.					1							1
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	FISHERY	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 25	SEPT 27- OCT 31	OCT 31- NOV 1	NOV 1- NOV 30	DEC 1- DEC 31	CWT
		CNT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl		41		6	40	2	12	3	27	7		56	194	
ROCK SOLE	TRawl		20		16	39	11	125	3			60		324	
BUTTER SOLE	TRawl			6										5	
REX SOLE	TRawl					32	3	230		55	5		4	329	
DOVER SOLE	TRawl					423	1293	251	154	2162	439			5 400	
BRILLS	TRawl					5	59	65	52	47	17			253	
MIXED SOLE	TRawl						1374	1236	207	2261	451	60	60	5 508	
TOTAL SOLE	TRawl	61	6	199	523							5	1	52	
FLOUNDERS	TRawl		28	8	7	3						5		*	
SKATE	TRawl		2	1	3	15	?	10	4	11	16			69	
OTHER															
HALIBUT LGE.	L.L.					39	36							75	
MED.	L.L.					110?	240							1 847	
CHIX	L.L.					188	115							304	
NO. 2	L.L.					4	5							9	
MIXED	H.L. & T					559	14?							906	
RED & ROCK	TRawl		3	4		9	11	35	4	77	140	10	10	304	
COD	L.L.	5	5			2	1							13	
	H.L. & T														
OTHER															
GRAY COD	TRawl		11	3	229	970	446	814	397	934	388	5	3	4 100	
	L.L.														
BLACK COD	TRawl						5	93	12	32	10			92	
	L.L.						6							6	
OTHER															
LING COD	TRawl		2		103	350	804	1189	347	504	87	*	4	3 390	
	L.L.	36	47			54	11							148	
	HL & T	6	28	28	41	136	138	52	19	19	3	122	227	819	
OTHER															
HERRING	SEINE											173512	256232	429 744	
	G.N.	9	5											14	
QUACHONS	G.N.														
SMELT	G.N.														
OTHER FISH	TRawl		3			490	281	1411	936	444	255	328	164	(1) 4 312	
	G.N.					*									
	L.L.														
	HL & T									*					
ANCHOVIES	SEINE		2650	642	1385	350	2330	101						7 438	
														685	
DAYS FISHING	TRawl		20	16	44	97	111	116	59	109	104	2	7	21 148	
	HL & T	87	258	829	2433	3816	3717	3992	2830	2716	187	92	191	147	
	L.L.	11	8			88	40							3 802	
	G.N.	2	2			421	1172	896	249	323	737			412	
	SEINE					4	4	2	38	364					

(1) 3726 CWT. MINK FEED

\* LESS THAN .5 CWT

\*\* HELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE May 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						1				29		30
	SEINE								146	58			204
	TROLL				1675	1486	1944	2958	24	*			8 087
SOCKEYE	G.N.						37	24					61
	SEINE						3297	1743					5 040
	TROLL					10	18	6	*				34
PINKS	G.N.						*						*
	SEINE												
	TROLL					74	92	560	645				1 371
CHUMS	G.N.										48		48
	SEINE							*	516	4729			5 245
	TROLL					*	*		*				1
RED SPRING	G.N.										*		*
	SEINE												
	TROLL	*	26	85	143	414	2461	1282	702	515	15	10	35
WHITE SPRING	G.N.						*						*
	SEINE												
	TROLL			2	5	60	356	190	89	34	1	*	737
STEELHEADS	G.N.						*	*			*		1
	SEINE												
	TROLL					*	*	1	2	5			8
JACKS	G.N.												
	SEINE												
	TROLL		*		*	2	3	3	8		*		17
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	15	37	50	16	6		2	16			3	145
ROCK SOLE	TRawl	32		29	32	7	156						256
BUTTER SOLE	TRawl		14	12									28
REX SOLE	TRawl			?									7
DOVER SOLE	TRawl				3	1	5						4
BRILLS	TRawl			72	74	288	1 T	709	451	34	141		1 770
MIXED SOLE	TRawl			164	191	73	62	28		17			550
TOTAL SOLE	TRawl	47	287	365	418	796	641	43	174			7	2 768
FLOUNDERS	TRawl	7	5	14	26							1	53
SKATE	TRawl	1	1	15	?	2	6	*	4				43
OTHER													
HALIBUT Lge.	L.L.				?								?
MED.	L.L.												129
CHIX	L.L.				110	19							16
No. 2	L.L.				13	3							*
MIXED	HL & T				142	72	11	3					217
RED & ROCK	TRawl	*	4	16	1	2	17	2	4			*	40
COD	L.L.	7	4				5						16
HL & T	*			*		1	1	1	1				4
OTHER													
GRAY COD	TRawl	7	243	418	513	290	443	78	220			3	2 315
L.L.													
OTHER													
BLACK COD	TRawl					1	12	2	2				17
L.L.							1						19
OTHER						*							*
LING COD	TRawl	3	3	37	248	518	532	74	47			2	1 464
L.L.	34	23		13	3								73
HL & T	3	11	4	32	65	67	26	33	1			*	242
HERRING	SEINE		439								11305	48133	59 877
G.N.													
OULACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl			44	17	113	281	664	403			161	(1) 1 752
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRawl**	28	54	61	83	67	74	16	29		BS 13	BS 26	39
HL & T	4	48	125	312	752	2643	2000	1569	1699	28		5	417
L.L.	8	4			54	5	2					48	9 299
G.N.								13	8	10			73
SEINE								304	139	46	129	BS 8	629

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

(1) 1563 CWT. MINK FEED

**SHEET A**  
**SALMON**

**REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953**  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

PAGE 79

AREA 25

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.										24		24
	SEINE									11	276		287
	TROLL					285	1367	1688	3377	112			6 829
SOCKEYE	G.N.												
	SEINE												
	TROLL						1	20	3	1			25
PINKS	G.N.												
	SEINE												
	TROLL						38	61	363	332			794
CHUMS	G.N.									544			544
	SEINE									107	21659		21 766
	TROLL						7	1	*	1			9
RED SPRING	G.N.									*			*
	SEINE									1			1
	TROLL						14	107	146	426	2912	1645	1425
WHITE SPRING	G.N.									705	20		7 410
	SEINE									1			1
	TROLL				*	11	32	152	865	716	416	111	1
STEEL-HEADS	G.N.									*			*
	SEINE												
	TROLL												
JACKS	G.N.												
	SEINE												
	TROLL												
	G.N.							*	5	2			7
	SEINE												
	TROLL							2	2	2	1		7

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	FISHERY	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl					2			2					4
ROCK SOLE	TRawl							13						19
BUTTER SOLE	TRawl													
REX SOLE	TRawl					1								1
DOVER SOLE	TRawl					1 LL 18		3	20	52	4			93
BRILLS	TRawl					7			2	9				18
MIXED SOLE.	TRawl					29		22	24	61	4			140
TOTAL SOLE	TRawl													
FLOUNDERS	TRawl								*	1				1
SKATE	TRawl													
	OTHER													
HALIBUT LGE.	L.L.						10							10
MED.	L.L.					8	108							115
CHIX	L.L.					2	4							6
No. 2	L.L.													50
MIXED	HL & T					28	19	3						3
RED & ROCK COD	TRawl					3			2					
	L.L.					2		5						11
	HL & T					*								*
	OTHER													
GRAY COD	TRawl					36			66	58	3			156
	L.L.													
	OTHER													
BLACK COD	TRawl					6		13			2			25
	L.L.													
	OTHER													
LING COD	TRawl					4		2	61	9	2			78
	L.L.					7		11						43
	HL & T					1	13	25	78	16	47	9		189
	OTHER													
HERRING	SEINE													
	G.N.													
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl					106		65	70	29				(1) 270
	G.N.													
	L.L.													*
	HL & T							*						
	SEINE													
DAYS FISHING	TRawl <sup>#</sup>					10		2	8	5	1			25
	HL & T					78	208	470	2143	1209	1574	689	58	6467
	L.L.					4		8	2					18
	G.N.													42
	SEINE													368

(1) 238 CWT. MINK FEED

<sup>#</sup> LESS THAN .5 CWT<sup>##</sup> SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C.

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
													CNT	CWT
COHO	G.N.										*			*
	SEINE										139	163		302
	TROLL						568	1032	1426	1936	29			4 991
SOCKEYE	G.N.													
	SEINE													
	TROLL						1	17	2	*				20
PINKS	G.N.													
	SEINE													
	TROLL						26	78	395	223				723
CHUMS	G.N.										2			2
	SEINE										126	8869		8 995
	TROLL						*	2	*					2
RED SPRING	G.N.													
	SEINE										1	*		1
	TROLL		8	13	200	271	898	2138	605	279	19			4 431
WHITE SPRING	G.N.													
	SEINE													
	TROLL			1	10	17	92	433	140	45	2			740
STEEL-HEADS	G.N.										*			*
	SEINE													
	TROLL						*	*	2	1				3
JACKS	G.N.										*			*
	SEINE													
	TROLL					1		3	*	1				5
	G.N.													
	SEINE													
	TROLL													

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 4	AUG 5- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	OCT 31- NOV 30	DEC 1- DEC 31	CWT	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl													
ROCK SOLE	TRawl													
BUTTER SOLE	TRawl													
REX SOLE	TRawl													
DOVER SOLE	TRawl												13	
BRILLS	TRawl												27	
MIXED SOLE	TRawl												40	
TOTAL SOLE	TRawl													
FLOUNDERS	TRawl													
SKATE	TRawl													
OTHER														
HALIBUT L.G.	L.L.					15	18						33	
NED.	L.L.					1545	793						2 355	
CHIX	L.L.					311	91						402	
No. 2	L.L.					3							10	
MIXED	HL & T					123	46	3					167	
RED & ROCK COD	TRawl					31	2	1	3				56	
	L.L.												*	
	HL & T													
	OTHER													
GRAY COD	TRawl													
	L.L.													
	OTHER													
BLACK COD	TRawl												109	
	L.L.													
	OTHER													
LING COD	TRawl					305	103	49	41				499	
	L.L.					1	7	42	53	76	21	9	209	
	HL & T													
	OTHER													
HERRING	SEINE													
	G.N.													
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl													
	G.N.													
	L.L.													
	HL & T													
	SEINE													
DAYS FISHING	TRawl					11	26	202	370	856	1659	944	36	5 048
	HL & T												370	
	L.L.												1	
	G.N.												1	
	SEINE												140	

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE ~ ROUND WEIGHT; TROLL ~ DRESSED HEAD ON)

PAGE 83  
AREA 27

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.										128	31	
	SEINE												199
	TROLL						3	2	377	23			405
SOCKEYE	G.N.					266	503	2089	1494	13			4 355
	SEINE					73	173		*				245
	TROLL					3	7	5	*				15
PINKS	G.N.												
	SEINE						1						1
	TROLL					4	40	282	145	*			471
CHUMS	G.N.								1080	896			
	SEINE								*	455	1429		1 976
	TROLL						1	*	*				1 883
RED SPRING	G.N.								*	*			1
	SEINE								*	*			*
	TROLL	28	55	84	134	582	351	257	98	1	11	55	1 656
WHITE SPRING	G.N.								1				1
	SEINE												
	TROLL	2	3	5	11	65	43	46	5	1	2	5	194
STEEL-HEADS	G.N.												
	SEINE												
	TROLL			*			*	1	*				2
JACKS	G.N.												
	SEINE												
	TROLL			*	1	4	*	*					6
	G.N.												
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 29- AUG 1	AUGUST AUG 2- AUG 20	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT Lge.	L.L.					5	5		5				15
MED.	L.L.					401	294		27	12			763
CHIX	L.L.					151	50		*	*			211
No. 2	L.L.					1			1	*			2
MIXED	HL & T					108	262	20 L.L.		10 L.L.	17 L.L.		412
RED & ROCK COD	TRawl												
L.L.		5	5			8	4	12	55	37	7		163
HL & T						1	2	2		*		1	9
OTHER													
GRAY COD	TRawl												
L.L.													
OTHER													
BLACK COD	TRawl												
L.L.						6		140		194	147	87	574
OTHER													
LING COD	TRawl												
L.L.		11	40	18	90	9	12		8	6	3		197
HL & T			3	16	55	103	18	12	12	*	33	*	272
OTHER													
HERRING	SEINE												
G.N.													
OLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl												
G.N.													
L.L.													
HL & T													
SEINE													
DAYS FISHING	TRawl**												
HL & T		28		46	104	174	596	753	925	555	4	19	72
L.L.			3	6	1	91	49	10		17	14	6	197
G.N.										144	102		246
SEINE							8	2	2	58	29		99

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

**SHEET A**  
**SAFON**

**REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953**  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1 JAN 31	FEB 1 FEB 28	MAR 1 MAR 31	APR 1 MAY 2	MAY 3 MAY 30	JUN 31 JUN 27	JUN 28 AUG 1	AUG 2 AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT	CNT
COHO	G.N.												
	SEINE												
	TROLL						33	12	1330				1 375
SOCKEYE	G.N.												
	SEINE												
	TROLL												1
PINKS	G.N.												
	SEINE												
	TROLL						3	1	353				357
CHINOOK	G.N.												
	SEINE												
	TROLL												
RED SPRING	G.N.												
	SEINE												
	TROLL						380	34	80				494
WHITE SPRING	G.N.												
	SEINE												
	TROLL						67	?	30				104
STEELHEADS	G.N.												
	SEINE												
	TROLL												*
JACKS	G.N.												
	SEINE												
	TROLL												*
	G.N.												
	SEINE												
	TROLL												*

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1968

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<b>TOTAL</b>
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	JUN 28- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT LGE.	L.L.												30
	MED.	L.L.											42
	CHIX	L.L.											2
	No. 2	L.L.											2
	MIXED	H. & T											3
RED & ROCK	TRawl												
COD	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.												
OLACHONS	G.N.												
	SMELT												
OTHER FISH	TRawl												
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

101 15 241 2

113 TUNA

113 TUNA

389

2

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

## SUMMARY - DISTRICT

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
	JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
COHO	G.N.					1	50	591	2428	2266	801		6 137
	SEINE												
	TROLL						70	1	16				87
SOCKEYE	G.N.				599	58782	20452	3370	121	2			83 326
	SEINE												
	TROLL												
PINKS	G.N.						32	7711	56141	2017	10		65 911
	SEINE												
	TROLL						3	1	2				5
CHUMS	G.N.						5	20	452	15301	32126		47 904
	SEINE												
	TROLL												
RED SPRING	G.N.	23	156	1133	2064	2903	3014	2725	1435	169	25		13 647
	SEINE												
	TROLL	52	59	22	16	11		5	2	1	8	7	183
WHITE SPRING	G.N.		8	41	69	75	241	1036	1728	10210	2565	124	16 097
	SEINE												
	TROLL	29	54	18	14	10		7	3	5	9	13	162
STEEL-HEADS	G.N.		30	44	77	22	16	35	22	103	71	94	514
	SEINE												
	TROLL												
JACKS	G.N.					7	235	274	494	4	7		3 021
	SEINE												
	TROLL							2	3	2	1		8
STURGEON	G.N.		8	14	151	93	65	44	49	70	25	22	561
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JULY 1- AUG 28	AUGUST AUG 29- AUG 31	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER OCT 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl	48	41	20	74	51	6	31	25	2	7	1	3	311
ROCK SOLE	TRawl		3	6	?			2						18
BUTTER SOLE	TRawl													1
REX SOLE	TRawl			1										
DOVER SOLE	TRawl													
BRILLS	TRawl													
MIXED SOLE	TRawl	14	23		2	33	24	58	23	18	1			219
TOTAL SOLE	TRawl	62	67	27	83	20	31	21	53	20	3	1	3	549
FLOUNDERS	TRawl	6	94	33	10	22	35	24	47	12	54	20	90	427
SKATE	TRawl	6	10	9	19	20	15	20	13	8	10	9	1	152
OTHER		1	2											3
HALIBUT Ldg.	L.L.													
RED & ROCK COD	L.L.			2	1	2		4						9
L.L.		2		1										3
HL & T	1	6	1	1	5	5	3	2	6	3	2			35
OTHER	21	9												30
GRAY COD	TRawl	2	8	8	42	82	24	52	42	15	4	6	8	303
L.L.					1									3
BLACK COD	TRawl													1
OTHER														
LING COD	TRawl			3	7	11	11	10	7	2		1		52
L.L.						21	22	4	10			14		71
HL & T											1			1
HERRING	SEINE			15	171	765	32		9	191	52			1 245
G.N.					3392	57								3 449
OUNACHONS	G.N.					10	143	37	110	38	2			339
SMELT	G.N.													
OTHER FISH	TRawl	4	40	22	8	840	30	53	28		220	36	1 281	16
G.N.						16								
L.L.														
HL & T														
SEINE		9	7											16
DAYS FISHING	TRawl**	12	46	24	36	82	100	61	34	13	14	12	28	462
HL & T	68	158	76	36	42	11	38	11	46	9	47	27	569	7
L.L.		5		2										
G.N.														
SEINE		151	594	3092	3754	3646	16551	14764	11915	7322	7808		69 587	18
	BS 13	BS 5												

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET ASALMON

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE JUN 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- Dec 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.						1	66	161	570	102		900
	SEINE												
	TROLL				*		70	1	16	*			87
SOCKEYE	G.N.						16	11	5	*			32
	SEINE												
	TROLL						*						*
PINKS	G.N.							2480	311	9	*		2 800
	SEINE												
	TROLL						3	1	2				6
CHUMS	G.N.								*	19	2909	4326	7 254
	SEINE												
	TROLL												
RED SPRING	G.N.	2						5	8	16	16		47
	SEINE												
	TROLL	40	57	22	16	11		5	2	1	8	7	169
WHITE SPRING	G.N.	*					*	20	13	44	79		136
	SEINE												
	TROLL	28	54	18	14	10		7	5	9	13		161
STEEL-HEADS	G.N.	*						*	*	1	3		5
	SEINE												
	TROLL	*											*
JACKS	G.N.							1	2	2	1		6
	SEINE												
	TROLL	*					*	2	3	2	1		8
STURGEON	G.N.							*					*
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		TOTAL		
	JAN 1-	JAN 31	FEB 1-	FEB 28	MAR 1-	MAR 31	APR 1-	MAY 2	MAY 3-	MAY 30	MAY 31-	JUN 27	JULY	JUN 25-	AUG 1	AUG 2-	AUG 29	AUG 30-	SEPT 26	SEPT 27-	OCT 31	NOV 1-	NOV 30	DEC 1-	DEC 31	CWT	CWT
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
LEMON SOLE	TRawl																									*	32
ROCK SOLE	TRawl																										1
BUTTER SOLE	TRawl																										*
REX SOLE	TRawl																										
DOVER SOLE	TRawl																										
BRILLS	TRawl																										49
MIXED SOLE	TRawl	6BS	23BS	*		2	10	*T		2						5											
TOTAL SOLE	TRawl	6	26	5		3	27		2							9		2		2						*	82
FLOUNDERS	TRawl	*BS	29	3			4		20																	56	141
SKATE	TRawl		3	2	*		5																				24
OTHER		1BS	1BS																								1
HALIBUT L.S.	L.L.																										
MED.	L.L.																										
CHIX	L.L.																										
No. 2	L.L.																										
MIXED	H.L. & T																										
RED & ROCK COD	TRawl						1		1																		2
L.L.		1					1																				2
HL & T		1	6	1		1		5		5						3	2		6	3	2	*				35	
OTHER		16BS	9BS																								25
GRAY COD	TRawl	*	6				10		1							7	6	1				*				31	
L.L.																											1
OTHER							1T																				
BLACK COD	TRawl						*									1T											*
L.L.																											1
OTHER																											
LING COD	TRawl					1	*	3	5							*	*	*									9
L.L.						*	21	22	4							10										70	
HL & T																											
OTHER																											
HERRING	SEINE					15	1																				16
G.N.																											
DUOLACHONS	G.N.																										
SMAELT	G.N.																										
OTHER FISH	TRawl						*	21	3							12		*									(1) 36
G.N.																											
L.L.																											
HL & T							*																				
SEINE		3BS	7BS																								10
DAYS FISHING	TRawl**					6	8	2	11	12						9	5	4								62	
HL & T		65	154	76	36		42	11		38	41					46	9	46								561	
L.L.		3		2	1											9	593	212	1349	1363						5	
G.N.																											3 532
SEINE		9BS	5BS																								14

(1) 12 CWT. MINK FEED

\*\*SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL = DRESSED HEAD CH)

PAGE 91  
AREA 29 A&B

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
COHO	G.N.					1	34	436	1795	1064	450		3 780
	SEINE												
	TROLL												
SOCKEYE	G.N.		*	*	510	45513	14723	2481	59	1			63 307
	SEINE												
	TROLL												
PINKS	G.N.					23	4527	47751	817	5			53 123
	SEINE												
	TROLL												
CHUMS	G.N.				*	2	14	317	9855	23769			33 957
	SEINE												
	TROLL												
RED SPRING	G.N.	17	125	959	1416	1812	2261	2045	1111	107	3		9 862
	SEINE												
	TROLL	12	2										14
WHITE SPRING	G.N.	6	31	55	50	141	771	1310	8121	1636	31		12 212
	SEINE												
	TROLL	1	*								*		1
STEEL-HEADS	G.N.	22	32	58	18	11	30	16	81	50	70		388
	SEINE												
	TROLL	*											*
JACKS	G.N.		*			7	207	233	412	2	5		866
	SEINE												
	TROLL												
STURGEON	G.N.		2	37	26	15	12	17	20	4	1		134
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1959

SHEET B

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

		JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 3	AUGUST AUG 4- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl	15BS	33	38	13	71	32	6	31	22		*	2	263
ROCK SOLE	TRawl	*	3	4	7									16
GUTTER SOLE	TRawl			*										*
REX SOLE	TRawl					*								*
COVER SOLE	TRawl													*
DRILLS	TRawl													
MIXED SOLE	TRawl	8BS		*		27	12	17	29	8		*	2	111
TOTAL SOLE	TRawl	56	41	17	78	54	18	53	51	8		2	320	
FLOUNDERS	TRawl	3	49	20	5	15		17	22	6		20		157
SKATE	TRawl	5	6	5	18	13	5	14	8	1		9		84
	OTHER	1BS	1											2
HALIBUT Lge.	L.L.													
MED.	L.L.													
CHIX	L.L.													
No. 2	L.L.													
MIXED	HL & T													
RED & ROCK COD	TRawl	*	*	2	*	1		3	*	*				6
	L.L.		1											1
	HL & T													5
	OTHER	5BS												
GRAY COD	TRawl	2	8	2	41	75	7	42	32	5		5	1	219
	L.L.		*											*
	OTHER													
BLACK COD	TRawl													
	L.L.													
	OTHER													
LING COD	TRawl		2	4	5	3	5	6	1		1			27
	L.L.										1			1
	HL & T													1
	OTHER										1			1
HERRING	SEINE													
	G.N.													
OLACHONS	G.N.													
SMELT	G.N.													
OTHER FISH	TRawl	4	39	19	8	791	16	45	16	*		207	36	(1) 1 181
	G.N.		*			16				*				16
	L.L.													
	HL & T													
	SEINE	6BS												6
DAYS FISHING	TRawl	11	29	10	26	55	22	25	17	4		8	6	213
	HL & T	3	4									1		8
	L.L.		2											2
	G.N.		95	456	2338	2529	2360	11903	10160	8621	4337	4975		47 724
	SEINE	4 BS												4

(1) 664 CWT. MINK FEED

\* LESS THAN .5 CWT.  
\*\* SHELLFISH CAUGHT BY TRAWL SHOWN ON SHEET C

SHEET A  
SALMON

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHTS - TROUT - DRESSED HEAD ON)

PAGE 93  
AREA 29 C

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JULY 1- AUG 20	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
COHO	G.N.				*	/	5?	135	23	10			232
	SEINE												
	TROLL												
SOCKEYE	G.N.				13	2401	1924	306	*				4 644
	SEINE												
	TROLL												
PINKS	G.N.					2	555	1556	9	*			2 129
	SEINE												
	TROLL												
CHUMS	G.N.						1	6	136	160			363
	SEINE												
	TROLL												
RED SPRING	G.N.			8	37	54	28	25	22	1	*		175
	SEINE												
	TROLL												
WHITE SPRING	G.N.			2	5	23	35	203	20	2			295
	SEINE												
	TROLL												
STEEL-HEADS	G.N.		1	*	*	1	1	2	1	*			7
	SEINE												
	TROLL												
JACKS	G.N.				*	9	26	43	*	1			79
	SEINE												
	TROLL												
STURGEON	G.N.			*		*	1	*					1
	SEINE												
	TROLL												

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA

SHEET B

ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 26	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	1974 1975 1976	1977 Aug 2- Aug 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- Oct 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
		TRawl											
LEMON SOLE		1	3	2	2	*	2			6	1	*	17
ROCK SOLE		*	1										1
BUTTER SOLE			*										*
REX SOLE													
DOVER SOLE													
DRILLS													
MIXED SOLE													
TOTAL SOLE		1	4	2	4	10	11	6	10	6	1	*	59
FLOUNDERS	TRawl	3	16	10	5	3	15	7	5	6	25	*	34
SKATE	TRawl	1	2	1	2	11	16	5	2	8	*	1	49
OTHER													
HALIBUT Lge.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	HL & T												
RED & ROCK COD	TRawl	*	*			1							1
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl	*	*	1	2	16	15	3	5	3	*	7	53
	L.L.												
	OTHER												
BLACK COD	TRawl					*							*
	L.L.												
	OTHER												
LING COD	TRawl		*	1	8	5	1	1	*				16
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												
	G.N.			170	765	32		9	191	62			1 229
OUNACHONS	G.N.												
SMELT	G.N.												339
OTHER FISH	TRawl	1	3	*	28	11	8				13	*	(1) 64
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**	1	11	6	8	16	66	36	8	4	10	4	17
	HL & T												
	L.L.												
	G.N.												
	G.N.												
NETS				98	81	103	1194	1525	937	139	88		4 155
				12 100HER	87 14HER		19	71 2HER	31 45HER	17HER			221 178 HER

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

(1) 13 CWT. MINK FEED

**SHEET A**  
**SALMON**

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953  
(GILLNET AND SEINE - ROUND WEIGHT; TROLL - DRESSED HEAD ON)

AREA 29 D

	COHO	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	JULY 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT	CWT
G.N.	G.N.							8	32	335	556	239			1 172
	SEINE														
	TROLL														
SOCKEYE	G.N.						76	10832	3744	528	62	1			15 343
	SEINE														
	TROLL														
PINKS	G.N.							*	149	6523	1182	5			7 859
	SEINE														
	TROLL														
CHUMS	G.N.							3	5	110	2341	3871			6 330
	SEINE														
	TROLL														
RED SPRING	G.N.		4	31	166	611	1037	725	650	294	45	*			3 563
	SEINE														
	TROLL														
WHITE SPRING	G.N.		2	10	14	23	94	235	362	1875	905	12			3 434
	SEINE														
	TROLL														
STEEL-HEADS	G.N.		8	12	13	4	5	4	5	20	19	21			116
	SEINE														
	TROLL														
JACKS	G.N.						*	19	14	37	*				70
	SEINE														
	TROLL														
STURGEON	G.N.		8	12	114	67	50	32	31	50	21	21			406
	SEINE														
	TROLL														

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

## ALL TYPES FISH EXCEPT SALMON &amp; SHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 30	JULY JUN 30- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
LEMON SOLE	TRawl												
ROCK SOLE	TRawl												
BUTTER SOLE	TRawl												
REX SOLE	TRawl												
DOVER SOLE	TRawl												
BRILLS	TRawl												
MIXED SOLE	TRawl												
TOTAL SOLE	TRawl												
FLOUNDERS	TRawl												
SKATE	TRawl												
OTHER													
HALIBUT L.G.	L.L.												
MED.	L.L.												
CHIX	L.L.												
No. 2	L.L.												
MIXED	H & T												
RED & ROCK COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
GRAY COD	TRawl												
	L.L.												
	OTHER												
BLACK COD	TRawl												
	L.L.												
	OTHER												
LING COD	TRawl												
	L.L.												
	HL & T												
	OTHER												
HERRING	SEINE												2 657
	G.N.												
ODLACHONS	G.N.												
SMELT	G.N.												
OTHER FISH	TRawl							*	*				*
	G.N.												
	L.L.												
	HL & T												
	SEINE												
DAYS FISHING	TRawl**												
	HL & T												
	L.L.												
	G.N.												
	SEINE												
		53	126	655	1032	1082	3436	2413	2066	1443	1381		13 687

\* LESS THAN .5 CWT

\*\* SHELLFISH CAUGHT BY TRawl SHOWN ON SHEET C

SECTION C - SHELLFISH

TOTAL SHELLFISH PRODUCTION BY MONTHS FOR  
EACH AREA IS SHOWN IN THIS SECTION. CON-  
SOLIDATION OF AREAS WHERE PRODUCTION IS SMALL  
IS SHOWN AT THE FIRST OF THE SECTION.

SHELLFISH - CONSOLIDATION OF AREAS 2AE, 2BE, 6, 7 AND 8

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
2AE	MAY	CRABS	TRAPS	694	18
	JUNE	"	"	1 326	36
	JULY	"	"	1 226	27
	AUGUST	"	"	283	15
	SEPTEMBER	"	"	128	6
<u>TOTAL</u>		CRABS	TRAPS	3 657	102
2BE	MARCH	CLAMS (BUTTER)		178	86
6	FEBRUARY	CLAMS (BUTTER)		380	130
	MARCH	"		960	382
	MARCH	CRABS	TRAPS	87	24
	APRIL	"	TRAPS	253	123
	<u>TOTAL</u>		CLAMS (BUTTER)	1 340	512
7	CRABS	TRAPS		340	147
	JANUARY	CLAMS (BUTTER)		14	7
	FEBRUARY	"		1 396	445
	MARCH	"		1 433	521
	MARCH	CRABS	TRAPS	2	1
<u>TOTAL</u>		CLAMS (BUTTER)		2 843	973
8	CRABS	TRAPS		2	1
	JANUARY	CLAMS (BUTTER)		36	15
	FEBRUARY	"		365	117
	MARCH	"		1 334	524
	<u>TOTAL</u>		CLAMS (BUTTER)	1 735	656

\*LESS THAN .5 CWT.

SHELLFISH - CONSOLIDATION OF AREAS 9, 10, 21, 23 AND 25

AREA	MONTH	SPECIES	GEAR	QUANTITY CWT.	DAYS FISHING
9	FEBRUARY	CLAMS (BUTTER)		45	20
10	JANUARY	CLAMS (BUTTER)		53	29
	FEBRUARY	"		112	97
<u>TOTAL</u>		CLAMS (BUTTER)		165	126
21	FEBRUARY	CRABS	TRAWL	9	INCIDENTAL
	APRIL	"	"	2	"
	AUGUST	"	"	*	"
	OCTOBER	"	"	30	"
	NOVEMBER	"	"	12	"
<u>TOTAL</u>		CRABS	TRAWL	53	INCIDENTAL
23	FEBRUARY	CRABS	TRAWL	66	INCIDENTAL
	MARCH	"	"	23	"
	APRIL	"	"	16	"
	MAY	"	"	122	"
	JUNE	"	"	4	"
	JULY	"	"	*	"
	AUGUST	"	"	*	"
<u>TOTAL</u>		CRABS	TRAWL	231	INCIDENTAL
25	MAY	CRABS	TRAWL	*	INCIDENTAL

SHEET C  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 59  
TOTAL ALL DISTRICTS

<u>SPECIES</u>	<u>GEAR</u>	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- Oct 31	<u>NOVEMBER</u> Nov 1- Nov 30	<u>DECEMBER</u> Dec 1- Dec 31	<u>TOTAL</u>
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>														
PRawns	TRawl	7	5	84	26	3	1	1	1	1	2	2	14	147
	TRAPS	65	71	86	52	110	106	85	76	24	63	87	98	923
MIXED	TRawl	1068	1902	1264	1498	627	646	879	511	522	863	572	994	11 346
	TRAPS	25	39	2							72	4	28	170
SHRIMP DAYS	TRawl	406	935	750	673	292	281	291	237	166	233	235	436	4 935
	TRAPS	105	100	74	35	72	57	47	34	12	75	74	82	767
<u>CLAMS</u>														
RAZOR				131	643	344		116	63	28				1 545
BUTTER		6119	13082	14012	67	462					9	582	2582	36 910
JAPANESE LITTLENECK		1	366	1343	1261	672						26	208	3 877
NATIVE LITTLENECK		396	335	276	842	941						64	233	3 087
MIXED		170	14	8	57	1						52	143	445
CLAM DAYS		3737	5130	6741	1939	1208		55	37	17	3	427	1905	21 199
ABALONE			7	20	105	50	32	14						228
ABALONE DAYS			4	21	95	43	32	11						206
<u>CRABS</u>														
LBS IN SHELL TRAPS		628	886	1279	1715	2090	3630	4946	3435	3342	4341	1135	673	28 102
TRawl		21	48?	451	700	745	727	330	87	37	104	66	73	3 828
CRAB DAYS		506	763	911	1058	569	478	632	532	508	780	426	392	7 555
<u>OYSTERS</u>														
SHUCKED - AMERICAN GALS		7353	7669	7375	7509	4854	2978	852	406	2316	6044	7990	11 130	66 476

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

SUMMARY - DISTRICT 2

	SPECIES	JANUARY JAN 1- JAN 31		FEBRUARY FEB 1- FEB 28		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 2		MAY MAY 3- MAY 30		JUNE MAY 31- JUN 27		JULY JUN 28- AUG 1		AUGUST AUG 2- AUG 29		SEPTEMBER AUG 30- SEPT 26		OCTOBER SEPT 27- OCT 31		NOVEMBER NOV 1- NOV 30		DECEMBER DEC 1- DEC 31		TOTAL	
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
<u>SHRIMPS</u>	<u>GEAR</u>																										
PRawns	TRawl					76														2	2	13	93				
	TRAPS					25																	23				
MIXED	TRawl	8	135	9	126														91	73	57	439					
	TRAPS			23																			23				
SHRIMP DAYS	TRawl	3	29	27	17														27	40	38	181					
	TRAPS		3	7																			10				
<u>CLAMS</u>						131	843	344					136	63	28									1 545			
RAZOR		708	555	9107															7	503	1125	17 007					
BUTTER																											
JAPANESE LITTLENECK																											
NATIVE LITTLENECK																											
MIXED																											
CLAM DAYS		361	1889	3755	547	136							55	37	17	2	322	655	7 776								
ABALONE																											
ABALONE DAYS																											
<u>CRABS</u>		83	341	906	1244	1655	3090	4122	1840				1607	3154	435	25	18 502										
LBS IN SHELL TRAPS	TRawl		18	8	128	76	9											7	7	8	261						
CRAB DAYS		70	290	531	606	215	112	102	62				49	282	69	15	2 403										
<u>OYSTERS</u>																											
SHUCKED - AMERICAN GALS																											

LESS THAN .5 CWT

SHEET C

SHELLFISHREVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 101

NEA 1

	<u>JANUARY</u> JAN 1- JAN 31		<u>FEBRUARY</u> FEB 1- FEB 28		<u>MARCH</u> MAR 1- MAR 31		<u>APRIL</u> APR 1- MAY 2		<u>MAY</u> MAY 3- MAY 30		<u>JUNE</u> MAY 31 JUN 27		<u>JULY</u> JUN 28- AUG 1		<u>AUGUST</u> AUG 2- AUG 29		<u>SEPTEMBER</u> AUG 30- SEPT 26		<u>OCTOBER</u> SEPT 27- OCT 31		<u>NOVEMBER</u> NOV 1- NOV 30		<u>DECEMBER</u> DEC 1- Dec 31		<u>TOTAL</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SPECIES</u>	<u>GEAR</u>																									
<u>SHRIMP</u>																										
PRawns	TRawl																								74	
	TRAPS																									
MIXED	TRawl			125				125												74		38		57	419	
	TRAPS																									
SHRIMP DAYS	TRawl	20	12	15																12		16		28	103	
	TRAPS																									
<u>CLAMS</u>																									1 545	
RAZOR																										
BUTTER																										
JAPANESE LITTLENECK																										
NATIVE LITTLENECK																										
MIXED																										
CLAM DAYS					244		547	136							55		37	17							1 036	
ABALONE																										
ABALONE DAYS																										
<u>CRABS</u>																									11 721	
LBS IN SHELL TRAPS	TRawl	152	453	505	722	1296	2808	1494	1463	2575	253														27	
		6			21																					
CRAB DAYS		19	115	124	80	44	69	43	36	210	41														791	
<u>OYSTERS</u>																										
SHUCKED - AMERICAN GALS																										

#LESS THAN .5 CWT

(1) BAIT

PAGE 102

SHEET 1

SHELLFISH

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 2

	JANUARY JAN 1- JAN 31		FEBRUARY FEB 1- FEB 28		MARCH MAR 1- MAR 31		APRIL APR 1- MAY 2		MAY MAY 3- MAY 30		JUNE MAY 31- JUN 27		JULY JUN 28- AUG 1		AUGUST AUG 2- AUG 29		SEPTEMBER AUG 30- SEPT 26		OCTOBER SEPT 27- Oct 31		NOVEMBER NOV 1- Nov 30		DECEMBER DEC 1- DEC 31		TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
SPECIES	GEAR																								
SHRIMPS																									
PRawns	TRawl																								
	TRAPS																						25		
MIXED	TRawl																								
	TRAPS																						23		
SHRIMP DAYS	TRawl																								
	TRAPS																						10		
CLAMS																									
RAZOR																									
BUTTER		55	133	295																		11	58	552	
JAPANESE LITTLENECK																									
NATIVE LITTLENECK																									
MIXED																									
CLAM DAYS		24	46	101																		9	30	210	
ABALONE																									
ABALONE DAYS																									
CRABS																									
LBS IN SHELL TRAPS		5	151	277	213	57																535	149	1387	
TRawl																									
CRAB DAYS		4	207	282	207	57																55	14	826	
OYSTERS																									
SHUCKED - AMERICAN GALS																									

#LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 103

AREA 4

SHEET CSHELLFISH

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>													
<u>SHRIMPS</u>													
PRawns		*	2	*						2	2	13	19
TRAPS													
MIXED	8	10	9	1						17	35		80
TRAPS													
SHRIMP DAYS	3	9	15	2						15	24	10	78
TRAPS													
<u>CLAMS</u>													
RAZOR													
BUTTER	73	1141	1952							155	458	3 817	
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	29	380	215							2	59	204	1 389
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	7	19	52	234	180	455	88	60	16	31	33	25	1 203
TRAWL		12	8	128	55	?				7	7	8	234
CRAB DAYS	9	30	70	111	56	26	6	4	7	14	14	15	362
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 5

	JANUARY JAN. 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
SPECIES GEAR													
SHRIMP													
PRawns	TRawl												
TRAPS													
MIXED	TRawl												
TRAPS													
SHRIMP DAYS	TRawl												
	TRAPS												
CLAMS													
RAZOR													
BUTTER	477	1985	2956								336	580	6 334
JAPANESE LITTLENECK													
NATIVE LITTLENECK													
MIXED													
CLAM DAYS	257	654	1132								254	421	2 768
ABALONE													
ABALONE DAYS													
CRABS													
LBS IN SHELL TRAPS	71	19	35	39	2	13					14		193
TRawl													
CRAB DAYS	57	34	39	41	4	6					3		184
OYSTERS													
SMUCKED - AMERICAN GALS													

#LESSTHAN .5 CWT

SHEET C.  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 105

SUMMARY - DISTRICT 3

SPECIES	GEAR	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUN		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		<u>TOTAL</u>	
		JAN 1- JAN 31	CWT	FEB 1- FEB 28	CWT	MAR 1- MAR 31	CWT	APR 1- MAY 2	CWT	MAY 3- MAY 30	CWT	JUN 1- JUN 27	CWT	JUN 28- AUG 1	CWT	AUG 2- AUG 29	CWT	AUG 30- SEPT 26	CWT	SEPT 27- OCT 31	CWT	OCT 1- Nov 30	CWT	NOV 1- DEC 31	CWT		
<u>SHRIPS</u>																											
PRawns	TRawl	2		1		1																					4
	TRAPS	34		49		52		52		102		91		79		62		22		58		68		66		735	
MIXED	TRawl	595		955		533		147		315		139		395		10		169		398		184		734		4 574	
	TRAPS	25		13		2															72		1		28		141
SHRIMP DAYS	TRawl	166		410		245		98		75		45		69		3		31		89		58		276		1 565	
	TRAPS	75		73		58		35		64		42		40		18		7		71		61		56		600	
<u>CLAMS</u>																											
RAZOR																											
BUTTER		5411		7523		4304		53		46											77		1454		19 885		
JAPANESE LITTLENECK		1		365		1343		1251		672												26		208		3 877	
NATIVE LITTLENECK		393		332		253		730		762												40		226		2 743	
MIXED		169		14		8		57		1												52		143		444	
CLAM DAYS		3374		3239		2972		1332		1002												107		1246		13 272	
ABALONE				7		20		105		50		32		14												228	
ABALONE DAYS						4		21		95		43		32		11										206	
<u>CRABS</u>																											
LBS IN SHELL TRAPS		61		83		26		80		90		140		81		59		5		64		69		35		795	
TRawl		9		378		430		563		206		9		23		8				42		13		26		1 797	
CRAB DAYS		41		45		12		49		50		42		25		22		2		26		43		19		376	
<u>OYSTERS</u>		2134		2260		2387		1962		2076		1394		778		406		800		2335		2512		3991		23 035	
SMUCKED - AMERICAN GALS																											

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1963

AREA 11

<u>SPECIES</u>	<u>GEAR</u>	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> Nov 1- Nov 30	<u>DECEMBER</u> Dec 1- DEC 31	<u>TOTAL</u>
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>														
PRawns	TRawl													367
	TRAPS			23	48	73	73	66	62	22				
MIXED	TRawl													
	TRAPS													
<u>SHRIMP DAYS</u>	TRawl													
	TRAPS			10	21	20	18	19	18	7				122
<u>CLAMS</u>														
RAZOR														
BUTTER														
JAPANESE LITTLENECK														
NATIVE LITTLENECK														
MIXED														
<u>CLAM DAYS</u>														
ABALONE														
<u>ABALONE DAYS</u>														
<u>CRABS</u>														
LBS IN SHELL TRAPS														1
TRawl						1								
<u>CRAB DAYS</u>														
<u>OYSTERS</u>														
SHUCKED - AMERICAN GALS														

\*LESS THAN .5 CWT

SHEET C

SHELLFISH

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 107

AREA 12

	<u>SPECIES</u>	<u>GEAR</u>	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 3- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> Nov 1- Nov 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
			CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SHRIMP</u>															
PRawns	TRawl											39	22	33	
	TRAPS													94	
MIXED	TRawl														
	TRAPS														
SHRIMP DAYS	TRawl											11	7	10	
	TRAPS													28	
<u>CLAMS</u>															
RAZOR															
BUTTER		4009	5123	4860									24	14 016	
JAPANESE LITTLENECK															
NATIVE LITTLENECK		50	22		10									82	
MIXED		90												90	
CLAM DAYS		2267	1789	1937	5									20 606	
ABALONE			7	20	105	50	32	14						223	
ABALONE DAYS			4	21	95	43	32	11						205	
<u>CRABS</u>															
LBS IN SHELL TRAPS		5		14	20							16	9	64	
TRawl				2								*		2	
CRAB DAYS		4		4	10							21	2	41	
<u>OYSTERS</u>															
SHUCKED - AMERICAN GALS															

#LESS THAN .5 CWT

PAGE 108  
SHEET C  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1952

AREA 13

SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	JUN 1- JUN 27	JUN 28- AUG 3	AUG 4- AUG 26	AUG 27- AUG 31	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- Nov 30	DEC 1- DEC 31
SHRIMPS														
PRawns	TRawl													*
	TRAPS	18	3			15								36
MIXED	TRawl													
	TRAPS													
SHRIMP DAYS	TRawl													
	TRAPS	9	2			6							1	18
CLAMS														
RAZOR														
BUTTER		178	1255	23		67							27	1 581
JAPANESE LITTLENECK														
NATIVE LITTLENECK		8	38			8								54
MIXED					56									54
CLAM DAYS		85	483	11	31	30							14	660
ABALONE														
ABALONE DAYS														
CRABS														
LBS IN SHELL TRAPS														
TRawl														
CRAB DAYS														
OYSTERS														
SHUCKED - AMERICAN GALS														

\*LESS THAN .5 CWT

SHEET C

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 103

SHELLFISH

AREA 14

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JNE MAY 31- JUN 27	JLY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
SPECIES	GEAR												
SHRIMP													
PRAWNS	TRawl												
	TRAPS												
MIXED	TRawl												
	TRAPS												
SHRIMP DAYS	TRawl												
	TRAPS												
CLAMS													
RAZOR													
BUTTER		125									165	290	
JAPANESE LITTLENECK													
NATIVE LITTLENECK		24									2	26	
MIXED													
CLAM DAYS		123									106	229	
ABALONE													
ABALONE DAYS													
CRABS													
LBS IN SHELL TRAPS													
TRawl		8										8	
CRAB DAYS													
OYSTERS													
SHUCKED - AMERICAN GALS	496	612	573	480	465	161				722	177	1129*	4 815

#LESS THAN .5 CWT \* LATE SLIPS INCLUDED: SEPT. 62 GALS., OCT. 214 GALS., NOV. 179 GALS.

PAGE 110

SHEET C

SHELLFISH

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 15

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER NOV 1- NOV 30	DECEMBER DEC 1- DEC 31	TOTAL
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<b>SPECIES</b>	<b>GEAR</b>												
<b>SHRIMP</b>													
PRawns	TRawl												
	TRAPS	15	5								4	4	11
MIXED	TRawl												
	TRAPS											3	3
SHRIMP DAYS	TRawl												
	TRAPS	33	14								9	11	7
													74
<b>CLAMS</b>													
RAZOR													
BUTTER		29	20		4							7	60
JAPANESE LITTLENECK													
NATIVE LITTLENECK		22	12	27	124	81					40	1	277
MIXED													
CLAM DAYS		43	21	16	121	68						10	2
													281
ABALONE													
ABALONE DAYS													
<b>CRABS</b>													
LES IN SHELL TRAPS													
TRawl													
CRAB DAYS													
<b>OYSTERS</b>													
SHUCKED - AMERICAN GALS		68	69	70	113	100				20	101	160	275
													976

#LESS THAN .5 CWT

SHEET C

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 111

AREA 26

SHELLFISH

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
			JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 1- Aug 1	JUN 2- AUG 29	JULY 30- AUG 26	AUG 30- SEPT 26	SEPT 27- OCT 31	NOV 1- NOV 30	DEC 1- DEC 31	CWT
<u>SHRIMP</u>																
<u>PRawns</u>		TRawl														
	TRAPS		1	41	29	4	14	18	13			15	26	22	183	
<u>MIXED</u>		TRawl			5										5	
	TRAPS											4	1		5	
<u>SHRIMP DAYS</u>	TRawl			4											4	
	TRAPS		2	26	24	8	26	23	21			18	27	24	199	
<u>CLAMS</u>																
<u>RAZOR</u>																
<u>BUTTER</u>			5	22								1	5	33		
<u>JAPANESE LITTLENECK</u>			1	5	*							2				
<u>NATIVE LITTLENECK</u>			77	42	66	188	66					20	43	502		
<u>MIXED</u>			46									5			51	
<u>CLAM DAYS</u>			71	32	40	204	25					15	26	411		
<u>ABALONE</u>																
<u>ABALONE DAYS</u>																
<u>CRABS</u>																
<u>LBS IN SHELL TRAPS</u>																
	TRawl															
<u>CRAB DAYS</u>																
<u>OYSTERS</u>																
<u>SHUCKED - AMERICAN GALS</u>			159	266	279	278	379	291				149	728	957	1128	4 614

#LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 17

	SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
			JAN 1- JAN 31	FEB 1- FEB 28	MAR 1- MAR 31	APR 1- MAY 2	MAY 3- MAY 30	MAY 31- JUN 27	JUN 28- AUG 1	AUG 2- AUG 29	AUG 30- SEPT 26	SEPT 27- OCT 31	OCT 31- NOV 30	NOV 1- NOV 30	DEC 1- DEC 31
SHRIMPS						*									4
PRawns	TRawl		2	1	1										
	TRAPS														
MIXED	TRawl		595	950	533	147	286	102	395	10	142	318	185	704	4 367
	TRAPS		5	5	2	*	*	*							13
SHrimp DAYS	TRawl		166	406	244	98	70	40	69	3	26	77	58	268	1 525
	TRAPS		18	16	15	6	12	1							68
CLAMS															
RAZOR															
BUTTER			828	635	5	11	178								2 442
JAPANESE LITTLENECK					293	1161	1057	623							3 318
NATIVE LITTLENECK					98	96	37	150	444						931
MIXED					32		1								58
CLAM DAYS			609	517	713	612	694								3 758
ABALONE															
ABALONE DAYS															
CRABS															
LBS IN SHELL TRAPS															
TRawl			9	10	11	1	1	4	9	4	*	12		1	62
CRAB DAYS						11	9	2							23
OYSTERS															
SHUCKED - AMERICAN GALS			1387	1220	1364	1050	1035	778	715	343	548	690	1131	1359	11 620

\*LESS THAN .5 CWT

SHELL FISH  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 113

AREA 18

	<u>JANUARY</u> JAN 1- JAN 31		<u>FEBRUARY</u> FEB 1- FEB 28		<u>MARCH</u> MAR 1- MAR 31		<u>APRIL</u> APR 1- MAY 2		<u>MAY</u> MAY 3- MAY 30		<u>JUNE</u> MAY 31- JUN 27		<u>JULY</u> JUN 28- AUG 1		<u>AUGUST</u> AUG 2- AUG 29		<u>SEPTEMBER</u> AUG 30- SEPT 26		<u>OCTOBER</u> SEPT 27- OCT 31		<u>NOVEMBER</u> Nov 1- Nov 30		<u>DECEMBER</u> DEC 1- DEC 31		<u>TOTAL</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SPECIES</u>	<u>GEAR</u>																									
<u>SHRIMPS</u>																										
<u>PRawns</u>	TRawl																									
	TRAPS																									
<u>MIXED</u>	TRawl	*							29	37								27	80			30		203		
	TRAPS																									
<u>SHRIMP DAYS</u>	TRawl	(1)							6	5								5	12			8		36		
	TRAPS																									
<u>CLAMS</u>																										
<u>RAZOR</u>																										
<u>BUTTER</u>		348	311	3	36	192															23	435	1	342		
<u>JAPANESE LITTLENECK</u>			37	182	205	49																42		515		
<u>NATIVE LITTLENECK</u>		123	46	51	251	170																2	77		720	
<u>MIXED</u>			1																		40	125		166		
<u>CLAM DAYS</u>		289	204	154	344	180															42	478	1	691		
<u>ABALONE</u>																										
<u>ABALONE DAYS</u>																										
<u>CRABS</u>																										
<u>LBS IN SHELL TRAPS</u>					3	8	6	*																18		
	TRawl		*															14	4			*		25	43	
<u>CRAB DAYS</u>					4	17	7	1																33		
<u>OYSTERS</u>																										
<u>SHUCKED - AMERICAN GALS</u>																										

\*LESS THAN .5 CWT

(1) INCIDENTAL TO OTHER TRawl FISH

PAGE 114

SHEET C

SHELLFISH

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 19

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> NOV 1- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMP</u>													
PRawns	TRawl												
	TRAPS												
MIXED	TRawl										68		68
	TRAPS												
SHRIMP DAYS	TRawl										33		33
	TRAPS												
<u>CLAMS</u>													
RAZOR											6		41
BUTTER	14	21									6		37
		31											
JAPANESE LITTLENECK													147
NATIVE LITTLENECK	15	52	72	8									
MIXED													
CLAM DAYS	9	67	33	4							7		120
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	30	37	12	2	3			1	5				90
TRawl													
CRAB DAYS	20	22	8	3	4			2	2				61
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

SHEET C  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 115  
AREA 20

	JANUARY JAN 1- JAN 31	FEBRUARY FEB 1- FEB 28	MARCH MAR 1- MAR 31	APRIL APR 1- MAY 2	MAY MAY 3- MAY 30	JUNE MAY 31- JUN 27	JULY JUN 28- AUG 1	AUGUST AUG 2- AUG 29	SEPTEMBER AUG 30- SEPT 26	OCTOBER SEPT 27- OCT 31	NOVEMBER Nov 1- Nov 30	DECEMBER DEC 1- DEC 31	TOTAL	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	
<u>SPECIES</u>	<u>GEAR</u>													
<u>SHRIMP</u>														
<u>PRawns</u>	TRawl											16	16	
	TRAPS													
<u>MIXED</u>	TRawl													
	TRAPS	20	8									25	53	
<u>SHRIMP DAYS</u>	TRawl													
	TRAPS	13	15									16	14	
<u>CLAMS</u>														
<u>RAZOR</u>														
<u>BUTTER</u>			14	8									22	
<u>JAPANESE LITTLENECK</u>														
<u>NATIVE LITTLENECK</u>														
<u>MIXED</u>		1	13	8	1								23	
<u>CLAM DAYS</u>		1	3	18	11	1							34	
<u>ABALONE</u>														
<u>ABALONE DAYS</u>														
<u>CRABS</u>											*	*	3	
<u>LBS IN SHELL TRAPS</u>				1	1			1						
	TRawl		12								1		13	
<u>CRAB DAYS</u>					1	1		1			1		4	
<u>OYSTERS</u>														
SHUCKED - AMERICAN GALS		92	94	102	84	84	64	63	63	63	94	87	100	1 010

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 24

	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 26	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> NOV 1- NOV 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SPECIES</u>	<u>GEAR</u>												
<u>SHRIMPS</u>													
PRawns	TRawl												
	TRAPS												*
MIXED	TRawl		*										
	TRAPS												
SHRIMP DAYS	TRawl		1										1
	TRAPS												
<u>CLAMS</u>													
RAZOR												32	21
BUTTER													53
JAPANESE LITTLENECK												1	4
NATIVE LITTLENECK													5
MIXED													
CLAM DAYS												7	13
													20
ABALONE													
ABALONE DAYS													
<u>CRABS</u>													
LBS IN SHELL TRAPS	26	46		44	63	126	83	56		64	53	26	587
TRawl		285	382	543	83	1	*						1 294
CRAB DAYS	17	23		21	19	32	24	15		25	21	17	214
<u>OYSTERS</u>													
SHUCKED - AMERICAN GALS													

#LESS THAN .5 CWT

SHEET C.

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 137

SHELLFISH

SUMMARY - DISTRICT 1

<u>SPECIES</u>	<u>GEAR</u>	<u>JANUARY</u> JAN 1- JAN 31	<u>FEBRUARY</u> FEB 1- FEB 28	<u>MARCH</u> MAR 1- MAR 31	<u>APRIL</u> APR 1- MAY 2	<u>MAY</u> MAY 3- MAY 30	<u>JUNE</u> MAY 31- JUN 27	<u>JULY</u> JUN 28- AUG 1	<u>AUGUST</u> AUG 2- AUG 29	<u>SEPTEMBER</u> AUG 30- SEPT 25	<u>OCTOBER</u> SEPT 27- OCT 31	<u>NOVEMBER</u> Nov 1- Nov 30	<u>DECEMBER</u> DEC 1- DEC 31	<u>TOTAL</u>
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>														
PRawns	TRawl	5	4	7	26	3	1	1	1	1			1	50
	TRAPS	31	22	9		8	15	6	14	2	5	19	32	163
MIXED	TRawl	465	812	722	1225	312	507	484	501	353	374	315	203	6 273
	TRAPS		3									3		6
SHRIMP DAYS	TRawl	237	496	478	558	217	236	222	234	135	117	137	122	3 189
	TRAPS	30	24	9		8	15	7	16	5	4	13	26	157
<u>CLAMS</u>														
RAZOR														
BUTTER		2	1	3	5						2	2	3	18
JAPANESE LITTLENECK														
NATIVE LITTLENECK		3	3	23	112	172						24	7	344
MIXED		1												1
CLAM DAYS		2	2	14	60	70					1	8	4	161
ABALONE														
ABALONE DAYS														
<u>CRABS</u>														
LBS IN SHELL TRAPS		484	464	347	391	345	400	741	1536	1730	1123	631	613	8 805
TRawl		12	91	13	9	463	709	307	79	37	55	46	39	1 860
CRAB DAYS		395	428	368	403	304	324	505	448	457	472	314	358	4 776
<u>OYSTERS</u>														
SHUCKED - AMERICAN GALS		5219	5409	4988	5547	2778	1584	74		1516	3709	5478	7139	43 441

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 26

	<u>JANUARY</u> JAN 1- JAN 31		<u>FEBRUARY</u> FEB 1- FEB 28		<u>MARCH</u> MAR 1- MAR 31		<u>APRIL</u> APR 1- MAY 2		<u>MAY</u> MAY 3- MAY 30		<u>JUNE</u> MAY 31- JUN 27		<u>JULY</u> JUN 28- AUG 1		<u>AUGUST</u> AUG 2- AUG 29		<u>SEPTEMBER</u> AUG 30- SEPT 26		<u>OCTOBER</u> SEPT 27- OCT 31		<u>NOVEMBER</u> Nov 1- Nov 30		<u>DECEMBER</u> DEC 1- DEC 31		<u>TOTAL</u>		
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT			
<u>SPECIES</u>	<u>GEAR</u>																										
<u>SHRIMPS</u>																											
PRawns	TRawl	5	4	6	12	3	1	1	1	1	*										1	35					
	TRAPS	31	22	9		8	15	6	14	2	5	19	32	163													
MIXED	TRawl	341	556	495	418	210	26?	295	380	256	199	208	125	3 750													
	TRAPS		3											6													
SHRIMP DAYS	TRawl	178	318	320	226	129	123	119	172	88	59	68	66	1 866													
	TRAPS	30	24	9		8	15	7	16	5	4	13	26	157													
<u>CLAMS</u>																											
RAZOR																											
BUTTER		2	1	3	5															2	2	3	18				
JAPANESE LITTLENECK																											
NATIVE LITTLENECK		3	3	23	112	172														*	14	7	344				
MIXED																									1		
CLAM DAYS		2	2	14	60	70														1	8	4	161				
ABALONE																											
ABALONE DAYS																											
<u>CRABS</u>																											
LBS IN SHELL TRAPS	TRawl	243	202	153	190	122	125	233	228	145	186	138	199	2 164													
			18	10		73	92		34	21	10		5	263													
CRAB DAYS		186	184	150	201	150	127	174	197	173	203	140	172	2 057													
<u>OYSTERS</u>																											
SHUCKED - AMERICAN GALS																											

\*LESS THAN .5 CWT

SHEET C  
SHELLFISH

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 149  
AREA 29 A&B

SPECIES	GEAR	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT
<u>SHRIMPS</u>														
PRawns	TRawl													
	TRAPS													
MIXED	TRawl	17	4	8	26	4	22						16	97
	TRAPS													
SHRIMP DAYS	TRawl	8	2	6	23	2	5						6	52
	TRAPS													
<u>CLAMS</u>														
RAZOR														
BUTTER														
JAPANESE LITTLENECK														
NATIVE LITTLENECK														
MIXED														
CLAM DAYS														
ABALONE														
ABALONE DAYS														
<u>CRABS</u>														
LBS IN SHELL TRAPS		20	21	19	18	31					9	18	16	152
	TRawl	.7	44	1	4	252	75	95	15	11		38	1	544
CRAB DAYS		15	13	9	11	13					4	7	6	78
<u>OYSTERS</u>														
SHUCKED - AMERICAN GALS														

\*LESS THAN .5 CWT

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

AREA 29 C

	<u>JANUARY</u> JAN 1- JAN 31		<u>FEBRUARY</u> FEB 1- FEB 28		<u>MARCH</u> MAR 1- MAR 31		<u>APRIL</u> APR 1- MAY 2		<u>MAY</u> MAY 3- MAY 30		<u>JUNE</u> MAY 31- JUN 27		<u>JULY</u> JUN 28- AUG 1		<u>AUGUST</u> AUG 2- AUG 29		<u>SEPTEMBER</u> AUG 30- SEPT 26		<u>OCTOBER</u> SEPT 27- OCT 31		<u>NOVEMBER</u> NOV 1- NOV 30		<u>DECEMBER</u> DEC 1- DEC 31		<u>TOTAL</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
<u>SPECIES</u>	<u>GEAR</u>																									
<u>SHRIMP</u>		*	*	1		14		*				*												15		
<u>PRawns</u>	<u>TRawl</u>																									
	<u>TRAPS</u>																									
<u>MIXED</u>	<u>TRawl</u>	107	252	219		782		98		218		189		121		97		125		107		62		2 427		
	<u>TRAPS</u>																									
<u>SHRIMP DAYS</u>	<u>TRawl</u>	51	176	152		309		86		108		103		62		47		58		69		50		1 271		
	<u>TRAPS</u>																									
<u>CLAMS</u>																										
<u>RAZOR</u>																										
<u>BUTTER</u>																										
<u>JAPANESE LITTLENECK</u>																										
<u>NATIVE LITTLENECK</u>																										
<u>MIXED</u>																										
<u>CLAM DAYS</u>																										
<u>ABALONE</u>																										
<u>ABALONE DAYS</u>																										
<u>CRABS</u>																										
<u>LBS IN SHELL TRAPS</u>		89	97	68		78		101		174		64		39		116		109		80		91		1 106		
	<u>TRawl</u>	5	29	2		5		138		541		212		30		5		45		8		33		1 053		
<u>CRAB DAYS</u>		95	99	89		71		43		113		97		40		82		98		44		68		939		
<u>OYSTERS</u>																										
<u>SHUCKED - AMERICAN GALS</u>																										

\*LESS THAN .5 CWT

SHEET C  
SHELLFISH


REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1953

PAGE 121

AREA 29 E

	<u>JANUARY</u> JAN 1- JAN 31		<u>FEBRUARY</u> FEB 1- FEB 28		<u>MARCH</u> MAR 1- MAR 31		<u>APRIL</u> APR 1- MAY 2		<u>MAY</u> MAY 3- MAY 30		<u>JUNE</u> May 31- JUN 27		<u>JULY</u> JUN 28- AUG 1		<u>AUGUST</u> AUG 2- AUG 29		<u>SEPTEMBER</u> AUG 30- SEPT 26		<u>OCTOBER</u> SEPT 27- OCT 31		<u>NOVEMBER</u> Nov 1- Nov 30		<u>DECEMBER</u> DEC 1- DEC 31		<u>TOTAL</u>	
	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT	CWT		
<u>SPECIES</u>	<u>GEAR</u>																									
<u>SHRIMPS</u>																										
<u>PRawns</u>	TRawl																									
	TRAPS																									
<u>MIXED</u>	TRawl																									
	TRAPS																									
<u>SHRIMP DAYS</u>	TRawl																									
	TRAPS																									
<u>CLAMS</u>																										
<u>RAZOR</u>																										
<u>BUTTER</u>																										
<u>JAPANESE LITTLENECK</u>																										
<u>NATIVE LITTLENECK</u>																										
<u>MIXED</u>																										
<u>CLAM DAYS</u>																										
<u>ABALONE</u>																										
<u>ABALONE DAYS</u>																										
<u>CRABS</u>																										
LBS IN SHELL TRAPS	132	144	107	105	91	101	444	1269	1470	819	395	307	5 384													
TRawl																										
<u>CRAB DAYS</u>	99	132	120	120	98	84	234	211	202	167	123	112	1 702													
<u>OYSTERS</u>																										
SHUCKED - AMERICAN GALS	5219	5409	4988	5547	2778	1584	74			1516	3709	5478	7139	43 441												

\*LESS THAN .5 CWT



SECTION D

WEEKLY ACCUMULATIVE LANDING SHOWING  
NUMBER OF SALMON CAUGHT IN 1953 BY  
TYPE OF GEAR FOR AREAS 3, 4, 6, 7, 8,  
9, 10, 12, 13, 20, 21, 23, 29A&B, 29C  
AND 29D.

SUMMARY SHOWING NUMBERS OF SALMON CAUGHT IN 1953 BY AREA									
AREA	COHO	SOCKEYE	PINKS	CHINS (ROUNDED TO NEAREST HUNDRED)	RED SPRING	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	224	*	71	139	37	5	**	**	337
1	793	28	93	349	60	5	5	5	2 468
2AE	199	1	7	57	44	8	1	1	439
2AN	68	14	19	99	110	6	1	1	150
2BE	224	**	3	**	11	101	**	3	453
2BN	2	—	—	—	—	—	—	—	13
3	691	1	984	2 456	1 738	12	—	—	7 115
4	892	6	592	4 259	1 560	25	34	36	7 562
5	482	6	840	1 130	778	51	179	86	5 002
6	420	7	842	1 484	2 098	42	5	25	8 203
7	165	1	157	2 098	4 664	37	25	3	12 549
8	1326	1	737	5 193	4 067	60	15	21	16 882
9	237	15	223	1 078	283	93	18	13	4 199
10	53	15	671	1 155	286	35	2	2	5 052
11	32	308	66	79	242	17	1	1	24 437
12	3 799	4	384	34 692	9 302	2	**	21	15
13	1 688	1	454	14 038	6 701	293	**	4	489
14	1 310	1	1	123	21	1 001	131	14	2 564
15	1 507	1	1	1	1	104	26	2	2 157
16	918	28	1	921	1	846	191	27	5 099
17	1 130	20	150	150	856	105	105	20	2 351
18	31	64	91	241	4	4	4	1	4 436
19	31	14	12	12	1	1	1	1	63
20	3 582	6	459	29 208	101	182	199	18	39 700
21	926	93	573	573	2	**	61	**	9 991
22	32	360	493	599	399	38	24	1	8 447
23	2 721	780	493	1 387	2 028	123	14	2	3 326
24	1 190	857	273	559	404	459	38	1	2 695
25	828	5	158	2 119	145	259	38	1	1 984
26	665	3	145	871	991	103	11	1	1 248
27	525	51	94	991	597	25	25	4	233
28	120	5	522	597	555	555	36	1	1 237
29AB	525	10	995	8 535	2 709	12	198	15	4 786
29C	36	749	372	370	215	215	1	1	5 347
29D	170	2	439	1 257	527	153	10	**	2
29E	5	323	*	10	4	1	1	1	5
TOTAL	22 940	59	267	111 100	46 700	7 089	2 345	431	705
* BETWEEN 11 AND 50 FISH									
** 10 AND LESS									
SUMMARY SHOWING TOTAL WEIGHT OF SALMON CAUGHT IN 1953 BY AREA (IN CWT.)									
AREA	COHO	SOCKEYE	PINKS	CHINS (ROUNDED TO NEAREST HUNDRED)	RED SPRING	WHITE SPRING	STEELHEAD	JACKS	TOTALS
C	375	1	477	1 583	494	104	1 158	2 331	2 123
1	792	175	36	1 499	5 882	1 164	6	20	3 854
2AE	1 342	76	99	10 444	805	105	1 138	12 160	12 160
2AN	669	*	15	1 053	767	105	1 14	1 14	244
2BE	541	20	—	1 118	1 389	233	—	—	—
2BN	7 091	13	363	13 733	23 664	2 734	—	—	—
3	8 719	42	473	22 944	7 748	5 039	464	1 362	1 362
4	586	5	683	6 191	8 424	3 513	1 073	1 980	1 980
5	3 539	5	771	7 448	31 526	3 520	807	48	800
6	7 843	10	475	49 759	1 204	1 204	337	30	49 309
7	12 606	6	247	28 261	61 016	1 606	244	35	70 412
8	1 975	88	297	5 935	4 362	459	343	745	151
9	441	21	556	845	3 542	123	159	67	112 975
10	245	1	745	331	927	202	22	121	101 448
11	640	24	672	187 709	104 453	2 560	1 772	8	352 075
12	16 149	8	655	72 926	73 929	2 685	1 775	36	80 170 235
13	5 239	3	101	10 931	10 931	2 960	1 742	80	80 170 843
14	1 999	3	645	1 047	553	267	267	11	3 184
15	4 172	170	10 455	20 485	1 480	1 480	1 772	201	352 075
16	4 195	177	909	8 944	817	1 505	1 772	8	352 075
17	4 248	396	547	2 621	400	49	49	157	395
18	176	37	685	62	1 053	3 675	1 258	157	237 625
19	254	37	647	167 800	1 053	2 371	1 089	4	12 157
20	6 847	521	4 877	20	6 619	4	4	4	12 157
21	382	1	355	—	20 215	21 652	7 308	3	8 367
22	19 830	3	974	2 561	20 294	5 688	7 737	7	75 782
23	18 320	5	135	1 321	22 319	7 411	2 306	3	40 011
24	7 141	25	794	22 319	8 993	4 432	7 740	5	20 215
25	5 293	20	723	8 993	1 659	1 659	1 156	6	11 414
26	4 969	261	472	3 860	7 254	12 213	3 434	5	14 116
27	4 987	32	806	3 123	33 957	9 875	3 564	7	66 177 510
28	3 780	63	307	53 123	33 957	12 295	116	7	37 887
29AB	3 780	4	644	2 124	7 859	6 340	3 434	116	70 37 887
29C	232	15	343	7 859	6 340	1 488	1 488	25	53 * 10 2 119
29D	1 172	15	343	2	41	2	2	—	—
30	1 53	1 889	2	41	2	41	2	10	41 972
TOTAL	211 649	353 371	615 122	544 256	95 679	95 679	41 972	· 4 632	3 066 1 869 141

\* LESS THAN 50 LBS.

**1952-REVISED CATCH STATISTICS BY AREA - ACTUAL TIME LADING**

AREA 3

AREA 84

**1953- REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS**

1952-REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1953-REVISED CATCH STATISTICS BY AREA - INFORMATIVE LEADING

**1953-REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS**

**1953-54 SEAS CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS**

**1992 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS**

AREA 10

## 1953 REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LADING

CUMULATIVE WCP UP TO NO INCLUDING	Sockeye		Pinks		Coho		Chums		Springs		
	Gillnet PCS	Seine PCS	Gillnet PCS	Seine PCS	Troll PCS	Gillnet PCS	Seine PCS	Troll PCS	Gillnet LBS	Seine LBS	Troll LBS
JAN. 21											
FEB. 28									1 093		278
MAR. 31									1 789		525
MAY 2									2 826		890
MAY 9									2 826		1 394
MAY 16									2 826		2 963
MAY 21	343								1	2 826	13 144
JUN. 5	1 304								2	2 826	24 462
JUN. 10	2 460	101							2	3 040	42 392
JUN. 14	3 793	285				3	1		4	3 131	63 126
JUN. 21	3 806	285			2	3	1	8 876	21	3 131	80 285
JUN. 27	11 259	2 750			8	53	19	31 082	3	9	5 757
JUL. 4	31 635	22 739	19	31	23	355	368	49 331	51	60	15 800
JUL. 11	51 144	56 912	106	344	326	738	951	69 936	150	98	8 093
JUL. 18	69 479	131 380	268	2 318	635	922	1 519	82 535	492	623	35 925
JUL. 25	89 015	197 530	2 135	14 106	1 396	1 247	2 097	101 921	1 457	781	161 022
AUG. 1	109 380	228 560	18 543	78 605	6 732	2 341	3 934	132 255	7 159	1 621	50 638
AUG. 8	120 117	245 679	70 560	247 814	12 806	4 587	8 487	150 707	18 083	7 505	185 124
AUG. 15	120 621	267 418	150 437	538 705	19 468	9 792	15 280	163 007	26 208	10 667	114 484
AUG. 22	122 106	290 103	236 106	1 263 741	31 656	13 885	25 228	170 523	28 562	14 929	121 207
AUG. 29	122 437	296 930	327 385	1 817 065	56 189	23 715	39 245	181 588	30 037	21 394	124 748
SEPT. 5	123 910	299 360	380 446	2 430 486	72 927	33 370	56 323	192 615	32 841	30 737	117 413
SEPT. 12	124 028	301 021	414 022	2 793 793	83 252	39 763	64 935	198 847	35 253	40 944	122 183
SEPT. 19	125 027	301 326	425 938	2 940 445	86 220	47 071	76 257	200 982	44 780	69 242	255 452
SEPT. 26	125 030	301 436	428 518	2 951 471	86 636	62 215	84 945	202 393	66 080	121 905	257 046
OCT. 3	125 034	301 441	429 058	2 952 785	86 659	73 283	90 515	202 676	114 828	202 042	137 609
OCT. 10	125 041	301 444	429 131	2 952 936	86 660	78 991	92 122	202 726	168 188	273	139 465
OCT. 17	125 041	301 445	429 206	2 953 342		81 815	93 102		267 679	366 757	131 341
OCT. 24		301 445	429 213	2 953 369		83 063	93 236		329 187	437 311	258 314
OCT. 31		301 446	429 218			83 671	93 279		401 381	477 446	145 122
NOV. 10						83 859	93 306		430 904	499 519	131 470
DEC. 31										150 064	131 522

**1953 - REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS**

1953-REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1973-74 VESSEL CATCH STATISTICS BY AREA - FISHING LINE LANDING

**1991-92 YTD CATCH STATISTICS BY AREA - ACCUMULATIVE LAYOUT**

1950-REVISED CATCH STATISTICS BY AREA - ACCUMULATIVE LANDINGS

1958-REVISED CATCH STATISTICS BY STATE - ACCUMULATIVE LANDINGS

**2053-PC-1600 CATCH STATISTICS BY AREA - COMMERCIAL LANDINGS**

AREA 51 D

