HR DataImport Template (version: 2025.1.0)

The following document describes how to use the DataImport template for TEA's HR Ed-Fi resources.

Data Import templates are JSON files that store a list of sections to set up the structure of all the resources you need to load data from a CSV file to the Ed- Fi ODS.

Before loading data to the ODS, you need to understand what fields are required for each of the resources so you can put together a CSV file that contains the information you need to load. If rows in a file are missing a required field the entire data of that row will not be loaded into the ODS, and you will see an error message on the ingestion logs. Also, please note fields that are labeled "Value will be mapped to Ed-Fi descriptor", these fields use DataImport lookups to map from source values to Ed-Fi descriptors, in the event a source value is not present in the lookup the application will throw an error and data will not be imported in the ODS, and you will need to find the error in the logs and modify the respective lookup by adding the new value from the source

TEA's HR DataImport template includes data maps which will correlate columns from the source CSV file to the specific fields of the Ed-Fi ODS resource:

- Staff
- 2. StaffEducationOrganizationAssignmentAssociation
- 3. StaffEducationOrganizationEmploymentAssociation
- 4. StaffSchoolAssociation

Staff CSV file

This file should have the following columns with the respective information

Field	Expect ed value type	Required	Description	
StaffUniqueId	string	true	A unique alphanumeric code assigned to staff.	
BirthDate	date (mm/dd /yyyy)		The month, day, and year on which an individual was born.	
HighestCompleted LevelOfEducation	string		The extent of formal instruction an individual has received (e.g., the highest grade in school completed or its equivalent or the highest degree received). (Value will be mapped to Ed-Fi descriptor)	
HispanicLatinoEth nicity	boolean		An indication that the individual traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central, and South America, and other Spanish cultures, regardless of race. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."	
FirstName	string	true	A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change.	
LastSurname	string	true	The name borne in common by members of a family.	
MiddleName	string		A secondary name given to an individual at birth, baptism, or during another naming ceremony.	
Races1	string		An unordered collection of staff races. The general racial category that most clearly reflects the individual's	
Races2	string		recognition of his or her community or with which the individual most identifies. The way this data element is listed, it must allow for multiple entries so that each individual can specify all appropriate races.	
Races3	string		(Value will be mapped to Ed-Fi descriptor)	
Races4	string			
Races5	string			
Sex	string		A person's gender.	
			(Value will be mapped to Ed-Fi descriptor)	
Extension				
_extGenerationCo de	string		Identifies the generation suffix, if any, which the person attaches to his name.	
			(Value will be mapped to Ed-Fi descriptor)	
_extPkTeacherRe quirement	string		Each teacher of record for a prekindergarten program class serving eligible four-year-old students must be certified under Subchapter B, Chapter 21; and have one of the additional qualifications found in the C207 code table.	
			(Value will be mapped to Ed-Fi descriptor)	
_extAdditionalDay sProgramTeacher	boolean		AdditionalDaysProgramTeacher indicates if a teacher is teaching students eligible for the additional days school year program as described in TEC Sec. 48.0051.	

_extCreditableYea rOfService	Yea boolean		CreditableYearOfService indicates a teacher (ROLE-ID 087) who currently qualifies for the TIA allotment or has been submitted by the LEA for a new or change of designation, and has been employed by the LEA and compensated or will be compensated by the LEA for a creditable year of service.	
_extStaffDoNotRe portTSDS	boolean		Indicates the staff should not be reported for TSDS state or federal data collections.	
_extStaffId	string	true (Only if StaffExtensio ns data has values)	The person's Social Security number.	
_extTotalYearsPri orTeachingExperi ence	integer		Indicates the total number of years that an individual has previously held a teaching position in one or more education institutions.	
_extTotalYearsPr ofExperience	integer		Indicates the number of verifiable years of creditable experience as specified in 19 TAC, Chapter 153.1021.	
_extYearsExperie nceInDistrict	integer		Indicates the number of completed years that a person has been employed in any professional position in the current district or education service center, whether or not there has been any interruption in service.	
TeacherIncentive	eAllotmentDes	signations		
_extTeacherIncen tiveAllotmentDesig nations1	string	true (Only if teacherIncen tiveAllotmentDesign ations data has values)	TeacherIncentiveAllotmentDesignationCode indicates a teacher (ROLE-ID 087) is an Active National Board Certified Teacher, holds a current designation (Recognized, Exemplary, or Master) and/or has been submitted by	
_extTeacherIncen tiveAllotmentDesig nations2	string		an LEA for a new or change of designation in the Teacher Incentive Allotment. (Value will be mapped to Ed-Fi descriptor)	
_extTeacherIncen tiveAllotmentDesig nations3	string			
TypeSets				
_extTypeSets_be ginDate1	date (mm/dd /yyyy)	true (Only if the typeSets	Begin date of the effective date for the StaffTypeSet1	
		data has values)		
_extTypeSets_sta ffType1	string	true (Only if the typeSets data has values)	StaffType indicates whether the staff person is on the district payroll or is a contracted professional staff person (instructional and non-instructional) (Value will be mapped to Ed-Fi descriptor)	
_extTypeSets_en dDate1	date (mm/dd /yyyy)		End date of the effective date for the StaffTypeSet1	
_extTypeSets_be ginDate2	date (mm/dd /yyyy)		Begin date of the effective date for the StaffTypeSet2	
_extTypeSets_sta ffType2	string		StaffType indicates whether the staff person is on the district payroll or is a contracted professional staff person (instructional and non-instructional)	
			(Value will be mapped to Ed-Fi descriptor)	
_extTypeSets_en dDate2	date (mm/dd /yyyy)		End date of the effective date for the StaffTypeSet2	
_extTypeSets_be ginDate3	date (mm/dd /yyyy)		Begin date of the effective date for the StaffTypeSet3	
_extTypeSets_sta ffType3	string		StaffType indicates whether the staff person is on the district payroll or is a contracted professional staff person (instructional and non-instructional) (Value will be mapped to Ed-Fi descriptor)	
_extTypeSets_en dDate3	date (mm/dd /yyyy)		End date of the effective date for the StaffTypeSet3	
paraprofessiona	l Certification	Set		
_extCertificationS et_beginDate	date (mm/dd /yyyy)	true (Only if the paraprofe ssionalCertification Set data has values)	Begin date of the effective date for the paraprofessionalCertificationSet	
	date (mm/dd		End date of the effective date for theparaprofessionalCertificationSet	
_extCertificationS et_endDate	/yyyy)			

$\textbf{StaffEducationOrganizationAssignmentAssociation} \ \, \textbf{CSV file}$

This file should have the following columns with the respective information.

Field	Expected value type	Required	Description	
Staff	string	true	A unique alphanumeric code assigned to a staff.	
EducationOrganiz ation	integer	true	The identifier assigned to an education organization.	
StaffClassification	string	true	The titles of employment, official status, or rank of education staff. (Value will be mapped to Ed-Fi descriptor)	
BeginDate	date (mm/dd	true	Month, day, and year of the start or effective date of a staff member's employment, contract, or relationship with the	
	/уууу)	liue	education organization.	
EndDate	date (mm/dd /yyyy)		Month, day, and year of the end or termination date of a staff member's employment, contract, or relationship with the education organization	
Extension				
SharedServiceArr angementStaff	string		Indicates whether the education service center staff responsibility being reported is part of a shared services arrangement for which the education service center is the fiscal agent.	
			(Value will be mapped to Ed-Fi descriptor)	
StaffServiceSets				
StaffService1	string	true	Refers to the services supplied by staff.	
			(Value will be mapped to Ed-Fi descriptor)	
GradeLevel1	string		This descriptor defines the set of grade levels. The map to known Ed-Fi enumeration values is required.	
			(Value will be mapped to Ed-Fi descriptor)	
PopulationServed1	string		Identifies the student population for which a student has been designed or is intended. It does not necessarily identify the program eligibility of the students who receive the service.	
			(Value will be mapped to Ed-Fi descriptor)	
MonthlyMinutes1	integer		The total number of minutes devoted to a particular service in a standard month. A standard month is considered to be the four weeks in October including the PEIMS Fall snapshot date (last Friday in October).	
NumberOfStudent sInClass1	integer		Indicates the number of students in membership in the class.	
StaffServiceBegin Date1	date (mm/dd /yyyy)	true	Indicates the month, day, and year the staff member began providing the particular services.	
StaffServiceEndD ate1	date (mm/dd /yyyy)		Indicates the month, day, and year for when the services supplied by the staff becomes false.	
StaffService2	string		Refers to the services supplied by staff.	
			(Value will be mapped to Ed-Fi descriptor)	
GradeLevel2	string		This descriptor defines the set of grade levels. The map to known Ed-Fi enumeration values is required.	
			(Value will be mapped to Ed-Fi descriptor)	
PopulationServed2	string		Identifies the student population for which a student has been designed or is intended. It does not necessarily identify the program eligibility of the students who receive the service.	
			(Value will be mapped to Ed-Fi descriptor)	
MonthlyMinutes2	integer		The total number of minutes devoted to a particular service in a standard month. A standard month is considered to be the four weeks in October including the PEIMS Fall snapshot date (last Friday in October).	
NumberOfStudent sInClass2	integer		Indicates the number of students in membership in the class.	
StaffServiceBegin Date2	date (mm/dd /yyyy)		Indicates the month, day, and year the staff member began providing the particular services.	
StaffServiceEndD ate2	date (mm/dd /yyyy)		Indicates the month, day, and year for when the services supplied by the staff becomes false.	
StaffService3	string		Refers to the services supplied by staff.	
			(Value will be mapped to Ed-Fi descriptor)	
GradeLevel3	string		This descriptor defines the set of grade levels. The map to known Ed-Fi enumeration values is required.	
			(Value will be mapped to Ed-Fi descriptor)	

PopulationServed3	string	Identifies the student population for which a student has been designed or is intended. It does not necessarily identify the program eligibility of the students who receive the service. (Value will be mapped to Ed-Fi descriptor)
MonthlyMinutes3	integer	The total number of minutes devoted to a particular service in a standard month. A standard month is considered to be the four weeks in October including the PEIMS Fall snapshot date (last Friday in October).
NumberOfStudent sInClass3	integer	Indicates the number of students in membership in the class.
StaffServiceBegin Date3	date (mm/dd /yyyy)	Indicates the month, day, and year the staff member began providing the particular services.
StaffServiceEndD ate3	date (mm/dd /yyyy)	Indicates the month, day, and year for when the services supplied by the staff becomes false.

$\textbf{StaffEducationOrganizationEmploymentAssociation} \ \texttt{CSV} \ \mathsf{file}$

This file should have the following columns with the respective information.

Expected value type	Required	Description	
string	true	A unique alphanumeric code assigned to a staff.	
integer	true	The identifier assigned to an education organization.	
string	true	Reflects the type of employment or contract. (Value will be mapped to Ed-Fi descriptor)	
date (mm/dd /yyyy)		The month, day, and year on which an individual was hired for a position.	
date (mm/dd /yyyy)		The month, day, and year on which a contract between an individual and a governing authority ends or is terminated under the provisions of the contract (or the date on which the agreement is made invalid).	
integer		PercentDayEmployed is that percentage of a standard district work day for which the employee is hired to work. For an employee on contract, the percentage may be determined directly from the contract: full-time = '100'; half-time = '50'; and so on. For an employee who is not on contract, the percentage may be determined as follows. Example: The standard work day for the district is 7 hours. An employee is hired to work for 4 hours a day. This data element is coded as '57' for this employee because 4/7 = .571, which is rounded down.	
integer		NumberDaysEmployed indicates the actual number of at-work days within the school year that a person is scheduled to work in the district. This number does not include holidays, weekends, and any other days the employee is not scheduled to work.	
dSets			
string		Identifies the capacity in which a non-exempt auxiliary employee serves.	
		(Value will be mapped to Ed-Fi descriptor)	
date (mm/dd /yyyy)		Begin date of the effective date for the AuxiliaryRoleId1	
date (mm/dd /yyyy)		End date of the effective date for the AuxiliaryRoleId1	
string		Identifies the capacity in which a non-exempt auxiliary employee serves.	
		(Value will be mapped to Ed-Fi descriptor)	
date (mm/dd /yyyy)		Begin date of the effective date for the AuxiliaryRoleId2	
date (mm/dd /yyyy)		End date of the effective date for the AuxiliaryRoleId2	
string		Identifies the capacity in which a non-exempt auxiliary employee serves.	
date (mm/dd		(Value will be mapped to Ed-Fi descriptor)	
/yyyy)		Begin date of the effective date for the AuxiliaryRoleId3	
		End date of the effective date for the AuxiliaryRoleId3	
	string integer string date (mm/dd /yyyy) date (mm/dd /yyyy) integer integer dSets string date (mm/dd /yyyy) date (mm/dd /yyyy) date (mm/dd /yyyy) string date (mm/dd /yyyy) string date (mm/dd /yyyy) date (mm/dd /yyyy)	string true integer true string true string true date (mm/dd /yyyy) date (mm/dd /yyyy) integer integer date (mm/dd /yyyy) date (mm/dd /yyyy) date (mm/dd /yyyy) string date (mm/dd /yyyy) string date (mm/dd /yyyy) date (mm/dd /yyyy) date (mm/dd /yyyy) string date (mm/dd /yyyy) date (mm/dd /yyyy) string date (mm/dd /yyyy)	

StaffSchoolAssociation CSV file

This file should have the following columns with the respective information.

Field	Expected value type	Required	Description
Staff	string	true	A unique alphanumeric code assigned to a staff.
School	integer	true	The identifier assigned to a school.
ProgramAssignment	string	true	The name of the program for which the individual is assigned.
			(Value will be mapped to Ed-Fi descriptor)