



INGENIERÍA EN TECNOLOGÍAS DE LA INFORMACIÓN E INNOVACIÓN DIGITAL

Asignatura: Aplicaciones Web

Profesora: Diana Xochitl Ruano Vargas

Fecha: 05/03/2026

Alumno: Edrei Noar Islas Abrego

Actividad: PRÁCTICA 10

Grupo: 04_01

Captura del modelo

```

backends > models > game_model.py M X TS actualizar.ts U app.py M TS game.ts U actualizar.html U
You, 6 days ago | 1 author (You)
1 from pymongo import MongoClient
2 from bson.objectid import ObjectId
3 from bson.errors import InvalidId
4
5 client = MongoClient("mongodb://localhost:27017/")
6 db = client["videojuegos_db"]
7 collection = db["games"]
8
9
10 def get_all_games():
11     games = list(collection.find())
12     for game in games:
13         game["_id"] = str(game["_id"])
14     return games
15
16
17 def create_game(data):
18     result = collection.insert_one(data)
19     return str(result.inserted_id)
20     You, 6 days ago • Uncommitted changes
21
22 def delete_game(id):
23     try:
24         result = collection.delete_one({"_id": ObjectId(id)})
25         return result
26     except InvalidId:
27         return None
28
29
30 def update_game(id, data):
31     try:
32         result = collection.update_one(
33             {"_id": ObjectId(id)},
34             {"$set": {
35                 "nombre": data["nombre"],
36                 "genero": data["genero"],
37                 "precio": data["precio"],
38                 "imagenUrl": data["imagenUrl"]
39             }}
40
41
42     if result.modified_count == 1:
43         return {"message": "Juego actualizado correctamente"}
44     else:
45         return {"message": "No se realizaron cambios"}
46
47     except InvalidId:
48         return {"error": "ID inválido"}

```

App.py

```
app.py M × TS home.ts U game_model.py M TS actualizar.ts U TS game.ts U <> actualizar

backend > app.py > ...
You, 12 seconds ago | 1 author (You)
1 from flask import Flask, request, jsonify
2 from flask_cors import CORS
3 from models.game_model import (
4     get_all_games,
5     create_game,
6     delete_game,
7     update_game
8 )
9 app = Flask(__name__) You, last week • Practica 10 ...
10 CORS(app, origins=["http://localhost:4200"])
11 @app.route('/games', methods=['GET'])
12 def get_games():
13     games = get_all_games()
14     return jsonify(games), 200
15 @app.route('/games', methods=['POST'])
16 def add_game():
17     data = request.json
18     game_id = create_game(data)
19
20     return jsonify({
21         "message": "Videojuego agregado",
22         "id": game_id
23     }), 201
24 @app.route('/games/<id>', methods=['DELETE'])
25 def delete_game_route(id):
26
27     result = delete_game(id)
28
29     if result and result.deleted_count > 0:
30         return jsonify({"message": "Juego eliminado correctamente"}), 200
31     else:
32         return jsonify({"message": "Juego no encontrado"}), 404
33 @app.route('/games/<id>', methods=['PUT'])
34 def update_game_route(id):
35
36     data = request.json
37
38     result = update_game(id, data)
39
```

```
40     if result and result.modified_count > 0:
41         return jsonify({"message": "Juego actualizado correctamente"}), 200
42     else:
43         return jsonify({"message": "No se pudo actualizar"}), 404
44 if __name__ == '__main__':
45     app.run(debug=True) You, last week • Practica 10
```

Captura del servicio

```
TS game.ts U ×  app.py M  TS home.ts U  game_model.py M  TS actualizar.ts U


frontend > src > app > services > TS game.ts > Game > getGames
1  import { Injectable } from '@angular/core';
2  import { HttpClient } from '@angular/common/http';
3  import { Observable } from 'rxjs';
4
5  @Injectable({ providedIn: 'root' })
6  export class Game {
7
8      private apiUrl = 'http://127.0.0.1:5000/games';
9
10     constructor(private http: HttpClient) {}
11
12     getGames(): Observable<any[]> {
13         return this.http.get<any[]>(this.apiUrl);
14     }
15
16     createGame(game: any): Observable<any> {
17         return this.http.post(this.apiUrl, game);
18     }
19
20     deleteGame(id: string): Observable<any> {
21         return this.http.delete(`${this.apiUrl}/${id}`);
22     }
23
24     updateGame(id:string, game:any) {
25         return this.http.put(`http://127.0.0.1:5000/games/${id}`, game);
26     }
27 }
```

Archivo de rutas


```
TS app.routes.ts U ×  <> home.html U  TS game.ts U  app.py M  TS home.ts U

frontend > src > app > TS app.routes.ts > ...
1  import { Routes } from '@angular/router';
2  import { Home } from './components/home/home';
3  import { Eliminar } from './components/eliminar/eliminar';
4  import { Formulario } from './components/formulario/formulario';
5  import { Actualizar } from './components/actualizar/actualizar';
6
7  export const routes: Routes = [
8      { path: '', component: Home },
9      { path: 'eliminar', component: Eliminar },
10     { path: 'agregar', component: Formulario },
11     { path: 'actualizar/:id', component: Actualizar }
12 ];
```


Vista del Home



Vista Agregar



Vista Eliminar



Vista Actualizar

localhost

PRÁCTICA 10

https://www.amd.com/content/dam/amd/en/documents/corporate/ehs-policy.pdf

Frontend

Videojuegos

HomeAgregarEliminar

Nombre GOW 2018

Genero Acción y pelea

Precio 1225

Imagen https://upload.wikimedia.org

Guardar Cambios

© 2026 - Práctica API REST