

DAC Infrastructure Intelligence Watcher

Public RPC Reliability, Explorer Health, Dashboarding & Report Pipeline — v1.8.2

Prepared by	JERUZZALEM – DAC Infra Tester
Date	Friday, 5 June 2026
Data Source	Watcher archive notes v1.0.0–v1.8.2 · DAC public RPC / explorer observations · watcher-generated JSON snapshots · dashboard data · custom range reports · observation comparison reports · PDF export outputs
Report Type	Infrastructure Automation Analysis — Public RPC Reliability, Explorer Health, Dashboarding & Report Pipeline
Relates to	Critical RPC Availability Issue & Network Access Bottleneck (5 May 2026) · Testnet Infrastructure Validation Report (7 May 2026) · EIP-1559 Compatibility & Txpool Analysis (9 May 2026) · Frontend–Blockchain State Desynchronization After Successful NFT Mint (10 May 2026) · DAC Testnet Inception Debugging Report (29 May 2026)
Report Archive	https://github.com/EdLWEISS186/dac-dual-node-cgnat-setup/tree/main/Testnet (Inception) Technical Reports

Executive Summary

This report documents the evolution of DAC Infrastructure Intelligence Watcher from a standalone public endpoint health checker into a dashboard-backed observation and report export pipeline. It extends earlier DAC Testnet reports on RPC availability, infrastructure validation, txpool behavior, frontend-state synchronization, and debugging by converting public infrastructure checks into repeatable structured evidence.

The watcher is intentionally separate from the enode-registry intelligence system documented in Report 10. Instead of tracking peer-list rotation, this project observes and preserves public RPC, Explorer Web, and Explorer API behavior across time, and exposes that evidence through a dashboard, Markdown reports, custom range exports, observation comparison reports, and PDF outputs.

Metric	Value
Monitoring targets	3 — Official Public RPC, Explorer Web, Primary Explorer API
Primary infrastructure domain	DAC Testnet public infrastructure health
Known Chain ID	21894 decimal · 0x5586 hex
Health dimensions	Availability status · response-time class · data freshness
Production validation snapshot count	14 tracked snapshots (Custom Range — ALL)
Observation comparison scope	Window A (7 snapshots) vs Window B (7 snapshots)
Standard range reports	7D · 30D · ALL
Standard comparison scopes	7D · 30D · ALL

Current export formats	Markdown · JSON · PDF
Dashboard layers	Freshness indicator · filters · charts · export links · glossary
Final documented version	v1.8.2

Selected production validation showed that DAC Explorer Web and Explorer API can remain healthy while the Official Public RPC is degraded and slow. This is a service-level distinction that earlier manual infrastructure reports could describe, but the watcher now preserves it as repeatable structured data.

Monitored Endpoints

Official Public RPC	https://rpctest.dachain.tech/
Explorer Web	https://exptest.dachain.tech/
Primary Explorer API	https://exptest.dachain.tech/api
Chain ID	21894 (0x5586)

Observation Methodology

The watcher performs deterministic infrastructure checks against each monitored endpoint. Each run records endpoint availability status, response-time signals, chain ID information, latest block context where available, overall health classification, and freshness metadata used by the dashboard.

Source	DAC public RPC, Explorer Web, and Explorer API endpoints
Runtime	GitHub Actions · local manual validation
Baseline state	data/latest.json
Snapshot policy	Create or preserve snapshots when meaningful health-state changes are detected
Report model	Deterministic, rule-based infrastructure observation
Interpretation boundary	Observation-based technical material, not official DAC service status

The project intentionally distinguishes availability from response speed. An endpoint can be reachable and therefore HEALTHY, while still being classified as MODERATE or SLOW from a response-time perspective. This prevents a slow but reachable service from being misread as a complete outage.

From Manual Checks to Automated Evidence

Earlier DAC infrastructure reports relied on manual validation, screenshots, RPC checks, transaction analysis, and debugging notes. Those reports captured selected windows but could miss degradation or recovery events between checks. The Infrastructure Intelligence Watcher converts the process into a repeatable pipeline that stores machine-readable evidence and produces human-readable reports.

```
Manual public endpoint check
↓
Risk of missed degradation or recovery
↓
Automated infrastructure watcher
↓
Structured latest.json + snapshots
↓
Dashboard data + Markdown reports
↓
Custom range reports + observation comparison reports
↓
Markdown / JSON / PDF technical report outputs
```

Architecture & Data Flow Topology — v1.8.2

The current v1.8.2 architecture is a full public infrastructure observation, dashboard, comparison, and export pipeline. Every layer produces a structured artifact used downstream.

```
Official DAC Public Infrastructure
Public RPC : https://rpctest.dachain.tech/
Explorer   : https://exptest.dachain.tech/
API        : https://exptest.dachain.tech/api
↓
infrastructure health.py
JSON-RPC checks · explorer web checks · explorer API checks
chain ID validation · response-time measurement · health-state classification
↓
data/latest.json + data/snapshots/*.json
├── generate_health_report.py
│   └── reports/generated/infrastructure-health-report.md
├── generate_dashboard_data.py
│   ├── dashboard/data/health-dashboard-data.json
│   └── dashboard/index.html
├── generate_custom_report.py
│   ├── reports/generated/custom/*.md · *.json
│   └── generate_pdf_report.py → *.pdf
└── generate_comparison_report.py
    ├── reports/generated/comparison/*.md · *.json
    └── generate_comparison_pdf_report.py → *.pdf
↓
GitHub Pages Dashboard + Technical Report Archive
```

Implementation Evolution

The project was built incrementally. Each version added one layer of observability, reporting, dashboard usability, or export completeness rather than replacing the previous system.

Version	Layer	Main Artifact	Report-Use Value
v1.0.0	Standalone watcher	infrastructure_health.py · workflow	Separates public infrastructure health from enode-registry monitoring
v1.1.0	Health report summary	generate_health_report.py	Turns raw JSON health state into deterministic Markdown summary
v1.2.0	Static dashboard layer	dashboard/index.html · health-dashboard-data.json	Makes RPC, Explorer Web, and Explorer API health visually inspectable
v1.3.0	Freshness indicator	freshness metadata	Prevents stale dashboard data from being misread as live state
v1.4.0	Custom range reports	generate_custom_report.py	Adds 7D, 30D, and ALL range-based summaries
v1.5.0	Observation comparison	generate_comparison_report.py	Compares earlier and later observation windows
v1.5.1	Chain ID and links polish	dashboard + report updates	Shows 21894 first while preserving 0x5586 as technical detail
v1.6.0	Dashboard filtering	timeline filters	Allows targeted inspection of health and response class states
v1.7.0	Dashboard chart layer	native HTML/CSS/JS charts	Makes health distribution and trend data easier to read
v1.8.0	Export links and PDFs	generate_pdf_report.py	Completes custom range Markdown / JSON / PDF export stack
v1.8.1	Comparison export parity	generate_comparison_pdf_report.py	Completes comparison Markdown / JSON / PDF export stack
v1.8.2	PDF style and glossary	shared glossary + PDF style alignment	Improves report readability for technical and non-technical readers

Health Classification Model

The dashboard and generated reports use shared terminology so that the same labels mean the same thing across Markdown, JSON, PDF, and browser UI output.

Status / Class	Meaning
HEALTHY	Endpoint or overall infrastructure state is reachable and behaving as expected.

DEGRADED	Endpoint is reachable, but one or more checks or response-time indicators show reduced quality.
PARTIAL_OUTAGE	At least one monitored endpoint is unavailable or failing while other endpoints remain reachable.
UNHEALTHY	Endpoint failed required checks or did not provide usable responses.
FAST	Observed response-time class is fast for this watcher context.
MODERATE	Observed response-time class is acceptable but not fast.
SLOW	Observed response-time class is slow and may indicate degraded user experience.
UNKNOWN	The watcher could not classify response-time state — often because older snapshots did not include this field.
N/A	Not available or not applicable for the selected observation, endpoint, or historical snapshot.

Production Validation — Custom Range Report (All)

The following evidence was generated by the watcher export pipeline on June 5, 2026 and covers the full all-time observation dataset — 14 snapshots captured on June 4, 2026. This represents the first sustained production validation of the complete watcher pipeline.

Range	ALL — full available dataset
Report layer	v1.8.0
Generated at UTC	2026-06-05T05:09:18.699690
Snapshot count	14
First snapshot	2026-06-04T09:54:55.772035 UTC
Latest snapshot	2026-06-04T19:47:12.825324 UTC
Overall status distribution	DEGRADED: 4 · HEALTHY: 5 · PARTIAL_OUTAGE: 5

Endpoint Status Counts

Endpoint	Status Counts	Avg Response	Max Response
Official Public RPC	DEGRADED: 4 · HEALTHY: 5 · UNHEALTHY: 5	2,096.75 ms	5,347.0 ms
Explorer Web	HEALTHY: 14	1,149.71 ms	2,299.0 ms
Primary Explorer API	HEALTHY: 14	523.5 ms	620.0 ms

Response-Time Class Distribution

Endpoint	Response Classes
Official Public RPC	MODERATE: 2 · SLOW: 2 · UNKNOWN: 10
Explorer Web	MODERATE: 4 · UNKNOWN: 10
Primary Explorer API	FAST: 1 · MODERATE: 3 · UNKNOWN: 10

UNKNOWN response classes in earlier snapshots are expected. Response-time classification was added after the initial watcher release. Older snapshots retain N/A or UNKNOWN for this field.

Snapshot Timeline — Availability

#	Checked at UTC	Overall	RPC	Web	API
1	2026-06-04T09:54:55Z	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
2	2026-06-04T09:59:08Z	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
3	2026-06-04T09:59:48Z	HEALTHY	HEALTHY	HEALTHY	HEALTHY
4	2026-06-04T10:00:10Z	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
5	2026-06-04T10:02:58Z	HEALTHY	HEALTHY	HEALTHY	HEALTHY
6	2026-06-04T11:35:39Z	DEGRADED	DEGRADED	HEALTHY	HEALTHY
7	2026-06-04T11:36:10Z	DEGRADED	DEGRADED	HEALTHY	HEALTHY
8	2026-06-04T11:38:16Z	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
9	2026-06-04T11:38:26Z	DEGRADED	DEGRADED	HEALTHY	HEALTHY
10	2026-06-04T11:50:50Z	HEALTHY	HEALTHY	HEALTHY	HEALTHY
11	2026-06-04T16:59:50Z	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
12	2026-06-04T17:34:38Z	HEALTHY	HEALTHY	HEALTHY	HEALTHY
13	2026-06-04T17:39:38Z	DEGRADED	DEGRADED	HEALTHY	HEALTHY
14	2026-06-04T19:47:12Z	HEALTHY	HEALTHY	HEALTHY	HEALTHY

Production Validation — Observation Window Comparison (All)

The same dataset was also exported as an observation window comparison, splitting the 14 snapshots into two equal windows. This tests whether infrastructure availability and response behavior improved, worsened, or remained stable across the observation period.

Comparison scope	ALL
Comparison layer	v1.8.1

Generated at UTC	2026-06-05T05:09:24.517777
Window A snapshots	7 (observations 1–7)
Window A period	2026-06-04T09:54:55 → 11:36:10 UTC
Window A availability	0.5286
Window B snapshots	7 (observations 8–14)
Window B period	2026-06-04T11:38:16 → 19:47:12 UTC
Window B availability	0.6429
Overall change	IMPROVED — availability score increased from 0.5286 to 0.6429

Window Summary and Status Distribution

Dimension	Window A (earlier)	Window B (later)
Snapshot count	7	7
Overall status distribution	DEGRADED: 2 · HEALTHY: 2 · PARTIAL_OUTAGE: 3	DEGRADED: 2 · HEALTHY: 3 · PARTIAL_OUTAGE: 2
Availability score	0.5286	0.6429 ↑ IMPROVED

Endpoint Response Comparison

Endpoint	Window A status	Window B status	A avg	B avg
Official Public RPC	DEGRADED/UNHEALTHY	DEGRADED/UNHEALTHY	N/A	2,096.75 ms
Explorer Web	HEALTHY: 7	HEALTHY: 7	1,491.43 ms	808.0 ms ↑
Primary Explorer API	HEALTHY: 7	HEALTHY: 7	N/A	523.5 ms

Window A avg response times show N/A for RPC and Explorer API because response-time classification was added after the initial watcher release. Older snapshots from Window A retain UNKNOWN for this field. Window B captures the first snapshots with full response-time data.

Key Comparison Interpretation

- Overall availability score improved from 0.5286 (Window A) to 0.6429 (Window B) — the later observation window shows stronger infrastructure health.
- Explorer Web average response improved significantly from 1,491.43 ms to 808.0 ms — a notable improvement in explorer speed across the same day.
- Explorer Web and Primary Explorer API remained HEALTHY across all 14 snapshots, confirming consistent availability independent of RPC state.
- Official Public RPC showed UNHEALTHY and DEGRADED states across both windows. Response-time data (MODERATE and SLOW) was only classifiable from Window B onward.

- The observation period captured a repeated pattern: RPC cycles between UNHEALTHY, DEGRADED, and HEALTHY within short intervals, while explorer surfaces remain stable.

Observation Dataset — Health Signal Summary

Component	Availability Status	Response Class	Interpretation
Official Public RPC	DEGRADED in production validation	SLOW	Reachable in some checks but showed reduced reliability and slow response.
Explorer Web	HEALTHY throughout observation	MODERATE	Frontend remained reachable and recognizable while RPC degraded.
Primary Explorer API	HEALTHY throughout observation	FAST	API remained responsive for supported checks.
Overall Infrastructure	DEGRADED in selected window	Mixed	Not all endpoints were equally affected.

DEGRADED does not automatically mean the entire testnet is down. It means the monitored public infrastructure surface showed reduced quality under the watcher model. This is an infrastructure observation layer — not an official DAC service status page.

Dashboard and Report Export Pipeline

By v1.8.2, the watcher is a dashboard-backed report preparation system. The dashboard exposes endpoint health, freshness, filters, charts, standard report links, custom browser exports, comparison links, and a glossary for interpretation.

Dashboard Layers

Layer	Current Function
Dashboard	Displays latest watcher state, endpoint health cards, freshness, timeline, comparison links, and export links
Filtering	Filters by overall status, RPC status, Explorer Web status, Explorer API status, and response class
Charts	Overall status distribution, endpoint status distribution, response class distribution, health score trend
Static exports	7D / 30D / ALL Markdown, JSON, and PDF links
Custom range	User-selected From / To observation window exported as Markdown, JSON, or browser PDF
Custom comparison	User-selected Window A vs Window B exported as Markdown, JSON, or browser PDF

Export Formats

Format	Purpose	Generated Output
Markdown	Editable human-readable report source	custom/*.md · comparison/*.md
JSON	Structured summaries for scripts and AI-assisted analysis	custom/*.json · comparison/*.json
PDF	Final packaging for sharing or presentation	custom/*.pdf · comparison/*.pdf

Observation Window Comparison — Concept

Observation Window Comparison compares an earlier baseline window against a later comparison window, allowing the watcher to describe whether infrastructure behavior improved, worsened, or remained unchanged across the selected observation scope.

Window A	Earlier or baseline observation segment
Window B	Later comparison segment
Availability score	Higher is better — summarizes overall health quality across the window
Response comparison	Lower is better — describes speed changes rather than reachability alone
Standard scopes	7D · 30D · ALL
Custom scope	User-selected Window A and Window B observation ranges from the dashboard

Key Findings

Public infrastructure requires service-level separation.

The watcher confirms that public RPC, Explorer Web, and Explorer API should be observed separately. A single overall status cannot explain which public surface is affected or whether degradation is isolated.

Explorer health can remain stable while RPC quality degrades.

Production validation showed Official Public RPC as DEGRADED and SLOW while Explorer Web and Primary Explorer API remained HEALTHY across all 14 snapshots. Explorer availability does not automatically prove RPC quality.

Availability improved between Window A and Window B.

Availability score increased from 0.5286 to 0.6429, and Explorer Web response improved from 1,491 ms to 808 ms. The later observation window shows a measurably stronger infrastructure condition.

Freshness is a separate interpretation dimension.

The dashboard freshness layer prevents stale JSON state from being confused with a live infrastructure condition. This is particularly important when the watcher has not run recently.

Range and comparison reports improve evidence quality.

Custom range and observation comparison reports make it possible to summarize selected periods instead of relying only on latest-state output. The production validation PDFs are direct examples of this capability.

The export stack turns monitoring into report infrastructure.

Markdown, JSON, and PDF outputs make the project suitable as public technical-report material rather than only a private script. The reports produced for this submission confirm the full pipeline works end-to-end.

Implications for Node Operators and Builders

Implication	Explanation
RPC fallback is important	If public RPC degrades, local node RPC or alternative RPC configuration can reduce operational impact for testers.
Explorer availability is not enough	A healthy explorer frontend does not prove that public RPC behavior is healthy. They should be checked independently.
Response speed matters	Reachability alone is incomplete. Slow RPC response can degrade user experience even when requests eventually succeed.
Historical snapshots support debugging	Stored health snapshots help correlate user-facing issues with infrastructure conditions after the fact.
Dashboards improve communication	A visual layer makes infrastructure behavior easier to explain to communities, builders, and reviewers.

Limitations and Interpretation Boundaries

- The watcher observes public endpoints from the runtime environment where it is executed. It does not measure every possible region, ISP, node operator environment, or wallet configuration.
- The watcher does not represent official DAC infrastructure policy or service status.
- Endpoint response times may vary by network route, runtime location, or temporary congestion.
- Older snapshots may not include response-time fields because these were added after initial releases.
- A HEALTHY label means the endpoint passed the watcher checks — it does not guarantee perfect user experience for every user.
- A DEGRADED or PARTIAL_OUTAGE label is a candidate for investigation, not a final root-cause verdict.

Conclusion

DAC Infrastructure Intelligence Watcher matured from a standalone public endpoint monitor into a complete observation and report pipeline. It now provides structured health data, dashboard visualization, range summaries, observation-window comparison, export links, browser-side custom exports, generated PDFs, and shared glossary definitions.

Production validation on June 4, 2026 confirmed that the complete pipeline works end-to-end: the watcher captured 14 snapshots across a 10-hour window, exported a Custom Range Report and an Observation Window Comparison in Markdown, JSON, and PDF formats, and demonstrated that explorer availability

remained stable while public RPC availability varied. The availability score improved from 0.5286 to 0.6429 between the earlier and later observation windows.

For future DAC Testnet reporting, this project provides reusable evidence for public RPC reliability, explorer availability, explorer API reachability, partial outage windows, recovery behavior, response-time shifts, and dashboard-backed infrastructure communication.

Final assessment: the watcher is now suitable as a public technical-report support system for DAC infrastructure observation. It preserves repeatable evidence and converts it into readable outputs without claiming official service-status authority.

Supporting Evidence — Watcher Pipeline Output

The following placeholders mark where the watcher-generated PDF outputs should be inserted. Both documents were generated by the watcher pipeline on June 5, 2026.

Custom Range Report — ALL (v1.8.0)

Full 14-snapshot coverage, June 4 2026. Availability, response-time summary, and snapshot timeline.

4. Snapshot Timeline - Availability

#	Observed at UTC	Overall	RPC	Web	API
1	2026-06-04T09:54:55.772035+00:00	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
2	2026-06-04T09:59:08.192048+00:00	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
3	2026-06-04T09:59:48.937274+00:00	HEALTHY	HEALTHY	HEALTHY	HEALTHY
4	2026-06-04T10:00:10.486388+00:00	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
5	2026-06-04T10:02:58.023788+00:00	HEALTHY	HEALTHY	HEALTHY	HEALTHY
6	2026-06-04T11:35:39.447567+00:00	DEGRADED	DEGRADED	HEALTHY	HEALTHY
7	2026-06-04T11:36:10.013189+00:00	DEGRADED	DEGRADED	HEALTHY	HEALTHY
8	2026-06-04T11:38:16.082796+00:00	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
9	2026-06-04T11:38:26.409385+00:00	DEGRADED	DEGRADED	HEALTHY	HEALTHY
10	2026-06-04T11:50:50.288397+00:00	HEALTHY	HEALTHY	HEALTHY	HEALTHY
11	2026-06-04T16:59:50.793517+00:00	PARTIAL_OUTAGE	UNHEALTHY	HEALTHY	HEALTHY
12	2026-06-04T17:34:38.689983+00:00	HEALTHY	HEALTHY	HEALTHY	HEALTHY
13	2026-06-04T17:39:38.929050+00:00	DEGRADED	DEGRADED	HEALTHY	HEALTHY
14	2026-06-04T19:47:12.825324+00:00	HEALTHY	HEALTHY	HEALTHY	HEALTHY

5. Snapshot Timeline - Response Classes

#	Observed at UTC	RPC class	Web class	API class	RPC back
1	2026-06-04T09:54:55.772035+00:00	N/A	N/A	N/A	N/A
2	2026-06-04T09:59:08.192048+00:00	N/A	N/A	N/A	14952932
3	2026-06-04T09:59:48.937274+00:00	N/A	N/A	N/A	14952932
4	2026-06-04T10:00:10.486388+00:00	N/A	N/A	N/A	N/A
5	2026-06-04T10:02:58.023788+00:00	N/A	N/A	N/A	14952932
6	2026-06-04T11:35:39.447567+00:00	N/A	N/A	N/A	14953437
7	2026-06-04T11:36:10.013189+00:00	N/A	N/A	N/A	14953447
8	2026-06-04T11:38:16.082796+00:00	N/A	N/A	N/A	N/A
9	2026-06-04T11:38:26.409385+00:00	N/A	N/A	N/A	N/A
10	2026-06-04T11:50:50.288397+00:00	N/A	N/A	N/A	14913037
11	2026-06-04T16:59:50.793517+00:00	MODERATE	MODERATE	MODERATE	N/A
12	2026-06-04T17:34:38.689983+00:00	SLOW	MODERATE	MODERATE	14954882
13	2026-06-04T17:39:38.929050+00:00	SLOW	MODERATE	FAST	N/A
14	2026-06-04T19:47:12.825324+00:00	MODERATE	MODERATE	MODERATE	14955409

Observation Window Comparison — ALL (v1.8.1)

Window A (obs 1–7) vs Window B (obs 8–14). Availability score change and endpoint response comparison.

5. Window A Timeline						
#	Checked at UTC	Overall	RPC	RPC class	Web	API
1	2026-06-04T09:54:55.772035+00:00	PARTIAL_OUTAGE	UNHEALTHY	N/A	HEALTHY	HEALTHY
2	2026-06-04T09:59:08.192048+00:00	PARTIAL_OUTAGE	UNHEALTHY	N/A	HEALTHY	HEALTHY
3	2026-06-04T09:59:48.937274+00:00	HEALTHY	HEALTHY	N/A	HEALTHY	HEALTHY
4	2026-06-04T10:00:10.486388+00:00	PARTIAL_OUTAGE	UNHEALTHY	N/A	HEALTHY	HEALTHY
5	2026-06-04T10:02:58.023788+00:00	HEALTHY	HEALTHY	N/A	HEALTHY	HEALTHY
6	2026-06-04T11:35:39.447567+00:00	DEGRADED	DEGRADED	N/A	HEALTHY	HEALTHY
7	2026-06-04T11:36:10.013189+00:00	DEGRADED	DEGRADED	N/A	HEALTHY	HEALTHY

6. Window B Timeline						
#	Checked at UTC	Overall	RPC	RPC class	Web	API
8	2026-06-04T11:38:16.082796+00:00	PARTIAL_OUTAGE	UNHEALTHY	N/A	HEALTHY	HEALTHY
9	2026-06-04T11:38:26.409385+00:00	DEGRADED	DEGRADED	N/A	HEALTHY	HEALTHY
10	2026-06-04T11:50:50.288397+00:00	HEALTHY	HEALTHY	N/A	HEALTHY	HEALTHY
11	2026-06-04T16:59:50.793517+00:00	PARTIAL_OUTAGE	UNHEALTHY	MODERATE	HEALTHY	HEALTHY
12	2026-06-04T17:34:38.689983+00:00	HEALTHY	HEALTHY	SLOW	HEALTHY	HEALTHY
13	2026-06-04T17:39:38.929050+00:00	DEGRADED	DEGRADED	SLOW	HEALTHY	HEALTHY
14	2026-06-04T19:47:12.825324+00:00	HEALTHY	HEALTHY	MODERATE	HEALTHY	HEALTHY

Observation Window Comparison (ALL) — DAC Infrastructure Intelligence Watcher v1.8.1