

DAC Enode Intelligence Watcher - Custom Last 7 Days Report

Generated at UTC: 2026-07-01T01:40:07.550512+00:00

Report range: Last 7 Days

Project: DAC Enode Intelligence Watcher

This custom report is generated from local watcher JSON outputs.

Important note: this report is observation-based. It does not make official DAC ownership claims and should not be treated as a definitive decentralization measurement.

1. Report Scope

Field	Value
Range	Last 7 Days
Observation count	21
First observed source time	Jun 24, 2026 (01:00 CEST)
Last observed source time	Jul 1, 2026 (01:00 CEST)
Latest watcher checked_at_utc	2026-06-30T23:15:30.910545+00:00
Latest source generated time	Wed Jul 1 01:00:01 AM CEST 2026

2. Enode Movement Summary

Metric	Value
Minimum enode count	7
Maximum enode count	14
Average enode count	11.52
Total added observations	14
Total removed observations	12

Metric	Value
Target ports observed	28657

3. Observation Source Coverage

Phase	Observations
automated_watcher	21

4. Anomaly Summary

Field	Value
Selected anomaly signals	0
Global anomaly summary	12 anomaly signals were detected across 136 observations. The highest observed anomaly severity is CRITICAL.
Global highest severity	CRITICAL
Recommended action	Use these anomaly events as candidates for deeper manual review and future technical reporting.

Severity	Signals in selected range
N/A	0

Anomaly Type	Signals in selected range
N/A	0

5. Provider / ASN Concentration Context

Field	Value
Overall concentration label	MODERATE
Headline	Observed infrastructure shows moderate concentration under the current heuristic model.
Key observation	Top live ASN is AS51167 with 15 unique IPs (37.5%).

Field	Value
Country observation	Top live ASN country code is DE with 18 unique IPs (45.0%).
Interpretation	Top live ASN controls at least 35% of observed unique IPs.
Disclaimer	Provider concentration and decentralization risk summary is an observation-based heuristic. It is based on currently available watcher data, live ASN enrichment, static provider hints, and DAC Infrastructure Signal labels. It should not be treated as an official DAC classification or as a definitive decentralization measurement.

Dimension	Top Name	Top Count	Top %	Label
Live ASN	AS51167	15	37.5	MODERATE
Live Country	DE	18	45.0	MODERATE
DAC Infrastructure Signal	Retained Infrastructure Signal	14	35.0	MODERATE

6. Observation Timeline

#	Phase	Status	Source Time	Current	Added	Removed	Unchanged	Port
116	automated_watcher	changed	Jun 24, 2026 (01:00 CEST)	11	1	0	10	28657
117	automated_watcher	changed	Jun 24, 2026 (03:00 CEST)	12	1	0	11	28657
118	automated_watcher	changed	Jun 24, 2026 (07:00 CEST)	13	1	0	12	28657
119	automated_watcher	changed	Jun 24, 2026 (14:00 CEST)	12	0	1	12	28657
120	automated_watcher	changed	Jun 24, 2026 (22:00 CEST)	11	0	1	11	28657
121	automated_watcher	changed	Jun 25, 2026 (00:00 CEST)	10	0	1	10	28657
122	automated_watcher	changed	Jun 25, 2026 (21:00 CEST)	7	0	3	7	28657
123	automated_watcher	changed	Jun 26, 2026 (02:00 CEST)	10	3	0	7	28657
124	automated_watcher	changed	Jun 26, 2026 (10:00 CEST)	11	1	0	10	28657
125	automated_watcher	changed	Jun 26, 2026 (21:00 CEST)	12	1	0	11	28657

#	Phase	Status	Source Time	Current	Added	Removed	Unchanged	Port
126	automated_watcher	changed	Jun 27, 2026 (05:00 CEST)	10	0	2	10	28657
127	automated_watcher	changed	Jun 27, 2026 (08:00 CEST)	11	1	0	10	28657
128	automated_watcher	changed	Jun 27, 2026 (11:00 CEST)	12	1	0	11	28657
129	automated_watcher	changed	Jun 27, 2026 (16:00 CEST)	13	1	0	12	28657
130	automated_watcher	changed	Jun 28, 2026 (10:00 CEST)	12	0	1	12	28657
131	automated_watcher	changed	Jun 28, 2026 (12:00 CEST)	11	0	1	11	28657
132	automated_watcher	changed	Jun 28, 2026 (14:00 CEST)	12	1	0	11	28657
133	automated_watcher	changed	Jun 28, 2026 (19:00 CEST)	13	1	0	12	28657
134	automated_watcher	changed	Jun 30, 2026 (18:00 CEST)	14	1	0	13	28657
135	automated_watcher	changed	Jun 30, 2026 (22:00 CEST)	13	0	1	13	28657
136	automated_watcher	changed	Jul 1, 2026 (01:00 CEST)	12	0	1	12	28657

7. Report-Use Notes

- Use the 7D report for short-range rotation and recent watcher movement.
- Use the 30D report for broader trend context once the 15-minute watcher has accumulated enough observations.
- Use the All Time report for full testnet observation history preserved by this watcher.
- For publication-quality interpretation, compare this Markdown output with dashboard charts, raw JSON outputs, and selected snapshots.