

DAC Enode Intelligence Watcher - Custom Last 7 Days Report

Generated at UTC: 2026-06-03T10:23:32.913833+00:00

Report range: Last 7 Days

Project: DAC Enode Intelligence Watcher

This custom report is generated from local watcher JSON outputs.

Important note: this report is observation-based. It does not make official DAC ownership claims and should not be treated as a definitive decentralization measurement.

1. Report Scope

Field	Value
Range	Last 7 Days
Observation count	12
First observed source time	May 28, 2026 (08:00 CEST)
Last observed source time	Jun 3, 2026 (12:00 CEST)
Latest watcher checked_at_utc	2026-06-03T10:23:29.960579+00:00
Latest source generated time	Wed Jun 3 12:00:02 PM CEST 2026

2. Enode Movement Summary

Metric	Value
Minimum enode count	9
Maximum enode count	15
Average enode count	12.42
Total added observations	27
Total removed observations	14

Metric	Value
Target ports observed	28657

3. Observation Source Coverage

Phase	Observations
automated_watcher	8
manual_backfill	4

4. Anomaly Summary

Field	Value
Selected anomaly signals	1
Global anomaly summary	5 anomaly signals were detected across 22 observations. The highest observed anomaly severity is HIGH.
Global highest severity	HIGH
Recommended action	Use these anomaly events as candidates for deeper manual review and future technical reporting.

Severity	Signals in selected range
HIGH	1

Anomaly Type	Signals in selected range
AGGRESSIVE_ROTATION	1

5. Provider / ASN Concentration Context

Field	Value
Overall concentration label	ELEVATED
Headline	Observed infrastructure shows elevated concentration under the current heuristic model.

Field	Value
Key observation	Top live ASN is AS51167 with 15 unique IPs (51.72%).
Country observation	Top live ASN country code is DE with 18 unique IPs (62.07%).
Interpretation	Top live ASN controls at least 50% of observed unique IPs. Observed IPs show notable concentration in one live ASN country code.
Disclaimer	Provider concentration and decentralization risk summary is an observation-based heuristic. It is based on currently available watcher data, live ASN enrichment, static provider hints, and DAC Infrastructure Signal labels. It should not be treated as an official DAC classification or as a definitive decentralization measurement.

Dimension	Top Name	Top Count	Top %	Label
Live ASN	AS51167	15	51.72	ELEVATED
Live Country	DE	18	62.07	ELEVATED
DAC Infrastructure Signal	Unknown / No Signal	9	31.03	LOW

6. Observation Timeline

#	Phase	Status	Source Time	Current	Added	Removed	Unchanged	Port
11	manual_backfill	manual_changed	May 28, 2026 (08:00 CEST)	14	5	3	9	28657
12	manual_backfill	manual_unchanged	May 29, 2026 (04:00 CEST)	14	0	0	14	28657
13	manual_backfill	manual_changed	May 30, 2026 (12:00 CEST)	14	1	1	13	28657
14	manual_backfill	manual_changed	May 31, 2026 (12:00 CEST)	15	2	1	13	28657
15	automated_watcher	initial	Jun 1, 2026 (04:00 CEST)	12	12	0	0	28657
16	automated_watcher	changed	Jun 1, 2026 (08:00 CEST)	13	1	0	12	28657
17	automated_watcher	changed	Jun 1, 2026 (12:00 CEST)	9	0	4	9	28657
18	automated_watcher	changed	Jun 1, 2026 (22:00 CEST)	10	1	0	9	28657
19	automated_watcher	changed	Jun 2, 2026 (06:00 CEST)	12	2	0	10	28657

#	Phase	Status	Source Time	Current	Added	Removed	Unchanged	Port
20	automated_watcher	changed	Jun 2, 2026 (12:00 CEST)	12	1	1	11	28657
21	automated_watcher	changed	Jun 2, 2026 (22:00 CEST)	14	2	0	12	28657
22	automated_watcher	changed	Jun 3, 2026 (12:00 CEST)	10	0	4	10	28657

7. Report-Use Notes

- Use the 7D report for short-range rotation and recent watcher movement.
- Use the 30D report for broader trend context once the 15-minute watcher has accumulated enough observations.
- Use the All Time report for full testnet observation history preserved by this watcher.
- For publication-quality interpretation, compare this Markdown output with dashboard charts, raw JSON outputs, and selected snapshots.