



# Button guidelines

Each button type serves its own use case. This page covers general guidelines for all button types.


## Button types



**Regular button**  
Initiate an action or event when clicked.



**Icon button**  
Trigger an action using a recognizable symbol.



**Menu button**  
Compactly open a navigation menu.



**Arrow button**  
Indicate clickable areas used for navigation.




**Media button**  
Control audio and video playback.




**Video preview button**  
Pause or resume an auto-played video preview.



**Warning button**  
Highlight actions that may have unintended or irreversible consequences.



**System button**  
Trigger actions in complex systems or digital products.



**System warning button**

Signal high-risk actions within complex systems.


# Variants and hierarchy

Most buttons come in three variants: primary, secondary, and tertiary. Each variant indicates a different level of emphasis. Establishing a clear button hierarchy helps users prioritize actions and navigate interfaces more effectively.




## Primary

Use for the main action on a page, such as submitting or saving. Limit to one per page, or two in rare cases.



## Secondary

Utilize secondary buttons for actions that complement the primary button but are less important. Allow up to four per page.




## Tertiary


Reserve tertiary buttons for low-priority, additional actions. There is no limit to the number of tertiary buttons a page can have.

# Warning

Regular and system buttons have a warning variant, indicated by the exclamation icon and red color. Warning buttons represent irreversible and destructive changes and should always be followed by a user confirmation before completing the action.




Button regular warning



Button system warning

# States

All button types and subsequent variants support five distinct interaction states.



Example of the five states of each variant of the regular button.


- 1. **Default:** The button is idle and ready for interaction. This state appears when the page loads or when no user action is taking place.
- 2. **Hover:** This state appears when a user moves their cursor over the button, providing a visual cue that the button is interactive.
- 3. **Pressed:** The button is actively being clicked or tapped. This state gives immediate feedback that the action is being registered.
- 4. **Focus:** Appears when the button is selected via keyboard navigation (e.g. using the **Tab** key), indicating it is ready for interaction.
- 5. **Disabled:** The button is inactive and cannot be interacted with. It does not respond to hover, focus, or press events and typically appears dimmed.

## Button groups


Buttons can be grouped and arranged either horizontally or vertically.

### Placement

When arranging buttons, always consider their hierarchy and align them according to typical reading patterns. Primary buttons should always be placed before secondary buttons.



Place the primary button on the left to align it with typical reading patterns.




Place the primary button above the secondary button to emphasize the main action.





Don't place two primary buttons side by side.



Don't place secondary button left of the primary button.

## Spacing


In both horizontal and vertical arrangements, all button types should have the `spacing-xs` token (16px) applied as spacing between them. Always ensure there is consistent spacing between each button in the group.



16 px    16 px

✔ Do

Use consistent spacing between all button types in a group.



24 px    16 px

✘ Don't

Don't have inconsistent spacing between buttons in a group.

## Content

### Label

Button labels should clearly describe the action that will occur when the button is clicked. These labels should be straightforward, predictable, and descriptive to ensure accessibility for all users, including those with screen readers.

✔ Do



Use a descriptive button text.


✘ Don't



Don't use vague labels like “Read more”.

### Arrows and chevrons


Although chevrons and arrows appear visually similar, they serve distinct functional purposes.





**Arrows** are typically used to indicate navigation. When placed on a button or link, an arrow suggests that the user will be taken to a different page or view.

**Chevrons** are used to reveal or hide content that is already present on the current page but not immediately visible. They are commonly found in components like accordions, dropdowns, and sliders. Chevrons provide a visual indication that more content is available and can be accessed without navigating away.



Example illustrating the use of both chevron and arrow icons within the same component. The chevron is used to expand and collapse accordions, and the arrow button navigates users to a different page.



**Armand Dupree**

Chief Technology Officer

Helping businesses realize their digital transformation goals.

Label



**Armand Dupree**

Chief Technology Officer

Helping businesses realize their digital transformation goals.

Label



< 1/5 >

< 1/5 >

✓ Do

Use chevrons to reveal more content on the page.

✗ Don't

Do not use arrows to reveal content that is available on the same page.



An example of the Card Reveal component with a chevron that shows text when hovered over.



