

Chips

Compactly represent selectable filters or inputs.

- Overview
- Specs
- Guidelines

Figma component


 Open in Figma

Status

Healthy

Anatomy

- Light mode
- Dark mode



1. Container
2. Label
3. Icon (optional)

Variants

All variants of the chips are available with and without an icon.

Chips for selection

Selection chips are used to **narrow results**. They feature a check icon and toggle on/off.

Label

IconFalseSelectedFalse

Label ✓

IconFalseSelectedTrue

 Label ✓

IconFalseSelectedTrue

 Label

IconFalseSelectedFalse

Icon	True	Icon	True
Selected	True	Selected	False

Chips for input

Input chips represent **user-provided input**. They feature a “remove” icon and disappear when deselected. These chips are also available with an [avatar](#).

	Label	Label ×	
Icon	False	Icon	False
Selected	False	Selected	True


	 Label	 Label ×	
Icon	True	Icon	True
Selected	False	Selected	True

	 Label	 Label ×	
Icon	True	Icon	True
Avatar	True	Avatar	True
Selected	False	Selected	True

Layout

Chips are displayed in horizontal groups containing a maximum of 15 chips. When the total width of a chip group exceeds the screen’s available width, the chips wrap to the next line and continue on multiple lines as needed.

This is especially important for selection chips in smaller viewports, like tablet and mobile.




Example of chips wrapped onto multiple lines on tablet

Behavior

Chips for selection

Depending on context, selection chips can be used for single selection or multiple selections.


When clicking a selection chip, its status will change. A selected chip will have the selected tick arrow at the end of the chip to indicate it is selected.



Behavior of the chips on click.

Single-selection chips

Also known as choice chips, single-selection chips allow only one chip to be active at a time. When another chip is clicked, the previously selected chip is automatically deselected, and the newly selected chip becomes active. This interaction pattern is particularly effective for large data sets, where limiting the selection to a single option helps maintain clarity.



Example of single selection chips.

Multiple-selection chips

Multiple chips may be selected simultaneously. When an additional chip is clicked, it is automatically selected and added to the current selection. To deselect a chip, the user must click the selected chip again, after which it will revert to its unselected state.

Auvergne-Rhône-Alpes ✓

Bourgogne-Franche-Comté ✓

Brittany

Centre-Val de Loire

Corsica

Grand Est

Hauts-de-France

Île-de-France

Normandy ✓

Occitanie

Nouvelle-Aquitaine

Occitanie

Pays de la Loire

Provence-Alpes-Côte d'Azur

Offices



Auvergne-Rhône-Alpes

We combine strategy, technology, and creativity to guide organizations through complex challenges, unlock new opportunities.

↶ Directions

📞 000-000 000 000



Bourgogne-Franche-Comté

We combine strategy, technology, and creativity to guide organizations through complex challenges, unlock new opportunities.

↶ Directions

📞 000-000 000 000



Normandy

We combine strategy, technology, and creativity to guide organizations through complex challenges, unlock new opportunities.

↶ Directions

📞 000-000 000 000

Example of multiple selected chips.

Chips for input

Input chips can be used to display and confirm selected filters or user inputs that should remain visible within the interface. Clicking an active chip with a close icon **removes** the chip and clears the associated selection.

In the below example only one chip is selected, displaying only the relevant cards from the category “Our people”.

— Working at Capgemini

Together with our clients we transform ambition into lasting and sustainable impact

Our people X



— Our people

UX team

How we work →



— Our people

Jacob Henriksen, Data analyst

Read the mind of a Data analyst →

Example of a single selected input chip.

In the following example two chips are selected and the grid below only displays the relevant cards from the two selected categories.

— Working at Capgemini

Together with our clients we transform ambition into lasting and sustainable impact

Our people X

Our cities X



— Our people

UX team

How we work →



— Our people

Jacob Henriksen, Data analyst

Read the mind of a Data analyst →



— Our cities

Madrid

Our Madrid office →

Example of two selected input chips.

Related components

Includes





Icons

Visually represent actions, categories and objects.



Avatar

Represent a user, group, or brand.

Similar components



Tabs

Organize content into sections within the same view.



Checkbox
Specs

Chips
Specs

