

Hotfix v17.54.1 — Historical Buffer Increase

Date: 2026-05-24

Commit: f08279f

File: smc_premium_discount_indicator_v17.54.pine →
smc_premium_discount_indicator_v17.54.1.pine

Railway:  Deployed & Healthy

Error Resolved

```
Runtime error
Error on bar 10088: The requested historical offset (1810) is beyond
the historical buffer's limit (1809).
at #main():2137
```

Root Cause: The multi-zone array system (introduced in v17.54) uses `bar_index - swingLen` look-backs to find swing points. On data-dense 5M charts, this can exceed Pine Script's default historical buffer limit (~1800 bars).

Exact Changes (3 items, zero logic modifications)

1. `indicator()` declaration (line 4)

```
- indicator("SMC Premium/Discount Confluence Engine v17.54", shorttitle="SMC PD v17",
-         overlay=true, max_labels_count=500, max_lines_count=500,
max_boxes_count=500)
+ indicator("SMC Premium/Discount Confluence Engine v17.54.1", shorttitle="SMC PD
v17",
+         overlay=true, max_labels_count=500, max_lines_count=500,
max_boxes_count=500,
+         maxBarsBack=5000)
```

2. Explicit buffer declaration (line 5, new)

```
maxBarsBack(time, 5000)
```

3. Version string updates (30 occurrences)

All `"v17.54"` → `"v17.54.1"` in:

- Alert `alertcondition()` message payloads (4 lines)
 - Alert `alert()` call payloads (4 lines)
 - HUD table version display (1 line)
 - Comments throughout (~21 lines)
-

Verification: Zero Logic Changes

```
# Extract old file from git, diff against new – filter out version strings
diff <(git show HEAD~1:smc_premium_discount_indicator_v17.54.pine) \
    smc_premium_discount_indicator_v17.54.1.pine \
    | grep "[<>]" | grep -v "v17\\.54"

# OUTPUT (only 1 line):
> maxBarsBack(time, 5000)
```

Confirmed: The ONLY non-version change is the added `maxBarsBack(time, 5000)` line.

Component	Changed?
Zone detection logic	✗ No
Multi-zone array system	✗ No
H4 P&D calculations	✗ No
Alert fire conditions	✗ No
Alert payload format	✗ No (only version string in payload)
SL/TP calculations	✗ No
Guardian logic	✗ No
HUD rendering	✗ No (only version text)
Backend (oie_processor.py)	✗ No change needed — <code>version.startswith("v17.5")</code> accepts both

Buffer Settings

Setting	Before (v17.54)	After (v17.54.1)
<code>maxBarsBack</code> (indicator)	Default (~300–1800)	5000
<code>maxBarsBack(time, ...)</code>	Not set	5000

Backend Compatibility

The backend `oie_processor.py` detects v17.54+ payloads via:

```
if version.startswith("v17.5"):
    return "v17.54"
```

This matches both `"v17.54"` and `"v17.54.1"` — **no backend changes required.**

Deployment

Check	Status
Git commit	✓ <code>f08279f</code>
Push to main	✓
Railway health	✓ <code>{"status":"ok","version":"v17.54"}</code>
Backend accepts v17.54.1 payloads	✓ (via <code>startswith("v17.5")</code>)

Next Step

Copy `smc_premium_discount_indicator_v17.54.1.pine` **into TradingView Pine Editor** and apply to 5M AUDUSD chart. The runtime error should be eliminated.