

SMC Tracker v17.56.6 Backend Upgrade Summary

Date: 2026-06-01

Branch: `feature/v17.56.6-upgrade`

Base: v17.54.2 backend

Changes Made

1. Authentication Fix (401 Resolution)

Root Cause: TradingView webhooks send JSON POST bodies without custom headers. The backend only checked `api_key` in the JSON body and `X-API-Key` header. Since Pine Script `alertcondition()` payloads don't include an `api_key` field, all webhooks were rejected with 401.

Fix: Extended auth to check 4 sources (in priority order):

1. **JSON body** — `api_key` or `k` field (existing, backward-compatible)
2. **Query parameter** — `?api_key=xxx` (NEW — recommended for TradingView)
3. **X-API-Key header** (existing)
4. **Authorization: Bearer** header (NEW)

Files changed:

- `src/webhook_server/routes.py` — `receive_signal()` POST handler + `require_api_key` decorator

TradingView Setup:

Set your webhook URL to:

`https://web-production-b63af.up.railway.app/api/v1/signal?api_key=YOUR_KEY_HERE`

2. POI Decoder Update (v17.56.6 /6 Support)

Change: POI score max updated from /5 to /6 with OTE (Optimal Trade Entry) depth bonus parsing.

New parser: `parse_poi_field()`

- Handles integer POI: `5` → `{score: 5, max: 6, has_ote: false}`
- Handles fraction POI: `"4/6"` → `{score: 4, max: 6, has_ote: false}`
- Handles OTE tag: `"5/6 (OTE)"` → `{score: 5, max: 6, has_ote: true}`
- Backward compatible: `"3/5"` → `{score: 3, max: 5, has_ote: false}`

Files changed:

- `src/oie_processor.py` — New `parse_poi_field()` function, updated `normalize_oie_payload()`
- `src/oie_database.py` — INSERT includes `poi_max` and `has_ote` columns

3. CONTINUATION Alert Support

Change: Pine Script v17.56.6 renamed "RETRACE LONG/SHORT" alerts to "CONTINUATION LONG/SHORT". Backend now maps both to the same `retrace_long` / `retrace_short` setup types.

New alert mappings:

| Alert String | Setup Type |

|—|—|

| CONTINUATION LONG | retrace_long |

| CONTINUATION SHORT | retrace_short |

| CONTINUATION_LONG | retrace_long |

| CONTINUATION_SHORT | retrace_short |

Old RETRACE LONG/SHORT alerts still work (backward compatible).

Files changed:

- src/oie_processor.py — _V17_54_ALERT_MAP extended

4. 📖 Database Migration**New columns on opportunities table:**

Column	Type	Default	Purpose
poi_max	INTEGER	6	Maximum POI score (6 for v17.56.6+)
has_ote	INTEGER	0	OTE Depth Bonus flag (1=true, 0=false)

Migration: Auto-runs on startup via `_run_ote_migration()` in `database.py`. Safe to re-run — checks if columns exist first. No existing data modified.

Files changed:

- src/database.py — New `_run_ote_migration()` function, called from `init_db()`
- schemas/migrate_v17_56_6_ote.sql — SQL migration file

5. 📝 Version String UpdatesAll version references updated from `v17.54.2` to `v17.56.6` :

Location	File
Startup banner	app.py
Health check endpoint	src/webhook_server/routes.py
Signal GET response	src/webhook_server/routes.py
OIE default version	src/oie_processor.py
DB default version	src/oie_database.py
Decoders docstring	src/decoders.py
HTML page titles	templates/base.html
Dashboard title	templates/dashboard.html
Settings/setup guide	templates/settings.html
Alert templates	templates/settings.html
Test webhook script	scripts/test_webhook.py

6. Webhook Response Enhancement

The `/api/v1/signal` OIE response now includes:

```
{
  "status": "ok",
  "pipeline": "oie",
  "opportunity_id": 42,
  "setup_type": "sniper_long",
  "pair": "AUDUSD",
  "kill_zone": "NY AM",
  "rr_ratio": 3.0,
  "poi_score": 5,
  "poi_max": 6,
  "has_ote": true,
  "legacy_signal_id": "AUDUSD_20260601_143000"
}
```

What Was NOT Changed

-  **Database schema** — Only added columns, no existing data modified or deleted
-  **H4 BOS logic** — Untouched (in Pine Script indicator, not in backend)
-  **Kill Zone timestamp logic** — Untouched
-  **UI theme/aesthetics** — Only version strings updated in templates
-  **Legacy signal pipeline** — Fully backward compatible
-  **Existing alert types** — All old alert formats still work

Testing Results

Auth Tests (7/7 passed)

#	Test	Expected	Result
1	No auth	401	✓
2	Query param ? api_key=	200	✓
3	JSON body api_key	200	✓
4	X-API-Key header	200	✓
5	Authorization: Bearer	200	✓
6	Wrong key	401	✓
7	Health check (no auth)	200	✓

POI Parser Tests (6/6 passed)

Input	Score	Max	OTE	✓
None	0	6	false	✓
5	5	6	false	✓
"4/6"	4	6	false	✓
"5/6 (OTE)"	5	6	true	✓
"6/6 (OTE)"	6	6	true	✓
"3/5"	3	5	false	✓

CONTINUATION Alert Tests (4/4 passed)

All four CONTINUATION variants correctly mapped to `retrace_long` / `retrace_short` .

Full Pipeline Test (1/1 passed)

v17.56.6 CONTINUATION LONG with `"poi": "5/6 (OTE)"` → correctly inserted into DB with `poi_max=6` ,
`has_ote=1` .