

v17.25 Backend / Frontend Sync — Deployment Report

Update Type: Version String Sync + Alert Template Audit

ZERO trading logic / backend processing changes.

Summary

The deployed Railway backend (<https://web-production-b63af.up.railway.app/settings>) was still serving **v17.15** while the Pine Script had advanced to **v17.25**. The repository working tree was at **v17.21**. This PR brings the entire stack to **v17.25** and fixes the alert template `{{plot_X}}` mappings in `settings.html` (and the matching Next.js page) to match the actual v17.25 Pine Script payload structure.

Backup Created

Path	Purpose
<code>backups/v17.21_backend_backup/app.py</code>	Backend entry point
<code>backups/v17.21_backend_backup/templates/</code>	All HTML templates (base, settings, dashboard, trades, opportunities)
<code>backups/v17.21_backend_backup/src/</code>	Webhook routes, decoders, processors, DB
<code>backups/v17.21_backend_backup/schemas/</code>	SQL migrations
<code>backups/v17.21_backend_backup/frontend_app/</code>	Next.js <code>app/</code> directory

Rollback: copy the contents of `backups/v17.21_backend_backup/` back over `app.py` , `templates/` , `src/` , `schemas/` , `tradex-frontend/app/` .

Version String Updates (v17.21 → v17.25)

Files Touched

#	File	Type	Changes
1	app.py	Flask	logger startup banner
2	src/webhook_server/ routes.py	Python	Sample payloads, comments
3	src/database.py	Python	Migration log strings
4	src/decoders.py	Python	Module version head- er
5	src/oie_database.py	Python	Default version column
6	src/ oie_processor.py	Python	Version-string hand- ler (kept v17.14 / v17.12.3 legacy branches intact)
7	schemas/mi- grate_v17_14_oie.sq l	SQL	Migration header + DEFAULT clause
8	templates/base.html	HTML	<title> + footer badge
9	templates/set- tings.html	HTML	Title, header, server- info badge, decode label, API endpoint la- bel, alert templates rewritten (see audit below)
10	templates/dash- board.html	HTML	<title>
11	templates/ trades.html	HTML	<title>
12	templates/opportun- ities.html	HTML	<title> + page badge
13	tradex-frontend/app/ layout.tsx	Next.js	Title metadata, head- er & footer badges
14	tradex-frontend/app/ page.tsx	Next.js	Hero text, version badge, decode refer- ence header

#	File	Type	Changes
15	tradex-frontend/app/opportunities/page.tsx	Next.js	Subtitle + empty-state copy
16	tradex-frontend/app/settings/page.tsx	Next.js	Header, all 4 alert template JSON blocks rewritten
17	tradex-frontend/lib/api.ts	TypeScript	Module banner comment

Counts

Metric	Value
v17.21 references remaining in source tree	0
v17.15 references remaining in non-test source tree	0
v17.25 references now present	54
v17.14 / v17.12.3 references kept (intentional — legacy payload compat handlers in oie_processor.py + routes.py)	preserved
test_oie_integration.py legacy payloads	preserved (used to verify backward-compat path)

Alert Template Audit (CRITICAL FIX)

Problem

The old `templates/settings.html` and `tradex-frontend/app/settings/page.tsx` exposed only **2 sample alert blocks** (“Sniper Entry” and “Retrace Entry”), and the `{{plot_X}}` placeholders were **stale and wrong** versus the v17.25 Pine Script. Examples:

Field	Old template said	v17.25 Pine Script actually emits
h4_bias	{{plot_3}}	{{plot_10}}
p_d_zone	{{plot_4}}	{{plot_11}}
guardian	{{plot_5}}	{{plot_13}}
poi	{{plot_6}}	{{plot_7}}
quality	{{plot_7}}	{{plot_6}}
confluence	{{plot_8}}	{{plot_8}} ✓
dt_stage	{{plot_9}}	{{plot_9}} ✓
setup_id	{{plot_10}}	(literal "dynamic" string, not a plot)
Sniper Short entry/SL/TP	(missing)	{{plot_3}}/{{plot_4}}/{{plot_5}}

If a user had copy-pasted the old template into TradingView, **every decoded opportunity row would have been wrong** (wrong bias, wrong zone, wrong guardian).

Fix Applied

Both `templates/settings.html` and `tradex-frontend/app/settings/page.tsx` now expose **all 4 alert types** with the **exact plot map from v17.25** (verified against `smc_premium_discount_indicator_v17.25.pine` lines 2473-2482):

```

plot_0 → entryLong      plot_7 → poiScore
plot_1 → slLong         plot_8 → confluenceScore
plot_2 → tpLong         plot_9 → dtStage
plot_3 → entryShort     plot_10 → h4Bias
plot_4 → slShort        plot_11 → pdZone
plot_5 → tpShort        plot_12 → kzCode (kill_zone)
plot_6 → qualityScore   plot_13 → guardianCode

```

1. Sniper Long

```
{
  "api_key": "...",
  "version": "v17.25",
  "type": "sniper_long",
  "setup_id": "dynamic",
  "symbol": "{{ticker}}",
  "entry_price": {{plot_0}}, "stop_loss": {{plot_1}}, "take_profit": {{plot_2}},
  "quality": {{plot_6}}, "poi": {{plot_7}}, "confluence": {{plot_8}}, "dt_stage":
  {{plot_9}},
  "h4_bias": "{{plot_10}}", "p_d_zone": "{{plot_11}}",
  "kill_zone": "{{plot_12}}", "guardian": "{{plot_13}}",
  "timestamp": "{{timenow}}"
}
```

2. Sniper Short

Same shape as Sniper Long but entry/SL/TP use **plot_3 / plot_4 / plot_5** and

```
"type": "sniper_short" .
```

3. Retrace Long

```
{
  "api_key": "...",
  "version": "v17.25",
  "type": "retrace_long",
  "setup_id": "dynamic",
  "symbol": "{{ticker}}",
  "suggested_entry": {{plot_0}}, "target_sl": {{plot_1}}, "target_tp": {{plot_2}},
  "poi": {{plot_7}}, "confluence": {{plot_8}},
  "guardian": "{{plot_13}}", "zone": "{{plot_11}}", "kill_zone": "{{plot_12}}",
  "timestamp": "{{timenow}}"
}
```

4. Retrace Short

Same shape as Retrace Long with `suggested_entry/target_sl/target_tp` on **plot_3 / plot_4 / plot_5** and `"type": "retrace_short"` .

An inline “plot index map” cheat-sheet was added above the alert blocks in both the Flask page and the Next.js page so a user can never again paste the wrong placeholder.

Validation

Check	Result
Python <code>py_compile</code> on all modified <code>.py</code> files	✓ Pass
Jinja2 <code>get_template()</code> parse of all 5 templates	✓ Pass
Flask <code>test_client.get()</code> renders all 5 templates	✓ HTTP 200
Rendered HTML contains <code>v17.25</code>	✓ Yes (all 5 pages)
Rendered HTML free of <code>v17.15</code> / <code>v17.21</code> / <code>v17.22</code> / <code>v17.23</code>	✓ Yes (all 5 pages)
<code>npx tsc --noEmit</code> on <code>tradex-frontend/</code>	✓ Exit 0
Brace/paren/backtick balance on every modified <code>.tsx</code> / <code>.ts</code>	✓ Balanced
Pine Script plot indices in templates match <code>smc_premium_discount_indicator_v17.25.pine</code> lines 2473-2482	✓ Verified
Trading logic / OIE processor / decoder behaviour	✓ Untouched
Legacy <code>v17.14</code> / <code>v17.12.3</code> webhook compatibility	✓ Preserved

Version Display Locations (Where v17.25 Now Appears)

Location	URL / File	Element
Browser tab title (all pages)	base.html	<title>TradeX OIE v17.25</title>
Page footer badge	base.html	v17.25
Settings page header	/settings	"v17.25 OIE Alert Message Templates"
Settings page badge	/settings	"v17.25" badge next to instructions
Decode reference heading	/settings	"Decode Reference (v17.25):"
Server Info panel	/settings → Server Info card	Version: v17.25 OIE
API endpoints panel	/settings → API Endpoints card	OIE v17.25 heading
Opportunities page badge	/opportunities	v17.25
Frontend header (Next.js)	tradex-frontend / and all routes	"TradeX OIE v17.25 "
Frontend footer (Next.js)	tradex-frontend all routes	"TradeX OIE v17.25 "
Frontend dashboard subtitle	tradex-frontend /	"Real-time v17.25 OIE tracking..."
Frontend settings page	tradex-frontend /settings	"v17.25 Alert Templates"
Flask logger banner	stdout / Railway logs	TradeX OIE v17.25 – Cloud Mode
SQL opportunities.version default	new rows	'v17.25'

Deployment Notes

- **Railway** (Flask) will redeploy on push to `main` ; the new `/settings` page will show `v17.25` immediately after the build.
- **Vercel** (Next.js) auto-deploys on push to `main` ; the public site at `https://smc-tracker-railway-2027.vercel.app/settings` will rebuild and show `v17.25`.

- **No database migration required** — the existing schema already has a `version` column; only the `DEFAULT` for new inserts changed.
- **No environment variable changes** required.
- **TradingView users** must re-copy the corrected alert templates from `/settings` for any alerts created against the old (broken) plot mapping. Old alerts created from the v17.21 templates emitted wrong fields and should be re-created.

Files Changed (this PR)

1. `app.py`
2. `src/webhook_server/routes.py`
3. `src/database.py`
4. `src/decoders.py`
5. `src/oie_database.py`
6. `src/oie_processor.py`
7. `schemas/migrate_v17_14_oie.sql`
8. `templates/base.html`
9. `templates/settings.html` ← alert templates rewritten
10. `templates/dashboard.html`
11. `templates/trades.html`
12. `templates/opportunities.html`
13. `tradex-frontend/app/layout.tsx`
14. `tradex-frontend/app/page.tsx`
15. `tradex-frontend/app/opportunities/page.tsx`
16. `tradex-frontend/app/settings/page.tsx` ← alert templates rewritten
17. `tradex-frontend/lib/api.ts`
18. `backups/v17.21_backend_backup/**` (new — pre-change snapshot)
19. `v17.25_backend_sync_report.md` (this file)
20. `STANDING_ORDER_pine_backend_sync.md` (new — permanent protocol)

Confirmation: 0 Errors

- ☒ All Python files compile.
- ☒ All Jinja2 templates parse.
- ☒ All Next.js TypeScript files pass `tsc --noEmit`.
- ☒ Live Flask test-client renders every page 200 OK with correct version.
- ☒ Alert templates verified character-by-character against the v17.25 Pine Script `alertcondition()` payloads.