

ICPSR 4256

**National Survey of Substance
Abuse Treatment Services
(N-SSATS), 2004**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2004 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and October 2004, with a reference date of March 31, 2004. It is the 27th in a series of national surveys begun in the 1970s designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided in *N-SSATS Background*.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multi-purpose data that can be used to—

- assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other treatment facilities and in forecasting treatment resource requirements;
- update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities (see *N-SSATS Background*);
- analyze treatment services trends and conduct comparative analyses for the nation, regions, and States;
- generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment; and
- update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Treatment Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² In this report, entities responding to N-SSATS are referred to as "facilities." As discussed later in the report, a "facility" may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2004 N-SSATS

Field period and reference date

The field period for the 2004 N-SSATS ran from March 31, 2004 through October 1, 2004, with a reference date of March 31, 2004.

Survey coverage

The 2004 N-SSATS facility universe included all 16,651 active treatment facilities on SAMHSA's I-SATS at a point 6 weeks prior to the survey reference date. Facilities added by State substance abuse agencies or discovered during the first 3 weeks of the survey were also included in the survey universe.

Content

The 2004 N-SSATS survey instrument was a 10-page document with 37 numbered questions. (See *Questionnaire*.) Topics included:

- Facility identification information
- Facility focus (substance abuse treatment services, mental health services, mix of mental health and substance abuse treatment services, general health care, other)
- Facility operation (private for-profit; private non-profit; government—local, county, or community; State; Federal; tribal)
- Hotline operation
- Services offered (assessment services, substance abuse therapy and counseling, pharmacotherapies, testing, transitional services, other services)
- Operation of an Opioid Treatment Program (OTP) certified by the Substance Abuse and Mental Health Services Administration
- Services in sign language for the hearing impaired
- Services in languages other than English
- Types of clients accepted into treatment (adolescents, clients with co-occurring mental and substance abuse disorders, criminal justice clients, persons with HIV or AIDS, gays or lesbians, seniors or older adults, adult women, pregnant or postpartum women, adult men, DUI/DWI offenders, other)
- Special programs or groups offered for specific types of clients (adolescents, clients with co-occurring mental and substance abuse disorders, criminal justice clients, persons with HIV or AIDS, gays or lesbians, seniors or older adults, adult women, pregnant or postpartum women, adult men, DUI/DWI offenders, other)
- Types of treatment provided
 - Hospital inpatient (detoxification, treatment)
 - Non-hospital residential (detoxification; short-term, i.e., 30 days or less; long-term, i.e., more than 30 days)
 - Outpatient (detoxification, methadone maintenance, day treatment or partial hospitalization, intensive, regular)
- Payment options
- Receipt of public funding for substance abuse treatment programs
- Managed care participation
- Number of clients in treatment on March 31, 2004 (total, clients under age 18, clients receiving methadone or buprenorphine)
- Number of beds designated for non-hospital residential and hospital inpatient substance abuse treatment
- Client substance abuse problem treated
- Facility licensure, certification, or accreditation

Table 1
N-SSATS forms accounting, response rate, and mode of response: 2004

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	16,651	100.0
Closed/ineligible	1,872	11.2
Eligible	14,779	88.8
Total eligible	14,779	100.0
Non-respondents	612	4.1
Respondents	14,167	95.9
Excluded from report ¹	390	2.6
Roll-ups ²	323	2.2
Included in report	13,454	91.0
Mode of response	13,454	100.0
Mail	6,446	47.9
Internet	4,047	30.1
Telephone	2,961	22.0

¹ Facilities deemed out of the scope of this report. See text for details.

² Facilities whose client counts were included in or "rolled into" other facilities' counts and whose facility characteristics were not reported separately.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2004.

- Facility Internet access and web site availability

Data collection

Six weeks before the survey, letters were mailed to all facilities to alert them to expect the survey. An additional benefit of the letters was to update records with new address information returned from the post office. On the survey reference date, data collection packets, including the questionnaire, SAMHSA cover letter, State-specific letter of endorsement, information on completing the survey on the Internet, and a sheet of *Frequently Asked Questions*, were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities'

questions concerning the survey. Support in responding to questions for those facilities completing the questionnaire over the Internet was also available. Four to 5 weeks after the initial questionnaire mailing, thank you/reminder letters were sent to all facilities. Approximately 8 weeks after the initial questionnaire mailing, non-responding facilities were sent a second questionnaire mailing. About 4 to 5 weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within 2 to 3 weeks of the reminder call were telephoned and asked to complete the survey by telephone. The overall response rate was 96 percent.

Forms accounting and response rate

Summary response rate information is presented in Table 1. Questionnaires were mailed to a total of 16,651 facilities believed to offer substance abuse treatment services. Of these facilities, 11 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification on March 31, 2004. Of the remaining 14,779 facilities, 96 percent completed the survey.

Exclusions

Of the 14,167 survey respondents, 390 facilities provided information but were deemed out of the scope of the published report and the public use file. The excluded facilities fell into three categories:

- 147 excluded facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the Directory and on the Treatment Facility Locator, but were excluded from the published report and the public use file.
- 95 excluded facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

Table 2
Number of N-SSATS facilities reporting client and/or facility data: 2004

<i>Type of data reported</i>	<i>Number of facilities for which facility characteristics were reported¹</i>	<i>Number of facilities for which client counts were reported</i>
Total	13,454	13,684
Facility characteristics and client counts for responding facility only	11,666	11,666
Facility characteristics for responding facility only; client counts for responding facility and other facilities as well	661	2,018
Facility characteristics only (client counts reported by another facility)	1,127	0

¹ Excludes 147 non-treatment halfway houses, 95 facilities treating incarcerated clients only, and 148 non-State-approved solo practitioners.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2004.

- 148 excluded facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they be included. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.

An additional 323 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were also excluded from facility counts in the published report and the public use file. However, their client counts are included.

After allowing for the exclusion of 390 out-of-scope facilities and 323 rolled-up facilities, 13,454 eligible respondent facilities were included in the 2004 N-SSATS published report and the public use file.

Number of respondents reporting facility and client data

Table 2. There were a total of 13,454 eligible respondents to the 2004 N-SSATS. The breakdown of these respondents with respect to their reporting of facility data and client counts is summarized below.

- 11,666 facilities reported both facility data and client counts for their own organizations.
- 661 facilities reported facility characteristics for their own facility and provided client counts for their own facility and for other facilities. These 661 facilities reported client counts for a total of 2,018 facilities, including themselves.
- 1,127 facilities reported facility characteristics only. Their client counts were reported by another facility.

Quality assurance

All mail questionnaires were reviewed manually for consistency and for missing data. After data entry, automated quality assurance reviews were conducted. These incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily implemented by manual review. Calls were made to facilities to clarify questionable responses and to obtain missing data.

If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation.

The Internet questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Item non-response

Careful editing and extensive follow-up have minimized item non-response. (See *Item Percentage Response Rates for N-SSATS 2004*.) Although there were instances of non-response in most data items, item non-response was generally low, between less than 1 percent and 2 percent for most items. An exception was the question on payment types accepted by the facility, where non-response rates ranged as high as 12 percent for the various response categories.

Missing data for client count variables (e.g., the number of clients in hospital inpatient, non-hospital residential, and outpatient treatment) were imputed.

Methodology of Imputation of Missing Client Counts

A total of 89 facilities were missing one-day census client count values for one or more types of service (i.e., hospital inpatient detoxification, hospital inpatient treatment, non-hospital residential detoxification, etc.). A facility was given imputed

values for a type of service if it reported that it provided the service but had not provided client counts for that service type. For example, if a facility reported that it provided hospital inpatient services and outpatient services, but not non-hospital residential services, client values were imputed for the hospital inpatient and outpatient variables only. Missing values for the number of clients under age 18 and the number of hospital inpatient beds and/or non-hospital residential beds were not imputed.

When available, client values from the 2003 N-SSATS were used to impute the missing client counts on the 2004 N-SSATS. In all other cases, the average client value, stratified by State and facility operation, was used to impute the missing client counts. If a facility were unique in its State and facility operation category, values were imputed using average values for the State only. Client counts were imputed for each type of service (i.e., hospital inpatient detoxification, hospital inpatient treatment, non-hospital residential detoxification, etc.) and summed to the larger service type totals (total hospital inpatient clients, total non-hospital residential clients, and total outpatient clients), and finally to total clients.

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2004 N-SSATS. Some general issues are listed below, and other considerations are detailed in *N-SSATS Background*. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for the approximately 4 percent facility non-response.

- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs).

ITEM PERCENTAGE RESPONSE RATES FOR N-SSATS 2004

Table 3 is a table of response rates for selected questions from the N-SSATS 2004 questionnaire. As seen in the table, the majority of response rates exceeded 99 percent.

Table 3
N-SSATS item percentage response rates: 2004

<i>Question number</i>	<i>Description</i>	<i>Response rate (%)</i>	<i>Question number</i>	<i>Description</i>	<i>Response rate (%)</i>
Q2	Primary focus substance abuse/mental health/general health/mix	99.8	Q14b	Substance abuse treatment in Hopi	98.2
Q3	Operated by	99.9	Q14b	Substance abuse treatment in Lakota	98.3
Q3a	Federal govt. agency	99.4	Q14b	Substance abuse treatment in Navajo	98.2
Q9	Substance abuse hotline	99.8	Q14b	Substance abuse treatment in Yupik	98.2
Q10	Assessment: Substance abuse	99.7	Q14b	Substance abuse treatment in other Amer. Indian/Alaska lang	97.6
Q10	Assessment: Mental health	95.6	Q14b	Substance abuse treatment in Arabic	98.3
Q10	Therapy: Family counseling	99.0	Q14b	Substance abuse treatment in Chinese	98.2
Q10	Therapy: Group	99.5	Q14b	Substance abuse treatment in Creole	98.0
Q10	Therapy: Individual	99.7	Q14b	Substance abuse treatment in French	98.3
Q10	Therapy: Relapse prevention	98.8	Q14b	Substance abuse treatment in German	98.2
Q10	Therapy: Aftercare counseling	98.9	Q14b	Substance abuse treatment in Hmong	98.3
Q10	Pharmacotherapies: Antabuse	98.9	Q14b	Substance abuse treatment in Korean	98.1
Q10	Pharmacotherapies: Naltrexone	98.5	Q14b	Substance abuse treatment in Polish	98.2
Q10	Pharmacotherapies: Buprenorphine	98.2	Q14b	Substance abuse treatment in Portuguese	98.0
Q10	Pharmacotherapies: Methadone	98.8	Q14b	Substance abuse treatment in Russian	98.2
Q10	Testing: Breathalyzer or blood alcohol	99.2	Q14b	Substance abuse treatment in Spanish	98.7
Q10	Testing: Drug/alcohol urine screen	99.8	Q14b	Substance abuse treatment in Vietnamese	98.1
Q10	Testing: Hepatitis B	98.1	Q14b	Substance abuse treatment in other language	94.9
Q10	Testing: Hepatitis C	98.2	Q15a	Accepts adolescents	99.9
Q10	Testing: HIV	98.6	Q15a	Accepts clients with co-occurring disorders	99.8
Q10	Testing: STD	98.1	Q15a	Accepts non-DUI/DWI criminal justice clients	99.8
Q10	Testing: TB screen	98.6	Q15a	Accepts persons with HIV/aids	99.8
Q10	Transitional: Assistance with social services	99.4	Q15a	Accepts gays/lesbians	99.7
Q10	Transitional: Discharge planning	99.7	Q15a	Accepts seniors/older adults	99.9
Q10	Transitional: Employment counseling or training	98.8	Q15a	Accepts adult women	99.8
Q10	Transitional: Housing	99.1	Q15a	Accepts pregnant/postpartum women	99.8
Q10	Other services: Case management	99.7	Q15a	Accepts adult men	99.9
Q10	Other services: Child care	99.0	Q15b	Program/group for adolescents	99.0
Q10	Other services: Domestic violence	99.2	Q15b	Program/group for clients with co-occurring disorders	99.2
Q10	Other services: HIV/AIDS education	99.5	Q13	Program/group for non-DUI/DWI criminal justice clients	99.2
Q10	Other services: Outcome follow-up	99.4	Q15b	Program/group for persons with HIV/AIDS	99.2
Q10	Other services: Transportation assistance	99.3	Q15b	Program/group for gays/lesbians	99.3
Q10	Other services: Acupuncture	98.8	Q15b	Program/group for seniors/older adults	99.3
Q10	Other services: Residential beds for clients' children	98.7	Q15b	Program/group for adult women	99.2
Q11	Operates Opioid Treatment Program	99.9	Q15b	Program/group for pregnant/postpartum women	99.2
Q11a	OTP is maintenance/detoxification/both	99.8	Q15b	Program/group for adult men	99.1
Q12	Program for DUI/DWI offenders	99.4	Q15b	Program/group for other groups	98.7
Q13	Substance abuse treatment in sign language	99.6	Q16	Hospital inpatient substance abuse services offered	100.0
Q14	Substance abuse treatment in language other than English	99.9	Q16	Hospital inpatient services - Detoxification	100.0
Q14a	Provider of services in language other than English	99.6	Q16	Hospital inpatient services - Rehab	100.0

Continued. See notes at end of table.

Table 3 (cont.)
N-SSATS item percentage response rates: 2004

<i>Question number</i>	<i>Description</i>	<i>Response rate (%)</i>	<i>Question number</i>	<i>Description</i>	<i>Response rate (%)</i>
Q17	Residential substance abuse services offered	100.0	Q25c	Residential clients - Methadone detoxification/maintenance	99.7
Q17	Residential services - Detoxification	100.0	Q25c	Residential - Buprenorphine detoxification/maintenance	99.5
Q17	Residential services - Short-term	100.0	Q25d	Beds designated for substance abuse treatment - Residential	97.0
Q17	Residential services - Long-term	100.0	Q26	Outpatient substance abuse clients 3/31/04	99.9
Q18	Outpatient substance abuse services offered	100.0	Q26a	Outpatient clients - Detoxification	99.6
Q18	Outpatient services - Detoxification	100.0	Q26a	Outpatient clients - Methadone maintenance	99.7
Q18	Outpatient services - Methadone/LAAM maintenance	100.0	Q26a	Outpatient clients - Day treatment/partial hospitalization	99.6
Q18	Outpatient services - Day treatment/partial hospitalization	100.0	Q26a	Outpatient clients - Intensive outpatient	99.5
Q18	Outpatient- Intensive	100.0	Q26a	Outpatient clients - Regular outpatient	99.4
Q18	Outpatient services - Regular	100.0	Q26a	Outpatient clients - Total	99.5
Q19	Uses sliding fee scale	99.7	Q26b	Outpatient clients under age 18	99.3
Q19b	Offers treatment at no charge	99.5	Q26c	Outpatient clients - Methadone detoxification/maintenance	99.6
Q20	Cash or self-payment for substance abuse treatment	98.8	Q26c	Outpatient clients - Buprenorphine detoxification/maintenance	99.5
Q20	Medicare payments for substance abuse treatment	94.4	Q27	Percent treated for alcohol & drug abuse	99.3
Q20	Medicaid payments for substance abuse treatment	96.1	Q27	Percent treated for alcohol abuse only	99.2
Q20	State-financed health insurance	89.0	Q27	Percent treated for drug abuse only	99.2
Q20	Federal military insurance for substance abuse treatment	88.4	Q29	Other facilities included in client counts	99.9
Q20	Private health insurance for substance abuse treatment	96.8	Q29	Number of other facilities in client counts	100.0
Q20	Free treatment for all clients	99.4	Q32	Licensed/certified by state substance abuse agency	96.7
Q20	Other payments for substance abuse treatment	62.0	Q32	Licensed/certified by state mental health dept.	94.5
Q21	Receives Federal, state, county, local funds for subst abuse trmt	97.7	Q32	Licensed/certified by state public health dept.	91.4
Q22	Agreements/contracts with managed care organizations	95.1	Q32	Licensed/certified by hospital licensing authority	93.3
Q23	Client counts for this facility only	99.9	Q32	Accredited by JCAHO	95.0
Q23	Client counts for this facility & others in organization	99.9	Q32	Accredited by CARF	92.7
Q23	Client counts reported by another facility	99.9	Q32	Accredited by NCQA	89.3
Q24	Hospital inpatient substance abuse clients 3/31/04	99.9	Q32	Accredited by COA	91.1
Q24a	Hospital inpatient clients - Detoxification	97.7	Q32	Licensed/certified by other state agency	99.6
Q24a	Hospital inpatient clients - Rehab	97.7	Q33	Has Internet access	82.6
Q24a	Hospital inpatient clients - total	98.2	Q34	Has web site	98.2
Q24b	Hospital inpatient clients under age 18	97.7			
Q24c	Hospital inpatient clients - Methadone detoxification/maintenance	97.2			
Q24c	Hospital inpatient clients - Buprenorphine	96.5			
Q24d	Beds designated for substance abuse treatment - Hosp inpatient	80.4			
Q25	Residential substance abuse clients 3/31/04	100.0			
Q25a	Residential clients - Detoxification	99.6			
Q25a	Residential clients - Short-term	99.6			
Q25a	Residential clients - Long-term	99.7			
Q25a	Residential clients -Total	99.7			
Q25b	Residential clients under age 18	99.7			

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2004.

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was re-

designed, and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facil-

ity to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (about 11,400 in 2004) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (about 2,000 in 2004) represents the SAMHSA effort in recent years to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage*, below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In

addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities

included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that yielded the most new facilities in 1995 and 1996. Additional facilities are also identified during the survey itself by survey participants, who are asked to report all of the treatment facilities in their administrative networks. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Figure 1 is a time line detailing the major changes in survey scope and administration that may have affected the numbers of reporting facilities and clients eligible for inclusion in this report.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). In 2003, the number of facilities reporting decreased slightly. The survey response rate remained the same in 2004 as it was in 2003, 96 percent.

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. In 2003 and 2004, use of these methods and intensive telephone follow-up resulted in a non-response rate of only 4 percent. For 96 percent of facilities in the sample, it was possible either to complete the survey or to determine that the facility had closed or was otherwise ineligible.

Figure 1
Numbers of Facilities and Clients in Treatment: 1998-2004




Table 4
Survey contents: 1995-2004

<i>Survey content</i>	<i>1995</i>	<i>1996</i>	<i>1997 & 1998</i>	<i>1999</i>	<i>2000, 2002 - 2004</i>
Ownership/operation	X	X	X	X	X
Primary focus				X	X
Organizational setting	X	X	X		
Services offered	X	X	X		X
OTP/methadone/LAAM/Buprenorphine	X	X	X	X	X
Languages other than English					X
Programs or groups for special populations	X		X	X	X
Type of treatment provided	X	X	X	X	X
Types of payment accepted				X	X
Managed care agreements	X	X	X	X	X
Sources and amounts of revenue	X	X	X		
No. of clients (total and under age 18)					X
No. of clients by age, sex, and race/ethnicity	X	X	X		
No. of beds	X	X	X		X
Client substance abuse problem treated		X	X	X	X
Licensure/certification of facility	X		X	X	X
Licensure/certification of staff	X				

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.¹ During that survey, it was discovered that

jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the

¹ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

Treatment Facility Locator (<http://findtreatment.samhsa.gov>). These facilities were excluded from analyses and public-use data files.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest such as the role of managed care. *Table 4* shows the major content areas for the survey from 1995 to 2004.

ICPSR 4256

National Survey of Substance Abuse Treatment Services (N-SSATS), 2004

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

CASEID: Case Identification Number

Based upon 13,454 valid cases out of 13,454 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone	2961	22.0 %
2	Mail	6446	47.9 %
9	Web	4047	30.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 9

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	137	1.0 %
2	ALASKA	69	0.5 %
4	ARIZONA	215	1.6 %
5	ARKANSAS	58	0.4 %
6	CALIFORNIA	1779	13.2 %
8	COLORADO	425	3.2 %
9	CONNECTICUT	227	1.7 %
10	DELAWARE	45	0.3 %
11	DIST OF COLUMBIA	51	0.4 %
12	FLORIDA	569	4.2 %
13	GEORGIA	258	1.9 %
15	HAWAII	92	0.7 %
16	IDAHO	73	0.5 %
17	ILLINOIS	572	4.3 %
18	INDIANA	322	2.4 %
19	IOWA	128	1.0 %
20	KANSAS	214	1.6 %
21	KENTUCKY	308	2.3 %

Value	Label	Unweighted Frequency	%
22	LOUISIANA	164	1.2 %
23	MAINE	184	1.4 %
24	MARYLAND	362	2.7 %
25	MASSACHUSETTS	330	2.5 %
26	MICHIGAN	562	4.2 %
27	MINNESOTA	254	1.9 %
28	MISSISSIPPI	115	0.9 %
29	MISSOURI	224	1.7 %
30	MONTANA	48	0.4 %
31	NEBRASKA	105	0.8 %
32	NEVADA	88	0.7 %
33	NEW HAMPSHIRE	60	0.4 %
34	NEW JERSEY	331	2.5 %
35	NEW MEXICO	120	0.9 %
36	NEW YORK	1066	7.9 %
37	NORTH CAROLINA	280	2.1 %
38	NORTH DAKOTA	53	0.4 %
39	OHIO	460	3.4 %
40	OKLAHOMA	156	1.2 %
41	OREGON	222	1.7 %
42	PENNSYLVANIA	449	3.3 %
44	RHODE ISLAND	56	0.4 %
45	SOUTH CAROLINA	102	0.8 %
46	SOUTH DAKOTA	50	0.4 %
47	TENNESSEE	195	1.4 %
48	TEXAS	538	4.0 %
49	UTAH	120	0.9 %
50	VERMONT	37	0.3 %
51	VIRGINIA	195	1.4 %
53	WASHINGTON	353	2.6 %
54	WEST VIRGINIA	87	0.6 %
55	WISCONSIN	309	2.3 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 78

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	187	1.4 %
1	Northeast	2740	20.4 %
2	Midwest	3253	24.2 %
3	South	3620	26.9 %
4	West	3654	27.2 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 4

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states

included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	187	1.4 %
1	New England	894	6.6 %
2	Mid-Atlantic	1846	13.7 %
3	East North Central	2225	16.5 %
4	West North Central	1028	7.6 %
5	South Atlantic	1949	14.5 %
6	East South Central	755	5.6 %
7	West South Central	916	6.8 %
8	Mountain	1139	8.5 %
9	Pacific	2515	18.7 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 9

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

OTHNONTX: Offered Intake /Assessment/Refer 3/31/04

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(1) Intake, assessment, or referral

FOR MENTAL HEALTH FACILITIES: Please respond about the substance abuse services that may be offered to clients at this facility.

Value	Label	Unweighted Frequency	%
0	No	837	6.2 %
1	Yes	12615	93.8 %
	Missing Data		
-2	Missing	2	0.0 %
	Total	13,454	100%

Based upon 13,452 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETOX: Offered Detox 3/31/04

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(2) Detoxification

FOR MENTAL HEALTH FACILITIES: Please respond about the substance abuse services that may be offered to clients at this facility.

Value	Label	Unweighted Frequency	%
0	No	10630	79.0 %
1	Yes	2824	21.0 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TREATMT: Offered SA Tx 3/31/04

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

FOR MENTAL HEALTH FACILITIES: Please respond about the substance abuse services that may be offered to clients at this facility.

Value	Label	Unweighted Frequency	%
0	No	259	1.9 %
1	Yes	13195	98.1 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ADMIN: Offered Other SA Services such as admin 3/31/04

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(4) Any other substance abuse services

FOR MENTAL HEALTH FACILITIES: Please respond about the substance abuse services that may be offered to clients at this facility.

Value	Label	Unweighted Frequency	%
0	No	7265	54.0 %
1	Yes	6075	45.2 %
	Missing Data		
-2	Missing	102	0.8 %
-1	Don't Know	12	0.1 %

Value	Label	Unweighted Frequency	%
	Total	13,454	100%

Based upon 13,340 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FOCUS: Is Primary focus SA Tx/MH/Mix/GH/Other

2. What is the primary focus of this facility at this location, that is, the location listed on the front cover?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Substance abuse treatment services	8340	62.0 %
2	Mental health services	1104	8.2 %
3	Mix of mental health and substance abuse	3558	26.4 %
4	General health care	219	1.6 %
5	Other	233	1.7 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 5

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OWNERSHP: Ownership

3. Is this facility operated by . . .

MARK ONLY ONE

If 1 or 2 then Skip to Q.4

If 3, 4, or 5 then Skip to Q.7

If 6 then continue to Q.3a

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	3488	25.9 %
2	Private non-profit organization	8053	59.9 %
3	State government	458	3.4 %
4	Local, county, or community government	956	7.1 %
5	Tribal government	172	1.3 %
6	Federal government	327	2.4 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 6

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEDOWN: Federal Government Agency

3a. Which federal government agency?

MARK ONLY ONE

Skip to Q.7

Value	Label	Unweighted Frequency	%
1	Department of Veterans Affairs	185	1.4 %
2	Department of Defense	102	0.8 %
3	Indian Health Service	34	0.3 %
4	Other	6	0.0 %
	Missing Data		
-6	Logical Skip	13127	97.6 %
	Total	13,454	100%

Based upon 327 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 4

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC15: Solo practice

4. Is this facility a private solo practice, that is, an office with a single practitioner or therapist?

Value	Label	Unweighted Frequency	%
0	No	10821	80.4 %
1	Yes	686	5.1 %
	Missing Data		
-6	Logical Skip	1912	14.2 %
-2	Missing	33	0.2 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 11,507 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RELIG: Affiliated w/ religious organization

5. Is this facility affiliated with a religious organization?

Value	Label	Unweighted Frequency	%
0	No	10545	78.4 %
1	Yes	920	6.8 %
	Missing Data		
-6	Logical Skip	1912	14.2 %
-2	Missing	70	0.5 %
-1	Don't Know	7	0.1 %
	Total	13,454	100%

Based upon 11,465 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPITAL: Located in/operated by hospital

7. Is this facility located in, or operated by, a hospital?

If No, Skip to Q.9

Value	Label	Unweighted Frequency	%
0	No	11612	86.3 %

Value	Label	Unweighted Frequency	%
1	Yes	1820	13.5 %
	Missing Data		
-2	Missing	20	0.1 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 13,432 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOCS: Hospital Type

7a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (including VA)	1447	10.8 %
2	Psychiatric hospital	292	2.2 %
3	Other specialty hospital	64	0.5 %
	Missing Data		
-6	Logical Skip	11634	86.5 %
-5	Multiple Responses	1	0.0 %
-2	Missing	13	0.1 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 1,803 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 3

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOTYN: Hotline - yes/no

9. Does this facility operate a hotline that responds to substance abuse problems?

A hotline is a telephone service that provides information,

referral, or immediate counseling, frequently in a crisis situation.

If this facility is part of a group of facilities that operates a central hotline to respond to substance abuse problems, you should mark "yes."

Do not consider 911 or the local police number a hotline for the purpose of this survey.

Value	Label	Unweighted Frequency	%
0	No	10318	76.7 %
1	Yes	3109	23.1 %
	Missing Data		
-2	Missing	22	0.2 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,427 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC1: Assessment comprehensive SA

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment Services:

(1) Comprehensive substance abuse assessment or diagnosis

Value	Label	Unweighted Frequency	%
0	No	898	6.7 %
1	Yes	12512	93.0 %
	Missing Data		
-2	Missing	39	0.3 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,410 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC2: Assessment mental health

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment Services:

(2) Comprehensive mental health assessment or diagnosis (for example, psychological or psychiatric evaluation and testing)

Value	Label	Unweighted Frequency	%
0	No	7107	52.8 %
1	Yes	5754	42.8 %
	Missing Data		
-2	Missing	592	4.4 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 12,861 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC4: Therapy family counseling

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(3) Family counseling

Value	Label	Unweighted Frequency	%
0	No	3131	23.3 %
1	Yes	10182	75.7 %
	Missing Data		
-2	Missing	140	1.0 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,313 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC5: Therapy group

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(4) Group therapy, not including relapse prevention

Value	Label	Unweighted Frequency	%
0	No	1399	10.4 %
1	Yes	11983	89.1 %
	Missing Data		
-2	Missing	71	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,382 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC6: Therapy individual

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(5) Individual therapy

Value	Label	Unweighted Frequency	%
0	No	664	4.9 %
1	Yes	12743	94.7 %
	Missing Data		
-2	Missing	46	0.3 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,407 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC8: Therapy relapse prevention

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(6) Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	No	2572	19.1 %
1	Yes	10719	79.7 %
	Missing Data		
-2	Missing	159	1.2 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 13,291 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC27: Therapy aftercare counseling

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(7) Aftercare counseling

Value	Label	Unweighted Frequency	%
0	No	2923	21.7 %
1	Yes	10380	77.2 %
	Missing Data		
-2	Missing	148	1.1 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,303 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC70: Pharmacotherapies Antabuse

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(8) Antabuse

Value	Label	Unweighted Frequency	%
0	No	11179	83.1 %
1	Yes	2132	15.8 %
	Missing Data		
-2	Missing	119	0.9 %
-1	Don't Know	24	0.2 %
	Total	13,454	100%

Based upon 13,311 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC71: Pharmacotherapies Naltrexone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(9) Naltrexone

Value	Label	Unweighted Frequency	%
0	No	11733	87.2 %
1	Yes	1517	11.3 %
	Missing Data		
-2	Missing	149	1.1 %
-1	Don't Know	55	0.4 %
	Total	13,454	100%

Based upon 13,250 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC72: Pharmacotherapies Buprenorphine

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(10) Buprenorphine (Subutex, Suboxone)

Value	Label	Unweighted Frequency	%
0	No	12273	91.2 %
1	Yes	935	6.9 %
	Missing Data		
-2	Missing	182	1.4 %
-1	Don't Know	64	0.5 %
	Total	13,454	100%

Based upon 13,208 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC85: Pharmacotherapies Methadone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(11) Methadone

Value	Label	Unweighted Frequency	%
0	No	12032	89.4 %
1	Yes	1257	9.3 %
	Missing Data		
-2	Missing	155	1.2 %
-1	Don't Know	10	0.1 %
	Total	13,454	100%

Based upon 13,289 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC10: Testing blood/alcohol

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(12) Breathalyzer or other blood alcohol testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	6170	45.9 %
1	Yes	7180	53.4 %
	Missing Data		
-2	Missing	95	0.7 %
-1	Don't Know	9	0.1 %
	Total	13,454	100%

Based upon 13,350 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC11: Testing drug/alcohol urine screen

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(13) Drug or alcohol urine screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	2540	18.9 %
1	Yes	10885	80.9 %
	Missing Data		
-2	Missing	28	0.2 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,425 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC73: Testing Hepatitis B

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(14) Screening for Hepatitis B

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10159	75.5 %
1	Yes	3045	22.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-2	Missing	240	1.8 %
-1	Don't Know	10	0.1 %
	Total	13,454	100%

Based upon 13,204 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC74: Testing Hepatitis C

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(15) Screening for Hepatitis C

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10081	74.9 %
1	Yes	3131	23.3 %
	Missing Data		
-2	Missing	225	1.7 %
-1	Don't Know	17	0.1 %
	Total	13,454	100%

Based upon 13,212 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC14: Testing HIV

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(16) HIV testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	9129	67.9 %
1	Yes	4132	30.7 %
	Missing Data		
-2	Missing	187	1.4 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 13,261 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC15: Testing STD

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(17) STD testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10289	76.5 %
1	Yes	2911	21.6 %
	Missing Data		
-2	Missing	243	1.8 %
-1	Don't Know	11	0.1 %
	Total	13,454	100%

Based upon 13,200 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC16: Testing TB screen

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(18) TB screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	8680	64.5 %
1	Yes	4583	34.1 %
	Missing Data		
-2	Missing	186	1.4 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,263 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC36: Transitional Assist. Social Services

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(19) Assistance with obtaining social services
(for example, Medicaid, WIC, SSI, SSDI)

Value	Label	Unweighted Frequency	%
0	No	6075	45.2 %
1	Yes	7298	54.2 %
	Missing Data		
-2	Missing	76	0.6 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,373 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC37: Transitional Discharge Plan

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:
(20) Discharge planning

Value	Label	Unweighted Frequency	%
0	No	2031	15.1 %
1	Yes	11385	84.6 %
	Missing Data		
-2	Missing	34	0.3 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 13,416 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC38: Transitional Employment

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:
(21) Employment counseling or training for clients

Value	Label	Unweighted Frequency	%
0	No	8577	63.8 %
1	Yes	4722	35.1 %
	Missing Data		
-2	Missing	150	1.1 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,299 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC39: Transitional Housing Assist

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(22) Assistance in locating housing for clients

Value	Label	Unweighted Frequency	%
0	No	7353	54.7 %
1	Yes	5975	44.4 %
	Missing Data		
-2	Missing	121	0.9 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,328 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC49: Other Services Case Management

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(23) Case management services

Value	Label	Unweighted Frequency	%
0	No	4084	30.4 %
1	Yes	9329	69.3 %
	Missing Data		
-2	Missing	35	0.3 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 13,413 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC50: Other Child Care

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(24) Child care for clients' children

Value	Label	Unweighted Frequency	%
0	No	12183	90.6 %
1	Yes	1138	8.5 %
	Missing Data		
-2	Missing	131	1.0 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 13,321 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC52: Other Domestic Violence

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(25) Domestic violence-family or partner violence services
(physical, sexual, and emotional abuse)

Value	Label	Unweighted Frequency	%
0	No	8979	66.7 %
1	Yes	4363	32.4 %
	Missing Data		
-2	Missing	104	0.8 %
-1	Don't Know	8	0.1 %
	Total	13,454	100%

Based upon 13,342 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC24: Other HIV/AIDS Edu

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(26) HIV or AIDS education, counseling, or support

Value	Label	Unweighted Frequency	%
0	No	5867	43.6 %
1	Yes	7518	55.9 %
	Missing Data		
-2	Missing	65	0.5 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 13,385 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC55: Other Outcome Follow-Up

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(27) Outcome follow-up after discharge

Value	Label	Unweighted Frequency	%
0	No	6042	44.9 %
1	Yes	7331	54.5 %
	Missing Data		
-2	Missing	70	0.5 %
-1	Don't Know	11	0.1 %
	Total	13,454	100%

Based upon 13,373 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC59: Other Transportation Assistance

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(28) Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	No	8728	64.9 %
1	Yes	4628	34.4 %
	Missing Data		
-2	Missing	91	0.7 %
-1	Don't Know	7	0.1 %
	Total	13,454	100%

Based upon 13,356 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC48: Other Acupuncture

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:
(29) Acupuncture

Value	Label	Unweighted Frequency	%
0	No	12695	94.4 %
1	Yes	604	4.5 %
	Missing Data		
-2	Missing	154	1.1 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,299 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC75: Residential Beds for Clients' children

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:
(30) Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	12718	94.5 %
1	Yes	564	4.2 %
	Missing Data		
-2	Missing	171	1.3 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,282 valid cases out of 13,454 total cases.

- Minimum: 0

- Maximum: 1

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTP: Does facility operate an Opioid Treatment Program?

11. Does this facility operate an Opioid Treatment Program (OTP) at this location?

Opioid Treatment Programs are certified by the Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment, to use opioid drugs such as methadone in the treatment of opiate (narcotic) addiction.

If No, Skip to Q.12

Value	Label	Unweighted Frequency	%
0	No	12377	92.0 %
1	Yes	1070	8.0 %
	Missing Data		
-2	Missing	3	0.0 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 13,447 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPTYPE: Is OTP a Maintenance/Detoxification program or Both?

11a. Is the Opioid Treatment Program at this location a maintenance program, a detoxification program, or both?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Maintenance program	374	2.8 %
2	Detoxification program	106	0.8 %
3	Both	590	4.4 %
	Missing Data		
-6	Logical Skip	12384	92.0 %

Value	Label	Unweighted Frequency	%
	Total	13,454	100%

Based upon 1,070 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 3

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPALL: All Clients in OTP?

11b. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

Value	Label	Unweighted Frequency	%
0	No	531	3.9 %
1	Yes	749	5.6 %
	Missing Data		
-6	Logical Skip	12170	90.5 %
-2	Missing	3	0.0 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 1,280 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DUI_DWI: Program for DUI/DWI/other offenders

12. Does this facility offer a special program for DUI/DWI or other drunk driver offenders at this location?

Mark "yes" if this facility serves only DUI/DWI clients
OR if this facility has a special DUI/DWI program.

If No, Skip to Q.13

Value	Label	Unweighted Frequency	%
0	No	9229	68.6 %
1	Yes	4147	30.8 %
	Missing Data		
-2	Missing	73	0.5 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,376 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ONLYDUI: Are clients all DUI/DWI or other drunk driver offenders

12a. Are ALL of the substance abuse treatment clients at this facility enrolled in the DUI/DWI program?

Value	Label	Unweighted Frequency	%
0	No	3879	28.8 %
1	Yes	260	1.9 %
	Missing Data		
-6	Logical Skip	9307	69.2 %
-2	Missing	8	0.1 %
	Total	13,454	100%

Based upon 4,139 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SIGNLANG: Does Facility offer sign language?

13. Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	9511	70.7 %
1	Yes	3886	28.9 %
	Missing Data		
-2	Missing	51	0.4 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 13,397 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG: Tx in language other than English-y/n

14. Does this facility provide substance abuse treatment services in a language other than English at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

If No, Skip to Q.15

Value	Label	Unweighted Frequency	%
0	No	7083	52.6 %
1	Yes	6359	47.3 %
	Missing Data		
-2	Missing	9	0.1 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,442 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANGPROV: Who Tx in language other than English

14a. At this facility, who provides substance abuse treatment services in a language other than English?

MARK ONE ONLY

- 1. Staff counselor who speaks a language other than English
(Skip to Q.14b)

- 2. On-call interpreter brought in when needed (Skip to Q.15)
- 3. BOTH staff counselor and on-call interpreter
(Skip to Q.14b)

Value	Label	Unweighted Frequency	%
1	Staff counselor	2741	20.4 %
2	On-call interpreter	2440	18.1 %
3	Both	1150	8.5 %
	Missing Data		
-6	Logical Skip	7095	52.7 %
-2	Missing	24	0.2 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 6,331 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 3

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG1: Hopi

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(1) Hopi

Value	Label	Unweighted Frequency	%
0	No	3815	28.4 %
1	Yes	7	0.1 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	67	0.5 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,822 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG2: Lakota

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(2) Lakota

Value	Label	Unweighted Frequency	%
0	No	3804	28.3 %
1	Yes	20	0.1 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	65	0.5 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,824 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG3: Navajo

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(3) Navajo

Value	Label	Unweighted Frequency	%
0	No	3772	28.0 %
1	Yes	48	0.4 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	69	0.5 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,820 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG4: Yupik

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(4) Yupik

Value	Label	Unweighted Frequency	%
0	No	3812	28.3 %
1	Yes	8	0.1 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	68	0.5 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 3,820 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG5: Tx in Other American Indian/Alaska Native

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(5) Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	3712	27.6 %
1	Yes	84	0.6 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	93	0.7 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,796 valid cases out of 13,454 total cases.

- Minimum: 0

- Maximum: 1

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG6: Arabic

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(6) Arabic

Value	Label	Unweighted Frequency	%
0	No	3703	27.5 %
1	Yes	121	0.9 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	66	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,824 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG7: Chinese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(7) Chinese

Value	Label	Unweighted Frequency	%
0	No	3725	27.7 %
1	Yes	97	0.7 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	68	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,822 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG8: Creole

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(8) Creole

Value	Label	Unweighted Frequency	%
0	No	3722	27.7 %
1	Yes	93	0.7 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	75	0.6 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,815 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG9: French

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(9) French

Value	Label	Unweighted Frequency	%
0	No	3588	26.7 %
1	Yes	235	1.7 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	67	0.5 %
-1	Don't Know	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,454	100%

Based upon 3,823 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG10: German

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(10) German

Value	Label	Unweighted Frequency	%
0	No	3710	27.6 %
1	Yes	110	0.8 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	70	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,820 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG11: Hmong

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(11) Hmong

Value	Label	Unweighted Frequency	%
0	No	3774	28.1 %
1	Yes	49	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	67	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,823 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG12: Korean

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(12) Korean

Value	Label	Unweighted Frequency	%
0	No	3748	27.9 %
1	Yes	68	0.5 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	74	0.6 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,816 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG13: Polish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(13) Polish

Value	Label	Unweighted Frequency	%
0	No	3719	27.6 %
1	Yes	102	0.8 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	68	0.5 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,821 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG14: Portuguese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(14) Portuguese

Value	Label	Unweighted Frequency	%
0	No	3685	27.4 %
1	Yes	128	1.0 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	77	0.6 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,813 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG15: Russian

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(15) Russian

Value	Label	Unweighted Frequency	%
0	No	3659	27.2 %
1	Yes	163	1.2 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	67	0.5 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,822 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG16: Spanish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(16) Spanish

Value	Label	Unweighted Frequency	%
0	No	278	2.1 %
1	Yes	3562	26.5 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	49	0.4 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 3,840 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG17: Vietnamese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(17) Vietnamese

Value	Label	Unweighted Frequency	%
0	No	3701	27.5 %
1	Yes	117	0.9 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	72	0.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,818 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG18: Other Language

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(18) Other language

Value	Label	Unweighted Frequency	%
0	No	3416	25.4 %
1	Yes	277	2.1 %
	Missing Data		
-6	Logical Skip	9563	71.1 %
-2	Missing	197	1.5 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 3,693 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC76: Accepts adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(1) Adolescents

Value	Label	Unweighted Frequency	%
0	No	6661	49.5 %
1	Yes	6778	50.4 %
	Missing Data		
-2	Missing	12	0.1 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,439 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC30: Program/gr'p for adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just

for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(1) Adolescents

Value	Label	Unweighted Frequency	%
0	No	2547	18.9 %
1	Yes	4164	30.9 %
	Missing Data		
-6	Logical Skip	6676	49.6 %
-2	Missing	64	0.5 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 6,711 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC77: Accepts co-occurring

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(2) Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	1348	10.0 %
1	Yes	12073	89.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-2	Missing	24	0.2 %
-1	Don't Know	9	0.1 %
	Total	13,454	100%

Based upon 13,421 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC31: Program/gr'p for co-occurring

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(2) Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	7219	53.7 %
1	Yes	4756	35.4 %
	Missing Data		
-6	Logical Skip	1381	10.3 %
-5	Multiple Responses	3	0.0 %
-2	Missing	90	0.7 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 11,975 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC78: Accepts criminal justice clients

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(3) Criminal justice clients (other than DUI/DWI clients)

Value	Label	Unweighted Frequency	%
0	No	1386	10.3 %
1	Yes	12042	89.5 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,428 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC61: Program/gr'p for crimn'l justice clients

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse

treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(3) Criminal justice clients (other than DUI/DWI clients)

Value	Label	Unweighted Frequency	%
0	No	8286	61.6 %
1	Yes	3659	27.2 %
	Missing Data		
-6	Logical Skip	1412	10.5 %
-5	Multiple Responses	3	0.0 %
-2	Missing	90	0.7 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 11,945 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC79: Accepts persons with HIV/AIDS

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(4) Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	686	5.1 %
1	Yes	12739	94.7 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	17	0.1 %
-1	Don't Know	11	0.1 %
	Total	13,454	100%

Based upon 13,425 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC32: Program/gr'p for persons with HIV/AIDS

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(4) Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	11173	83.0 %
1	Yes	1464	10.9 %
	Missing Data		
-6	Logical Skip	715	5.3 %
-2	Missing	98	0.7 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Based upon 12,637 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC80: Accepts gays/lesbians

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(5) Gays or lesbians

Value	Label	Unweighted Frequency	%
0	No	641	4.8 %
1	Yes	12779	95.0 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	25	0.2 %
-1	Don't Know	7	0.1 %
	Total	13,454	100%

Based upon 13,420 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC62: Program/gr'p for gays/lesbians

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially

designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(5) Gays or lesbians

Value	Label	Unweighted Frequency	%
0	No	11948	88.8 %
1	Yes	738	5.5 %
	Missing Data		
-6	Logical Skip	675	5.0 %
-5	Multiple Responses	1	0.0 %
-2	Missing	90	0.7 %
-1	Don't Know	2	0.0 %
	Total	13,454	100%

Based upon 12,686 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC81: Accepts seniors

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(6) Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	1605	11.9 %
1	Yes	11831	87.9 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	17	0.1 %
	Total	13,454	100%

Based upon 13,436 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC63: Program/gr'p for seniors

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(6) Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	10836	80.5 %
1	Yes	908	6.7 %
	Missing Data		
-6	Logical Skip	1623	12.1 %
-2	Missing	87	0.6 %
	Total	13,454	100%

Based upon 11,744 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC83: Accepts women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(7) Adult women

Value	Label	Unweighted Frequency	%
0	No	2049	15.2 %
1	Yes	11382	84.6 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	22	0.2 %
	Total	13,454	100%

Based upon 13,431 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC34: Program/gr'p for women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(7) Adult women

Value	Label	Unweighted Frequency	%
0	No	7237	53.8 %
1	Yes	4054	30.1 %
	Missing Data		
-6	Logical Skip	2072	15.4 %
-5	Multiple Responses	3	0.0 %
-2	Missing	85	0.6 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 11,291 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC82: Accepts pregnant/postpartum women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(8) Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	2504	18.6 %
1	Yes	10924	81.2 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-2	Missing	18	0.1 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 13,428 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC33: Program/gr'p for preg't/postpart'm women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(8) Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	8954	66.6 %
1	Yes	1888	14.0 %
	Missing Data		
-6	Logical Skip	2530	18.8 %
-2	Missing	82	0.6 %
	Total	13,454	100%

Based upon 10,842 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC84: Accepts men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(9) Adult men

Value	Label	Unweighted Frequency	%
0	No	2022	15.0 %
1	Yes	11413	84.8 %
	Missing Data		
-2	Missing	19	0.1 %
	Total	13,454	100%

Based upon 13,435 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC64: Program/gr'p for men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this

facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(9) Adult men

Value	Label	Unweighted Frequency	%
0	No	8207	61.0 %
1	Yes	3098	23.0 %
	Missing Data		
-6	Logical Skip	2041	15.2 %
-5	Multiple Responses	4	0.0 %
-2	Missing	104	0.8 %
	Total	13,454	100%

Based upon 11,305 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC35: Program/gr'p for other groups

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

EXAMPLE: If this facility accepts adolescents for treatment but does not have a specially designed program or group just for adolescents, mark YES in Column A and NO in Column B. If this facility accepts adolescents and has a special program or group just for adolescents, mark YES in both Columns A and B.

(10) Specially designed programs or groups for any other types of clients

Value	Label	Unweighted Frequency	%
0	No	11506	85.5 %
1	Yes	1767	13.1 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-2	Missing	176	1.3 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,273 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE4: Hosp Inpat'nt SA care offered currently

16. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12380	92.0 %
1	Yes	1073	8.0 %
	Missing Data		
-2	Missing	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEH1: Hosp Inpat'nt Detoxification care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(1) Inpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	12579	93.5 %
1	Yes	874	6.5 %
	Missing Data		
-2	Missing	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEH12: Hosp Inpat'nt Treatment care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Inpatient treatment

Value	Label	Unweighted Frequency	%
0	No	12729	94.6 %
1	Yes	724	5.4 %
	Missing Data		
-2	Missing	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE7: Non-hosp Res SA care offered currently

17. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	9774	72.6 %
1	Yes	3680	27.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC1: Non-hosp Res Detoxification care offered

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(1) Residential detoxification

Value	Label	Unweighted Frequency	%
0	No	12511	93.0 %
1	Yes	942	7.0 %
	Missing Data		
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC3: Non-hosp Res Short Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(2) Residential short-term treatment (30 days or less)

Value	Label	Unweighted Frequency	%
0	No	11930	88.7 %
1	Yes	1524	11.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC4: Non-hosp Res Long Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(3) Residential long-term treatment (more than 30 days)

Value	Label	Unweighted Frequency	%
0	No	10427	77.5 %
1	Yes	3027	22.5 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE1: Any Outpat'nt SA care offered currently

18. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	2600	19.3 %
1	Yes	10853	80.7 %
	Missing Data		
-2	Missing	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE6: Outpatient Detox Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(1) Outpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	12079	89.8 %
1	Yes	1369	10.2 %
	Missing Data		
-2	Missing	1	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Based upon 13,448 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 296-298 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEML: Outpatient Methadone maintenance offered

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Outpatient methadone maintenance

Value	Label	Unweighted Frequency	%
0	No	12528	93.1 %
1	Yes	925	6.9 %
	Missing Data		
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 13,453 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 299-301 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEOP: Day Tx/Partial Hosp offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(3) Outpatient day treatment or partial hospitalization
(20 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	11583	86.1 %
1	Yes	1871	13.9 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 302-304 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE2: Intensive Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(4) Intensive outpatient treatment
(a minimum of 2 hours per day on 3 or more days per week)

Value	Label	Unweighted Frequency	%
0	No	7807	58.0 %
1	Yes	5643	41.9 %
	Missing Data		
-2	Missing	1	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,450 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 305-307 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE3: Regular Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

Value	Label	Unweighted Frequency	%
0	No	3801	28.3 %
1	Yes	9649	71.7 %
	Missing Data		
-2	Missing	1	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 13,450 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEESCALE: Uses sliding fee scale

19. Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	4773	35.5 %
1	Yes	8645	64.3 %
	Missing Data		
-2	Missing	26	0.2 %
-1	Don't Know	10	0.1 %
	Total	13,454	100%

Based upon 13,418 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

PAYASST: Offers no charge or free tx

19b. Does this facility offer treatment at no charge to clients who cannot afford to pay?

Value	Label	Unweighted Frequency	%
0	No	6098	45.3 %
1	Yes	7283	54.1 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	51	0.4 %
-1	Don't Know	21	0.2 %
	Total	13,454	100%

Based upon 13,381 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK1: Accepts cash or self-payment

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(1) Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1178	8.8 %
1	Yes	12117	90.1 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	43	0.3 %
-1	Don't Know	115	0.9 %
	Total	13,454	100%

Based upon 13,295 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK8: Accepts Medicare payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(2) Medicare

Value	Label	Unweighted Frequency	%
0	No	8230	61.2 %
1	Yes	4471	33.2 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	44	0.3 %
-1	Don't Know	708	5.3 %
	Total	13,454	100%

Based upon 12,701 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK5: Accepts Medicaid payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(3) Medicaid

Value	Label	Unweighted Frequency	%
0	No	5957	44.3 %
1	Yes	6969	51.8 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	1	0.0 %
-2	Missing	44	0.3 %
-1	Don't Know	481	3.6 %
	Total	13,454	100%

Based upon 12,926 valid cases out of 13,454 total cases.

- Minimum: 0

- Maximum: 1

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK10: Accepts state financed health ins

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(4) A state-financed health insurance plan other than Medicaid (for example, State Children's Health Insurance Program (SCHIP) or high risk insurance pools)

Value	Label	Unweighted Frequency	%
0	No	7278	54.1 %
1	Yes	4700	34.9 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	1	0.0 %
-2	Missing	42	0.3 %
-1	Don't Know	1431	10.6 %
	Total	13,454	100%

Based upon 11,978 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK15: Accepts Federal military insurance

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(5) Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	7380	54.9 %
1	Yes	4516	33.6 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	44	0.3 %
-1	Don't Know	1511	11.2 %
	Total	13,454	100%

Based upon 11,896 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2: Accepts Private Health insurance

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(6) Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4060	30.2 %
1	Yes	8957	66.6 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	1	0.0 %
-2	Missing	44	0.3 %
-1	Don't Know	390	2.9 %
	Total	13,454	100%

Based upon 13,017 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK3: Accepts Free Tx to all Clients

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(7) No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	12807	95.2 %
1	Yes	562	4.2 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	42	0.3 %
-1	Don't Know	42	0.3 %
	Total	13,454	100%

Based upon 13,369 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2A: Accepts Other Payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(8) Other

Value	Label	Unweighted Frequency	%
0	No	6961	51.7 %
1	Yes	1377	10.2 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	1549	11.5 %
-1	Don't Know	3566	26.5 %
	Total	13,454	100%

Based upon 8,338 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

EARMARK: Receive any Fed,State,C'nty,Local Funds

21. Does this facility receive any public funds such as federal, state, county, or local government funds for substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance.

Value	Label	Unweighted Frequency	%
0	No	4468	33.2 %
1	Yes	8671	64.4 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	34	0.3 %
-1	Don't Know	280	2.1 %
	Total	13,454	100%

Based upon 13,139 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

WRITARRA: Agrmnts/contrs w/Mang'd Care Org

22. Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Value	Label	Unweighted Frequency	%
0	No	6195	46.0 %
1	Yes	6600	49.1 %
	Missing Data		
-5	Multiple Responses	3	0.0 %
-4	Refused	1	0.0 %
-2	Missing	51	0.4 %
-1	Don't Know	604	4.5 %
	Total	13,454	100%

Based upon 12,795 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC2: Client counts-This Facility Only

23. Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(1) Questions 24 through 28 will include client counts for this facility alone -> Skip to Q24 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	1788	13.3 %
1	Yes	11666	86.7 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC1: Client counts-Fac Combined w/Others

23. Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(2) Questions 24 through 28 will include client counts for this facility combined with other facilities -> Skip to Q24 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	12776	95.0 %
1	Yes	661	4.9 %
	Missing Data		
-4	Refused	8	0.1 %
-2	Missing	1	0.0 %
-1	Don't Know	8	0.1 %
	Total	13,454	100%

Based upon 13,437 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC3: Cannot Provide Any Client Counts

(23) Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(3) Client counts for this facility will be reported in another facility's questionnaire

Value	Label	Unweighted Frequency	%
0	No	12310	91.5 %
1	Yes	1127	8.4 %
	Missing Data		
-4	Refused	8	0.1 %
-2	Missing	1	0.0 %
-1	Don't Know	8	0.1 %
	Total	13,454	100%

Based upon 13,437 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE4: Hosp Inpat'nt SA care offered 3/31/04

24. On March 31, 2004, did any patients receive HOSPITAL INPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	11459	85.2 %
1	Yes	858	6.4 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
-4	Refused	4	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 12,317 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI1: Hosp. Inpatient clients, detox

25a. On March 31, 2004, how many patients received the following
HOSPITAL INPATIENT substance abuse services at this facility?

(1) Inpatient detoxification

COUNT a client in one service only, even if the client
received both services.

DO NOT count co-dependents, relatives, friends, or other
non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	346	2.6 %
1	-	56	0.4 %
2	-	85	0.6 %
3	-	69	0.5 %
4	-	70	0.5 %
5	-	76	0.6 %
6	-	44	0.3 %
7	-	34	0.3 %
8	-	33	0.2 %
9	-	14	0.1 %
10	-	47	0.3 %
11	-	7	0.1 %
12	-	21	0.2 %
13	-	9	0.1 %
14	-	8	0.1 %
15	-	23	0.2 %
16	-	6	0.0 %
17	-	6	0.0 %
18	-	11	0.1 %
19	-	3	0.0 %
20	-	6	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	4	0.0 %
25	-	8	0.1 %
26	-	2	0.0 %
28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
29	-	1	0.0 %
31	-	2	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
67	-	1	0.0 %
78	-	1	0.0 %
82	-	1	0.0 %
173	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	4	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	11	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,027 valid cases out of 13,454 total cases.

- Mean: 6.05
- Median: 3.00
- Mode: 0.00
- Minimum: 0
- Maximum: 245
- Standard Deviation: 12.87

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

24a. On March 31, 2004, how many patients received the following
HOSPITAL INPATIENT substance abuse services at this facility?

(2) Inpatient treatment

COUNT a client in one service only, even if the client
received both services.

DO NOT count co-dependents, relatives, friends, or other
non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	503	3.7 %
1	-	29	0.2 %
2	-	31	0.2 %
3	-	25	0.2 %
4	-	25	0.2 %
5	-	41	0.3 %
6	-	20	0.1 %
7	-	20	0.1 %
8	-	24	0.2 %
9	-	7	0.1 %
10	-	29	0.2 %
11	-	13	0.1 %
12	-	18	0.1 %
13	-	6	0.0 %
14	-	2	0.0 %
15	-	20	0.1 %
16	-	14	0.1 %
17	-	10	0.1 %
18	-	22	0.2 %
19	-	4	0.0 %
20	-	31	0.2 %
21	-	5	0.0 %
22	-	4	0.0 %
23	-	6	0.0 %
24	-	7	0.1 %
25	-	10	0.1 %
26	-	4	0.0 %
27	-	5	0.0 %
28	-	7	0.1 %
29	-	1	0.0 %
30	-	7	0.1 %
31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
32	-	6	0.0 %
35	-	6	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	8	0.1 %
41	-	2	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
51	-	2	0.0 %
54	-	2	0.0 %
55	-	2	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	4	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	13	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,025 valid cases out of 13,454 total cases.

- Mean: 9.53
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 280
- Standard Deviation: 21.04

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIHI: Total Number of Hospital Inpatients

24a. On March 31, 2004, how many patients received HOSPITAL INPATIENT substance abuse services at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a client in one service only, even if the client received both services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	181	1.3 %
1	-	43	0.3 %
2	-	47	0.3 %
3	-	53	0.4 %
4	-	44	0.3 %
5	-	49	0.4 %
6	-	39	0.3 %
7	-	29	0.2 %
8	-	42	0.3 %
9	-	25	0.2 %
10	-	62	0.5 %
11	-	17	0.1 %
12	-	24	0.2 %
13	-	12	0.1 %
14	-	15	0.1 %
15	-	29	0.2 %
16	-	20	0.1 %
17	-	7	0.1 %
18	-	23	0.2 %
19	-	11	0.1 %
20	-	38	0.3 %
21	-	12	0.1 %
22	-	9	0.1 %
23	-	5	0.0 %
24	-	21	0.2 %
25	-	14	0.1 %
26	-	8	0.1 %
27	-	9	0.1 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	8	0.1 %
31	-	1	0.0 %
32	-	10	0.1 %
33	-	7	0.1 %
34	-	2	0.0 %
35	-	3	0.0 %

Value	Label	Unweighted Frequency	%
36	-	5	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	6	0.0 %
40	-	7	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	9	0.1 %
	Missing Data		
-6	Logical Skip	12410	92.2 %
-4	Refused	4	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,033 valid cases out of 13,454 total cases.

- Mean: 15.48
- Median: 8.00
- Mode: 0.00
- Minimum: 0
- Maximum: 280
- Standard Deviation: 24.88

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

H AGE1: Hosp Inp Clients Under 18 years old

24b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	882	6.6 %
1	-	26	0.2 %
2	-	21	0.2 %
3	-	11	0.1 %

Value	Label	Unweighted Frequency	%
4	-	9	0.1 %
5	-	10	0.1 %
6	-	3	0.0 %
7	-	1	0.0 %
8	-	6	0.0 %
10	-	6	0.0 %
12	-	6	0.0 %
13	-	1	0.0 %
14	-	3	0.0 %
15	-	6	0.0 %
16	-	3	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	8	0.1 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
26	-	2	0.0 %
32	-	1	0.0 %
36	-	1	0.0 %
50	-	1	0.0 %
77	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	5	0.0 %
-2	Missing	8	0.1 %
-1	Don't Know	11	0.1 %
	Total	13,454	100%

Based upon 1,019 valid cases out of 13,454 total cases.

- Mean: 1.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 77
- Standard Deviation: 4.85

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIMETNUM: Total Methadone Inpatients

24c. How many of the patients from the HOSPITAL INPATIENT

TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	932	6.9 %
1	-	10	0.1 %
2	-	13	0.1 %
3	-	5	0.0 %
4	-	4	0.0 %
5	-	5	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
12	-	5	0.0 %
14	-	3	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
18	-	4	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
26	-	2	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
44	-	1	0.0 %
47	-	1	0.0 %
131	-	1	0.0 %
170	-	1	0.0 %
245	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	5	0.0 %
-2	Missing	4	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	20	0.1 %
	Total	13,454	100%

Based upon 1,014 valid cases out of 13,454 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 245
- Standard Deviation: 11.00

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIBUPNUM: Total Buprenorphine Inpatients

24c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	919	6.8 %
1	-	22	0.2 %
2	-	16	0.1 %
3	-	10	0.1 %
4	-	9	0.1 %
5	-	12	0.1 %
6	-	7	0.1 %
7	-	1	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	5	0.0 %
-2	Missing	4	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	28	0.2 %
	Total	13,454	100%

Based upon 1,006 valid cases out of 13,454 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 50
- Standard Deviation: 2.03

Location: 374-376 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPBED: Total Beds Designated-Hospital Inpatient

24d. On March 31, 2004, how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	265	2.0 %
1	-	1	0.0 %
2	-	10	0.1 %
3	-	7	0.1 %
4	-	20	0.1 %
5	-	11	0.1 %
6	-	22	0.2 %
7	-	10	0.1 %
8	-	22	0.2 %
9	-	8	0.1 %
10	-	55	0.4 %
11	-	10	0.1 %
12	-	27	0.2 %
13	-	4	0.0 %
14	-	20	0.1 %
15	-	18	0.1 %
16	-	23	0.2 %
17	-	7	0.1 %
18	-	27	0.2 %
19	-	11	0.1 %
20	-	57	0.4 %
21	-	3	0.0 %
22	-	11	0.1 %
23	-	6	0.0 %

Value	Label	Unweighted Frequency	%
24	-	19	0.1 %
25	-	8	0.1 %
26	-	9	0.1 %
27	-	3	0.0 %
28	-	16	0.1 %
29	-	2	0.0 %
30	-	19	0.1 %
31	-	4	0.0 %
32	-	11	0.1 %
33	-	2	0.0 %
34	-	6	0.0 %
35	-	7	0.1 %
36	-	5	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	9	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
47	-	2	0.0 %
48	-	5	0.0 %
49	-	1	0.0 %
50	-	9	0.1 %
53	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12411	92.2 %
-4	Refused	5	0.0 %
-2	Missing	182	1.4 %
-1	Don't Know	13	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 843 valid cases out of 13,454 total cases.

- Mean: 15.70
- Median: 10.00
- Mode: 0.00
- Minimum: 0
- Maximum: 280
- Standard Deviation: 21.86

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE7: Non-hosp Res SA care offered 3/31/04

25. On March 31, 2004, did any clients receive RESIDENTIAL (non-hospital) substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	8934	66.4 %
1	Yes	3387	25.2 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
-4	Refused	3	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Based upon 12,321 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI3: Residential Clients, Detox

25a. On March 31, 2004, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(1) Residential detoxification

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2766	20.6 %
1	-	63	0.5 %
2	-	94	0.7 %
3	-	59	0.4 %
4	-	58	0.4 %
5	-	58	0.4 %
6	-	46	0.3 %
7	-	27	0.2 %
8	-	35	0.3 %

Value	Label	Unweighted Frequency	%
9	-	19	0.1 %
10	-	48	0.4 %
11	-	13	0.1 %
12	-	22	0.2 %
13	-	12	0.1 %
14	-	10	0.1 %
15	-	16	0.1 %
16	-	17	0.1 %
17	-	3	0.0 %
18	-	4	0.0 %
19	-	5	0.0 %
20	-	11	0.1 %
21	-	4	0.0 %
22	-	8	0.1 %
23	-	1	0.0 %
24	-	7	0.1 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	4	0.0 %
29	-	2	0.0 %
30	-	11	0.1 %
31	-	4	0.0 %
32	-	4	0.0 %
33	-	4	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
42	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
63	-	1	0.0 %
69	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	5	0.0 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,473 valid cases out of 13,454 total cases.

- Mean: 2.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 6.58

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI9: Residential Clients, Short-term Tx

25a. On March 31, 2004, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(2) Residential short-term treatment (30 days or less)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2296	17.1 %
1	-	45	0.3 %
2	-	57	0.4 %
3	-	62	0.5 %
4	-	55	0.4 %
5	-	57	0.4 %
6	-	39	0.3 %
7	-	44	0.3 %
8	-	46	0.3 %
9	-	37	0.3 %
10	-	67	0.5 %

Value	Label	Unweighted Frequency	%
11	-	17	0.1 %
12	-	41	0.3 %
13	-	31	0.2 %
14	-	33	0.2 %
15	-	54	0.4 %
16	-	30	0.2 %
17	-	18	0.1 %
18	-	29	0.2 %
19	-	19	0.1 %
20	-	40	0.3 %
21	-	17	0.1 %
22	-	17	0.1 %
23	-	16	0.1 %
24	-	25	0.2 %
25	-	20	0.1 %
26	-	11	0.1 %
27	-	15	0.1 %
28	-	20	0.1 %
29	-	8	0.1 %
30	-	25	0.2 %
31	-	10	0.1 %
32	-	13	0.1 %
33	-	10	0.1 %
34	-	5	0.0 %
35	-	7	0.1 %
36	-	7	0.1 %
37	-	5	0.0 %
38	-	7	0.1 %
39	-	4	0.0 %
40	-	12	0.1 %
41	-	4	0.0 %
42	-	3	0.0 %
43	-	3	0.0 %
44	-	1	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	2	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,473 valid cases out of 13,454 total cases.

- Mean: 6.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 15.48

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI10: Residential Clients, Long-term Tx

25a. On March 31, 2004, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(3) Residential long-term treatment (more than 30 days)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	735	5.5 %
1	-	23	0.2 %
2	-	55	0.4 %
3	-	44	0.3 %
4	-	63	0.5 %
5	-	68	0.5 %
6	-	124	0.9 %
7	-	59	0.4 %
8	-	101	0.8 %
9	-	70	0.5 %
10	-	152	1.1 %
11	-	61	0.5 %
12	-	138	1.0 %

Value	Label	Unweighted Frequency	%
13	-	58	0.4 %
14	-	98	0.7 %
15	-	141	1.0 %
16	-	107	0.8 %
17	-	63	0.5 %
18	-	88	0.7 %
19	-	37	0.3 %
20	-	114	0.8 %
21	-	43	0.3 %
22	-	37	0.3 %
23	-	46	0.3 %
24	-	71	0.5 %
25	-	49	0.4 %
26	-	37	0.3 %
27	-	29	0.2 %
28	-	35	0.3 %
29	-	25	0.2 %
30	-	60	0.4 %
31	-	23	0.2 %
32	-	18	0.1 %
33	-	16	0.1 %
34	-	15	0.1 %
35	-	24	0.2 %
36	-	22	0.2 %
37	-	12	0.1 %
38	-	15	0.1 %
39	-	11	0.1 %
40	-	32	0.2 %
41	-	9	0.1 %
42	-	11	0.1 %
43	-	8	0.1 %
44	-	14	0.1 %
45	-	24	0.2 %
46	-	13	0.1 %
47	-	7	0.1 %
48	-	19	0.1 %
49	-	9	0.1 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	4	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,476 valid cases out of 13,454 total cases.

- Mean: 20.98
- Median: 13.00
- Mode: 0.00
- Minimum: 0
- Maximum: 336
- Standard Deviation: 30.05

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIRC: Total Residential Clients

25a. On March 31, 2004, how many clients received RESIDENTIAL substance abuse services at this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	95	0.7 %
1	-	9	0.1 %
2	-	23	0.2 %
3	-	22	0.2 %
4	-	53	0.4 %
5	-	64	0.5 %
6	-	128	1.0 %
7	-	65	0.5 %
8	-	113	0.8 %
9	-	77	0.6 %
10	-	160	1.2 %
11	-	74	0.6 %
12	-	150	1.1 %
13	-	74	0.6 %
14	-	116	0.9 %

Value	Label	Unweighted Frequency	%
15	-	161	1.2 %
16	-	144	1.1 %
17	-	74	0.6 %
18	-	102	0.8 %
19	-	56	0.4 %
20	-	126	0.9 %
21	-	59	0.4 %
22	-	64	0.5 %
23	-	63	0.5 %
24	-	94	0.7 %
25	-	66	0.5 %
26	-	47	0.3 %
27	-	42	0.3 %
28	-	53	0.4 %
29	-	29	0.2 %
30	-	80	0.6 %
31	-	38	0.3 %
32	-	32	0.2 %
33	-	31	0.2 %
34	-	30	0.2 %
35	-	37	0.3 %
36	-	29	0.2 %
37	-	21	0.2 %
38	-	28	0.2 %
39	-	20	0.1 %
40	-	42	0.3 %
41	-	17	0.1 %
42	-	18	0.1 %
43	-	14	0.1 %
44	-	15	0.1 %
45	-	24	0.2 %
46	-	21	0.2 %
47	-	15	0.1 %
48	-	25	0.2 %
49	-	12	0.1 %
	Missing Data		
-6	Logical Skip	9969	74.1 %
-4	Refused	3	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	3	0.0 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,478 valid cases out of 13,454 total cases.

- Mean: 29.24
- Median: 19.00
- Mode: 15.00
- Minimum: 0
- Maximum: 485
- Standard Deviation: 33.51

Location: 392-394 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

R AGE1: Residential Clients Under 18 years old

25b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	2863	21.3 %
1	-	49	0.4 %
2	-	39	0.3 %
3	-	14	0.1 %
4	-	28	0.2 %
5	-	27	0.2 %
6	-	36	0.3 %
7	-	13	0.1 %
8	-	16	0.1 %
9	-	23	0.2 %
10	-	33	0.2 %
11	-	14	0.1 %
12	-	27	0.2 %
13	-	13	0.1 %
14	-	32	0.2 %
15	-	22	0.2 %
16	-	19	0.1 %
17	-	9	0.1 %
18	-	13	0.1 %
19	-	9	0.1 %
20	-	24	0.2 %
21	-	4	0.0 %
22	-	13	0.1 %
23	-	6	0.0 %
24	-	7	0.1 %
25	-	11	0.1 %
26	-	7	0.1 %

Value	Label	Unweighted Frequency	%
27	-	5	0.0 %
28	-	9	0.1 %
29	-	6	0.0 %
30	-	6	0.0 %
31	-	1	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	3	0.0 %
35	-	8	0.1 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	5	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
52	-	1	0.0 %
54	-	2	0.0 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	1	0.0 %
-1	Don't Know	7	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,473 valid cases out of 13,454 total cases.

- Mean: 3.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 233
- Standard Deviation: 11.19

Location: 395-397 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCMETNUM: Total Methadone Residential

25c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	3409	25.3 %
1	-	3	0.0 %
2	-	5	0.0 %
3	-	1	0.0 %
4	-	4	0.0 %
5	-	3	0.0 %
6	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	5	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	3	0.0 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
28	-	3	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
110	-	1	0.0 %
180	-	1	0.0 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	2	0.0 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 3,473 valid cases out of 13,454 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 180
- Standard Deviation: 4.83

Location: 398-400 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCBUPNUM: Total Buprenorphine Residential

25c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	3376	25.1 %
1	-	30	0.2 %
2	-	19	0.1 %
3	-	10	0.1 %
4	-	5	0.0 %
5	-	9	0.1 %
6	-	5	0.0 %
7	-	1	0.0 %
8	-	3	0.0 %
9	-	3	0.0 %
12	-	2	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
15	-	1	0.0 %
61	-	1	0.0 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	12	0.1 %
	Total	13,454	100%

Based upon 3,466 valid cases out of 13,454 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 61
- Standard Deviation: 1.26

Location: 401-403 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RESBED: Total Beds-Residential Clients

25d. On March 31, 2004, how many residential beds at this facility were specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	134	1.0 %
1	-	1	0.0 %
2	-	6	0.0 %
3	-	6	0.0 %
4	-	16	0.1 %
5	-	36	0.3 %
6	-	137	1.0 %
7	-	24	0.2 %
8	-	97	0.7 %
9	-	41	0.3 %
10	-	154	1.1 %
11	-	37	0.3 %
12	-	175	1.3 %
13	-	51	0.4 %
14	-	109	0.8 %
15	-	128	1.0 %
16	-	184	1.4 %

Value	Label	Unweighted Frequency	%
17	-	42	0.3 %
18	-	97	0.7 %
19	-	29	0.2 %
20	-	185	1.4 %
21	-	37	0.3 %
22	-	77	0.6 %
23	-	31	0.2 %
24	-	137	1.0 %
25	-	72	0.5 %
26	-	55	0.4 %
27	-	25	0.2 %
28	-	49	0.4 %
29	-	18	0.1 %
30	-	125	0.9 %
31	-	20	0.1 %
32	-	64	0.5 %
33	-	29	0.2 %
34	-	20	0.1 %
35	-	36	0.3 %
36	-	51	0.4 %
37	-	4	0.0 %
38	-	29	0.2 %
39	-	10	0.1 %
40	-	68	0.5 %
41	-	13	0.1 %
42	-	26	0.2 %
43	-	4	0.0 %
44	-	19	0.1 %
45	-	31	0.2 %
46	-	18	0.1 %
47	-	12	0.1 %
48	-	26	0.2 %
49	-	7	0.1 %
	Missing Data		
-6	Logical Skip	9970	74.1 %
-4	Refused	3	0.0 %
-2	Missing	93	0.7 %
-1	Don't Know	4	0.0 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,384 valid cases out of 13,454 total cases.

- Mean: 31.21
- Median: 21.00
- Mode: 20.00
- Minimum: 0
- Maximum: 336
- Standard Deviation: 33.67

Location: 404-406 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE1: Outpatient SA Cliens 3/31/04 TYPE7-Residential SA Clients 3/31/03

26. During the month of March 2004, did any clients receive OUTPATIENT substance abuse services at this facility?

Value	Label	Unweighted Frequency	%
0	No	2673	19.9 %
1	Yes	9639	71.6 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
-4	Refused	3	0.0 %
-2	Missing	3	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,454	100%

Based upon 12,312 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 407-409 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI7: Clients in Outpat'nt detox

26a. As of March 31, 2004, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(1) Outpatient detoxification

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse treatment or detox service at least once during the month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9104	67.7 %
1	-	71	0.5 %
2	-	124	0.9 %
3	-	78	0.6 %
4	-	48	0.4 %
5	-	66	0.5 %
6	-	22	0.2 %
7	-	18	0.1 %
8	-	13	0.1 %
9	-	11	0.1 %
10	-	54	0.4 %
11	-	5	0.0 %
12	-	14	0.1 %
13	-	8	0.1 %
14	-	5	0.0 %
15	-	23	0.2 %
16	-	11	0.1 %
17	-	5	0.0 %
18	-	11	0.1 %
19	-	2	0.0 %
20	-	24	0.2 %
21	-	10	0.1 %
22	-	5	0.0 %
23	-	3	0.0 %
24	-	4	0.0 %
25	-	8	0.1 %
26	-	4	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	10	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %

Value	Label	Unweighted Frequency	%
38	-	2	0.0 %
39	-	2	0.0 %
40	-	19	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	2	0.0 %
50	-	9	0.1 %
52	-	2	0.0 %
53	-	2	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	9	0.1 %
-2	Missing	11	0.1 %
-1	Don't Know	16	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,862 valid cases out of 13,454 total cases.

- Mean: 1.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 600
- Standard Deviation: 10.85

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIML: Clients in Outpat'nt meth/LAAM Treat.

26a. As of March 31, 2004, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(2) Outpatient methadone maintenance

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse

treatment or detox service at least once during the month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9000	66.9 %
2	-	4	0.0 %
3	-	1	0.0 %
5	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	7	0.1 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
54	-	2	0.0 %

Value	Label	Unweighted Frequency	%
55	-	2	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	3	0.0 %
61	-	1	0.0 %
62	-	2	0.0 %
63	-	1	0.0 %
64	-	3	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
71	-	1	0.0 %
72	-	2	0.0 %
73	-	1	0.0 %
74	-	2	0.0 %
75	-	8	0.1 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	8	0.1 %
-2	Missing	11	0.1 %
-1	Don't Know	10	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,869 valid cases out of 13,454 total cases.

- Mean: 23.12
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 95.01

Location: 413-416 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI8: Clients in Day Tx/Partial Hosp

26a. As of March 31, 2004, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(3) Outpatient day treatment or partial hospitalization
(20 or more hours per week)

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse
treatment or detox service at least once during the
month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client
received multiple services.

DO NOT count co-dependents, relatives, friends, or other
non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8536	63.4 %
1	-	86	0.6 %
2	-	96	0.7 %
3	-	61	0.5 %
4	-	52	0.4 %
5	-	84	0.6 %
6	-	49	0.4 %
7	-	43	0.3 %
8	-	56	0.4 %
9	-	26	0.2 %
10	-	83	0.6 %
11	-	20	0.1 %
12	-	54	0.4 %
13	-	18	0.1 %
14	-	18	0.1 %
15	-	67	0.5 %
16	-	22	0.2 %
17	-	23	0.2 %
18	-	15	0.1 %
19	-	7	0.1 %
20	-	53	0.4 %
21	-	11	0.1 %
22	-	12	0.1 %
23	-	8	0.1 %
24	-	11	0.1 %
25	-	44	0.3 %
26	-	10	0.1 %

Value	Label	Unweighted Frequency	%
27	-	12	0.1 %
28	-	11	0.1 %
30	-	37	0.3 %
31	-	9	0.1 %
32	-	5	0.0 %
33	-	5	0.0 %
34	-	6	0.0 %
35	-	16	0.1 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	16	0.1 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %
50	-	18	0.1 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	8	0.1 %
-2	Missing	11	0.1 %
-1	Don't Know	19	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,860 valid cases out of 13,454 total cases.

- Mean: 2.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 380
- Standard Deviation: 14.21

Location: 417-419 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI6: Clients in Intensive Outpat'nt

26a. As of March 31, 2004, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(4) Intensive outpatient treatment
(a minimum of 2 hours per day on 3 or more days per week)

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse treatment or detox service at least once during the month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	5408	40.2 %
1	-	91	0.7 %
2	-	165	1.2 %
3	-	151	1.1 %
4	-	135	1.0 %
5	-	204	1.5 %
6	-	150	1.1 %
7	-	107	0.8 %
8	-	178	1.3 %
9	-	94	0.7 %
10	-	317	2.4 %
11	-	67	0.5 %
12	-	218	1.6 %
13	-	69	0.5 %
14	-	73	0.5 %
15	-	232	1.7 %
16	-	81	0.6 %
17	-	75	0.6 %
18	-	72	0.5 %
19	-	42	0.3 %
20	-	228	1.7 %
21	-	47	0.3 %

Value	Label	Unweighted Frequency	%
22	-	49	0.4 %
23	-	42	0.3 %
24	-	59	0.4 %
25	-	131	1.0 %
26	-	34	0.3 %
27	-	30	0.2 %
28	-	33	0.2 %
29	-	21	0.2 %
30	-	148	1.1 %
31	-	20	0.1 %
32	-	26	0.2 %
33	-	21	0.2 %
34	-	26	0.2 %
35	-	71	0.5 %
36	-	30	0.2 %
37	-	15	0.1 %
38	-	21	0.2 %
39	-	10	0.1 %
40	-	92	0.7 %
41	-	14	0.1 %
42	-	19	0.1 %
43	-	19	0.1 %
44	-	11	0.1 %
45	-	39	0.3 %
46	-	15	0.1 %
47	-	10	0.1 %
48	-	10	0.1 %
49	-	11	0.1 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	5	0.0 %
-2	Missing	10	0.1 %
-1	Don't Know	23	0.2 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,860 valid cases out of 13,454 total cases.

- Mean: 12.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0

- Maximum: 540
- Standard Deviation: 28.29

Location: 420-422 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI5: Clients in regular Outpat'nt Care

26a. As of March 31, 2004, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse treatment or detox service at least once during the month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	1776	13.2 %
1	-	104	0.8 %
2	-	152	1.1 %
3	-	148	1.1 %
4	-	170	1.3 %
5	-	234	1.7 %
6	-	164	1.2 %
7	-	84	0.6 %
8	-	144	1.1 %
9	-	70	0.5 %
10	-	347	2.6 %
11	-	72	0.5 %
12	-	195	1.4 %
13	-	72	0.5 %
14	-	86	0.6 %
15	-	246	1.8 %

Value	Label	Unweighted Frequency	%
16	-	87	0.6 %
17	-	73	0.5 %
18	-	76	0.6 %
19	-	36	0.3 %
20	-	299	2.2 %
21	-	62	0.5 %
22	-	67	0.5 %
23	-	72	0.5 %
24	-	74	0.6 %
25	-	209	1.6 %
26	-	52	0.4 %
27	-	47	0.3 %
28	-	58	0.4 %
29	-	43	0.3 %
30	-	238	1.8 %
31	-	38	0.3 %
32	-	51	0.4 %
33	-	51	0.4 %
34	-	49	0.4 %
35	-	104	0.8 %
36	-	43	0.3 %
37	-	37	0.3 %
38	-	50	0.4 %
39	-	27	0.2 %
40	-	212	1.6 %
41	-	37	0.3 %
42	-	47	0.3 %
43	-	32	0.2 %
44	-	31	0.2 %
45	-	116	0.9 %
46	-	35	0.3 %
47	-	33	0.2 %
48	-	46	0.3 %
49	-	17	0.1 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	9	0.1 %
-2	Missing	8	0.1 %
-1	Don't Know	27	0.2 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,854 valid cases out of 13,454 total cases.

- Mean: 57.27
- Minimum: 0
- Maximum: 2765
- Standard Deviation: 107.38

Location: 423-426 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIOP: Total Number of Outpat'nt Clients

26a. As of March 31, 2004, how many active clients were enrolled in OUTPATIENT substance abuse services at this facility?

_____ OUTPATIENT TOTAL

Active outpatient clients are someone who:

1 - were seen at this facility for a substance abuse treatment or detox service at least once during the month of March 2004

AND

2 - were still enrolled in treatment on March 31, 2004.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, relatives, friends, or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	259	1.9 %
1	-	66	0.5 %
2	-	100	0.7 %
3	-	101	0.8 %
4	-	121	0.9 %
5	-	142	1.1 %
6	-	133	1.0 %
7	-	82	0.6 %
8	-	126	0.9 %
9	-	83	0.6 %
10	-	233	1.7 %
11	-	66	0.5 %

Value	Label	Unweighted Frequency	%
12	-	180	1.3 %
13	-	90	0.7 %
14	-	108	0.8 %
15	-	199	1.5 %
16	-	116	0.9 %
17	-	72	0.5 %
18	-	109	0.8 %
19	-	51	0.4 %
20	-	218	1.6 %
21	-	68	0.5 %
22	-	93	0.7 %
23	-	88	0.7 %
24	-	103	0.8 %
25	-	195	1.4 %
26	-	80	0.6 %
27	-	66	0.5 %
28	-	79	0.6 %
29	-	55	0.4 %
30	-	230	1.7 %
31	-	54	0.4 %
32	-	73	0.5 %
33	-	55	0.4 %
34	-	52	0.4 %
35	-	146	1.1 %
36	-	56	0.4 %
37	-	63	0.5 %
38	-	66	0.5 %
39	-	40	0.3 %
40	-	180	1.3 %
41	-	47	0.3 %
42	-	57	0.4 %
43	-	34	0.3 %
44	-	38	0.3 %
45	-	129	1.0 %
46	-	58	0.4 %
47	-	47	0.3 %
48	-	68	0.5 %
49	-	35	0.3 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	4	0.0 %
-2	Missing	6	0.0 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	10	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,878 valid cases out of 13,454 total cases.

- Mean: 96.63
- Minimum: 0
- Maximum: 3082
- Standard Deviation: 145.95

Location: 427-430 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

O_AGE1: Outpat'nt clients under 18 years old

26b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	5625	41.8 %
1	-	327	2.4 %
2	-	417	3.1 %
3	-	300	2.2 %
4	-	222	1.7 %
5	-	312	2.3 %
6	-	178	1.3 %
7	-	107	0.8 %
8	-	155	1.2 %
9	-	79	0.6 %
10	-	270	2.0 %
11	-	58	0.4 %
12	-	118	0.9 %
13	-	54	0.4 %
14	-	56	0.4 %
15	-	157	1.2 %
16	-	59	0.4 %
17	-	44	0.3 %
18	-	55	0.4 %
19	-	28	0.2 %
20	-	167	1.2 %
21	-	32	0.2 %
22	-	36	0.3 %
23	-	25	0.2 %

Value	Label	Unweighted Frequency	%
24	-	34	0.3 %
25	-	88	0.7 %
26	-	25	0.2 %
27	-	17	0.1 %
28	-	26	0.2 %
29	-	17	0.1 %
30	-	87	0.6 %
31	-	14	0.1 %
32	-	13	0.1 %
33	-	17	0.1 %
34	-	17	0.1 %
35	-	45	0.3 %
36	-	16	0.1 %
37	-	11	0.1 %
38	-	9	0.1 %
39	-	10	0.1 %
40	-	69	0.5 %
41	-	4	0.0 %
42	-	17	0.1 %
43	-	6	0.0 %
44	-	6	0.0 %
45	-	25	0.2 %
46	-	15	0.1 %
47	-	6	0.0 %
48	-	8	0.1 %
49	-	4	0.0 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	6	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	34	0.3 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,836 valid cases out of 13,454 total cases.

- Mean: 8.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 640
- Standard Deviation: 24.27

Location: 431-433 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPMETNUM: Total Methadone Outpat'nts

26c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	8973	66.7 %
1	-	2	0.0 %
2	-	4	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
18	-	2	0.0 %
22	-	1	0.0 %
23	-	4	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	5	0.0 %

Value	Label	Unweighted Frequency	%
46	-	4	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	6	0.0 %
52	-	2	0.0 %
54	-	4	0.0 %
55	-	3	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
64	-	2	0.0 %
65	-	2	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	8	0.1 %
-2	Missing	14	0.1 %
-1	Don't Know	14	0.1 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,862 valid cases out of 13,454 total cases.

- Mean: 24.15
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 98.17

Location: 434-437 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPBUPNUM: Total Buprenorphine Outpat'nts

26c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by

this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	9674	71.9 %
1	-	31	0.2 %
2	-	21	0.2 %
3	-	29	0.2 %
4	-	9	0.1 %
5	-	13	0.1 %
6	-	8	0.1 %
7	-	8	0.1 %
8	-	8	0.1 %
9	-	4	0.0 %
10	-	8	0.1 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	5	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	3	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	4	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
90	-	1	0.0 %
98	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3556	26.4 %
-4	Refused	8	0.1 %
-2	Missing	14	0.1 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	26	0.2 %
	Total	13,454	100%

Based upon 9,850 valid cases out of 13,454 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 98
- Standard Deviation: 2.33

Location: 438-440 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

B_PCT: % of Clients Treated for Alc/Drug Abuse

27. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2004, were being treated for . . .

(1) . . . Abuse of both alcohol and drugs?

Value	Label	Unweighted Frequency	%
0	-	748	5.6 %
1	-	41	0.3 %
2	-	43	0.3 %
3	-	23	0.2 %
4	-	22	0.2 %
5	-	175	1.3 %
6	-	29	0.2 %
7	-	19	0.1 %
8	-	31	0.2 %
9	-	19	0.1 %
10	-	394	2.9 %
11	-	14	0.1 %
12	-	22	0.2 %
13	-	20	0.1 %
14	-	24	0.2 %
15	-	182	1.4 %
16	-	25	0.2 %
17	-	25	0.2 %

Value	Label	Unweighted Frequency	%
18	-	25	0.2 %
19	-	20	0.1 %
20	-	478	3.6 %
21	-	17	0.1 %
22	-	25	0.2 %
23	-	24	0.2 %
24	-	26	0.2 %
25	-	309	2.3 %
26	-	20	0.1 %
27	-	22	0.2 %
28	-	25	0.2 %
29	-	23	0.2 %
30	-	503	3.7 %
31	-	26	0.2 %
32	-	30	0.2 %
33	-	63	0.5 %
34	-	86	0.6 %
35	-	148	1.1 %
36	-	25	0.2 %
37	-	36	0.3 %
38	-	27	0.2 %
39	-	21	0.2 %
40	-	558	4.1 %
41	-	19	0.1 %
42	-	28	0.2 %
43	-	30	0.2 %
44	-	32	0.2 %
45	-	180	1.3 %
46	-	13	0.1 %
47	-	29	0.2 %
48	-	24	0.2 %
49	-	21	0.2 %
	Missing Data		
-6	Logical Skip	1280	9.5 %
-4	Refused	8	0.1 %
-2	Missing	20	0.1 %
-1	Don't Know	60	0.4 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,086 valid cases out of 13,454 total cases.

- Mean: 53.86
- Median: 57.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 30.54

Location: 441-443 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

A_PCT: % of Clients Treated for Alc Abuse

27. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2004, were being treated for . . .

(2) . . . Alcohol abuse only?

Value	Label	Unweighted Frequency	%
0	-	2300	17.1 %
1	-	146	1.1 %
2	-	178	1.3 %
3	-	106	0.8 %
4	-	69	0.5 %
5	-	812	6.0 %
6	-	51	0.4 %
7	-	59	0.4 %
8	-	86	0.6 %
9	-	40	0.3 %
10	-	1623	12.1 %
11	-	37	0.3 %
12	-	106	0.8 %
13	-	50	0.4 %
14	-	44	0.3 %
15	-	652	4.8 %
16	-	31	0.2 %
17	-	40	0.3 %
18	-	49	0.4 %
19	-	23	0.2 %
20	-	1075	8.0 %
21	-	34	0.3 %
22	-	40	0.3 %
23	-	34	0.3 %

Value	Label	Unweighted Frequency	%
24	-	35	0.3 %
25	-	796	5.9 %
26	-	26	0.2 %
27	-	28	0.2 %
28	-	25	0.2 %
29	-	32	0.2 %
30	-	582	4.3 %
31	-	25	0.2 %
32	-	26	0.2 %
33	-	123	0.9 %
34	-	29	0.2 %
35	-	155	1.2 %
36	-	19	0.1 %
37	-	20	0.1 %
38	-	39	0.3 %
39	-	21	0.2 %
40	-	384	2.9 %
41	-	21	0.2 %
42	-	21	0.2 %
43	-	25	0.2 %
44	-	22	0.2 %
45	-	98	0.7 %
46	-	14	0.1 %
47	-	12	0.1 %
48	-	26	0.2 %
49	-	7	0.1 %
	Missing Data		
-6	Logical Skip	1280	9.5 %
-4	Refused	8	0.1 %
-2	Missing	21	0.2 %
-1	Don't Know	60	0.4 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,085 valid cases out of 13,454 total cases.

- Mean: 22.22
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 23.41

Location: 444-446 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

D_PCT: % of Clients Treated for Drug Abuse

27. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2004, were being treated for . . .

(3) . . . Drug abuse only?

Value	Label	Unweighted Frequency	%
0	-	2186	16.2 %
1	-	111	0.8 %
2	-	151	1.1 %
3	-	84	0.6 %
4	-	53	0.4 %
5	-	854	6.3 %
6	-	41	0.3 %
7	-	60	0.4 %
8	-	90	0.7 %
9	-	35	0.3 %
10	-	1684	12.5 %
11	-	54	0.4 %
12	-	67	0.5 %
13	-	63	0.5 %
14	-	63	0.5 %
15	-	710	5.3 %
16	-	22	0.2 %
17	-	46	0.3 %
18	-	53	0.4 %
19	-	43	0.3 %
20	-	1157	8.6 %
21	-	37	0.3 %
22	-	44	0.3 %
23	-	37	0.3 %
24	-	40	0.3 %
25	-	813	6.0 %
26	-	30	0.2 %
27	-	34	0.3 %
28	-	31	0.2 %
29	-	35	0.3 %

Value	Label	Unweighted Frequency	%
30	-	519	3.9 %
31	-	27	0.2 %
32	-	29	0.2 %
33	-	100	0.7 %
34	-	33	0.2 %
35	-	137	1.0 %
36	-	25	0.2 %
37	-	18	0.1 %
38	-	36	0.3 %
39	-	21	0.2 %
40	-	278	2.1 %
41	-	15	0.1 %
42	-	30	0.2 %
43	-	18	0.1 %
44	-	17	0.1 %
45	-	79	0.6 %
46	-	14	0.1 %
47	-	18	0.1 %
48	-	10	0.1 %
49	-	8	0.1 %
	Missing Data		
-6	Logical Skip	1280	9.5 %
-4	Refused	8	0.1 %
-2	Missing	22	0.2 %
-1	Don't Know	60	0.4 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,084 valid cases out of 13,454 total cases.

- Mean: 23.93
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.46

Location: 447-449 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADMIS: Total # of admissions for Sub Abuse Tx

28. In the 12 months beginning April 1, 2003, and ending

March 31, 2004, how many ADMISSIONS for substance abuse treatment did this facility have? Count every admission and re-admission in this 12-month period. If a person was admitted 3 times, count this as 3 admissions.

Number of substance abuse admissions in 12-month period

FOR OUTPATIENT CLIENTS, consider an admission to be the initiation of a treatment program or course of treatment. Count admissions into treatment, not individual treatment visits.

IF DATA FOR THIS TIME PERIOD are not available, use the most recent 12-month period for which you have data.

Value	Label	Unweighted Frequency	%
0	-	74	0.6 %
1	-	15	0.1 %
2	-	19	0.1 %
3	-	23	0.2 %
4	-	30	0.2 %
5	-	41	0.3 %
6	-	41	0.3 %
7	-	21	0.2 %
8	-	37	0.3 %
9	-	19	0.1 %
10	-	56	0.4 %
11	-	21	0.2 %
12	-	70	0.5 %
13	-	26	0.2 %
14	-	34	0.3 %
15	-	81	0.6 %
16	-	31	0.2 %
17	-	19	0.1 %
18	-	50	0.4 %
19	-	24	0.2 %
20	-	128	1.0 %
21	-	30	0.2 %
22	-	41	0.3 %
23	-	28	0.2 %
24	-	62	0.5 %
25	-	97	0.7 %
26	-	39	0.3 %
27	-	38	0.3 %
28	-	42	0.3 %
29	-	30	0.2 %

Value	Label	Unweighted Frequency	%
30	-	163	1.2 %
31	-	27	0.2 %
32	-	49	0.4 %
33	-	26	0.2 %
34	-	23	0.2 %
35	-	88	0.7 %
36	-	68	0.5 %
37	-	33	0.2 %
38	-	37	0.3 %
39	-	23	0.2 %
40	-	133	1.0 %
41	-	27	0.2 %
42	-	37	0.3 %
43	-	31	0.2 %
44	-	27	0.2 %
45	-	82	0.6 %
46	-	26	0.2 %
47	-	29	0.2 %
48	-	54	0.4 %
49	-	20	0.1 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
-4	Refused	11	0.1 %
-2	Missing	97	0.7 %
-1	Don't Know	216	1.6 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,003 valid cases out of 13,454 total cases.

- Mean: 299.49
- Minimum: 0
- Maximum: 20000
- Standard Deviation: 548.51

Location: 450-454 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACCLI: Other facilities included in client ct

29. How many facilities are included in the client counts reported in questions 25 through 29?

Value	Label	Unweighted Frequency	%
1	Only this facility	11649	86.6 %
2	This facility plus others	661	4.9 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
-4	Refused	8	0.1 %
-2	Missing	1	0.0 %
-1	Don't Know	8	0.1 %
	Total	13,454	100%

Based upon 12,310 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 2

Location: 455-457 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACNUM: # of Facilities in Client Count Data

29. How many facilities are included in the client counts reported in questions 25 through 29?

Value	Label	Unweighted Frequency	%
1	-	11666	86.7 %
2	-	376	2.8 %
3	-	141	1.0 %
4	-	63	0.5 %
5	-	26	0.2 %
6	-	22	0.2 %
7	-	13	0.1 %
8	-	5	0.0 %
9	-	2	0.0 %
10	-	5	0.0 %
11	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
17	-	2	0.0 %
20	-	1	0.0 %
27	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1127	8.4 %
	Total	13,454	100%

Based upon 12,327 valid cases out of 13,454 total cases.

- Mean: 1.11

- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 27
- Standard Deviation: 0.68

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTHI: Actual or estimate hosp inpat'nt client ct

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(1) Hospital inpatient clients (Q.24a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 31, 2004.

Value	Label	Unweighted Frequency	%
1	Actual	459	3.4 %
2	Estimate	360	2.7 %
	Missing Data		
-7	Not Applicable	11486	85.4 %
-6	Logical Skip	1127	8.4 %
-4	Refused	1	0.0 %
-2	Missing	20	0.1 %
-1	Don't Know	1	0.0 %
	Total	13,454	100%

Based upon 819 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 2

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTRES: Actual or estimate non-hosp res client ct

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(2) Residential clients (Q.25a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility

on March 31, 2004.

Value	Label	Unweighted Frequency	%
1	Actual	2423	18.0 %
2	Estimate	896	6.7 %
	Missing Data		
-7	Not Applicable	8968	66.7 %
-6	Logical Skip	1127	8.4 %
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	31	0.2 %
-1	Don't Know	6	0.0 %
	Total	13,454	100%

Based upon 3,319 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 2

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTOP: Actual or estimate outpatient client count

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(3) Outpatient clients (Q.26a, Pg. 8)

Mark "N/A" for any type of care not provided by this facility on March 31, 2004.

Value	Label	Unweighted Frequency	%
1	Actual	4826	35.9 %
2	Estimate	4619	34.3 %
	Missing Data		
-7	Not Applicable	2766	20.6 %
-6	Logical Skip	1127	8.4 %
-5	Multiple Responses	1	0.0 %
-4	Refused	4	0.0 %
-2	Missing	88	0.7 %
-1	Don't Know	23	0.2 %
	Total	13,454	100%

Based upon 9,445 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 2

Location: 467-469 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADEST: Actual or Estimate admis no.

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(4) 12-month admissions (Q.28)

Mark "N/A" for any type of care not provided by this facility on March 31, 2004.

Value	Label	Unweighted Frequency	%
1	Actual	5224	38.8 %
2	Estimate	6241	46.4 %
	Missing Data		
-7	Not Applicable	461	3.4 %
-6	Logical Skip	1127	8.4 %
-4	Refused	4	0.0 %
-2	Missing	377	2.8 %
-1	Don't Know	20	0.1 %
	Total	13,454	100%

Based upon 11,465 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 2

Location: 470-472 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC5: Setting, Halfway House

31. Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12025	89.4 %
1	Yes	1374	10.2 %
	Missing Data		
-4	Refused	6	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	12	0.1 %
-1	Don't Know	37	0.3 %
	Total	13,454	100%

Based upon 13,399 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 473-475 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENSED: Licns'd/certif'd by State SA Agency

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(1) State substance abuse agency

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	2128	15.8 %
1	Yes	10876	80.8 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	4	0.0 %
-2	Missing	20	0.1 %
-1	Don't Know	425	3.2 %
	Total	13,454	100%

Based upon 13,004 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 476-478 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENMH: Licns'd/certif'd by Mental Health Dept.

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(2) State mental health department

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	8233	61.2 %
1	Yes	4483	33.3 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	20	0.1 %
-1	Don't Know	713	5.3 %
	Total	13,454	100%

Based upon 12,716 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 479-481 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENPH: Licens'd/certif'd by Public Health Dept.

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(3) State public health department or board of health

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	8123	60.4 %
1	Yes	4172	31.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	Multiple Responses	1	0.0 %
-4	Refused	5	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	1131	8.4 %
	Total	13,454	100%

Based upon 12,295 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 482-484 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENHOS: Licns'd/certif'd by Hospital authority

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(4) Hospital licensing authority

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11409	84.8 %
1	Yes	1144	8.5 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	5	0.0 %
-2	Missing	23	0.2 %
-1	Don't Know	872	6.5 %
	Total	13,454	100%

Based upon 12,553 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 485-487 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

JCAHO: Accredited by JCAHO

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(5) JCAHO (Joint Commission on Accreditation of Healthcare Organizations)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	9591	71.3 %
1	Yes	3191	23.7 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	645	4.8 %
	Total	13,454	100%

Based upon 12,782 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 488-490 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CARF: Accredited by CARF

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(6) CARF (Commission on Accreditation of Rehabilitation Facilities)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	10409	77.4 %
1	Yes	2060	15.3 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	958	7.1 %
	Total	13,454	100%

Based upon 12,469 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 491-493 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NCQA: Accred't'd by NCQA

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(7) NCQA (National Committee for Quality Assurance)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11720	87.1 %
1	Yes	294	2.2 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	1413	10.5 %
	Total	13,454	100%

Based upon 12,014 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 494-496 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COA: Accred't'd by COA

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(8) COA (Council on Accreditation for Children & Family Services)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11627	86.4 %
1	Yes	627	4.7 %
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	22	0.2 %
-1	Don't Know	1173	8.7 %
	Total	13,454	100%

Based upon 12,254 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHSTATE: Licns'd/certif'd by other State Agency

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(9) Another state or local agency or other organization

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	9351	69.5 %
1	Yes	1758	13.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-4	Refused	5	0.0 %
-2	Missing	301	2.2 %
-1	Don't Know	2039	15.2 %
	Total	13,454	100%

Based upon 11,109 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 500-502 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

INTERNET: Has internet access

33. Does this facility have internet access?

Value	Label	Unweighted Frequency	%
0	No	1107	8.2 %
1	Yes	12297	91.4 %
	Missing Data		
-4	Refused	4	0.0 %
-2	Missing	9	0.1 %
-1	Don't Know	37	0.3 %
	Total	13,454	100%

Based upon 13,404 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 503-505 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HASWEB: Has Web site- y/n

34. Does this facility have a website or web page with information about the facility's substance abuse treatment programs?

Value	Label	Unweighted Frequency	%
0	No	5544	41.2 %
1	Yes	7662	56.9 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	7	0.1 %
-2	Missing	50	0.4 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	190	1.4 %
	Total	13,454	100%

Based upon 13,206 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 506-508 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RPTLVL: Added: Reporting for Self, Self & Others, No Counts

Value	Label	Unweighted Frequency	%
1	Reporting for self	11666	86.7 %
2	Reporting for self and others	661	4.9 %
3	Client counts reported by another facility	1127	8.4 %
	Missing Data		
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 1
- Maximum: 3

Location: 509-511 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI11: Added: Total Clients 3/31/04

Value	Label	Unweighted Frequency	%
0	-	172	1.3 %
1	-	56	0.4 %
2	-	74	0.6 %
3	-	97	0.7 %
4	-	127	0.9 %
5	-	158	1.2 %
6	-	220	1.6 %
7	-	118	0.9 %
8	-	195	1.4 %
9	-	120	0.9 %
10	-	318	2.4 %
11	-	116	0.9 %
12	-	272	2.0 %

Value	Label	Unweighted Frequency	%
13	-	126	0.9 %
14	-	188	1.4 %
15	-	298	2.2 %
16	-	214	1.6 %
17	-	123	0.9 %
18	-	179	1.3 %
19	-	93	0.7 %
20	-	306	2.3 %
21	-	119	0.9 %
22	-	147	1.1 %
23	-	141	1.0 %
24	-	180	1.3 %
25	-	214	1.6 %
26	-	118	0.9 %
27	-	92	0.7 %
28	-	107	0.8 %
29	-	80	0.6 %
30	-	271	2.0 %
31	-	87	0.6 %
32	-	105	0.8 %
33	-	95	0.7 %
34	-	82	0.6 %
35	-	158	1.2 %
36	-	79	0.6 %
37	-	83	0.6 %
38	-	85	0.6 %
39	-	71	0.5 %
40	-	223	1.7 %
41	-	68	0.5 %
42	-	68	0.5 %
43	-	55	0.4 %
44	-	50	0.4 %
45	-	146	1.1 %
46	-	71	0.5 %
47	-	62	0.5 %
48	-	91	0.7 %
49	-	50	0.4 %
	Missing Data		
-6	Logical Skip	1133	8.4 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,321 valid cases out of 13,454 total cases.

- Mean: 87.03
- Minimum: 0
- Maximum: 3112
- Standard Deviation: 135.46

Location: 512-515 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIJUV: Added: Total Clients Under Age 18 3/31/04

Value	Label	Unweighted Frequency	%
0	-	7548	56.1 %
1	-	377	2.8 %
2	-	441	3.3 %
3	-	317	2.4 %
4	-	235	1.7 %
5	-	325	2.4 %
6	-	203	1.5 %
7	-	114	0.8 %
8	-	166	1.2 %
9	-	95	0.7 %
10	-	294	2.2 %
11	-	66	0.5 %
12	-	139	1.0 %
13	-	64	0.5 %
14	-	81	0.6 %
15	-	174	1.3 %
16	-	68	0.5 %
17	-	50	0.4 %
18	-	69	0.5 %
19	-	32	0.2 %
20	-	187	1.4 %
21	-	38	0.3 %
22	-	49	0.4 %
23	-	35	0.3 %
24	-	37	0.3 %
25	-	94	0.7 %
26	-	36	0.3 %
27	-	21	0.2 %
28	-	35	0.3 %
29	-	20	0.1 %

Value	Label	Unweighted Frequency	%
30	-	91	0.7 %
31	-	17	0.1 %
32	-	19	0.1 %
33	-	18	0.1 %
34	-	21	0.2 %
35	-	50	0.4 %
36	-	18	0.1 %
37	-	11	0.1 %
38	-	12	0.1 %
39	-	12	0.1 %
40	-	78	0.6 %
41	-	6	0.0 %
42	-	17	0.1 %
43	-	10	0.1 %
44	-	7	0.1 %
45	-	24	0.2 %
46	-	16	0.1 %
47	-	9	0.1 %
48	-	11	0.1 %
49	-	6	0.0 %
	Missing Data		
-6	Logical Skip	1185	8.8 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,269 valid cases out of 13,454 total cases.

- Mean: 7.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 640
- Standard Deviation: 23.08

Location: 516-518 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METH: Added: Total Methadone Clients

Value	Label	Unweighted Frequency	%
0	-	11287	83.9 %
1	-	13	0.1 %
2	-	15	0.1 %

Value	Label	Unweighted Frequency	%
3	-	7	0.1 %
4	-	7	0.1 %
5	-	6	0.0 %
6	-	4	0.0 %
7	-	5	0.0 %
8	-	4	0.0 %
9	-	3	0.0 %
10	-	7	0.1 %
12	-	6	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	5	0.0 %
16	-	5	0.0 %
17	-	1	0.0 %
18	-	5	0.0 %
19	-	1	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
25	-	3	0.0 %
26	-	1	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	5	0.0 %
31	-	2	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
42	-	2	0.0 %
44	-	3	0.0 %
45	-	5	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
50	-	7	0.1 %
52	-	2	0.0 %

Value	Label	Unweighted Frequency	%
54	-	4	0.0 %
55	-	3	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1165	8.7 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,289 valid cases out of 13,454 total cases.

- Mean: 19.61
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 88.62

Location: 519-522 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_BUPR: Added: Total Buprenorphine Clients

Value	Label	Unweighted Frequency	%
0	-	11958	88.9 %
1	-	66	0.5 %
2	-	50	0.4 %
3	-	39	0.3 %
4	-	23	0.2 %
5	-	24	0.2 %
6	-	22	0.2 %
7	-	9	0.1 %
8	-	12	0.1 %
9	-	10	0.1 %
10	-	13	0.1 %
11	-	2	0.0 %
12	-	5	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	8	0.1 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.0 %
26	-	2	0.0 %
28	-	1	0.0 %
30	-	4	0.0 %
31	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
50	-	1	0.0 %
61	-	1	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
90	-	1	0.0 %
98	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1178	8.8 %
	Total	13,454	100%

Based upon 12,276 valid cases out of 13,454 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 98
- Standard Deviation: 2.29

Location: 523-525 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIOPS: Added: Total Methadone/Buprenorphine Detox/Maint Clients 3/31/04

Value	Label	Unweighted Frequency	%
0	-	11030	82.0 %
1	-	60	0.4 %
2	-	58	0.4 %
3	-	37	0.3 %
4	-	29	0.2 %
5	-	26	0.2 %

Value	Label	Unweighted Frequency	%
6	-	21	0.2 %
7	-	13	0.1 %
8	-	17	0.1 %
9	-	11	0.1 %
10	-	18	0.1 %
11	-	2	0.0 %
12	-	8	0.1 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	14	0.1 %
16	-	7	0.1 %
17	-	2	0.0 %
18	-	5	0.0 %
19	-	2	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	9	0.1 %
31	-	4	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	2	0.0 %
44	-	3	0.0 %
45	-	6	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	8	0.1 %
53	-	1	0.0 %
54	-	5	0.0 %

Value	Label	Unweighted Frequency	%
55	-	3	0.0 %
56	-	1	0.0 %
	Missing Data		
-6	Logical Skip	1164	8.7 %
	Total	13,454	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,290 valid cases out of 13,454 total cases.

- Mean: 19.80
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 88.71

Location: 526-529 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FOCUSF: Flag: Primary Focus SA/MH/GenI Health/Mix

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13428	99.8 %
1	Data Imputed	26	0.2 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

OWNERF: Flag: Operation

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13436	99.9 %
1	Data Imputed	18	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

OTPF: Flag: Operates Opioid Treatment Program

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13229	98.3 %
1	Data Imputed	225	1.7 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

OTPTYPEF: Flag: OTP is Maint/Detox/Both

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13235	98.4 %
1	Data Imputed	219	1.6 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 533-533 (width: 1; decimal: 0)

Variable Type: numeric

TYPE4F: Flag: Hospital Inpatient SA Clients 3/31/04

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13449	100.0 %
1	Data Imputed	5	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI1F: Flag: Hospital Inpatient Clients-Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13449	100.0 %

Value	Label	Unweighted Frequency	%
1	Data Imputed	5	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI2F: Flag: Hospital Inpatient Clients-Rehab

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13452	100.0 %
1	Data Imputed	2	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIHF: Flag: Hospital Inpatient Clients-Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13443	99.9 %
1	Data Imputed	11	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

HOSPBEDF: Flag: Beds Designated for SA Tx-Hospital Inpatient

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13453	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

TYPE7F: Flag: Residential SA Clients 3/31/03

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13451	100.0 %
1	Data Imputed	3	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI3F: Flag: Residential Clients-Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13452	100.0 %
1	Data Imputed	2	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI9F: Flag: Residential Clients-Short Term

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13451	100.0 %
1	Data Imputed	3	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI10F: Flag: Residential Clients-Long Term

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13449	100.0 %
1	Data Imputed	5	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIRCF: Flag: Residential Clients-Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13445	99.9 %
1	Data Imputed	9	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

RESBEDF: Flag: Beds Designated for SA Tx-Residential

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13452	100.0 %
1	Data Imputed	2	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

TYPE1F: Flag: Outpatient SA Clients 3/31/04

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13444	99.9 %
1	Data Imputed	10	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI7F: Flag: Outpatient Clients-Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13453	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 546-546 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI8F: Flag: Outpatient Clients- Day Tx/Partial Hosp

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13446	99.9 %
1	Data Imputed	8	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI6F: Flag: Outpatient Clients-Intensive Outpatient

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13445	99.9 %
1	Data Imputed	9	0.1 %

Value	Label	Unweighted Frequency	%
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI5F: Flag: Outpatient Clients-Regular Outpatient

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13446	99.9 %
1	Data Imputed	8	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIOPF: Flag: Outpatient Clients-Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13431	99.8 %
1	Data Imputed	23	0.2 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

O_AGE1F: Flag: Outpatient Clients Under 18

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13449	100.0 %
1	Data Imputed	5	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

PCTF: Flag: Alcohol/drug/both percent

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13446	99.9 %
1	Data Imputed	8	0.1 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 552-552 (width: 1; decimal: 0)

Variable Type: numeric

TOTADMf: Flag: Total Annual Admission for SA Tx

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13352	99.2 %
1	Data Imputed	102	0.8 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 553-553 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI11F: Flag: Total Clients 3/31/04

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13453	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,454	100%

Based upon 13,454 valid cases out of 13,454 total cases.

- Minimum: 0
- Maximum: 1

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric