PostgreSQL database diagrams

105 tables, 610 columns (including inherited columns), 110 foreign-key constraints, 2 inheritance relationships.

Source: Eddict/tmp / pgsql_db.sql

PK: primary key FK: foreign key ?: nullable *: inherited column
U1, U2, ...: unique key/index groups local to each table.
Columns with the same U number form one composite key.

Arrows: foreign-key columns -> referenced columns (not crow's-foot notation).
Dashed arrows: PostgreSQL INHERITS, not a foreign key.
Gray tables: cross-group references, showing primary and referenced columns only.
All other tables show all columns, including inherited columns.

Only declared foreign keys are drawn. Similar column names do not imply a link.
Defaults, checks, triggers, functions, non-unique indexes and runtime tables are omitted.

Media and files
Metadata and geography
Albums, sharing and favorites
People and face recognition
Tags, concepts and search
Similar media
Users and permissions
Processing and background tasks
Events and version tracking
Configuration, temporary and test tables

Media and files | 8 tables

public.burst_additional

	grouping_key	text
	sequence	bigint
FK U1	id_unit	integer ?
FK	id_user	integer

public.motion_photo_additional

	duration	bigint
	video_info	pg_catalog.json
	audio_info	pg_catalog.json
FK U1	id_unit	integer ?

public.split_filename

PK FK	id_unit	integer
	name	text
	lower_extension	text

public.video_additional

	duration	bigint
	video_info	pg_catalog.json
	audio_info	pg_catalog.json
FK U1	id_unit	integer ?

public.live_additional

	grouping_key	text
FK U1	id_unit	integer ?

public.unit

PK U1 U2 U3 U4 U5	id	integer
FK U5	id_user	integer
	type	smallint
U1	item_type	smallint
	filename	text
	filesize	bigint
	createtime	bigint
	mtime	bigint
U2	takentime	bigint
	duplicate_hash	text
	cache_key	text
	resolution	pg_catalog.json
	index_stage	smallint
	version	bigint
FK	id_geocoding	integer ?
FK U3	id_item	integer
	mobile_cache_mtime	bigint
	reindex_flag	smallint
	normalized_filename	text
U4	is_major	boolean
FK	id_folder	integer
	name_for_sort	text
	index_version	integer

public.folder

PK	id	integer
FK	id_user	integer
	name	text
FK	parent	integer
	name_for_sort	text
	permission	text ?
	mtime	bigint
FK U1	passphrase_share	text ?
	shared	boolean
	sort_by	smallint
	sort_direction	smallint
	permission_parent	integer
	name_for_search	text
	normalized_name	text

public.item

PK	id	integer
FK	id_user	integer
	type	smallint
FK	id_similar_group	integer ?
	is_similar_top_pick	boolean ?

public.user_info [reference]

PK	id	integer

public.share [reference]

PK	passphrase	text

public.similar_group [reference]

PK	id	integer

public.geocoding [reference]

PK	id	integer

id_user -> id

id_unit -> id

id_unit -> id

id_unit -> id

id_unit -> id

id_unit -> id

id_user -> id

parent -> id

id_folder -> id

id_item -> id

id_geocoding -> id

id_user -> id

id_user -> id

passphrase_share -> passphrase

id_similar_group -> id

Metadata and geography | 12 tables

public.takentime		
PK	id	integer
U1	takentime_day	text
	takentime_month	text
	takentime	bigint

public.lens		
PK	id	integer
U1	name	text
	normalized_name	text

public.iso		
PK	id	integer
U1	name	text
	normalized_name	text

public.focal_length		
PK	id	integer
U1	name	text
	normalized_name	text

public.exposure_time		
PK	id	integer
U1	name	text
	normalized_name	text

public.camera		
PK	id	integer
U1	name	text
	normalized_name	text

public.aperture		
PK	id	integer
U1	name	text
	normalized_name	text

public.geocoding_info		
PK	id	integer
FK	id_user	integer
	lang	smallint
	first_level	text
	second_level	text
	country	text
FK	id_geocoding	integer ?

id_geocoding -> id

public.geocoding		
PK	id	integer
FK	id_user	integer
	grouping_key	text
FK	level_1	integer ?
FK	level_2	integer ?
FK	level_3	integer ?
FK	level_4	integer ?
FK	level_5	integer ?
FK	level_6	integer ?
	admin_1	smallint ?
	admin_2	smallint ?
	admin_3	smallint ?
	admin_4	smallint ?
	admin_5	smallint ?
	admin_6	smallint ?

level_1 -> id

level_2 -> id

level_3 -> id

level_4 -> id

level_5 -> id

level_6 -> id

level -> id

public.administrative		
PK	id	integer
U1	value	text

id_user -> id

public.user_info [reference]		
PK	id	integer

id_user -> id

public.address		
PK	id	integer
	lang	smallint
	admin	smallint
FK	level	integer
	value	text
FK	id_unit	integer ?
FK	id_user	integer

id_unit, id_user -> id, id_user

id_unit -> id

public.unit [reference]		
PK U1 U2 U3 U4 U5	id	integer
U5	id_user	integer

id_unit -> id

public.metadata		
FK U1	id_unit	integer ?
	description	text
	orientation	smallint
	focal_length	text
	iso	text
	exposure_time	text
	aperture	text
	lens	text
	camera	text
	latitude	double precision ?
	longitude	double precision ?
	flash	smallint ?
	orientation_original	smallint
	rating	smallint
	normalized_description	text

Albums, sharing and favorites | 9 tables

public.favorite_timeline

FK	id_item	integer
FK	id_user	integer
FK	item_type	integer
	unit_type	integer
PK FK	id_unit	integer
	id_favorite_user	integer[]
FK	takentime	bigint

id_unit, id_user -> id, id_user
id_unit, id_item -> id, id_item
id_unit, item_type -> id, item_type
id_unit, takentime -> id, takentime
id_unit, id_user -> id, id_user

public.unit [reference]

PK U1 U2 U3 U4 U5	id	integer
U5	id_user	integer
U1	item_type	smallint
U2	takentime	bigint
U3	id_item	integer

public.many_unit_has_many_favorite_user

PK FK	id_unit	integer
FK	id_user	integer
PK	id_favorite_user	integer

item_provider_id_user -> id
album_id_user -> id

public.many_item_has_many_normal_album

	sequence	double precision
FK	item_provider_id_user	integer ?
PK FK	id_item	integer
PK FK	id_normal_album	integer
FK	album_id_user	integer

id_item -> id

public.item [reference]

PK	id	integer

id_user -> id (2 constraints)
id_normal_album -> id

public.normal_album

PK	id *	integer
FK	id_user *	integer
	name *	text
	type *	smallint
	shared *	boolean
	create_time *	bigint
	cover *	integer
	sort_by *	smallint
	sort_direction *	smallint
	normalized_name *	text
	version *	bigint
FK	passphrase_share *	text ?
	item_count *	integer ?
	start_time *	bigint ?
	end_time *	bigint ?
	name_for_sort *	text
	cant_migrate_condition	pg_catalog.json ?
	condition	pg_catalog.json ?
	status	smallint

id_user -> id
passphrase_share -> passphrase
id_user -> id
INHERITS
id_album -> id
id_user -> id

public.user_info [reference]

PK	id	integer

public.album

PK	id	integer
FK	id_user	integer
	name	text
	type	smallint
	shared	boolean
	create_time	bigint
	cover	integer
	sort_by	smallint
	sort_direction	smallint
	normalized_name	text
	version	bigint
FK U1	passphrase_share	text ?
	item_count	integer ?
	start_time	bigint ?
	end_time	bigint ?
	name_for_sort	text

INHERITS
id_user -> id
passphrase_share -> passphrase

public.condition_album

PK	id *	integer
FK	id_user *	integer
	name *	text
	type *	smallint
	shared *	boolean
	create_time *	bigint
	cover *	integer
	sort_by *	smallint
	sort_direction *	smallint
	normalized_name *	text
	version *	bigint
FK	passphrase_share *	text ?
	item_count *	integer ?
	start_time *	bigint ?
	end_time *	bigint ?
	name_for_sort *	text
	condition	pg_catalog.json ?
	need_update_item	boolean
	item_update_version	bigint

public.photo_request

PK FK	passphrase_share	text
FK	id_user	integer
	modified_time	bigint
	filesize_limit	bigint
	subject	text
	description	text
FK	id_album	integer ?
FK	album_passphrase_share	text ?
	folder_id_user	integer
	folder_home_path	text

public.share

PK	passphrase	text
	privacy_type	smallint
	modified_time	bigint
FK	id_user	integer
	expired_time	bigint
	hashed_password	text
	enable	boolean
	type	smallint


id_user -> id
album_passphrase_share -> passphrase
passphrase_share -> passphrase

public.share_permission

PK	id	integer
FK	id_user	integer
	permission	smallint
U1	target_type	smallint
U1	target_id	integer
FK U1	passphrase_share	text

passphrase_share -> passphrase

People and face recognition | 7 tables



Tags, concepts and search | 12 tables

public.search_timeline		
PK	id_item	integer
	id_user	integer
	item_type	smallint
	unit_type	smallint
	takentime	bigint
	id_unit	integer

public.concept_synonym		
	lang	smallint
FK	id_concept	integer
	synonym	text
	priority	smallint
	normalized_synonym	text

id_concept -> id

public.concept_threshold		
PK FK	id_concept	integer
PK	version	smallint
	confidence_threshold	numeric(5, 4)

id_concept -> id

public.concept		
PK	id	integer
	stem	text
	hidden	boolean
	display_threshold	smallint
	confidence_threshold	numeric(5, 4) ?
	parent	integer[]
	sort_index	integer

id_concept -> id

public.concept_album_additional		
PK FK	id_concept	integer
PK FK	id_user	integer
	item_count	bigint
	custom_cover_id_unit	integer ?
	visibility_status	smallint

id_user -> id

public.user_info [reference]		
PK	id	integer

id_concept -> id

public.many_unit_has_many_concept		
PK FK	id_unit	integer
PK FK	id_concept	integer
FK	id_user	integer
	confidence	numeric(5, 4)

id_unit, id_user -> id, id_user

id_user -> id

public.filter		
FK U1	id_unit	integer
U1	id_filter	integer
U1	filter_type	text
FK U1	id_user	integer

id_unit, id_user -> id, id_user

id_unit -> id

public.one_filter_has_many_unit		
PK FK	id_unit	integer
	id_aperture	integer ?
	id_camera	integer ?
	id_exposure_time	integer ?
	id_flash	integer ?
	id_focal_length	integer ?
	id_folder	integer ?
	id_iso	integer ?
	id_item_type	integer ?
	id_lens	integer ?
	id_takentime	integer ?
FK	id_user	integer ?
	id_rating	smallint
	is_major	boolean

public.unit [reference]		
PK U1 U2 U3 U4 U5	id	integer
U5	id_user	integer

id_unit, id_user -> id, id_user

id_unit -> id

id_unit -> id

public.many_unit_has_many_administrative		
PK FK	id_unit	integer
PK	id_administrative	integer
	id_user	integer ?

id_unit -> id


public.concept_rawdata		
PK FK	id_unit	integer
	result	pg_catalog.json
	need_migrate	boolean
	version	integer
FK	id_user	integer

public.many_unit_has_many_general_tag		
PK FK	id_unit	integer
PK FK	id_general_tag	integer

id_general_tag -> id

public.general_tag		
PK	id	integer
	id_user	integer
	name	text
	count	integer
	normalized_name	text
	name_for_sort	text

Similar media | 3 tables



Users and permissions | 12 tables

public.mobile_config		
	uuid	text
	config	text

public.team_library_group_permission		
PK FK	id_group	integer
	permission	smallint
	auto_backup	boolean

id_group -> id

public.group_info		
PK	id	integer
U1	gid	bigint ?
	name	text
	enable	boolean

public.team_library_folder_has_many_sorting		
PK FK	id_user	integer
PK FK	id_folder	integer
	sort_by	smallint
	sort_direction	smallint

id_folder -> id

public.folder [reference]		
PK	id	integer

id_user -> id

public.notification		
PK FK	id_user	integer
PK	event	text
PK	target_id	integer

id_user -> id

public.user_info		
PK	id	integer
U1	uid	bigint ?
	name	text
	config	pg_catalog.json
	enable	boolean

public.team_library_user_permission		
PK FK	id_user	integer
	permission	smallint
	auto_backup	boolean

id_user -> id

id_user -> id

public.user_flag		
PK FK	id_user	integer
PK	flag	text
	value	text ?


public.dsm_user		
PK	uid	bigint
	name	text

public.dsm_group		
PK	gid	bigint
	name	text

public.activity		
PK	id	integer
	id_user	integer
	id_album	integer
	type	smallint
	create_time	bigint

public.acl_permission		
	fullpath	text
	permission	text
	type	smallint
	id_type	integer

Processing and background tasks | 16 tables



Events and version tracking | 21 tables

public.version_time_3		
U1	version	bigint
U1	modified_time	bigint

public.version_time_2		
U1	version	bigint
U1	modified_time	bigint

public.version_time_1		
U1	version	bigint
U1	modified_time	bigint

public.version_time_0		
U1	version	bigint
U1	modified_time	bigint

public.version_time		
PK	version	bigint
	modified_time	bigint

public.user_event_history_9		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_8		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_7		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_6		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_5		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_4		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_3		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_2		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_13		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_12		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_11		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_10		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_1		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.user_event_history_0		
PK	version	bigint
	id_user	integer
	target_type	smallint
	target_id	integer[]
	target_id_user	integer
	trigger_id_user	integer ?
	event_type	text
	event_detail	pg_catalog.json ?

public.udc_statistic		
PK	id_user	integer
PK	key	text
	value	text

public.udc_event		
	id_user	integer
	timestamp	bigint
	type	text
	payload	text ?

Configuration, temporary and test tables | 5 tables

test.tables		
	table_schema	text
	table_name	text
	table_type	text

public.tmp_unit_map		
	old_id	integer ?
	old_user	integer ?
	new_id	integer ?
	new_user	integer ?

public.tmp_old_unit2		
	old_id	integer ?
	old_user	integer ?
	folder	text ?
	filename	text ?

public.tmp_old_named		
	old_person	integer ?
	name	text ?
	old_unit	integer ?

public.config		
PK	key	text
	value	text