
비디오 정보관리 저장프로시저

```sql
-- 1. 고객 추가용
CREATE PROC Insert_Customer
(
    @CustomerCode INT,
    @CustomerName NVARCHAR(10),
    @SSN NVARCHAR(14),
    @CustomerType NVARCHAR(10),
    @Gender NCHAR(2),
    @Tel NVARCHAR(15),
    @Mobile NVARCHAR(15),
    @Address NVARCHAR(50),
    @PostNumber VARCHAR(5),
    @RFID NVARCHAR(30)

)
AS
BEGIN

    INSERT INTO CUSTOMER
    (
        CustomerCode,
        CustomerName,
        SSN,
        CustomerType,
        Gender,
        Tel,
        Mobile,
        Address,
        PostNumber,
        RFID
    )
    VALUES
    (
        @CustomerCode,
        @CustomerName,
        @SSN,
        @CustomerType,
        @Gender,
        @Tel,
        @Mobile,
        @Address,
        @PostNumber,
        @RFID
    )

END
```



```sql
-- 2. 고객 저장용
CREATE PROC Update_Customer
(
    @CustomerCode INT,
    @CustomerName NVARCHAR(10),
    @SSN NVARCHAR(14),
    @CustomerType NVARCHAR(10),
    @Gender NCHAR(2),
    @Tel NVARCHAR(15),
    @Mobile NVARCHAR(15),
    @Address NVARCHAR(50),
    @PostNumber VARCHAR(5),
    @RFID NVARCHAR(30)
)
AS
BEGIN

    UPDATE CUSTOMER
    SET
        CustomerName = @CustomerName,
        SSN = @SSN,
        CustomerType = @CustomerType,
        Gender = @Gender,
        Tel = @Tel,
        Mobile = @Mobile,
        Address = @Address,
        PostNumber = @PostNumber,
        RFID = @RFID
    WHERE CustomerCode = @CustomerCode


END
```




```sql
-- 3. 비디오 삭제용
CREATE PROC Delete_Video
(
    @VideoCode INT
)
AS
BEGIN

    DELETE FROM VIDEO
    WHERE VideoCode = @VideoCode


END;
```




```sql
-- 4. 비디오 조회용(1개 선택시)
CREATE PROC Select_Video
(
    @VideoCode INT
)
AS
BEGIN

    SELECT *
    FROM VIDEO
    WHERE VideoCode = @VideoCode


END;
```




```sql
-- 5. 비디오 전체 조회용(DataGridView 목록 조회)
CREATE PROC Select_All_Video
AS
BEGIN

    SELECT *
    FROM VIDEO
    ORDER BY VideoCode

END;
```



비디오대여 저장프로시저

```sql
-- 1. 대여 비디오 입력 등록용
CREATE PROC Insert_Rental
(
    @RentalNo INT,
    @CustomerCode INT,
    @VideoCode INT,
    @RentalDate DATE,
    @DueDate DATE,
    @RentalFee INT
)
AS
BEGIN

    INSERT INTO RENTAL
    (
        RentalNo,
        CustomerCode,
        VideoCode,
        RentalDate,
        DueDate,
        ReturnDate,
        RentalFee,
        LateFee
    )
    VALUES
    (
        @RentalNo,
        @CustomerCode,
        @VideoCode,
        @RentalDate,
        @DueDate,
        NULL,
        @RentalFee,
        0
    )


END
```



```sql
-- 2. 비디오 회수용
CREATE PROC Return_Rental
(
    @RentalNo INT,
    @ReturnDate DATE,
    @LateFee INT
)
AS
BEGIN

    UPDATE RENTAL
    SET
        ReturnDate = @ReturnDate,
        LateFee = @LateFee
    WHERE RentalNo = @RentalNo


END
```




```sql
-- 3. 대여 비디오 정보 조회용
CREATE PROC Select_Rental
(
    @RentalNo INT
)
AS
BEGIN

    SELECT *
    FROM RENTAL
    WHERE RentalNo = @RentalNo


END
```



```sql
-- 4. 비디오 대여 전체조회용
CREATE PROC Select_All_Rental
AS
BEGIN

    SELECT *
    FROM RENTAL
    ORDER BY RentalNo

END
```




```sql
-- 5. 고객 정보 조회용 (RFID 카드 입력)
CREATE PROC Search_CustomerByRFID
(
    @RFID NVARCHAR(30)
)
AS
BEGIN

    SELECT *
    FROM CUSTOMER
    WHERE RFID = @RFID


END
```




```sql
-- 6. 고객 정보 조회용 (수기 입력 찾기)
CREATE PROC Search_Customer
(
    @Keyword NVARCHAR(20)
)
AS
BEGIN

    SELECT *
    FROM CUSTOMER
    WHERE CustomerCode LIKE '%' + @Keyword + '%'
       OR CustomerName LIKE '%' + @Keyword + '%'
       OR Tel LIKE '%' + @Keyword + '%'
       OR Mobile LIKE '%' + @Keyword + '%'

END
```



고객관리 저장프로시저

```sql
-- 1. 고객 추가용
CREATE PROC Insert_Customer
(
    @CustomerCode INT,
    @CustomerName NVARCHAR(10),
    @SSN NVARCHAR(14),
    @CustomerType NVARCHAR(10),
    @Gender NCHAR(2),
    @Tel NVARCHAR(15),
    @Mobile NVARCHAR(15),
    @Address NVARCHAR(50),
    @RFID NVARCHAR(30)

)
AS
BEGIN

    INSERT INTO CUSTOMER
    (
        CustomerCode,
        CustomerName,
        SSN,
        CustomerType,
        Gender,
        Tel,
        Mobile,
        Address,
        RFID
    )
    VALUES
    (
        @CustomerCode,
        @CustomerName,
        @SSN,
        @CustomerType,
        @Gender,
        @Tel,
        @Mobile,
        @Address,
        @RFID
    )

END
```



```sql
-- 2. 고객 저장용
CREATE PROC Update_Customer
(
    @CustomerCode INT,
    @CustomerName NVARCHAR(10),
    @SSN NVARCHAR(14),
    @CustomerType NVARCHAR(10),
    @Gender NCHAR(2),
    @Tel NVARCHAR(15),
    @Mobile NVARCHAR(15),
    @Address NVARCHAR(50),
    @RFID NVARCHAR(30)
)
AS
BEGIN

    UPDATE CUSTOMER
    SET
        CustomerName = @CustomerName,
        SSN = @SSN,
        CustomerType = @CustomerType,
        Gender = @Gender,
        Tel = @Tel,
        Mobile = @Mobile,
        Address = @Address,
        RFID = @RFID
    WHERE CustomerCode = @CustomerCode

END
```

- dbo.Update_Customer
  - 매개 변수
    - @CustomerCode (int, 입력, 기본값 없음)
    - @CustomerName (nvarchar(10), 입력, 기본값 없음)
    - @SSN (nvarchar(14), 입력, 기본값 없음)
    - @CustomerType (nvarchar(10), 입력, 기본값 없음)
    - @Gender (nchar(2), 입력, 기본값 없음)
    - @Tel (nvarchar(15), 입력, 기본값 없음)
    - @Mobile (nvarchar(15), 입력, 기본값 없음)
    - @Address (nvarchar(50), 입력, 기본값 없음)
    - @PostNumber (varchar(5), 입력, 기본값 없음)
    - @RFID (nvarchar(30), 입력, 기본값 없음)
    - integer 반환

```sql
-- 3. 고객 삭제용
CREATE PROC Delete_Customer
(
    @CustomerCode INT
)
AS
BEGIN

    DELETE FROM CUSTOMER
    WHERE CustomerCode = @CustomerCode


END
```

- dbo.Delete_Video
  - 매개 변수
    - @VideoCode (int, 입력, 기본값 없음)
    - integer 반환

```sql
-- 4. 특정 고객 조회용
CREATE PROC Select_Customer
(
    @CustomerCode INT
)
AS
BEGIN

    SELECT *
    FROM CUSTOMER
    WHERE CustomerCode = @CustomerCode


END
```




```sql
-- 5. 특정 고객 코드 조회용(RFID)
CREATE PROC Select_CustomerRFID
(
    @RFID NVARCHAR(30)
)
AS
BEGIN

    SELECT *
    FROM CUSTOMER
    WHERE RFID = @RFID


END
```




```sql
-- 6. 고객 전체 조회용
CREATE PROC Select_All_Customer
AS
BEGIN

    SELECT *
    FROM CUSTOMER
    ORDER BY CustomerCode

END
```





```sql
-- 7. 카드 관리(등록)용
CREATE PROC Update_CustomerRFID
(
    @CustomerCode INT,
    @RFID NVARCHAR(30)
)
AS
BEGIN

    UPDATE CUSTOMER
    SET RFID = @RFID
    WHERE CustomerCode = @CustomerCode
END
```




정보조회 저장프로시저


```sql
-- 1. 비디오 대여 순위용
CREATE PROC Select_VideoRank
AS
BEGIN
    SELECT
        V.VideoCode,
        V.Title,
        COUNT(*) AS RentalCount
    FROM VIDEO V
        INNER JOIN RENTAL R
            ON V.VideoCode = R.VideoCode
    GROUP BY
        V.VideoCode,
        V.Title
    ORDER BY RentalCount DESC
END
```




```sql
-- 2. 고객 대여 순위용
CREATE PROC Select_CustomerRank
AS
BEGIN
    SELECT
        C.CustomerCode,
        C.CustomerName,
        COUNT(*) AS RentalCount
    FROM CUSTOMER C
        INNER JOIN RENTAL R
            ON C.CustomerCode = R.CustomerCode
    GROUP BY
        C.CustomerCode,
        C.CustomerName
    ORDER BY RentalCount DESC
END
```




```sql
-- 3. 대여중인 비디오용
CREATE PROC Select_RentingVideo
AS
BEGIN
    SELECT
        V.VideoCode,
        V.Title,
        C.CustomerName,
        R.RentalDate,
        R.DueDate
    FROM RENTAL R
        INNER JOIN VIDEO V
            ON R.VideoCode = V.VideoCode
        INNER JOIN CUSTOMER C
            ON R.CustomerCode = C.CustomerCode
    WHERE R.ReturnDate IS NULL
END
```




환경설정 저장프로시저

```sql
-- 1. 환경설정 조회용
CREATE PROC Select_Config
AS
BEGIN

    SELECT *
    FROM CONFIG
    ORDER BY ConfigID


END
```




```sql
-- 2. 환경설정 수정용
CREATE PROC Update_Config
(
    @ConfigID INT,
    @ProgramType NVARCHAR(3),
    @RentalDays INT,
    @RentalFee INT,
    @LateFee INT
)
AS
BEGIN

    UPDATE CONFIG
    SET
        ProgramType = @ProgramType,
        RentalDays = @RentalDays,
        RentalFee = @RentalFee,
        LateFee = @LateFee
    WHERE ConfigID = @ConfigID

END
```




```sql
-- 3. 환경설정 등록용
CREATE PROC Insert_Config
(
    @ConfigID INT,
    @ProgramType NVARCHAR(3),
    @RentalDays INT,
    @RentalFee INT,
    @LateFee INT
)
AS
BEGIN

    INSERT INTO CONFIG
    (
        ConfigID,
        ProgramType,
        RentalDays,
        RentalFee,
        LateFee
    )
    VALUES
    (
        @ConfigID,
        @ProgramType,
        @RentalDays,
        @RentalFee,
        @LateFee
    )

END
```

