

Test 5

Continuous Random Variables  
The Normal Distribution  
Sample Proportions

PERTH MODERN SCHOOL  
Exceptional schooling. Exceptional students.



Semester Two 2018  
Year 12 Mathematics Methods  
Calculator Assumed

Name:

Date: Fri 17<sup>th</sup> Aug.

7:45am

You may have a formula sheet for this section of the test.  
Classpad Calculators  
1 page of Notes

Total \_\_\_\_\_/47

50 minutes

Teacher:

\_\_\_\_\_  
Mr McClelland

\_\_\_\_\_  
Miss Berry

\_\_\_\_\_  
Mr Gannon

\_\_\_\_\_  
Ms Cheng

\_\_\_\_\_  
Mr Staffe

\_\_\_\_\_  
Mr Strain

**Question 1****(5 marks)**

The life of an electronic component is given by the probability density function:

$$f(x) = \begin{cases} \frac{100}{x^2} & x > 100 \\ 0 & \text{otherwise} \end{cases}$$

Find:

(a) the probability that a component lasts for more than 250 hours. (2 marks)

(b) the median life of a component. (2 marks)

(c) the lifetime for 95% of components. (1 mark)

**Question 2****(4 marks)**

(a)  $\Pr(Z < -0.376)$ , where  $Z$  is a standard normal random variable is: (1 mark)

(b) If  $Z$  is a standard normal random variable, and  $\Pr(Z > c) = 0.75$ , then the value of  $c$  is? (1 mark)

(c) If  $X$  is a normally distributed random variable with mean  $\mu = 4$  and standard deviation,  $\sigma = \sqrt{2}$ , then the transformation that maps the curve of the density function of  $X$ ,  $f(x)$ , to the curve of the standard normal distribution is: (2 marks)

Question 8 (10 marks)

A random survey was conducted to estimate then proportion of mobile phone users who favoured standard smart phones over the new *phablet* style smart phones. It was found that 283 out of 412 people surveyed preferred the new *phablet* style smart phones.

- (a) Determine the sample proportion  $\hat{p}$  of those in the survey who preferred a phablet style smart phone. (1 mark)

- (b) Use the survey results to estimate the standard deviation of  $\hat{p}$ , for the sample proportions. (2 marks)

- (c) A follow – up survey is to be conducted to confirm the results of the initial survey. Working with a confidence interval of 95%, estimate the sample size necessary to ensure margin of error of at most 4%. (3 marks)

The 90% confidence interval of the sample proportion  $\hat{p}$ , from the initial survey is  $0.649 \leq \hat{p} \leq 0.725$ .

- (d) Use the 90% confidence interval of the initial sample to compare the following samples: (2 marks)

- (i) A random sample of 365 people at a shopping centre found that 258 had a preference for the phablet style smart phone. (2 marks)
- (ii) A random sample of 78 people at a retirement village for Maths teachers 52 had a preference for the phablet style smart phone. (2 marks)

Question 4

A probability density function is given by

$$f(x) = Ax(6 - x)^2 \quad 0 < x < 6$$

Find the value of A and hence the mean and the standard deviation of this distribution.

(6 marks)

Question 3

The weight of a population of teenage females is normally distributed with a mean of 55 kg and a standard deviation of 8 kg. If the lowest 5% of teenage females is classified as underweight, what is the cut-off weight for this group?

(2 marks)

**Question 5****(10 marks)**

A taxi company determined that on an annual basis the distance travelled per taxi is normally distributed with a mean of 92 000 kilometres and a standard deviation of 23 500 kilometres.

- (a) What is the probability, correct to four decimal places, that a taxi travels less than 75 000 kilometres per year?
  
  
  
  
  
  
  
  
  
  
- (b) What is the probability, correct to four decimal places, that a taxi travels more than 80 000 kilometres per year?
  
  
  
  
  
  
  
  
  
  
- (c) What is the probability, correct to four decimal places, that a taxi travels between 60 000 and 100 000 kilometres in the year?
  
  
  
  
  
  
  
  
  
  
- (d) Find the minimum mileage that could be expected by 95% of taxis, to the nearest km.
  
  
  
  
  
  
  
  
  
  
- (e) Fred runs a fleet of 10 taxis. What is the probability that at least four of the taxis travel more than 80 000 kilometres in a year?

**Question 6****(1 marks)**

A bag contains 4 black balls and three blue balls. If a random sample of four balls is taken from the bag, without replacement, the possible values of the sample proportion of blue balls in the sample are:

**Question 7****(9 marks)**

A random sample of 100 people indicated that 19% had taken a plane flight in the last year.

- (a) Determine a 90% confidence interval for the proportion of the population that had taken a plane flight in the last year. (3 marks)

Assume the 19% sample proportion applies to the whole population.

- (b) A new sample of 200 people was taken and  $X$  = the number of people who had taken a plane flight in the last year was recorded. Give a range, using the 90% confidence interval, within which you would expect  $X$  to lie. (1 mark)
  
  
  
  
  
  
  
  
  
  
- (c) Determine the probability that in a random sample of 120 people, the number who had taken a plane flight in the last year was greater than 26. (3 marks)
  
  
  
  
  
  
  
  
  
  
- (d) If seven surveys were taken and for each a 95% confidence interval for  $p$  was calculated, determine the probability that at least four of the intervals included the true value of  $p$ . (2 marks)