

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Important note to candidates

and up to three calculators approved for use in the WACE examinations.

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper,

correction fluid, erasers, ruler, highlighters

Standard items: pens(blue/black preferred), pencils(including coloured), sharpener,

To be provided by the candidate

Formula Sheet (retained from Section One)

This Question/Answer booklet

To be provided by the supervisor

Material required/recommended for this section

Working time for paper: one hundred minutes

Reading time before commencing work: ten minutes

Teacher's Name:

Student Name:

Calculator-assumed
Section Two:

MATHEMATICS METHODS UNITS 3 & 4

Semester Two Examination 2017
Question/Answer Booklet



Structure of this paper

	Number of questions available	Number of questions to be attempted	Working time (minutes)	Marks available	Percentage of exam
Section One Calculator—free	8	8	50	50	35
Section Two Calculator—assumed	12	12	100	98	65
					100

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2017*. Sitting this examination implies that you agree to abide by these rules.
2. Answer the questions according to the following instructions.

Section Two: Write answers in this Question/Answer Booklet. Answer **all** questions.

Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

It is recommended that you **do not use pencil**, except in diagrams.

3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. The Formula Sheet is **not** handed in with your Question/Answer Booklet.

(3 marks)

(c) Determine the rate at which the mass is changing when $t = 2$.

(2 marks)

(b) Determine the half-life of this substance.

(2 marks)

(a) Show that $k = 0.0527$ to 3 significant figures.

Initially there is 20 units of mass, and when $t = 2$, $M = 0.9M_0$ units of mass.

The formula can be expressed as $M = M_0 e^{-kt}$, where M_0 is the original mass and k is a constant.

This is the time (years) for half of its mass to decay.

The rate of decay of a radioactive substance is often measured in terms of its half-life.

Question 9 (7 marks)

Working time: 100 minutes

- number of the question(s) that you are continuing to answer at the top of the page.
original answer space where the answer is continued, i.e. give the page number. Fill in the
continuing an answer; if you need to use the space to continue an answer, indicate in the
planning: if you use the spare pages for planning, indicate this clearly at the top of the page.

Spare pages are included at the end of this booklet. They can be used for planning your responses
and/or as additional space if required to continue an answer.

This section has twelve (12) questions. Attempt all questions. Write your answers in the spaces
provided.

Section Two: Calculator-Assumed
98 marks

MATHEMATICS METHODS UNITS 3 & 4
3
CALCULATOR-ASSUMED

Question 10 (9 marks)

On a cruise ship, there are some married couples and many single travellers. At dinner one evening, it was noticed that there were 8 married couples out of a sample 40 diners. The other diners were single travellers.

- (a) State why the selection of each diner is an example of a Bernoulli trial. (1 mark)

- (b) State the proportion of single travellers at dinner. (1 mark)

- (c) Determine the standard deviation of the sample proportion of single travellers. (2 marks)

- (d) Calculate a 95% confidence interval for the true proportion of single travellers on board. (2 marks)

If we want the margin of error to be made much smaller, while still keeping the 95% confidence interval, we need to take a larger sample.

- (e) What size sample needs to be used to make the margin 5%? (3 marks)


Additional working space

Question number(s):

END OF QUESTIONS

(3 marks)

- (d) Determine the area under the curve $y = \log \sqrt{2 + \sin x}$ between $x = 4$ and $x = 6$ and the x axis. Show your working.



(3 marks)

- (e) Sketch the graph of $y = \log(2 + \sin x)$, showing its major features.

(2 marks)

- the minimum value of $\log(2 + \sin x)$.

- (f) Use your calculator, or your knowledge of the log function and the sine function, to determine

(2 marks)

- Decide which samples lie outside the 90% confidence interval, if any. Justify your answer.

Sample	No of blanks	1	2	3	28	46	49

Five samples, each of size 20 boxes, have the number of blanks recorded as shown in the table.

(2 marks)

the number of blanks in a sample of 20 boxes would lie.

- Using your 90% confidence interval from part (c), determine the range in which the expected

(1 mark)

- (a) Use your calculator to determine $\int_6^4 \log(2 + \sin x) dx$ correct to 3 decimal places.


(2 marks)

0.02 of the proportion of blanks.

- Determine the probability that exactly two of these intervals will contain the true value

Question 12 (9 marks)

A function $f(x)$ is graphed below.



$$f(x) = e^{2x} + ke^{-2x} \text{ where } k \text{ is a constant greater than 1.}$$

- (a) Determine the range of f in terms of k . (4 marks)

- (b) (i) If $k = 3$, determine by the method of small change an approximate value for the change in $f(x)$ when x changes from 2 to 2.01 (3 marks)

Question 20 (13 marks)

Birthday crackers are meant to contain a printed joke. However it is found that in a box of 100, 2% are blank.

- (a) Identify the probability distribution of $X =$ the number of blank jokes in a box of crackers and also give the mean and standard deviation. (3 marks)
- (b) Determine the probability that there are at least 5 blanks in a randomly selected box. (2 marks)

Samples of 20 boxes are collected and the number of blanks recorded.

- (c) Determine a 90% confidence interval for the proportion of blanks in a sample of 20 boxes, assuming that 2% are blank. (2 marks)

- (ii) Use your calculator to find the exact value of $f(2.01) - f(2)$ (2 marks)

(2 marks)

- (d) Find the probability that four of the throws result in a score of two.
 The die is thrown 5 times.

(2 marks)

- (e) Find the probability that a total of 20 is scored.

(2 marks)

It was found that in a sample of three hundred panels, forty five were defective.

(2 marks)

- (f) Calculate $E(X)$ and $\text{Var}(X)$.

(3 marks)

(c) Determine the mean and standard deviation of the sample proportions.

(1 mark)

- (b) Determine the probability that a throw results in a score less than 4.

(2 marks)

one sample.

(1 mark)

- (a) John believes that this die is biased. Comment on John's belief.
 Throws of the die are independent.

$P(X = x)$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{8}$	$\frac{1}{8}$
x	1	2	3	4	5

A tetrahedral die has the numbers 1 to 4 on its four faces. When the die is thrown, the uppermost face shows a score, X , with probability distribution as shown in the table.

(1 mark)


(a) Identify the shape of the graph of the sample proportions.
 Three hundred panels are selected at random from that distribution. The proportion of defective panels is recorded. This process is repeated many times and the resultant proportions are graphed.

(1 mark)

When sampling solar panels, it is found that 7% are defective.


Question 14 (9 marks)

These results are from an experiment to see how the sag of a beam (z cm) is related to the distance between supports for the beam (d cm).



z	1.1	1.3	1.7	2.0	2.4
d	130	220	490	800	1400
$\log z$	0.0414	0.1139	0.2305	0.3010	
$\log d$	2.11	2.34	2.69	2.90	

- (a) Complete the table. (2 marks)
- (b) Enter the data onto the axes below, and draw a line that seems to fit well through the points you have graphed. (3 marks)

**Question 18 (8 marks)**

The displacement, x metres, of a body from an origin, O, is given by

$$x = 16t - t^4 + \frac{t^3}{3} + 4$$
 and t is the time in seconds after passing O.

Determine:

- (a) the values of t when acceleration is zero. (2 marks)

- (b) the value(s) of t when the body is at rest. (2 marks)


- (c) the displacement when the acceleration is a maximum. (2 marks)

- (d) the total distance travelled in the first 2 seconds. (2 marks)

Question 17 (6 marks)	
CALCULATOR-ASSUMED	12
MATHEMATICS METHODS UNITS 3 & 4	9
CALCULATOR-ASSUMED	9
(c) Determine the equation of the line you have drawn in the form $\log d = a + b \log z$. Round the values of a and b to the nearest whole number. (2 marks)	The mass of a box of Daffodils chocolates (D) is a normally distributed random variable with mean of 400 grams and standard deviation of 50 grams. Determine the probability that a randomly selected box of Daffodils has a mass between 390 g and 410 g. (1 mark)
(d) Hence, determine the equation which relates d and z . (2 marks)	The manufacturer guarantees that at least 92% of all boxes of Daffodils have a mass between (400 - k) and (400 + k) grams. Determine the value of k . Show your working. (3 marks)
(e) Large boxes of Daffodils (LD) have a mean mass of m grams and a standard deviation of s grams. The relationship between the mass of boxes of Daffodils and the mass of large boxes of Daffodils is $D = \frac{LD - 10}{2}$. Determine the values of m and s . (2 marks)	Large boxes of Daffodils (LD) have a mean mass of m grams and a standard deviation of s grams. The relationship between the mass of boxes of Daffodils and the mass of large boxes of Daffodils is $D = \frac{LD - 10}{2}$. Determine the values of m and s . (2 marks)

Question 15 (5 marks)

In triangle PQR, $PQ = 3$ cm, $QR = 5$ cm and the size of angle Q is θ as shown.



- (a) Show that the rate at which the area is changing with respect to θ is $7.5\cos \theta$. (2 marks)

- (b) If θ is increasing at π radians/second, use the Leibnitz formula (chain rule) to find the rate of change of the area of the triangle with respect to time when $\theta = \frac{\pi}{2}$. (2 marks)

- (c) Interpret your answer to (b). (1 mark)

Question 16 (7 marks)

A continuous random variable is uniformly distributed in the interval $3 \leq X \leq 9$.

- (a) Determine $P(X < 5)$. (1 mark)

- (b) Determine $P(X < 5 | X < 6)$. (2 marks)

- (c) Calculate the mean and standard deviation of X . (2 marks)

- (d) If $Y = 2X + 5$, determine the mean and standard deviation of Y . (2 marks)